

GOVERNMENT OF INDIA
ARCHÆOLOGICAL SURVEY OF INDIA

CENTRAL
ARCHÆOLOGICAL
LIBRARY

ACCESSION NO. 34958


CALL No. 529.30954/S.D/Sch.

D.G.A. 79







D 3576



THE
INDIAN CALENDAR

(105)





THE INDIAN CALENDAR

WITH TABLES FOR THE CONVERSION OF HINDU AND
MUHAMMADAN INTO A.D. DATES, AND VICE VERSÂ

34958

BY

ROBERT SEWELL

Late of Her Majesty's Indian Civil Service,

AND

SANKARA BÂLKIRISHNA DÎKSHIT

Training College, Poona.

WITH TABLES OF ECLIPSES VISIBLE IN INDIA

BY

DR. ROBERT SCHRAM

Of Vienna.

D3576


529.30954

S.D/Sch



New Delhi.

LONDON
SWAN SONNENSCHEIN & CO., LTD.



UNIVERSITY LIBRARY MANUAL
LIBRARY NEW DELHI

Acc. No. 34958

Date 4. 6. 1959

Call No. 529.309574

S.D./Sch.

PREFACE.

I.

THIS Volume is designed for the use, not only of those engaged in the decyphering of Indian inscriptions and the compilation of Indian history, but also of Judicial Courts and Government Offices in India. Documents bearing dates prior to those given in any existing almanack are often produced before Courts of Justice as evidence of title; and since forgeries, many of them of great antiquity, abound, it is necessary to have at hand means for testing and verifying the authenticity of these exhibits. Within the last ten years much light has been thrown on the subject of the Indian methods of time-reckoning by the publications of Professor Jacobi, Dr. Schram, Professor Kielhorn, Dr. Fleet, Pandit Śāṅkara Bālkṛishṇa Dīkṣhit, and others; but these, having appeared only in scientific periodicals, are not readily accessible to officials in India. The Government of Madras, therefore, desiring to have a summary of the subject with Tables for ready reference, requested me to undertake the work. In process of time the scheme was widened, and in its present shape it embraces the whole of British India, receiving in that capacity the recognition of the Secretary of State for India. Besides containing a full explanation of the Indian chronological system, with the necessary tables, the volume is enriched by a set of Tables of Eclipses most kindly sent to me by Dr. Robert Schram of Vienna.

In the earlier stages of my labours I had the advantage of receiving much support and assistance from Dr. J. Burgess (late Director-General of the Archaeological Survey of India) to whom I desire to express my sincere thanks. After completing a large part of the calculations necessary for determining the elements of Table I., and drawing up the draft of an introductory treatise, I entered into correspondence with Mr. Śāṅkara Bālkṛishṇa Dīkṣhit, with the result that, after a short interval, we agreed to complete the work as joint authors. The introductory treatise is mainly his, but I have added to it several explanatory paragraphs, amongst others those relating to astronomical phenomena.

Tables XIV. and XV. were prepared by Mr. T. Lakshmiah Naidu of Madras.

It is impossible to over-estimate the value of the work done by Dr. Schram, which renders it now for the first time easy for anyone to ascertain the incidence, in time and place, of every solar eclipse occurring in India during the past 1600 years, but while thus briefly noting his services in the cause of science, I cannot neglect this opportunity of expressing to him my gratitude for his kindness to myself.

I must also tender my warm thanks for much invaluable help to Mr. H. H. Turner, Savilian Professor of Astronomy at Oxford, to Professor Kielhorn, C.I.E., of Göttingen, and to Professor Jacobi.

The Tables have been tested and re-tested, and we believe that they may be safely relied on for accuracy. No pains have been spared to secure this object.

R. SEWELL.

II.

It was only in September, 1893, that I became acquainted with Mr. R. Sewell, after he had already made much progress in the calculations necessary for the principal articles of Table I. of this work, and had almost finished a large portion of them.

The idea then occurred to me that by inserting the a , b , c figures (cols. 23, 24, and 25 of Table I.) which Mr. Sewell had already worked out for the initial days of the luni-solar years, but had not proposed to print in full, and by adding some of Professor Jacobi's Tables published in the *Indian Antiquary*, not only could the exact moment of the beginning and end of all luni-solar tithis be calculated, but also the beginning and ending moments of the nakshatra, yoga, and karaṇa for any day of any year; and again, that by giving the exact moment of the Mesha saṅkrānti for each solar year the exact European equivalent for every solar date could also be determined. I therefore proceeded to work out the details for the Mesha saṅkrāntis, and then framed rules and examples for the exact calculation of the required dates, for this purpose extending and modifying Professor Jacobi's Tables to suit my methods. Full explanation of the mode of calculation is given in the Text. The general scheme was originally propounded by M. Largeau, but we have to thank Professor Jacobi for his publications which have formed the foundation on which we have built.

My calculation for the moments of Mesha saṅkrāntis, of mean intercalations of months (Mr. Sewell worked out the true intercalations), and of the samvatsaras of the cycle of Jupiter were carried out by simple methods of my own. Mr. Sewell had prepared the rough draft of a treatise giving an account of the Hindu and Muhammadan systems of reckoning, and collecting much of the information now embodied in the Text. But I found it necessary to re-write this, and to add a quantity of new matter.

I am responsible for all information given in this work which is either new to European scholars, or which differs from that generally received by them. All points regarding which any difference of opinion seems possible are printed in footnotes, and not in the Text. They are not, of course, fully discussed as this is not a controversial work.

Every precaution has been taken to avoid error, but all corrections of mistakes which may have crept in, as well as all suggestions for improvement in the future, will be gladly and thankfully received.

S. BALKRISHNA DIKSHIT.

TABLE OF CONTENTS.

PART I.

The Hindu Calendar.

	Page
Art. 1. Introductory	I
<i>Elements and Definitions.</i>	
Art. 4. The pāñchāṅga	2
" 5. The vāra, or week day	2
Days of the week	2
" 6. Time divisions	2
Subdivisions of the day	2
" 7. The tithi, amāvāsyā, pūrṇimā	3
" 8. The nakshatra	3
" 9. The yoga	3
" 10. The karaṇa	3
" 11. The paksha	4
" 12. Lunar months	4
" 13. Amānta and pūrṇimānta systems	4
" 14. Luni-solar month names	5
" 15. The solar year, tropical, sidereal, and anomalistic	5
" 16. The Kalpa. Mahāyuga, Yuga, Julian Period	6
" 17. Siddhānta year-measurement	6
" 18. Siddhāntas now used for the same	7
<i>The Siddhāntas and other Astronomical Works.</i>	
Art. 19. Siddhāntas, Karaṇas, bija, Hindu schools of astronomers	7
" 20. Note on the Siddhāntas, and their authors and dates	7
" 21. Authorities at present accepted by Hindus	9
<i>Further details. Contents of the Pāñchāṅga.</i>	
Art. 22. The Indian Zodiac, rāśi, amṛta	9
" 23. The Saṅkrāntis. Names given to solar months	9
" 24. Length of months	10
Duration of solar months. <i>Table</i>	10
" 25. Adhika māsas. Calendar used	11
" 26. True and mean saṅkrāntis. Śodhya	11

	Page
Art. 28. The beginning of a solar month	12
Rule I. (a) The midnight Rule (Bengal).	
" I. (b) The any-time Rule (Orissa).	
" II. (a) The sunset Rule (Tamil).	
" II. (b) The afternoon Rule (Malabar).	
" 29. Pañchāngs, tithis	13
" 30. Extract from an actual pañchāṅga	13
The Ahargraṇa	16
" 31. Correspondence of tithis and solar days.	16
Performance of religious ceremonies, śrāddhas, vratas	17
" 32. Adhika and kshaya tithis	17
" 34. Variation on account of longitude	18
" 35. Examples of the same	19
" 36. True and mean time	19
Mean sun, mean moon, true and mean sunrise	19
" 37. Basis of calculation for the Tables	20
Elements of uncertainty	20
" 38. Nakshatras	21
Yoga-tārīś. Equal and unequal space systems. <i>Garga</i> and <i>Brahma</i>	
Siddhānta systems	21
Table. Longitude of Ending-points of Nakshatras	22
" 39. Auspicious Yogas	22
" 40. Karanās	23
" 40a. Eclipses	23
Oppolzer's <i>Canon</i> . Note by Professor Jacobi	23
" 41. Lunar months and their names	24
Season-names, star-names	24
" 42—44. Modern names of, derived from the nakshatras	24
Table shewing this derivation	25
" 45. Adhika and kshaya māsas. Rules	25
Table	26
" 46. Their names. Rules	26
" 47. Their determination according to true and mean systems	27
Change of practice about A.D. 1100	27
Śripati. Bhāskarāchārya	28
" 48. Rules given in another form	28
" 49. Different results by different Siddhāntas	29
" 50. Some peculiarities in the occurrence of adhika and kshaya māsas	29
" 51. Intercalation of months by pūrṇimānta scheme	30
 <i>Years and Cycles.</i>	
" 52. The Hindu New Year's Day in solar and luni-solar reckoning	31
When the first month is intercalary	32
Differs in different tracts	32
" 53. The sixty-year cycle of Jupiter	32

	Page
Art. 54—55. Kshaya samvatsaras	33
" 56—57. Variations in expunction of samvatsaras	33
<i>Jyotisha-tattva</i> Rule	33
" 58. To find the current samvatsara	34
" 59. Rules for the same	34
(a) By the <i>Surya Siddhānta</i>	34
(b) By the <i>Arya Siddhānta</i>	34
(c) By the <i>Surya Siddhānta</i> with the bija	35
(d) <i>Brihat-samhitā</i> and <i>Jyotishatattva</i> Rules	35
" 60. List of Expunged Samvatsaras by different authorities. <i>Table</i>	36
" 61. Earliest use of Jupiter's cycle	36
" 62. The southern (luni-solar) sixty-year cycle	36
" 63. The twelve-year cycle of Jupiter	37
Two kinds of Do.	37
" 64. The Graha-paravṛtti and Oṅko cycles	37

PART II.

The Various Eras.

Art. 65. General remarks	39
" 66. Importation of eras into different tracts	39
" 67. Examples of Do.	39
" 68. Eras differently treated by the same author	39
" 69. Only one safe deduction	40
" 70. Current and expired years. Explanation	40
" 71. Description of the several eras	40
The Kali-Yuga	40
The Saptarshi Kāla Era	41
The Vikrama Era	41
The Christian Era	42
The Śaka Era	42
The Chedi or Kalachuri Era	42
The Gupta Era	43
The Valabhi Era	43
The Bengali San	43
The Vilāyati Year	43
The Amlī Era of Orissa	43
The Fasali Year	44
The Luni-solar Fasali Year	44
The Mahratta Sūr San, or Shahūr San	45
The Harsha Kāla	45
The Māgi San	45
The Kollam Era, or Era of Paraśurāma	45
The Nevār Era	45
The Chālukya Era	46
The Simha Samvat	46

	Page
The Lakshmana Sena Era	46
The Ilâhi Era	46
The Mahratta Râja Saka Era	47
Art. 72. Names of Hindi and N. W. Fasali months	47

PART III.

Description and Explanation of the Tables.

Art. 73—102. Table I. (general)	47
Art. 80. "Lunation-parts" or "tithi indices", or "t." explained	49
" 81. Relation of "tithi-index" and "tithi-part"	50
" 82. To convert "t." into solar time	50
" 83—86. Lunar conditions requisite for the intercalation or suppression of a month	50
" 87. Reasons for adopting tithi-index notation	51
" 90. Method for arriving at correct intercalated and suppressed months	52
" 91. Plan of work adopted for Table I.	52
" 96. Moments of Mesha-saṅkrânti differ according to <i>Ārya</i> and <i>Sûrya Siddhântas</i>	54
Table shewing difference	55
" 102. a, b, c. (cols. 23, 24, 25) fully explained	56
Table. Increase of a, b, c. in a year and in a day	57
" 103. Table II., Parts i. and ii. Correspondence of amânta and pûrgimânta months, and of months in different eras	57
" 104. Table II., Part iii. Do. of years of different eras	58
Rules for conversion of a year of one era into that of another	58
" 105. Table III. (Collective duration of months)	59
" 106. Tables IV., V. (w, a, b, c for every day in a year, and for hours and minutes)	59
" 107—110. Tables VI., VII. (Lunar and solar equations of the centre	60
Equation of the centre explained	60
" 111. Tables VIII., VIIIa., VIIIb.	62
" 112—117. Tables IX. to XVI.	62

PART IV.

Use of the Tables.

Art. 118. Purposes for which the Tables may be used	62
" 119. To find the corresponding year and month of other eras	63
" 120. To find the samvatsara	63
" 121. To find the added or suppressed month	63
" 122—129. To convert a Hindu date into a date A.D. and vice versa	63
By methods A, B, or C	63
" 131—133. To find the nakshatra, yoga, and karaṇa current on any date	64
Explanation of work for nakshatras and yogas	64
" 134. To convert a solar date into a luni-solar date, and vice versa	65

	Page
Art. 135—136. Details for work by Method A	65
Art. 135. (A) Conversion of a Hindu solar date into a date A.D.	65
(B) Do. of a date A.D. into a Hindu solar date	66
" 136. (A) Do. of a Hindu luni-solar date into a date A.D.	67
(B) Do. of a date A.D. into a Hindu luni-solar date	68
" 137—138. Details for work by Method B	69
Art. 137. (A) Conversion of Hindu dates into dates A.D.	69
(a) Luni-solar Dates	70
(b) Solar Dates	73
" 138. (B) Conversion of dates A.D. into Hindu dates	74
(a) Luni-solar Dates	75
(b) Solar Dates	76
" 139—160. Details for work by Method C	77
Art. 139. (A) Conversion of Hindu luni-solar dates into dates A.D.	77
" 142. A clue for finding when a tithi is probably repeated or expunged	78
" 144. To find the moment of the ending of a tithi	78
" 145. Do. of its beginning	78
" 149. (B) Conversion of Hindu solar dates into dates A.D.	86
" 150. (C) Conversion into dates A.D. of tithis which are coupled with solar months	89
" 151. (D) Conversion of dates A.D. into Hindu luni-solar dates	90
" 152. (E) Conversion of dates A.D. into Hindu solar dates	93
" 153. (F) Determination of Karanas	96
" 156. (G) Do. of Nakshatras	97
" 159. (H) Do. of Yogas	97
" 160. (I) Verification of Indian dates	98

PART V.

The Muhammadan Calendar.

Art. 161. Epoch of the Hijra	101
" 162. Leap-years	102
" 163. The months. <i>Table</i>	102
" 164. A month begins with the heliacal rising of the moon	102
" 165. Occurrence of this under certain conditions	103
" 166. Difference in,—caused by difference in longitude	103
" 167. Days of the Week. <i>Table</i>	103
" 168. Compensation for New Style in Europe	103
" 169. Rules for conversion of a date A.H. into a date A.D.	104
" 170. Rules for conversion of a date A.D. into a date A.H.	105
Dr. Burgess's Perpetual Muhammadan Calendar	105

	Page
Table I.	i to cii.
" II.	ciii to cvi.
" III.	cvii.
" IV.	cviii to cx.
" V.	cxI.
" VI.	cxII.
" VII.	cxIII.
" VIII.	cxIV.
" VIII A.	cxIV, cxV.
" VIII B.	cxVI, cxVII.
" IX.	cxVIII.
" X.	cxIX, cxX.
" XI.	cxXI.
" XII.	cxXII.
" XIII.	cxXIII.
" XIV.	cxXIV, cxXIVa.
" XV.	cxXV, cxXVI.
" XVI.	

APPENDIX.

Eclipses of the Sun in India by Dr. Robert Schram.	109 to 116.
Table A	117 to 127.
" B	128 to 137.
" C	138.
" D	139 to 148.
 Additions and Corrections	149 to 161.
Index	163 to 169.



THE INDIAN CALENDAR.

PART I.

THE HINDU CALENDAR.

1. IN articles 118 to 134 below are detailed the various uses to which this work may be applied. Briefly speaking our chief objects are three; firstly, to provide simple methods for converting any Indian date—luni-solar or solar—falling between the years A.D. 300 and 1900 into its equivalent date A.D., and *vice versa*, and for finding the week-day corresponding to any such date; secondly, to enable a speedy calculation to be made for the determination of the remaining three of the five principal elements of an Indian *pāñchāṅga* (calendar), viz., the *nakshatra*, *yoga*, and *karaya*, at any moment of any given date during the same period, whether that date be given in Indian or European style; and thirdly, to provide an easy process for the verification of Indian dates falling in the period of which we treat.

2. For securing these objects several Tables are given. Table I. is the principal Table, the others are auxiliary. They are described in Part III. below. Three separate methods are given for securing the first of the above objects, and these are detailed in Part IV.

All these three methods are simple and easy, the first two being remarkably so, and it is these which we have designed for the use of courts and offices in India. The first method (A) (*Arts. 135, 136*) is of the utmost simplicity, consisting solely in the use of an eye-table in conjunction with Table I., no calculation whatever being required. The second (B) is a method for obtaining approximate results by a very brief calculation (*Arts. 137, 138*) by the use of Tables I., III. and IX. The result by both these methods is often correct, and it is always within one or two days of the truth, the latter rarely. Standing by itself, that is, it can always, provided that the era and the original bases of calculation of the given date are known, be depended on as being within two days of the truth, and is often only one day out, while as often it is correct. When the week-day happens to be mentioned in the given date its equivalent, always under the above proviso, can be fixed correctly by either of these methods.¹ The third method (C)

¹ See Art. 128 below.

is a method by which entirely correct results may be obtained by the use of Tables I. to XI. (*Arts. 139 to 160*), and though a little more complicated is perfectly simple and easy when once studied and understood. From these results the māshatra, yoga, and karaṇa can be easily calculated.

3. Calculation of a date may be at once begun by using Part IV. below, but the process will be more intelligible to the reader if the nature of the Indian calendar is carefully explained to him beforehand, for this is much more intricate than any other known system in use.

Elements and Definitions.

4. *The pāñchāṅga.* The *pāñchāṅga* (calendar), lit. that which has five (*pāñcha*) limbs (*aṅgas*), concerns chiefly five elements of time-division, viz., the *vāra*, *tithi*, *māshatra*, *yoga* and *karaṇa*.

5. *The vāra or week-day.* The natural or solar day is called a *sāvana divasa* in Hindu Astronomy. The days are named as in Europe after the sun, moon, and five principal planets,¹ and are called *vāras* (week-days), seven of which compose the week, or cycle of *vāras*. A *vāra* begins at sunrise. The week-days, with their serial numbers as used in this work and their various Sanskrit synonyms, are given in the following list. The more common names are given in italics. The list is fairly exhaustive but does not pretend to be absolutely so.

Days of the Week.

1. *Sunday.* *Ādi*,² *Aditya*, *Ravi*, *Ahaskara*, *Arka*, *Aruṇa*, *Bhaṭṭāraka*, *Aharpati*, *Bhāskara*, *Bradhnā*, *Bhānu* etc.
2. *Monday.* *Soma*, *Abja*, *Chandramas*, *Chandra*, *Indu*, *Nishpati*, *Kshapākara*, etc.
3. *Tuesday.* *Māngala*, *Āṅgiraka*, *Bhauma*, *Mahisuta*, *Rohitāṅga*.
4. *Wednesday.* *Budha*, *Baudha*, *Rauhiṇeya*, *Saumya*.
5. *Thursday.* *Guru*, *Āṅgirasa*, *Bṛihaspati*, *Dhishaṇa*, *Surāchārya*, *Vāchaspati*, etc.
6. *Friday.* *Śukra*, *Bhārgava*, *Bṛigu*, *Daityaguru*, *Kāvya*, *Uśanas*, *Kavi*.
7. ³ *Saturday.* *Sani*, *Sauri*, *Manda*.

Time-Divisions.

6. *The Indian time-divisions.* The subdivisions of a solar day (*sāvana divasa*) are as follow:

A *prativipala* (*sura*) is equal to 0.006 of a second.

60 *prativipalas* make 1 *vipala* (*para*, *kāshṭha-kalā*) = 0.4 of a second.

60 *vipalas* do. 1 *pala* (*vighaṭi*, *vināḍī*) = 24 seconds.

60 *palas* do. 1 *ghaṭikā* (*ghaṭi*, *danda*, *nāḍi*, *nāḍikā*) = 24 minutes.

60 *ghaṭikās* do. 1 *divasa* (*dina*, *vāra*, *vāsara*) = 1 solar day.

Again

- | | | |
|-------------------|-----|-----------------------------|
| 10 <i>vipalas</i> | do. | 1 <i>prāṇa</i> = 4 seconds. |
| 6 <i>prāṇas</i> | do. | 1 <i>pala</i> = 24 seconds. |

¹ It seems almost certain that both systems had a common origin in Chaldaea. The first is the day of the sun, the second of the moon, the third of Mars, the fourth of Mercury, the fifth of Jupiter, the sixth of Venus, the seventh of Saturn. [R. S.]

² The word *vedra* is to be affixed to each of these names; *Ravi* = Sun, *Ravivedra* = Sunday.

³ In the Table, for convenience of addition, Saturday is styled O

7. *The tithi, amāvāsyā, pūrnimā.* The moment of new moon, or that point of time when the longitudes of the sun and moon are equal, is called *amāvāsyā* (lit. the "dwelling together" of the sun and moon). A *tithi* is the time occupied by the moon in increasing her distance from the sun by 12 degrees; in other words, at the exact point of time when the moon (whose apparent motion is much faster than that of the sun), moving eastwards from the sun after the *amāvāsyā*, leaves the sun behind by 12 degrees, the first *tithi*, which is called *pratipadā* or *pratipad*, ends; and so with the rest, the complete synodic revolution of the moon or one lunation occupying 30 *tithis* for the 360 degrees. Since, however, the motions of the sun and moon are always varying in speed¹ the length of a *tithi* constantly alters. The variations in the length of a *tithi* are as follow, according to Hindu calculations:

	gh.	pa.	vipa.	h.	m.	s.
Average or mean length	59	3	40.23	23	37	28.092
Greatest length	65	16	0	26	6	24
Least length	53	56	0	21	34	24

The moment of full moon, or that point of time when the moon is furthest from the sun,—astronomically speaking when the difference between the longitudes of the sun and moon amounts to 180 degrees—is called *pūrnimā*. The *tithi* which ends with the moment of *amāvāsyā* is itself called "amāvāsyā", and similarly the *tithi* which ends with the moment of full moon is called "pūrnimā." (For further details see Arts. 29, 31, 32.)

8. *The nakshatra.* The 27th part of the ecliptic is called a *nakshatra*, and therefore each *nakshatra* occupies ($\frac{360^\circ}{27} =$) 13° 20'. The time which the moon (whose motion continually varies in speed) or any other heavenly body requires to travel over the 27th part of the ecliptic is also called a *nakshatra*. The length of the moon's *nakshatra* is:

	gh.	pa.	vipa.	h.	m.	s.
Mean	60	42	53.4	24	17	9.36
Greatest	66	21	0	26	32	24
Least	55	56	0	22	22	24

It will be seen from this that the moon travels nearly one *nakshatra* daily. The daily *nakshatra* of the moon is given in every *pañchāṅga* (native almanack) and forms one of its five articles. The names of the 27 *nakshatras* will be found in Table VIII., column 7. (See Arts. 38, 42.)

9. *The yoga.* The period of time during which the joint motion in longitude, or the sum of the motions, of the sun and moon is increased by 13° 20', is called a *yoga*, lit. "addition". Its length varies thus:

	gh.	pa.	vipa.	h.	m.	s.
Mean	56	29	21.75	22	35	44.7
Greatest	61	31	0	24	36	24
Least	52	12	0	20	52	48

The names of the 27 *yogas* will be found in Table VIII., col. 12. (See Art. 39.)

10. *The karāṇa.* A *karāṇa* is half a *tithi*, or the time during which the difference of the longitudes of the sun and moon is increased by 6 degrees. The names of the *karāṇas* are given in Table VIII., cols. 4 and 5. (See Art. 40.)

¹ The variation is of course really in the motions of the earth and the moon. It is caused by actual alterations in rate of rapidity of motion in consequence of the elliptical form of the orbits and the moon's actual perturbations; and by apparent irregularities of motion in consequence of the plane of the moon's orbit being at an angle to the plane of the ecliptic. [R. S.]

11. *The paksha.* The next natural division of time greater than a solar day is the *paksha* (lit. a wing¹) or moon's fortnight. The fortnight during which the moon is waxing has several names, the commonest of which are *sukla* or *suddha* (lit. "bright", that during which the period of the night following sunset is illuminated in consequence of the moon being above the horizon). The fortnight during which the moon is waning is called most commonly *krishṇa* or *bahula* or *vadya* (lit. "black", "dark", or the fortnight during which the portion of the night following sunset is dark in consequence of the moon being below the horizon). The first fortnight begins with the end of *amāvāsyā* and lasts up to the end of *pūrṇimā*; the second lasts from the end of *pūrṇimā* to the end of *amāvāsyā*. The words "pūrva" (former or first) and "apara" (latter or second) are sometimes used for *sukla* and *krishṇa* respectively. "*Sudi*" (or "*sudi*") is sometimes used for *sukla*, and "*vadi*" or "*badi*" for *krishṇa*. They are popular corruptions of the words "*suddha*" and "*vadya*" respectively.


12. *Lunar months.* The next natural division of time is the lunation, or lunar month of two lunar fortnights, viz., the period of time between two successive new or full moons. It is called a *chandra māsa*, or lunar month, and is the time of the moon's synodic revolution.²

The names of the lunar months will be found in Table II., Parts i. and ii., and Table III., col. 2, and a complete discussion on the luni-solar month system of the Hindus in Arts. 41 to 51. (For the solar months see Arts. 22 to 24.)

13. *Amānta and pūrṇimānta systems.* Since either the *amāvāsyā* or *pūrṇimā*, the new moon or the full moon, may be taken as the natural end of a lunar month, there are in use in India two schemes of such beginning and ending. By one, called the *amānta* system, a month ends with the moment of *amāvāsyā* or new moon; by the other it ends with the *pūrṇimā* or full moon, and this latter is called a *pūrṇimānta* month. The *pūrṇimānta* scheme is now in use in Northern India, and the *amānta* scheme in Southern India. There is epigraphical evidence to show that the *pūrṇimānta* scheme was also in use in at least some parts of Southern India

¹ An apt title. The full moon stands as it were with the waxing half on one side and the waning half on the other. The week is an arbitrary division.

² The "synodic revolution" of the moon is the period during which the moon completes one series of her successive phases, roughly $29\frac{1}{2}$ days. The period of her exact orbital revolution is called her "sidereal revolution". The term "synodic" was given because of the sun and moon being then together in the heavens (*cf.* "synod"). The sidereal revolution of the moon is less by about two days than her synodic revolution in consequence of the forward movement of the earth on the ecliptic. This will be best seen by the accompanying figure, where ST is a fixed star, S the sun, E the earth, C the ecliptic, M M¹ the moon, (A) the position at one new moon, (B) the position at the next new moon. The circle M to M¹ representing the sidereal revolution, its synodic revolution is M to M¹ plus M¹ to N. [R. S.]



C. A. Young ("General Astronomy", Edit. of 1859, p. 528) gives the following as the length in days of the various lunations:

	d.	h.	m.	s.
Mean synodic month (new moon to new moon)	29	12	44	2.684
Sidereal month	27	7	43	11.545
Tropical month (equinox to equinox)	27	7	43	4.68
Anomalistic month (perigee to perigee)	27	13	18	37.44
Nodal month (node to node)	27	5	5	35.81

up to about the beginning of the 9th century A.D.¹ The Mārvādīs of Northern India who, originally from Mārwar, have come to or have settled in Southern India still use their pūrnimānta arrangement of months and fortnights; and on the other hand the Dakhanis in Northern India use the scheme of amānta fortnights and months common in their own country.

14. *Luni-solar month names.* The general rule of naming the lunar months so as to correspond with the solar year is that the amānta month in which the Mēsha saikrānti or entrance of the sun into the sign of the zodiac Mesha, or Aries, occurs in each year, is to be called *Chaitra*, and so on in succession. For the list and succession see the Tables. (See Arts. 41—43.)

15. *The solar year—tropical, sidereal, and anomalistic.* Next we come to the solar year, or period of the earth's orbital revolution, i.e., the time during which the annual seasons complete their course. In Indian astronomy this is generally called a *varsha*, lit. "shower of rain", or "measured by a rainy season".

The period during which the earth makes one revolution round the sun with reference to the fixed stars,² is called a sidereal year.

The period during which the earth in its revolution round the sun passes from one equinox or tropic to the same again is called a tropical year. It marks the return of the same season to any given part of the earth's surface. It is shorter than a sidereal year because the equinoxes have a retrograde motion among the stars, which motion is called the precession of the equinoxes. Its present annual rate is about 50°.264.³

Again, the line of apsides has an eastward motion of about 1°.5 in a year; and the period during which the earth in its revolution round the sun comes from one end of the apsides to the same again, i.e., from aphelion to aphelion, or from perihelion to perihelion, is called an anomalistic year.⁴

The length of the year varies owing to various causes, one of which is the obliquity of the ecliptic,⁵ or the slightly varying relative position of the planes of the ecliptic and the equator. Leverrier gives the obliquity in A.D. 1700 as 23° 28' 43".22, in A.D. 1800 as 23° 27' 55".63, and

¹ See Fleet's *Corpus Inscrip. Indic.*, vol. III, *Introduction*, p. 79 note; *Ind. Ant.*, XVII, p. 141 f.

² Compare the note on p. 4 on the moon's motion. [R. S.]

³ This rate of annual precession is that fixed by modern European Astronomy, but since the exact occurrence of the equinoxes can never become a matter for observation, we have, in dealing with Hindu Astronomy, to be guided by Hindu calculations alone. It must therefore be borne in mind that almost all practical Hindu works (*Karanas*) fix the annual precession at one minute, or $\frac{1}{60}$ th of a degree, while the *Surya-Siddhānta* fixes it as 54' or $\frac{5}{9}$ degrees. (see Art. 160a, given in the Addenda sheet.)

⁴ The *anomaly* of a planet is its angular distance from its perihelion, or an angle contained between a line drawn from the sun to the planet, called the *radius vector*, and a line drawn from the sun to the perihelion point of its orbit. In the case in point, the earth, after completing its sidereal revolution, has not arrived quite at its perihelion because the apsidal point has shifted slightly eastwards. Hence the year occupied in travelling from the old perihelion to the new perihelion is called the anomalistic year. A planet's *true anomaly* is the actual angle as above whatever may be the variations in the planet's velocity at different periods of its orbit. Its *mean anomaly* is the angle which would be obtained were its motion between perihelion and aphelion uniform in time, and subject to no variation of velocity—in other words the angle described by a uniformly revolving radius vector. The angle between the true and mean anomalies is called the equation of the centre. *True anom.* = *mean anom.* + *equation of the centre*.

The equation of the centre is zero at perihelion and aphelion, and a maximum midway between them. In the case of the sun its greatest value is nearly 1°.55' for the present, the sun getting alternately that amount ahead of, and behind, the position it would occupy if its motion were uniform. (C. A. Young, *General Astronomy*. Edit. of 1889, p. 125.)

Prof. Jacobi's, and our, *a*, *b*, *c*, (Table I., cols. 23, 24, 25) give *a*, the distance of the moon from the sun, expressed in 10,000ths of the unit of 360°; *b*, the moon's mean anomaly; *c*, the sun's mean anomaly; the two last expressed in 1000ths of the unit of 360°. The respective equations of the centre are given in Tables VI. and VII. [R. S.]

⁵ "The ecliptic slightly and very slowly shifts its position among the stars, thus altering the latitudes of the stars and the angle between the ecliptic and equator, i.e., the obliquity of the ecliptic. This obliquity is at present about 24' less than it was 2000 years ago, and it is still decreasing about half a second a year. It is computed that this diminution will continue for about 15,000 years, reducing the obliquity to 22° 1/4', when it will begin to increase. The whole change, according to Lagrange, can never exceed about 1° 2' on each side of the mean." (C. A. Young, *General Astronomy*, p. 128.)

in A.D. 1900 as $23^{\circ} 17' 08".03$. The various year-lengths for A.D. 1900, as calculated by present standard authorities, are as follow:

	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>
Mean Sidereal solar year	365	6	9	9.29
Do. Tropical do.	365	5	48	45.37
Do. Anomalistic do.	365	6	13	48.61

16. *Kalpa. Mahâyuga. Yuga. Julian Period.* A *kalpa* is the greatest Indian division of time. It consists of 1000 *mahâyugas*. A *mahâyuga* is composed of four *yugas* of different lengths, named *Krita*, *Tretâ*, *Dvâpara*, and *Kali*. The *Kali-yuga* consists of 432,000 solar years. The *Dvâpara* yuga is double the length of the *Kali*. The *Tretâ-yuga* is triple, and the *Krita-yuga* quadruple of the *Kali*. A *mahâyuga* therefore contains ten times the years of a *Kali-yuga*, viz., 4,320,000. According to Indian tradition a *kalpa* is one day of Brahman, the god of creation. The *Kali-yuga* is current at present; and from the beginning of the present *kalpa* up to the beginning of the present *Kali-yuga* 4567 times the years of a *Kali-yuga* have passed. The present *Kali-yuga* commenced, according to the *Sûrya Siddhânta*, an authoritative Sanskrit work on Hindu astronomy, at midnight on a Thursday corresponding to 17th—18th February, 3102 B.C., old style; by others it is calculated to have commenced on the following sunrise, viz., Friday, 18th February. According to the *Sûrya* and some other *Siddhântas* both the sun and moon were, with reference to their mean longitude, precisely on the beginning point of the zodiacal sign Aries, the Hindu sign *Mesha*, when the *Kali-yuga* began.

European chronologists often use for purposes of comparison the 'Julian Period' of 7980 years, beginning Tuesday 1st January, 4713 B.C. The 18th February, 3102 B.C., coincided with the 588,466th day of the Julian Period.

17. *Siddhânta* year-measurement. The length of the year according to different Hindu authorities is as follows:

<i>Siddhântas.</i>	<i>Hindu reckoning.</i>						<i>European reckoning.</i>					
	<i>days.</i>	<i>gh.</i>	<i>ps.</i>	<i>vrs.</i>	<i>gra.</i>	<i>st.</i>	<i>days.</i>	<i>h.</i>	<i>mss.</i>	<i>sec.</i>	*	
The Vedic Jyotiša	365	0	0	0	0	0	365	0	0	0		
The Paitâmaha Siddhânta ¹	365	21	25	0	0	0	365	8	34	0		
The Romaka "	365	14	48	0	0	0	365	5	55	12		
The Pañcasiddhânta ² "	365	15	30	0	0	0	365	6	12	0		
The original Sûrya Siddhânta	365	15	31	30	0	0	365	6	12	36		
The Present Sûrya, Vâsiṣṭha, Śâkalya, Brahma, Romaka, & Soma Siddhântas	365	15	31	31	24	0	365	6	12	36.56		
The first Arya Siddhânta ³ (A. D. 499).	365	15	31	15	0	0	365	6	12	30		
The Brahma Siddhânta by Brahma-gupta (A. D. 628)	365	15	30	22	30	0	365	6	12	9		
The second Arya Siddhânta	365	15	31	17	6	0	365	6	12	30.54		
The Pârvâra Siddhânta ⁴	365	15	31	18	30	0	365	6	12	31.6		
Râjamrigîṅka ⁵ " (A. D. 1042)	365	15	31	17	17.8	0	365	6	12	30.915		

¹ Generally speaking an astronomical Sanskrit work, called a *Siddhânta*, treats of the subject theoretically. A practical work on astronomy based on a *Siddhânta* is called in Sanskrit a *Karâya*. The *Paitâmaha* and following three *Siddhântas* are not now extant, but are alluded to and described in the *Panchasiddhântikâ*, a *Karâya* by Varâhamihira, composed in or about the Saka year 427 (A.D. 505). [S. B. D.]

² Two other *Pañcasiddhântas* were known to Utpala (A.D. 966), a well-known commentator of Varâhamihira. The length of the year in them was the same as that in the original *Sûrya Siddhânta*. [S. B. D.]

³ The duration of the year by the First Arya-Siddhânta is noted in the interesting chronogram *mukhyâk kâlomayand tulâk*.
5 1 1 3 5 1 5 6 3

These figures are to be read from right to left; thus—365, 15, 31, 15 in Hindu notation of days, ghatikâs, etc. (I obtained this from Dr. Burgess.—R. S.)

⁴ The *Pârvâra Siddhânta* is not now extant. It is described in the second Arya *Siddhânta*. The date of this latter is not given, but in my opinion it is about A.D. 930. [S. B. D.]

⁵ The *Râjamrigîṅka* is a *Karâya* by King Bhoja. It is dated in the Saka year 964 expired, A.D. 1042. [S. B. D.]

It will be seen that the duration of the year in all the above works except the first three approximates closely to the anomalistic year; and is a little greater than that of the sidereal year. In some of these works theoretically the year is sidereal; in the case of some of the others it cannot be said definitely what year is meant; while in none is it to be found how the calculations were made. It may, however, be stated roughly that the Hindu year is sidereal for the last 2000 years.

18. The year as given in each of the above works must have been in use somewhere or another in India at some period; but at present, so far as our information goes, the year of only three works is in use, viz., that of the present *Surya Siddhānta*, the first *Ārya Siddhānta*, and the *Rājamṛigāṅka*.

The Siddhāntas and other astronomical works.

19. It will not be out of place here to devote some consideration to these various astronomical works; indeed it is almost necessary to do so for a thorough comprehension of the subject.

Many other *Siddhāntas* and *Karayas* are extant besides those mentioned in the above list. We know of at least thirty such works, and some of them are actually used at the present day in making calculations for preparing almanacks.¹ Many other similar works must, it is safe to suppose, have fallen into oblivion, and that this is so is proved by allusions found in the existing books.

Some of these works merely follow others, but some contain original matter. The *Karayas* give the length of the year, and the motions and places at a given time of the sun, moon, and planets, and their apogees and nodes, according to the standard *Siddhānta*. They often add corrections of their own, necessitated by actual observation, in order to make the calculations agree. Such a correction is termed a *bija*. Generally, however, the length of the year is not altered, but the motions and places are corrected to meet requirements.

As before stated, each of these numerous works, and consequently the year-duration and other elements contained in them, must have been in use somewhere or another and at some period or another in India. At the present time, however, there are only three schools of astronomers known; one is called the *Saura-paksha*, consisting of followers of the present *Surya Siddhānta*; another is called the *Ārya-paksha*, and follows the first *Ārya Siddhānta*; and the third is called the *Brahma-paksha*, following the *Rājamṛigāṅka*, a work based on Brahma-gupta's *Brahma Siddhānta*, with a certain *bija*. The distinctive feature of each of these schools is that the length of the year accepted in all the works of that school is the same, though with respect to other elements they may possibly disagree between themselves. The name *Rājamṛigāṅka* is not now generally known, the work being superseded by others; but the year adopted by the present Brāhma-school is first found, so far as our information goes, in the *Rājamṛigāṅka*, and the three schools exist from at least A.D. 1042, the date of that work.

20. It is most important to know what *Siddhāntas* or *Karayas* were, or are now, regarded as standard authorities, or were, or are, actually used for the calculations of *pāñchāngs* (almanacks) during particular periods or in particular tracts of country,² for unless this is borne in mind we shall often go wrong when we attempt to convert Indian into European dates. The sketch which follows must not, however, be considered as exhaustive. The original *Surya-*

¹ *Karayas* and other practical works, containing tables based on one or other of the *Siddhāntas*, are used for these calculations. [S. B. D.]

² The positions and motions of the sun and moon and their apogees must necessarily be fixed and known for the correct calculation of a tithi, nakshatra, yoga or karana. The length of the year is also an important element, and in the samvatsara is governed by the movement of the planet Jupiter. In the present work we are concerned chiefly with these six elements, viz., the sun, moon, their apogees, the length of the year, and Jupiter. The sketch in the text is given chiefly keeping in view these elements. When one authority differs from another in any of the first five of these six elements the tithi as calculated by one will differ from that derived from another. [S. B. D.]

Siddhānta was a standard work in early times, but it was superseded by the present *Surya-Siddhānta* at some period not yet known, probably not later than A.D. 1000. The first *Ārya-Siddhānta*, which was composed at Kusumapura (supposed to be Patnā in Bengal), came into use from A.D. 499.¹ Varāhamihira in his *Pāñchasiddhāntikā* (A.D. 505) introduced a *bija* to Jupiter's motion as given in the original *Surya-Siddhānta*, but did not take it into account in his rule (see Art. 62 below) for calculating a samvatsara. Brahmagupta composed his *Brahma-Siddhānta* in A.D. 628. He was a native of Bhillamāla (the present Bhinmāl), 40 miles to the north-west of the Abu mountains. Lalla, in his work named *Dhi-vriddhida*, introduced a *bija* to three of the elements of the first *Ārya-Siddhānta*, namely, the moon, her apogee, and Jupiter, i.e., three out of the six elements with which we are concerned. Lalla's place and date are not known, but there is reason to believe that he flourished about A.D. 638. The date and place of the second *Ārya-Siddhānta* are also not known, but the date would appear to have been about A.D. 950. It is alluded to by Bhāskarāchārya (A.D. 1150), but does not seem to have been anywhere in use for a long time. The *Rājamrigāṅka* (A.D. 1042) follows the *Brahma-Siddhānta*,² but gives a correction to almost all its mean motions and places, and even to the length of the year. The three schools—Saura, Ārya and Brāhma—seem to have been established from this date if not earlier, and the *Brahma-Siddhānta* in its original form must have then dropped out of use. The *Karāya-prakāśa*, a work based on the first *Ārya-Siddhānta* as corrected by Lalla's *bija*, was composed in A.D. 1092, and is considered an authority even to the present day among many Vaishnavas of the central parts of Southern India, who are followers of the *Ārya-Siddhānta*. Bhāskarāchārya's works, the *Siddhānta Śiromāṇi* (A.D. 1150) and the *Karāya-Kutikāla* (A.D. 1183) are the same as the *Rājamrigāṅka* in the matter of the calculation of a pāñchiāṅg. The *Vākkyā-Karāya*, a work of the Ārya school, seems to have been accepted as the guide for the preparation of solar pāñchiāṅgs in the Tamil and Malayālam countries of Southern India from very ancient times, and even to the present day either that or some similar work of the Ārya school is so used. A Karāya named *Bhāṣvatī* was composed in A.D. 1099, its birthplace according to a commentator being Jagannātha (or Puri) on the east coast. The mean places and motions given in it are from the original *Surya-Siddhānta* as corrected by Varāhamihira's *bija*,³ and it was an authority for a time in some parts of Northern India. Vāvilāla Kochchanna, who resided somewhere in Telingaṇa, composed a Karāya in 1298 A.D. He was a strict follower of the present *Surya-Siddhānta*, and since his day the latter Siddhānta has governed the preparation of all Telugu luni-solar calendars. The *Makaranda*, another Karāya, was composed at Benares in A.D. 1478, its author following the present *Surya-Siddhānta*, but introducing a *bija*. The work is extensively used in Northern India in the present day for pāñchiāṅga calculations. Bengalis of the present day are followers of the Saura school, while in the western parts of Northern India and in some parts of Gujarat the Brāhma school is followed. The *Graha-lāghava*, a Karāya of the Saura school, was composed by Gaṇeśa Daivjña of Nandigrāma (Nāndgām), a village to the South of Bombay, in A.D. 1520. The same author also produced the *Brihat* and *Laghutithichintāmanī* in A.D. 1525, which may be considered as appendices to the *Graha-lāghava*. Gaṇeśa adopted the present *Surya Siddhānta* determinations for the length of

1. It is not to be understood that as soon as a standard work comes into use its predecessors go out of use from all parts of the country. There is direct evidence to show that the original *Surya-Siddhānta* was in use till A.D. 865, the date of the *Khaṇḍakādhyāya* of Brahmagupta, though evidently not in all parts of the country. [S. B. D.]

2. Whenever we allude simply to the "Brahma Siddhānta" by name, we mean the *Brahma-Siddhānta* of Brahmagupta.

3. Out of the six elements alluded to in note I on the last page, only Jupiter has this *bija*. The present *Surya-Siddhānta* had undoubtedly come into use before the date of the *Bhāṣvatī*. [S. B. D.]

the year and the motions and places of the sun and moon and their apogees, with a small correction for the moon's place and the sun's apogee; but he adopted from the *Ārya Siddhānta* as corrected by Lalla the figures relating to the motion and position of Jupiter.

The *Graha-lāghava* and the *Laghutithichintāmaṇi* were used, and are so at the present day, in preparing pāñchāṅgs wherever the Mahrathi language was or is spoken, as well as in some parts of Gujarat, in the Kanarese Districts of the Bombay and Madras Presidencies, and in parts of Haidarābād, Maisūr, the Berars, and the Central Provinces. Mahratha residents in Northern India and even at Benares follow these works.

21. It may be stated briefly that in the present day the first *Ārya-Siddhānta* is the authority in the Tamil and Malayālam countries of Southern India;¹ the Brāhma-paksha obtains in parts of Gujarat and in Rājputāna and other western parts of Northern India; while in almost all other parts of India the present *Surya-Siddhānta* is the standard authority. Thus it appears that the present *Surya-Siddhānta* has been the prevailing authority in India for many centuries past down to the present day, and since this is so, we have chiefly followed it in this work.²

The bija as given in the *Makaranda* (A. D. 1478) to be applied to the elements of the *Surya-Siddhānta* is generally taken into account by the later followers of the *Surya-Siddhānta*, but is not met with in any earlier work so far as our information goes. We have, therefore, introduced it into our tables after A.D. 1500 for all calculations which admit of it. The bija of the *Makaranda* only applies to the moon's apogee and Jupiter, leaving the other four elements unaffected.

Further details. Contents of the Pāñchāṅga.

22. *The Indian Zodiac.* The Indian Zodiac is divided, as in Europe, into 12 parts, each of which is called a *rāśi* or "sign". Each sign contains 30 degrees, a degree being called an *amṣa*. Each *amṣa* is divided into 60 *kalās* (minutes), and each *kalā* into 60 *vikalās* (seconds). This sexagesimal division of circle measurement is, it will be observed, precisely similar to that in use in Europe.³

23. *The Saṅkrānti.* The point of time when the sun leaves one zodiacal sign and enters another is called a *saṅkrānti*. The period between one *saṅkrānti* and another, or the time required for the sun to pass completely through one sign of the zodiac, is called a *saura māsa*, or solar month. Twelve solar months make one solar year. The names of the solar months will be found in Table II., Part ii., and Table III., col. 5. A *saṅkrānti* on which a solar month commences takes its name from the sign-name of that month. The *Mesha saṅkrānti* marks the vernal equinox, the moment of the sun's passing the first point of Aries. The *Karka saṅkrānti*, three solar months later, is also called the *dakshināyana* ("southward-going") *saṅkrānti*; it is the point of the summer solstice, and marks the moment when the sun turns southward. The *Tulā saṅkrānti*, three solar months later, marks the autumnal equinox, or the moment of the sun's passing the first point of Libra. The *Makara saṅkrānti*, three solar months later still, is also called the *uttarāyana saṅkrānti* ("northward-going"). It is the other solstitial point, the point or moment when the sun turns northward. When we speak of "saṅkrāntis" in this volume we refer always to the *nirayana saṅkrāntis*, i.e., the moments of the sun's entering the zodiacal signs, as calculated in sidereal longitude—longitude measured from the fixed point in Aries—taking no account of the annual precession of the equinoxes—(*nirayana* = "without movement", excluding the precession of the solstitial—*ayana*—points). But there is also in Hindu chronology the *sāyana saṅkrānti* (*sa-ayana* = "with

¹ It is probable that the first *Ārya-Siddhānta* was the standard authority for South Indian solar reckoning from the earliest times. In Bengal the *Surya-Siddhānta* is the authority since about A. D. 1100, but in earlier times the first *Ārya-Siddhānta* was apparently the standard. [S. B. D.]

² When we allude simply to the *Sāyana* or *Ārya-Siddhānta*, it must be borne in mind that we mean the *Present Sāyana* and the *First Ārya-Siddhāntas*. ³ See note 1, p. 2 above. [R. S.]

movement", including the movement of the *ayana* points), i.e., a saṅkrānti calculated according to tropical longitude—longitude measured from the vernal equinox, the precession being taken into account. According to the present Sūrya-Siddhānta the sidereal coincided with the tropical signs in K. Y. 3600 expired, Śaka 421 expired, and the annual precession is 54". By almost all other authorities the coincidence took place in K. Y. 3623 expired, Śaka 444 expired, and the annual precession is (1') one minute. (The *Siddhānta Śiromani*, however, fixes this coincidence as in K. Y. 3628). Taking either year as a base, the difference in years between it and the given year, multiplied by the total amount of annual precession, will shew the longitudinal distance by which, in the given year, the first point of the tropical (*sāyana*) sign precedes the first point of the sidereal (*nirayana*) sign. Professor Jacobi (*Epig. Ind.*, Vol. I, p. 422, Art. 39) points out that a calculation should be made "whenever a date coupled with a saṅkrānti does not come out correct in all particulars. For it is possible that a *sāyana* saṅkrānti may be intended, since these saṅkrāntis too are suspicious moments." We have, however, reason to believe that *sāyana* saṅkrāntis have not been in practical use for the last 1600 years or more. Dates may be tested according to the rule given in Art. 160 (a).

It will be seen from cols. 8 to 13 of Table II., Part ii., that there are two distinct sets of names given to the solar months. One set is the set of zodiac-month-names ("Mesha" etc.), the other has the names of the lunar months. The zodiac-sign-names of months evidently belong to a later date than the others, since it is known that the names of the zodiacal signs themselves came into use in India later than the lunar names, "Chaitra" and the rest.¹ Before sign-names came into use the solar months must have been named after the names of the lunar months, and we find that they are so named in Bengal and in the Tamil country at the present day.²

24. *Length of months.* It has been already pointed out that, owing to the fact that the apparent motion of the sun and moon is not always the same, the lengths of the lunar and solar months vary. We give here the lengths of the solar months according to the *Sūrya* and *Ārya-Siddhāntas*.

Serial No.	NAME OF THE MONTH.			DURATION OF EACH MONTH.													
	Sign-name.	Tamil name.	Bengali name.	By the Ārya-Siddhānta.						By the Sūrya-Siddhānta.							
				days	gh.	pa.	days	hrs.	mn.	sec.	days	gh.	pa.	days	hrs.	mn.	
1	Mesha	Śittiri (Chittiri)	Vaiśākha	30	55	30	30	22	12	0	30	56	7	30	22	26	48
2	Vṛishabha	Vaigasi, or Vaiyāsi	Jyeṣṭha	31	24	4	31	9	37	36	31	25	13	31	10	5	12
3	Mithuna	Āni	Āshāḍha	31	36	26	31	14	34	24	31	38	41	31	15	28	24
4	Karka	Āḍi	Srāvana	31	28	4	31	11	13	36	31	28	31	31	11	24	24
5	Sittha	Āvani	Bhādrapada	31	2	5	31	0	50	0	31	1	7	31	0	26	48
6	Kanya	Parattādi, or Parattāhi	Āśvina	30	27	24	30	10	57	36	30	29	30	30	10	35	36
7	Tulā	Aippasi, or Arppisi, or Appisi	Kārttika	29	54	12	29	21	40	48	29	53	36	29	21	26	24
8	Vṛischika	Kārttikai	Mārcasīrsha	29	30	31	29	12	12	24	29	29	25	29	11	46	0
9	Dhanus	Mārgali	Pausa	29	21	2	29	8	24	48	29	19	4	29	7	37	36
10	Makara	Tai	Māgha	29	27	24	29	10	57	36	29	26	53	29	10	45	12
11	Kumbha	Māsi	Phalguna	29	48	30	29	19	24	0	29	49	18	29	19	41	12
12	Mīna	Panguni	Chaitra	30	20	19½	30	8	7	42	30	21	12.52	30	8	23	0.56
				365	15	31½	365	6	12	30	365	15	31.52	365	6	12	36.56

¹ My present opinion is that the zodiacal-sign-names, *Mesha*, etc., began to be used in India between 700 B.C. and 300 B.C., not earlier than the former or later than the latter. [S. B. D.]

² It will be seen that the Bengal names differ from the Tamil ones. The same solar month *Mesha*, the first of the year, is

For calculation of the length by the *Surya-Siddhānta* the longitude of the sun's apogee is taken as $77^{\circ} 16'$, which was its value in A. D. 1137, a date about the middle of our Tables. Even if its value at our extreme dates, i.e., either in A. D. 300 or 1900, were taken the lengths would be altered by only one *pala* at most. By the *Arya-Siddhānta* the sun's apogee is taken as constantly at 78° .¹

The average (mean) length in days of solar and lunar months, and of a lunar year is as follows:

	<i>Surya-Siddhānta</i>	<i>Modern science</i>
Solar month ($\frac{1}{12}$ of a sidereal year)	30.438229707	30.438030.
Lunar month	29.530587946	29.530588.
Lunar year (12 lunations)	354.36705535	354.367056.

25. *Adhika māsas. Calendar used.* A period of twelve lunar months falls short of the solar year by about eleven days, and the Hindus, though they use lunar months, have not disregarded this fact; but in order to bring their year as nearly as possible into accordance with the solar year and the cycle of the seasons they add a lunar month to the lunar year at certain intervals. Such a month is called an *adhika* or intercalated month. The Indian year is thus either solar or luni-solar. The Muhammadan year of the Hijra is purely lunar, consisting of twelve lunar months, and its initial date therefore recedes about eleven days in each year. In luni-solar calculations the periods used are tithis and lunar months, with intercalated and suppressed months whenever necessary. In solar reckoning solar days and solar months are alone used. In all parts of India luni-solar reckoning is used for most religious purposes, but solar reckoning is used where it is prescribed by the religious authorities. For practical civil purposes solar reckoning is used in Bengal and in the Tamil and Malayālam countries of the Madras Presidency; in all other parts of the country luni-solar reckoning is adopted.

26. *True and mean saṅkrāntis. Sodhya.* When the sun enters one of the signs of the zodiac, as calculated by his mean motion, such an entrance is called a mean saṅkrānti; when he enters it as calculated by his apparent or true motion, such a moment is his apparent or true² saṅkrānti. At the present day true saṅkrāntis are used for religious as well as for

called *Vaiśākha* in Bengal and *Sitirasi* (*Chaitra*) in the Tamil country, Vaiśākha being the second month in the south. To avoid confusion, therefore, we use only the sign-names (*Mesha*, etc.) in framing our rules.

¹ The lengths of months by the *Arya-Siddhānta* here given are somewhat different from those given by Warren. But Warren seems to have taken the longitude of the sun's apogee by the *Surya-Siddhānta* in calculating the duration of months by the *Arya-Siddhānta*, which is wrong. He seems also to have taken into account the *chara*.^{*} (See his *Kīla Śākalita*, p. 11, art. 8, p. 22, explanation of Table III., line 4, and p. 3 of the Tables). He has used the *ayuddha* (the uniformly increasing arc between the point of the vernal equinox each year and the fixed point in Aries) which is required for finding the *chara* in calculating the lengths of months. The *chara* is not the same at the beginning of any given solar month for all places or for all years. Hence it is wrong to use it for general rules and tables. The inaccuracy of Warren's lengths of solar months according to the *Surya-Siddhānta* requires no elaborate proof, for they are practically the same as those given by him according to the *Arya-Siddhānta*, and that this cannot be the case is self-evident to all who have any experience of the two *Siddhāntas*. [S. B. D.]

* The *chara*:—"The time of rising of a heavenly body is assumed to take place six hours before it comes to the meridian. Actually this is not the case for any locality not on the equator, and the *chara* is the correction required in consequence, i.e., the excess or defect from six hours of the time between rising and reaching the meridian. The name is also applied to the celestial arc described in this time."

² The Sanskrit word for "mean" is *madhyama*, and that for "true" or "apparent" is *spashṭa*. The words "*madhyama*" and "*spashṭa*" are applied to many varieties of time and space; as, for instance, *gati* (motion), *bhōga* (longitude), *sankrānti*, *māsa* (measure or reckoning) and *kīla* (time). In the English Nautical Almanac the word "apparent" is used to cover almost all cases where the Sanskrit word *spashṭa* would be applied, the word "true" being sometimes, but rarely, used. "Apparent," therefore, is the best word to use in my opinion; and we have adopted it prominently, in spite of the fact that previous writers on Hindu Astronomy have chiefly used the word "true." There is as a fact a little difference in the meaning of the phrases "apparent" and "true," but it is almost unknown to Indian Astronomy, and we have therefore used the two words as synonymous. [S. B. D.]

civil purposes. In the present position of the sun's apogee, the mean Mesha saṅkrānti takes place after the true sankrānti, the difference being two days and some ghaṭikās. This difference is called the *sodhya*. It differs with different *Siddhāntas*, and is not always the same even by the same authority. We have taken it as 2 d. 10 gh. 14 p. 30 *vipa*, by the *Surya-Siddhānta*, and 2 d. 8 gh. 51 p. 15 *vipa*, by the *Ārya-Siddhānta*. The corresponding notion in modern European Astronomy is the equation of time. The *sodhya* is the number of days required by the sun to catch up the equation of time at the vernal equinox.

27. It must be remembered that whenever we use the word "saṅkrānti" alone, (e.g., "the Mesha-saṅkrānti") the apparent and not the mean *nirayana* saṅkrānti is meant.

28. *The beginning of a solar month.* Astronomically a solar month may begin, that is a saṅkrānti may occur, at any moment of a day or night; but for practical purposes it would be inconvenient to begin the month at irregular times of the day. Suppose, for example, that a Makara-saṅkrānti occurred 6 hours 5 minutes after sunrise on a certain day, and that two written agreements were passed between two parties, one at 5 hours and another at 7 hours after sunrise. If the month Makara were considered to have commenced at the exact moment of the Makara-saṅkrānti, we should have to record that the first agreement was passed on the last day of the month Dhanus, and the second on the first day of Makara, whereas in fact both were executed on the same civil day. To avoid such confusion, the Hindus always treat the beginning of the solar month as occurring, civilly, at sunrise. Hence a variation in practice.

(1) (a) In Bengal, when a saṅkrānti takes place between sunrise and midnight of a civil day the solar month begins on the following day; and when it occurs after midnight the month begins on the next following, or third, day. If, for example, a saṅkrānti occurs between sunrise and midnight of a Friday, the month begins at sunrise on the next day, Saturday; but if it takes place after midnight of Friday¹ the month begins at sunrise on the following Sunday. This may be termed the *Bengal Rule*. (b) In Orissa the solar month of the Amli and Vilayati eras begins civilly on the same day as the saṅkrānti, whether this takes place before midnight or not. This we call the *Orissa Rule*.

(2) In Southern India there are two rules. (a) One is that when a saṅkrānti takes place after sunrise and before sunset the month begins on the same day, while if it takes place after sunset the month begins on the following day; if, for example, a saṅkrānti occurs on a Friday between sunrise and sunset the month begins on the same day, Friday, but if it takes place at any moment of Friday night after sunset the month begins on Saturday.² (b) By another rule, the day between sunrise and sunset being divided into five parts, if a saṅkrānti takes place within the first three of them the month begins on the same day, otherwise it begins on the following day. Suppose, for example, that a saṅkrānti occurred on a Friday, seven hours after sunrise, and that the length of that day was 12 hours and 30 minutes; then its fifth part was 2 hours 30 minutes, and three of these parts are equal to 7 hours 30 minutes. As the saṅkrānti took place within the first three parts, the month began on the same day, Friday; but if the saṅkrānti had occurred 8 hours after sunrise the month would have begun on Saturday. The latter (b) rule is observed in the North and South Malayālam country, and the former (a) in other parts of Southern India where the solar reckoning is used, viz., in the Tamil and Timnevelly countries.³ We call a. the *Tamil Rule*; b. the *Malabar Rule*.

¹ Remember that the week-day is counted from sunrise to sunrise.

² Brown's *Ephemeris* follows this rule throughout in fixing the date corresponding to 1st Mesha, and consequently his solar dates are often wrong by one day for those tracts where the 2 & 4 rule is in use.

³ I deduced the Bengal rule from a Calcutta *Pancháng* for Śaka 1776 (A.D. 1854—55) in my possession. Afterwards it was

29. *Pāñchāngs*. Before proceeding we revert to the five principal articles of the pāñchāng.

There are 30 *tithis* in a lunar month, 15 to each fortnight. The latter are generally denoted by the ordinary numerals in Sanskrit, and these are used for the fifteen tithis of each fortnight. Some tithis are, however, often called by special names. In pāñchāngs the tithis are generally particularized by their appropriate numerals, but sometimes by letters. The Sanskrit names are here given.¹

Tithi	Sanskrit Names.	Vulgar Names.	Tithi	Sanskrit Names.	Vulgar Names.
1	Pratipad, Pratipadī, Prathama	Pādrā, Pādyami	9	Navamī	
2	Dvitiyā	Bija, Vidiya	10	Daśamī	
3	Trityā	Tija, Tadiya	11	Ekaśasī	
4	Chaturthī	Chauth, Chauthi	12	Dvāśasī	Bārus
5	Pāñchamī		13	Trayōśasī	Teras
6	Shashthī	Seth	14	Chaturdasi	
7	Septamī		15	Pūrgimā, Paurṇimā	Pūnavas, Punnami
8	Aṣṭamī		30	Pūrnāmī, Pāñchadasī	
				Amāvāsyā, Darśa, Pāñchadasī	

The numeral 30 is generally applied to the *amāvāsyā* (new moon day) in pāñchāngs, even in Northern India where according to the pūrnimānta system the dark fortnight is the first fortnight of the month and the month ends with the moment of full moon, the *amāvāsyā* being really the 15th tithi.

30. That our readers may understand clearly how a Hindu pāñchāng is prepared and what information it contains, we append an extract from an actual pāñchāng for Saka 1816, expired, A. D. 1894–95, published at Poona in the Bombay Presidency.²

corroborated by information kindly sent to me from Howrah by Mr. G. A. Grierson through Dr. Fleet. It was also amply corroborated by a set of Bengal Chronological Tables for A.D. 1882, published under the authority of the Calcutta High Court, a copy of which was sent to me by Mr. Sewell. I saw the Orissa Rule to the Chronological Tables published by Girishchandra Tarkālankar, who follows the Orissa Court Tables with regard to the Ami and Vilayati years in Orissa. Dr. J. Burgess, in a note in Mr. Krishnaswami Naidu's "South Indian Chronological Tables" edited by Mr. Sewell, gives the 2 (a) Rule as in use in the North Malabar country, but I do not know what his authority is. I ascertained from Tamil and Tinnevelly pāñchāngs that the 2 (a) rule is in use there, and the fact is corroborated by Warren's *Kâla Saṅkâlita*; I ascertained also from some South Malabar pāñchāngs published at Cochin and Trevandrum, and from a North Malabar pāñchāng published at Calicut, that the 2 (b) rule is followed there [S. B. D.]

Notwithstanding all this I have no certain guarantee that these are the *only* rules, or that they are invariably followed in the tracts mentioned. Thus I find from a Tamil solar pāñchāng for Saka 1815 current, published at Madras, and from a Telugu lunisolar pāñchāng for Saka 1109 expired, also published at Madras, in which the solar months also are given, that the rule observed is that "when a saṅkrānti occurs between sunrise and midnight the month begins on the same day, otherwise on the following day", thus differing from all the four rules given above. This varying fifth rule again is followed for all solar months of the Vilayati year as given in the above-mentioned Bengal Chronological Tables for 1882, and by its use the month regularly begins one day in advance of the Bengali month. I find a sixth rule in some Bombay and Benares lunars pāñchāngs, viz., that at whatever time the saṅkrānti may occur, the month begins on the next day; but this is not found in any solar pāñchāng. The rules may be further classified as (1, a) the midnight rule (Bengal), (1, b) any time rule (Orissa), (2, a) the sunset rule (Tamil), (2, b) the afternoon rule (Malabar). The fifth rule is a variety of the midnight rule, and the sixth a variety of the any time rule. I cannot say for how many years past the rules now in use in the several provinces have been in force and effect.

An inscription at Kagnapur, a village 5 miles north of Srirangam near Trichinopoly (see *Epigraph. Indiæ*, vol. III, p. 10, date No. V., note 3, and p. 51), is dated Tussday the thirteenth tithi of the bright fortnight of Śrāvaṇa in the year Prajapati, which corresponded with the 24th day of the (solar) month Ādi (Karka). From other sources the year of this date is known to be A. D. 1271; and on carefully calculating I find that the day corresponds with the 21st July, and that the Karka saṅkrānti took place, by the Ārya-Siddhanta, on the 27th June, Saturday, shortly before midnight. From this it follows that the month Ādi began civilly on the 28th June, and that one or the other of the two rules at present in use in Southern India was in use in Trichinopoly in A.D. 1271. [S. B. D.]

¹ We cannot enumerate the vulgar or popular names which obtain in all parts of India, and it is not necessary that we should do so.

² This is an ordinary pāñchāng in daily use. It was prepared by myself from Gaṇeśa Dalviṭha's *Grahaṇḍghava* and *Laghu-tithi-chintāmaṇi*. [S. B. D.]

Tithi	Vāra	gh. pa.	Nakshatra	gh. pa.	Yoga	gh. pa.	Karana	gh. pa.	Moon's phase	Length Day.	Solar date	Muhammadan date	Date A.D.
1	Fri.	43 59	Pūrvā Phalgunī	40 16	Siddha	31 22	Kṛishnāgnī	16 30	Siṁha: 15	gh. pa. 30 59	16 29	31	
2	Sat.	39 47	Uttara Phalgunī	37 57	Sādhyā	25 23	Bālava	11 23	Kaṇyā	30 57	17 30	1	
3	Sun.	36 31	Hasta	36 29	Śubha	19 31	Taitīla	8 9	Kaṇyā	30 54	18 1	2	
4	Mon.	34 23	Citrā	36 7	Śukla	14 50	Vasīj	5 27	Kaṇyā 6	30 52	19 2	3	
5	Tues.	33 26	Svāti	36 52	Brahman	11 7	Bava	3 54	Tula 23	30 49	20 3	4	
6	Wed.	33 58	Viśākhā	38 58	Aīndra	8 24	Kaulava	3 42	Tula 23	30 45	21 4	5	
7	Thurs.	35 29	Anurādhā	42 19	Vaidhṛiti	6 36	Gara	4 44	Vṛiśhi	30 44	22 5	6	
8	Fri.	38 16	Jyeṣṭhā	46 48	Viśakambha	5 49	Viahti	6 53	Vṛiśhi 47	30 41	23 6	7	
9	Sat.	42 9	Māla	32 13	Pṛiti	6 2	Bālava	10 13	Dhanus	30 38	24 7	8	
10	Sun.	46 48	Pūrvā Ashāḍhā	58 11	Āyushmat	6 53	Taitīla	14 28	Dhanus	30 36	25 8	9	
11	Mon.	51 43	Uttara Ashāḍhā	60 0	Saubhāgya	8 1	Vasīj	19 16	Dha: 15	30 33	26 9	10	
12	Tues.	56 44	Uttara Ashāḍhā	4 35	Śobhana	9 29	Bava	24 14	Makara	30 30	27 10	11	
13	Wed.	60 0	Śravaṇa	10 59	Atigauda	10 58	Kaulava	29 3	Maka: 44	30 28	28 11	12	
14	Thurs.	1 23	Dhanisāḍhā	16 45	Sakṣiṇī	11 54	Taitīla	1 23	Kumbha	30 25	29 12	13	
15	Fri.	5 18	Śatābhishaj	21 52	Dhṛiti	12 26	Vasīj	5 18	Kumbha	30 22	30 13	14	
15	Sat.	8 11	Pūrvā Bhadra	26 4	Śāla	12 7	Bava	8 11	Kuṇi: 10	30 20	31 14	15	

Amānta Bhādrapada krishṇapaksha.

1	Sun.	9 59	Uttara Bhadra	23 58	Ganda	10 45	Kaulava	9 59	Mīna	30 17	1 15	16	
2	Mon.	10 30	Revati	30 40	Vṛiddhi	8 30	Gaccha	10 30	Mīna 31	30 15	2 16	17	
3	Tues.	9 35	Aśvinī	31 9	Dhravu	5 10	Viahti	9 35	Meṣha	30 12	3 17	18	
4	Wed.	7 26	Bharani	30 27	Vyāghrāta	0 50 54 52	Bālava	7 26	Me: 45	30 10	4 18	19	
5	Thurs.	4 19	Krittikā	28 36	Vajra	49 43	Taitīla	4 19	Vṛiśha	30 7	5 19	20	
6	Fri.	0 16 55 18	Rohini	25 59	Siddhi	43 1	Vasīj	0 16	Vṛi: 54	30 5	6 20	21	
8	Sat.	49 55	Mṛigāśīrasa	22 43	Vyatipāta	35 58	Bālava	22 45	Mithuna	30 2	7 21	22	
9	Sun.	44 9	Ārdrā	18 57	Varṇas	28 28	Taitīla	16 2	Mithuna	30 0	8 22	23	
10	Mon.	38 9	Punarvāsu	14 55	Paṛigha	20 45	Vasīj	11 9	Mithu: 1	29 57	9 23	24	
11	Tues.	32 9	Puṣya	19 47	Śīva	13 2	Bava	5 9	Karka:	29 55	10 24	25	
12	Wed.	26 17	Aśleṣā	6 46	Sidhi	5 24 52 31	Taitīla	26 17	Kar: 7	29 52	11 25	26	
13	Thurs.	20 45	Maghā	3 4 56 51	Śubha	51 4	Vasīj	20 45	Siddha	29 49	12 26	27	
14	Fri.	15 48	Uttara Phalgunī	57 25	Śukla	44 35	Śakuni	15 48	Sūn: 14	29 47	13 27	28	
30	Sat.	11 40	Hasta	55 38	Brahman	38 46	Nīga	11 40	Kaṇyā	29 44	14 28	29	

* Where no numbers are inserted in this column it must be understood that the moon was in the sign during the whole day.


actual Panchāṅga.

and Kanyā; Muhammadan months Šafar and Rabī-ul-awwal. English months August and September.

Date A.D.	OTHER PARTICULARS.		Positions of Planets at sunrise Śukla 15th Saturday.							
			Sun.	Mars.	Mercury	Jupiter	Venus	Saturn		Moon's node.
31			Signs.	4	0	5	2	4	6	11
1	Chandra-darsana (moon's heliacal rising). September begins. Amrita Siddhiyoga 30.29. * Haritālikī, Maṇḍī, Varhā- hajayanti. Vaidhīyī 35.10 to 44.42. Rabi-ul-awwal begins.		Degrees.	29	10	8	12	12	3	9
2	Ganesha chaturthī.		Minutes.	27	26	37	35	19	48	16
3	Rishipanchami.		Seconds.	9	2	22	7	44	43	7
4	Ampita Siddhiyoga after 39. Venus enters Leo 45.44.		Rate of daily motion.	58	5	106	7	73	6	3
5			mins.	30	6 retro	20	54	44	15	11
6	Gaurīvālīkāma.		secs.							
7	Gaurī pūjā. Dūrvā ashtami.									
8	Gaurī visarjana. Aduhkha navamī.									
9										
10	Padmā Ekādaśī. Mrityu-yoga 60. Mercury enters Virgo 14.5.									
11	Vāmanā dvādaśī.									
12	Pradōsha. Sun enters Uttara Phalgunī 8.26.									
13										
14	Anantachaturdasi. Mars retrograde.									
15	Proshthap, Pūrṇī: Sun enters Virgo 33.42.									

Ahargana 34—227.

Horoscope for the above time..




(Purnimanta Āśvina krishnapaksha.)

Positions of Planets at sunrise Amāvasyā, Saturday.

Date A.D.	OTHER PARTICULARS.		Positions of Planets at sunrise Amāvasyā, Saturday.							
			Sun.	Mars.	Mercury	Jupiter	Venus	Saturn		Moon's node.
16	Vyatipāta + from 7 to 16.32.		Signs.	5	0	6	2	4	6	11
17			Degrees.	13	9	2	13	28	5	8
18	Saṅkṣaṭī chaturthī.		Minutes.	10	13	27	49	31	17	31
19			Seconds.	7	30	1	4	4	7	35
20			Rate of daily motion.	59	8	95	5	73	7	3
21	Bhadri (Viṣati) ends at 27.55.		mins.	1	4 retro	56	54	44	2	11
22			secs.							
23	Avidhavā navamī.									
24	Heliacal rising of Mercury.									
25	Indirī ekādaśī. Sun enters Hasta 46.37.									
26	Pradōsha.									
27	Śivaratri. Mercury in Libra 29.18.									
28	Pitṛi-amṛavatī. Vaidhīyī 20.47 to 30.21.									
29	Solar eclipse. Mrityuyoga 55.38. Amāvasyā.									

Ahargana 34—241.

Horoscope for the above time..



* These figures show ghatikās and palas. † This is the name of a peculiar yuga, the declination of sun and moon being then identical.

The above extract is for the amânta month Bhâdrapada or August 31st to September 29th, 1894. The month is divided into its two fortnights. The uppermost horizontal column shews that the first tithi, "pratipadâ", was current at sunrise on Friday, and that it ended at 43 gh. 59 p. after sunrise. The moon was 12 degrees to the east of the sun at that moment, and after that the second tithi, "dvitiyâ", commenced. The nakshatra Pûrva-Phalgunî ended and Uttara-Phalgunî commenced at 40 gh. 16 p. after sunrise. The yoga Siddha ended, and Sâdhyâ began, at 31 gh. 22 p. after sunrise; and the karâna Kîrstughna ended, and Bava began, at 16 gh. 30 p. after sunrise. The moon was in the sign Simha up to 15 gh. after sunrise and then entered the sign Kanyâ. The length of the day was 30 gh. 59 pa. (and consequently the length of the night was 29 gh. 1 pa.). The solar day was the 16th of Simha.¹ The Muhammadan day was the 29th of Safar, and the European day was the 31st of August. This will explain the bulk of the table and the manner of using it.

Under the heading "other particulars" certain festival days, and some other information useful for religious and other purposes, are given. To the right, read vertically, are given the places of the sun and the principal planets at sunrise of the last day of each fortnight in signs degrees, minutes, and seconds, with their daily motions in minutes and seconds. Thus the figures under "sun" shew that the sun had, up to the moment in question, travelled through 4 signs, 29 degrees, 27 minutes, and 9 seconds; i.e., had completed 4 signs and stood in the 5th, Simha,—had completed 29 degrees and stood in the 30th, and so on; and that the rate of his daily motion for that moment was 58 minutes and 30 seconds. Below are shown the same in signs in the horoscope. The *ahargâna*, here 34—227, means that since the epoch of the *Grahalâghava*,² i.e., sunrise on amânta Phâlguna kriñhâ 30th of Śaka 1441 expired, or Monday 19th March, A.D. 1520, 34 cycles of 4016 days each, and 227 days, had elapsed at sunrise on Saturday the 15th of the bright half of Bhâdrapada. The horoscope entries are almost always given in pañchângs as they are considered excessively important by the Hindus.

31. *Tithis and solar days.* Solar or civil days are always named after the week-days, and where solar reckoning is in use are also counted by numbers, e.g., the 1st, 2nd, etc., of a named solar month. But where solar reckoning does not prevail they bear the names and numerals of the corresponding tithis. The tithis, however, beginning as they do at any hour of the day, do not exactly coincide with solar days, and this gives rise to some little difficulty. The general rule for civil purposes, as well as for some ordinary religious purposes for which no particular time of day happens to be prescribed, is that the tithi current at sunrise of the solar day gives its name and numeral to that day, and is coupled with its week-day. Thus *Bhâdrapada śukla chaturdaśi Śukravâra* (Friday the 14th of the first or bright fortnight of Bhâdrapada) is that civil day at whose sunrise the tithi called the 14th śukla is current, and its week-day is Friday. Suppose a written agreement to have been executed between two parties, or an ordinary religious act to have been performed, at noon on that Friday at whose sunrise Bhâdrapada Śukla chaturdaśi of Saka 1816 expired was current, and which ended (see the table) 5 gh. 18 p., (about 2 h. 7 m.) after sunrise, or at about 8.7 a.m. Then these two acts were actually done after the chaturdaśi had ended and the pûrnimâ was current, but they would be generally noted as having been done on Friday śukla chaturdaśi. It is, however, permissible, though such instances would be

¹ Solar days are not given in Bombay pañchângs, but I have entered them here to complete the calendar. Some entries actually printed in the pañchâng are not very useful and are consequently omitted in the extract. [S. B. D.]

² The sum total of days that have elapsed since any other standard epoch is also called the *ahargâna*. For instance, the *ahargâna* from the beginning of the present kaliyuga is in constant use. The word means "collection of days."

rare, to state the date of these actions as "Friday pūrṇimā;" and sometimes for religious purposes the date would be expressed as "chaturdaśi yukta pūrṇimā" (the 14th joined with the pūrṇimā). Where, however, successive regular dating is kept up, as, for instance, in daily transactions and accounts, a civil day can only bear the name of the tithi current at its sunrise.

Some religious ceremonies are ordered to be performed on stated tithis and at fixed times of the day. For example, the worship of the god Gaṇeśa is directed to take place on the Bhādra-pada śukla chaturthī during the third part (*madhyāhna*) of the five parts of the day. A śrāddha, a ceremony in honour of the *pitrīs* (manes), must be performed during the 4th (*aparāhna*) of these five periods. Take the case of a Brāhmaṇa, whose father is dead, and who has to perform a śrāddha on every amāvāsyā. In the month covered by our extract above the amāvāsyā is current at sunrise on Saturday. It expired at 11 gh. 40 p. after sunrise on Saturday, or at about 10.40 a.m. Now the aparāhna period of that Saturday began, of course, later than that hour, and so the amāvāsyā of this Bhādrapada was current during the aparāhna, not of Saturday, but of the previous day, Friday. The śrāddha ordered to be performed on the amāvāsyā must be performed, not on Saturday, but on Friday in this case. Again, suppose a member of the family to have died on this same Friday before the end of the tithi kṛishṇa chaturdaśi, and another on the same day but after the end of the tithi. A śrāddha must be performed in the family every year, according to invariable Hindu custom, on the tithi on which each person died. Therefore in the present instance the śrāddha of the first man must be performed every year on the day on which Bhādrapada kṛishṇa chaturdaśi is current, during the aparāhna; while that of the second must take place on the day on which the amāvāsyā of that month is current during the aparāhna, and this may be separated by a whole day from the first. Lengthy treatises have been written on this subject, laying down what should be done under all such circumstances.¹

At the time of the performance of religious ceremonies the current tithi, vāra, and all other particulars have to be pronounced; and consequently the tithi, nakshatra, etc., so declared may differ from the tithi, etc., current at sunrise. There is a vrata (observance, vow) called *Saṅkashṭanāśana-chaturthī*, by which a man binds himself to observe a fast on every kṛishṇa chaturthī up to moonrise, which takes place about 9 p.m. on that tithi, but is allowed to break the fast afterwards. And this has of course to be done on the day on which the chaturthī is current at moonrise. From the above extract the evening of the 18th September, Tuesday, is the day of this chaturthī, for though the 3rd tithi, trītiyā, of the kṛishṇa paksha was current at sunrise on Tuesday it expired at 9 gh. 35 pa. after sunrise, or about 9.50 a.m. If we suppose that this man made a grant of land at the time of breaking his fast on this occasion, we should find him dating his grant "kṛishṇa chaturthī, Tuesday," though for civil purposes the date is kṛishṇa trītiyā, Tuesday.

The general rule may be given briefly that for all practical and civil purposes, as well as for some ordinary religious purposes, the tithi is connected with that week-day or solar day at whose sunrise it is current, while for other religious purposes, and sometimes, though rarely, even for practical purposes also, the tithi which is current at any particular moment of a solar day or week-day is connected with that day.

32. *Adhika and kshaya tithis.* Twelve lunar months are equal to about 354 solar days (see Art. 24 above), but there are 360 tithis during that time and it is thus evident that six tithis must somehow be expunged in civil (solar) reckoning. Ordinarily a tithi begins on one day and

¹ The *Nirṇayakarindhu* is one of these authoritative works, and is in general use at the present time in most parts of India.

ends on the following day, that is it touches two successive civil days. It will be seen, however, from its length (*Art. 7 above*) that a tithi may sometimes begin and end within the limits of the same natural day; while sometimes on the contrary it touches three natural days, occupying the whole of one and parts of the two on each side of it.

A tithi on which the sun does not rise is expunged. It has sustained a diminution or loss (*kshaya*), and is called a *kshaya tithi*. On the other hand, a tithi on which the sun rises twice is repeated. It has sustained an increase (*vriddhi*), and is called an *adhika*, or added, *tithi*. Thus, for example, in the *pañchāṅg* extract given above (*Art. 30*) there is no sunrise during krishṇa saptamī (7th), and it is therefore expunged. Krishṇa shashṭhī (6th) was current at sunrise on Friday, for it ended 16 palas after sunrise; while krishṇa saptamī began 16 palas after that sunrise and ended before the next sunrise; and krishṇa ashtami (8th) is current at sunrise on the Saturday. The first day is therefore named civilly the (6th) shashṭhī, Friday, and the second is named (8th) ashtami, Saturday; while no day is left for the saptamī, and it has necessarily to be expunged altogether, though, strictly speaking, it was current for a large portion of that Friday. On the other hand, there are two sunrises on Bhādrapada śukla trayōdaśī (śukla 13th), and that tithi is therefore repeated. It commenced after 56 gh. 44 pa. on Tuesday, i.e., in European reckoning about 4.20 a.m. on the Wednesday morning, was current on the whole of Wednesday, and ended on Thursday at 1 gh. 23 pa. after sunrise, or about 6.33 a.m. It therefore touched the Tuesday (reckoned from sunrise to sunrise) the Wednesday and the Thursday; two natural civil days began on it; two civil days, Wednesday and Thursday, bear its numeral (13); and therefore it is said to be repeated.¹

In the case of an expunged tithi the day on which it begins and ends is its week-day. In the case of a repeated tithi both the days at whose sunrise it is current are its week-days.

A clue for finding when a tithi is probably repeated or expunged is given in Art. 142.

Generally there are thirteen expunctions (*kshayas*) and seven repetitions (*vriddhis*) of tithis in twelve lunar months.

The day on which no tithi ends, or on which two tithis end, is regarded as inauspicious. In the *pañchāṅg* extract above (*Art. 30*) Bhādrapada śukla trayōdaśī Wednesday, and Bhādrapada krishṇa shashṭhī, Friday (on which the saptamī was expunged), were therefore inauspicious.

33. It will be seen from the above that it is an important problem with regard to the Indian mode of reckoning time to ascertain what tithi, nakshatra, yoga, or karaṇa was current at sunrise on any day, and when it began and ended. Our work solves this problem in all cases.

34. *Variation on account of longitude.* The moment of time when the distance between the sun and moon amounts to 12, or any multiple of 12, degrees, or, in other words, the moment of time when a tithi ends, is the same for all places on the earth's surface; and this also applies to nakshatras, yogas, and karaṇas. But the moment of sunrise of course varies with the locality, and therefore the ending moments of divisions of time such as tithis, when referred to sunrise, differ at different places. For instance, the tithi Bhādrapada śukla pūrṇimā (*see above Art. 30*) ended at Poona at 8 gh. 11 pa. after sunrise, or about 9.16 a.m. At a place where the sun rose 1 gh. earlier than it does at Poona the tithi would evidently have ended one ghaṭikā later, or at 9 gh. 11 pa. after sunrise, or at about 9.40 a.m. On the other hand, at a place where

¹ Any assertions or definitions by previous writers on Hindu Chronology or Astronomy contrary to the above definitions and examples are certainly erroneous, and due to misapprehension. [S. B. D.]

the sun rose 1 gh. later than at Poona the tithi would have ended when 7 gh. 11 pa. had elapsed since the sunrise at that place, or at about 8.52 a.m.

35. For this reason the expunction and repetition of tithis often differs in different localities. Thus the nakshatra Pūrvāshāḍhā (*see pañchāṅg extract Art. 30*) was 58 gh. 11 pa.¹ at Poona on Sunday, śukla 10th. At a place which is on the same parallel of latitude, but 12 degrees eastward, the sun rises 2 gh. earlier than at Poona, and there this nakshatra ended (58 gh. 11 pa. + 2 gh. =) 60 gh. 11 pa. after sunrise on Sunday, that is at 11 pa. after sunrise on Monday. It therefore touches three natural days, and therefore it (Pūrvāshāḍhā) is repeated, whereas at Poona it is Uttarāshāḍhā which is repeated. On the other hand, the nakshatra Maghā on Kṛishṇa 13th was 3 gh. 4 pa., and Pūrva-phalgunī was (3 gh. 4 pa. + 56 gh. ² 51 pa. =) 59 gh. 55 pa. at Poona. At a place which has the same latitude as Poona, but is situated even at so short a distance as 1 degree to the east, the nakshatra Pūrva-phalgunī ended 60 gh. 5 pa. after sunrise on Thursday, that is 5 pa. after sunrise on Friday; and therefore there will be no kshaya of that nakshatra at that place, but the following nakshatra Uttara phalgunī will be expunged there.

36. *True or apparent, and mean, time.* The sun, or more strictly the earth in its orbit, travels, not in the plane of the equator, but in that of the ecliptic, and with a motion which varies every day; the length of the day, therefore, is not always the same even on the equator. But for calculating the motions of the heavenly bodies it is evidently convenient to have a day of uniform length, and for this reason astronomers, with a view of obtaining a convenient and uniform measure of time, have had recourse to a mean solar day, the length of which is equal to the mean or average of all the apparent solar days in the year. An imaginary sun, called the *mean sun*, is conceived to move uniformly in the equator with the mean angular velocity of the true sun. The days marked by this mean sun will all be equal, and the interval between two successive risings of the mean sun on the equator is the duration of the mean solar day, viz., 24^h hours or 60 ghaṭikās. The time shown by the true sun is called true or apparent time, and the time shown by the mean sun is known as mean time. Clocks and watches, whose hands move, at least in theory, with uniform velocity, evidently give us mean time. With European astronomers "mean noon" is the moment when the mean sun is on the meridian; and the "mean time" at any instant is the hour angle of the mean sun reckoned westward from 0 h. to 24 h., mean noon being 0 h. for astronomical purposes.

Indian astronomers count the day from sunrise, to sunrise, and give, at least in theory, the ending moments of tithis in time reckoned from actual or true sunrise. The *true or apparent time of a place*, therefore, in regard to the Indian pañchāṅg, is the time counted from true (*i.e.*, actual) sunrise at that place. For several reasons it is convenient to take mean sunrise on the equator under any given meridian to be the mean sunrise at all places under the same meridian. The mean sunrise at any place is calculated as taking place at 0 gh. or 0 h.—roughly 6 a.m. in European civil reckoning; and the mean time of a place is the time counted from 0 gh. or 0 h.

The moment of true sunrise is of course not always the same at all places, but varies with the latitude and longitude. Even at the same place it varies with the declination of the sun, which

¹ Instead of writing at full length that such and such a tithi "ends at so many ghaṭikās after sunrise", Indian astronomers say for brevity that the tithi "is so many ghaṭikās". The phrase is so used in the text in this sense.

² In the case of kshayas in the pañchāṅg extract the ghaṭikās of expunged tithis etc. are to be counted after the end of the previous tithi etc. In some pañchāṅgs the ghaṭikās from sunrise—59 gh. 55 pa. in the present instance—are given.

varies every day of the year. And at any given place, and on any given day of the year, it is not the same for all years. The calculation, therefore, of the exact moment of true sunrise at any place is very complicated—too complicated to be given in this work,¹ the aim of which is extreme simplicity and readiness of calculation, and therefore mean time at the meridian of Ujjain² or Lanka is used throughout what follows.

All ending moments of tithis calculated by our method C (*Arts. 139 to 160*) are in Ujjain mean time; and to convert Ujjain mean time into that of any other given place the difference of longitude in time—4 minutes (10 palas) to a degree—should be added or subtracted according as the place is east or west of Ujjain. Table XI. gives the differences of longitude in time for some of the most important places of India.

The difference between the mean and apparent (true) time of any place in India at the present day varies from *nil* (in March and October) to 26 minutes (in January and June) in the extreme southern parts of the peninsular. It is nowhere more than 65 minutes.

37. Basis of calculation for the Tables. All calculations made in this work in accordance with luni-solar reckoning are based on the *Surya-Siddhānta*, and those for solar reckoning on the *Surya* and *Arya Siddhāntas*. The elements of the other authorities being somewhat different, the ending moments of tithis etc., or the times of saṅkrāntis as calculated by them may sometimes differ from results obtained by this work; and it must never be forgotten that, when checking the date of a document or record which lays down, for instance, that on a certain week-day there fell a certain tithi, nakshatra, or yoga, we can only be *sure* of accuracy in our results if we can ascertain the actual Siddhānta or other authority used by the author of the calendar which the drafter of the document consulted. Prof. Jacobi has given Tables for several of the principal *Siddhāntas* in the *Epigraphica Indica* (Vol. II., pp. 403 et seq.), and these may be used whenever a doubt exists on the point.

Although all possible precautions have been taken, there, must also be a slight element of uncertainty in the results of a calculation made by our Tables owing to the difference between mean and apparent time, independently of that arising from the use of different authorities. Owing to these two defects it is necessary sometimes to be cautious. If by any calculation it is found that a certain tithi, nakshatra, yoga, or karapa ended nearly at the close of a solar day—as, for example, 55 ghaṭikās after mean sunrise on a Sunday, i.e., 5 ghaṭikās before sunrise on the Monday—it is possible that it really ended shortly after true sunrise on the Monday. And, similarly, if the results shew that a certain tithi ended shortly after the commencement of a solar day,—for instance, 5 ghaṭikās after mean sunrise on a Sunday,—it is possible that it really ended shortly before the true termination of the preceding day, Saturday.

¹ Since this work was in the Press, Professor Jacobi has published in the *Epigraphia Indica* (Vol. II., pp. 487–498) a treatise with tables for the calculation of Hindu dates in true local time, to which we refer our readers.

² Here Lanka is not Ceyloa, but a place supposed to be on the equator, or in lat. $0^{\circ} 0' 0''$ on the meridian of Ujjain, or longitude $75^{\circ} 46'$. It is of great importance to know the exact east longitude of Ujjain, since upon it depends the verification of apparent phenomena throughout India. Calculation by the different Siddhāntas can be checked by the best European science if that point can be certainly determined. The great Trigonometrical Survey map makes the centre of the city $75^{\circ} 49' 45''$ E. long. and $23^{\circ} 11' 10''$ N. lat. But this is subject to two corrections; first, a correction of $1' 2''$ to reduce the longitude to the origin of the Madras Observatory taken as $80^{\circ} 17' 21''$, and secondly, a further reduction of $2' 30''$ to reduce it to the latest value, $80^{\circ} 14' 51''$, of that Observatory, total $3' 39''$. This reduces the E. long. of the centre of Ujjain city to $75^{\circ} 46' 06''$. I take it therefore, that amidst conflicting authorities, the best of whom vary from $75^{\circ} 43'$ to $75^{\circ} 51'$, we may for the present accept $75^{\circ} 45'$ as the nearest approach to the truth. The accuracy of the base, the Observatory of Madras, will before long be again tested, and whatever difference is found to exist between the new fixture and $80^{\circ} 14' 51''$, that difference applied to $75^{\circ} 46'$ will give the correct value of the E. long. we require. (R. S.)

Five ghaṭikās is not the exact limit, nor of course the fixed limit. The period varies from *nil* to about five ghaṭikās, rarely more in the case of tithis, nakshatras, and karaṇas; but in the case of yogas it will sometimes reach seven ghaṭikās.

Calculations made by our method *C* will result in the finding of a "tithi index" (*t*), or a nakshatra or yoga-index (*n.* or *y.*), all of which will be explained further on; but it may be stated in this connection that when at any ascertained mean sunrise it is found that the resulting index is within 30 of the ending index of the tithi, (*Table VIII., col. 3*), nakshatra or karaṇa (*id. col. 8, 9, 10*), or within 50 of the ending index of a yoga (*id. col. 13*), it is possible that the result may be one day wrong, as explained above. The results arrived at by our Tables, however, may be safely relied on for all ordinary purposes.

38. *Nakshatras* There are certain conspicuous stars or groups of stars in the moon's observed path in the heavens, and from a very remote age these have attracted attention. They are called in Sanskrit "Nakshatras". They were known to the Chaldeans and to the ancient Indian Aryas. Roughly speaking the moon makes one revolution among the stars in about 27 days, and this no doubt led to the number¹ of nakshatras being limited to 27.

The distance between the chief stars, called yōga-tārās, of the different nakshatras is not uniform. Naturally it should be 13° 20', but, in some cases it is less than 7°, while in others it is more than 20°. It is probable that in ancient times the moon's place was fixed merely by stating that she was near a particular named nakshatra (star) on a certain night, or on a certain occasion. Afterwards it was found necessary to make regular divisions of the moon's path in her orbit, for the sake of calculating and foretelling her position; and hence the natural division of the ecliptic, consisting of twenty-seven equal parts, came into use, and each of these parts was called after a separate nakshatra (*see Art. 8*). The starry nakshatras, however, being always in view and familiar for many centuries, could not be dispensed with, and therefore a second and unequal division was resorted to. Thus two systems of nakshatras came into use. One we call the ordinary or equal-space system, the other the unequal-space system. The names of the twenty-seven stellar nakshatras are given to both sets. In the equal-space system each nakshatra has 13° 20' of space, and when the sun, the moon, or a planet is between 0°, *i.e.*, 00 degrees, and 13° 20' in longitude it is said to be in the first nakshatra Asvini, and so on. The unequal-space system is of two kinds. One is described by Garga and others, and is called here the "Garga system." According to it fifteen of the nakshatras are held to be of equal average (mean) length—*i.e.*, 13° 20',—but six measure one and-a-half times the average—*i.e.*, 20°, and six others only half the average, viz., 6° 40'. The other system is described by Brahmagupta and others, and therefore we call it the "Brahma-Siddhānta" system. In its leading feature it is the same with Garga's system, but it differs a little from Garga's in introducing Abhijit in addition to the twenty-seven ordinary nakshatras. The moon's daily mean motion,—13 degrees, 10 minutes, 35 seconds,—is taken as the average space of a nakshatra. And as the total of the spaces thus allotted to the usual twenty-seven nakshatras, on a similar arrangement of unequal spaces, amounts to only 355 degrees, 45 minutes, 45 seconds, the remainder,—4 degrees, 14 minutes, 15 seconds,—is allotted to Abhijit, as an additional nakshatra placed between Uttara-Ashāḍhā and Śravaṇa.

The longitude of the ending points of all the nakshatras according to these three systems

¹ The mean length of the moon's revolution among the stars is 27.82166 days (27.821674 according to the *Surya Siddhānta*). Its least duration is 27 days, 4 hours, and the greatest about 7 hours longer. The number of days is thus between 27 and 28, and therefore the number of nakshatras was sometimes taken as 28 by the ancient Indian Aryas. The extra nakshatra is called *Abhijit*. (*See Table VIII., col. 7.*) [S. B. D.]

is given below. The entries of "1½" and "1½" in subcolumn 5 mark the variation in length from the average.

The nakshatras by any of these systems, for all years between 300 and 1900 A.D., can be calculated by our Tables (*see method "C", Arts. 139 to 160*). The indices for them, adapted to our Tables, are given in Table VIII., cols. 8, 9, 10.

The ordinary or equal-space system of nakshatras is in general use at the present day, the unequal-space systems having almost dropped out of use. They were, however, undoubtedly prevalent to a great extent in early times, and they were constantly made use of on important religious occasions.¹

Longitudes of the Ending-points of the Nakshatras.

Order of the Nakshatras.	System of Equal Spaces.	Systems of Unequal Spaces.					
		Garga System.			Brahma-Siddhanta System.		
		1	2	3	4	4	
1	Aśvinī	Deg. Min.			Deg. Min. Sec.	Deg. Min. Sec.	
2	Bharani	18° 20'			18° 20' 0	18° 10' 35"	
3	Krittikā	26 40	1½	20 0	0 0	19 45 52½	
4	Rohini	40 0			33 20 0	32 56 27½	
5	Mrigasīrṣa	53 20	1½	53 20 0	52 42 20		
6	Ārdrā	66 40			66 40 0	65 52 55	
7	Punaravas	80 0	1½	73 20 0	72 28 12½		
8	Pushya	93 20	1½	93 20 0	92 14 5		
9	Aśleṣā	106 40			106 40 0	105 24 40	
10	Maghī	120 0	1½	113 20 0	111 59 57½		
11	Pūrvā-Phalgunī	133 20			126 40 0	125 10 32½	
12	Uttarā-Phalgunī	146 40			140 0 0	138 21 7½	
13	Hasta	160 0	1½	160 0 0	158 7 0		
14	Chitṛī	173 20			173 20 0	171 17 33	
15	Svētā	186 40			186 40 0	184 28 10	
16	Viśakhā	200 0	1½	193 20 0	191 3 27½		
17	Anurādhā	213 20	1½	213 20 0	210 49 20		
18	Jyeshthā	226 40			226 40 0	223 59 55	
19	Māla	240 0	1½	233 20 0	230 35 12½		
20	Pūrvā-Ashādhi	253 20			246 40 0	243 45 47½	
21	Uttarā-Ashādhi	266 40			260 0 0	256 56 22½	
22	(Abhijit)	280 0	1½	280 0 0	276 42 15		
23	Sravāna	293 20		(Balance)		280 56 30	
24	Dhanishtā or Śraviṣṭhā	306 40			293 20 0	294 7 5	
25	Satākrāti or Saṭabhiṣṭā	320 0	1½		306 40 0	307 17 40	
26	Pūrvā-Bhadrapadī	333 20			313 20 0	313 52 57½	
27	Uttarā-Bhadrapadī	346 40	1½		326 40 0	327 3 32½	
	Revati	360 0			346 40 0	346 49 25	
					360 0 0	360 0 0	

39. *Auspicious Yogas.* Besides the 27 yogas described above (*Art. 9*), and quite different from them, there are in the Indian Calendar certain conjunctions, also called *yogas*, which only occur when certain conditions, as, for instance, the conjunction of certain vāras and nakshatras, or vāras and tithis, are fulfilled. Thus, when the nakshatra Hasta falls on a Sunday there occurs

¹ These systems of nakshatras are more fully described by me in relation to the "twelve-year cycle of Jupiter" in Vol. XVII. of the *Ind. Ast.* (p. 2 ff.) [S. B. D.]

an *amrita siddhiyoga*. In the pāñchāṅg extract (Art. 30) given above there is an *amrita siddhiyoga* on the 2nd, 5th and 18th of September. It is considered an auspicious yoga, while some yogas are inauspicious.

40. *Karaṇas*. A karaṇa being half a tithi, there are 60 karaṇas in a lunar month. There are seven karaṇas in a series of eight cycles—total 56—every month, from the second half of śukla pratipadā (1st) up to the end of the first half of krishṇa chaturdāśī (14th). The other four karaṇas are respectively from the second half of krishṇa chaturdāśī (14th) to the end of the first half of śukla pratipadā.¹

Table VIII., col. 4, gives the serial numbers and names of karaṇas for the first half, and col. 5 for the second half, of each tithi.

40a. *Eclipses*. Eclipses of the sun and moon play an important part in inscriptions, since, according to ancient Indian ideas, the value of a royal grant was greatly enhanced by its being made on the occasion of such a phenomenon; and thus it often becomes essential that the moments of their occurrence should be accurately ascertained. The inscription mentions a date, and an eclipse as occurring on that date. Obviously we shall be greatly assisted in the determination of the genuineness of the inscription if we can find out whether such was actually the case. Up to the present the best list of eclipses procurable has been that published by Oppolzer in his "*Canon der Finsternisse*" (*Denkschriften der Kaiserl. Akademie der Wissenschaften, Vienna, Vol. LII.*), but this concerns the whole of our globe, not merely a portion like India; the standard meridian is that of Greenwich, requiring correction for longitude; and the accompanying maps are on too small a scale to be useful except as affording an approximation from which details can be worked out. Our object is to save our readers from the necessity of working out such complicated problems. Prof. Jacobi's Tables in the *Indian Antiquary* (Vol. XVII.) and *Epigraphia Indica* (Vol. II.) afford considerable help, but do not entirely meet the requirements of the situation. Dr. Schram's contribution to this volume, and the lists prepared by him, give the dates of all eclipses in India and the amount of obscuration observable at any place. His article speaks for itself, but we think it will be well be add a few notes.

Prof. Jacobi writes (*Epig. Ind.*, II., p. 422):—"The eclipses mentioned in inscriptions are not always actually observed eclipses, but calculated ones. My reasons for this opinion are the following: Firstly, eclipses are auspicious moments, when donations, such as are usually recorded in inscriptions, are particularly meritorious. They were therefore probably selected for such occasions, and must accordingly have been calculated beforehand. No doubt they were entered in pāñchāṅgs or almanacs in former times as they are now. Secondly, even larger eclipses of the sun, up to seven digits, pass unobserved by common people, and smaller ones are only visible under favourable circumstances. Thirdly, the Hindus place implicit trust in their Śāstras, and would not think it necessary to test their calculations by actual observation. The writers of inscriptions would therefore mention an eclipse if they found one predicted in their almanacs."

Our general Table will occasionally be found of use. Thus a lunar eclipse can only occur at the time of full moon (*pūrṇimā*), and can only be visible when the moon is above the horizon at the place of the observer; so that when the *pūrṇimā* is found by our Tables to occur during most part of the daytime there can be no visible eclipse. But it is possibly visible if the *pūrṇimā* is found, on any given meridian, to end within 4 ghaṭikās after sunrise, or within 4 ghaṭikās before sunset. A solar eclipse occurs only on an *amāvāsyā* or new moon day. If

¹ According to the *Surya-Siddhānta* the four karaṇas are Sakuni, Nāga, Chatushpada and Kṛishnagupta, but we have followed the present practice of Western India, which is supported by Varāhamihira and Brhmagupta.

the amāvāsyā ends between sunset and sunrise it is not visible. If it ends between sunrise and sunset it may be visible, but not of course always.

41. *Lunar months and their names.* The usual modern system of naming lunar months is given above (Art. 14), and the names in use will be found in Tables II. and III. In early times, however, the months were known by another set of names, which are given below, side by side with those by which they are at present known.

Ancient names.	Modern names.	Ancient names.	Modern names.
1. Madhu	Chaitra	7. Isha	Āśvina
2. Mādhava	Vaiśākha	8. Úrja	Kārttika
3. Śukra	Jyeshtha	9. Sahas	Mārgasīrsha
4. Śuchi	Āshādha	10. Sahasya	Pausha
5. Nabhas	Srāvana	11. Tapas	Māgha
6. Nabhsya	Bhādrapada	12. Tapasya	Phālguna

The names "Madhu" and others evidently refer to certain seasons and may be called season-names¹ to distinguish them from "Chaitra" and those others which are derived from the nakshatras. The latter may be termed sidereal names or star-names. Season-names are now nowhere in use, but are often met with in Indian works on astronomy, and in Sanskrit literature generally.

The season-names of months are first met with in the *mantra* sections, or the *Samhitās*, of both the Yājur-Vedas, and are certainly earlier than the sidereal names which are not found in the *Samhitās* of any of the Vedas, but only in some of the *Brāhmaṇas*, and even there but seldom.²

42. The sidereal names "Chaitra", etc., are originally derived from the names of the nakshatras. The moon in her revolution passes about twelve times completely through the twenty-seven starry nakshatras in the course of the year, and of necessity is at the full while close to some of them. The full-moon tithi (*pūrṇimā*), on which the moon became full when near the nakshatra Chitrā, was called *Chaitri*; and the lunar month which contained the *Chaitri pūrṇimā* was called *Chaitra* and so on.

43. But the stars or groups of stars which give their names to the months are not at equal distances from one another; and as this circumstance,—together with the phenomenon of the moon's apparent varying daily motion, and the fact that her synodic differs from her sidereal revolution—prevents the moon from becoming full year after year in the same nakshatra, it was natural that, while the twenty-seven nakshatras were allotted to the twelve months, the months themselves should be named by taking the nakshatras more or less alternately. The nakshatras thus allotted to each month are given on the next page.

44. It is clear that this practice, though it was natural in its origin and though it was ingeniously modified in later years, must often have occasioned considerable confusion; and so we find that the months gradually ceased to have their names regulated according to the conjunction of full moons and nakshatras, and were habitually named after the solar months in which they occurred. This change began to take place about 1400 B.C., the time of the

¹ *Madha* is "honey", "sweet spring". *Mādhava*, "the sweet one". *Śukra* and *Śuchi* both mean "bright". *Nabhas*, the rainy season. *Nabhsya*, " vapoury", "rainy". *Isha* or *Isha*, "dranght" or "refreshment", "fertile". *Ūrja*, "strength", "vigour". *Sahas* "strength". *Sahasya* "strong". *Tapas* "penance", "mortification", "pain", "fire". *Tapasya*, "produced by heat", "pain". All are Vedic words.

² In my opinion the sidereal names "Chaitra" and the rest, came into use about 2000 B.C. They are certainly not later than 1500 B.C. and not earlier than 4000 B.C. [S. B. D.]

Vedāṅga-jyotiṣha; and from the time when the zodiacal-sign-names, "Mesha" and the rest, came into use till the present day, the general rule has been that that amanta lunar month in which the Mesha saṅkrānti occurs, is called *Chaitra*, and the rest in succession.

Derivation of the Names of the Lunar Months from the Nakshatras.

Names and Grouping of the Nakshatras.	Names of the Months.
Kṛittikā; Rohiṇī;	Kārttika.
Mṛigāñjī; Añśikā;	Mārgaśirsha.
Puṣeṣvāṇī; Puṣya;	Pauṣa.
Āñśeṣā; Mañghā;	Māgha.
Pūrva-Phālguna; Uttara-Phālguna; Hasta;	Phālguna.
Chitrā; Svāti;	Chaitra.
Viśeṣhā; Anurādhā;	Vaiśākha.
Jyeṣṭhā; Mūla;	Jyeṣṭha.
Pūrva-Āśāḍhā; Uttara-Āśāḍhā; (Abhiṣit); (Abhiṣit); Śravaṇa; Dhanisṭhā;	Āśāḍha.
Śatākrāṇī; Pūrva-Bhadrapadā; Uttara-Bhadrapadā;	Śrīvapa.
Revati; Āśvini; Bharatī;	Bhadrapada
	Āśvina.

45. *Adhika* and *kshaya* māsas. It will be seen from Art. 24 that the mean length of a solar month is greater by about nine-tenths of a day than that of a lunar month, and that the true length of a solar month, according to the *Surya-Śiddhānta*, varies from 29 d. 7 h. 38 m. to 31 d. 15 h. 28 m. Now the moon's synodic motion, viz., her motion relative to the sun, is also, irregular, and consequently all the lunar months vary in length. The variation is approximately from 29 d. 7 h. 20 m. to 29 d. 19 h. 30 m., and thus it is clear that in a lunar month there will often be no solar saṅkrānti, and occasionally, though rarely, two. This will be best understood by the following table and explanation. (See p. 26.)

We will suppose (*see the left side of the diagram, cols. 1, 2*) that the sun entered the sign Mesha,—that is, that the Mesha saṅkrānti took place, and therefore the solar month Mesha commenced,—shortly before the end of an amānta lunar month, which was accordingly named "Chaitra" in conformity with the above rule (Art. 14, or 44); that the length of the solar month Mesha was greater than that of the following lunar month; and that the sun therefore stood in the same sign during the whole of that lunar month, entering the sign Vṛishabha shortly after the beginning of the third lunar month, which was consequently named Vaiśākha because the Vṛishabha saṅkrānti took place, and the solar month Vṛishabha commenced, in it,—the Vṛishabha saṅkrānti being the one next following the Mesha saṅkrānti. Ordinarily there is one saṅkrānti in each lunar month, but in the present instance there was no saṅkrānti whatever in the second lunar month lying between Chaitra and Vaiśākha.

The lunar month in which there is no saṅkrānti is called an *adhika* (added or intercalated) month; while the month which is not adhika, but is a natural month because a saṅkrānti actually occurred in it, is called *nija*, i.e., true or regular month.¹ We thus have an added month between natural Chaitra and natural Vaiśākha.

¹ Professor Kielhorn is satisfied that the terms *adhika* and *nija* are quite modern, the nomenclature usually adopted in documents and inscriptions earlier than the present century being *prathama* (first) and *deutya* (second). He alluded to this in *Ind. Ast.*, XX., p. 411. (R. S.)

The next peculiarity is that when there are two saṅkrāntis in a lunar month there is a *kshaya māsa*, or a complete expunction of a month. Suppose, for instance, that the Vṛiśchika saṅkrānti took place shortly after the beginning of the amānta lunar month Kārttika (*see the lower half of the diagram col. 2*); that in the next lunar month the Dhanus-saṅkrānti took place

Amānta lunar months.	Solar months; saṅkrānti to saṅkrānti.	Fortights.	Pārvīmānta lunar months. ¹	
			By one system.	By another system.
1	2	3	4	5
Chaitra.	Mesha saṅkrānti	Sukla	½ Chaitra	½ Chaitra
		Krishna	Vaiśākha	First Vaiśākha
Adhika Vaiśākha	Interval after period.	Sukla	Adhika	
		Krishna	Vaiśākha	
Nija Vaiśākha	Vṛiśabha saṅkrānti	Sukla	Vaiśākha	Second Vaiśākha
		Krishna	½ Jyeshtha	½ Jyeshtha
(Several months are omitted here.)				
Kārttika	Vṛiśchika saṅkrānti	Sukla	½ Kārttika	½ Kārttika
		Krishna	Mārgaśīrsha	Mārgaśīrsha
Mārgaśīrsha (Pausha suppressed)	Dhanus saṅkrānti	Sukla		
		Krishna	(Pausha suppressed)	(Pausha suppressed)
Māgha	Makara saṅkrānti	Sukla	Māgha	Māgha
		Krishna	½ Phālguna	½ Phālguna
Kumbha saṅkrānti				

shortly after it began, and the Makara-saṅkrānti shortly before it ended, so that there were two saṅkrāntis in it; and that in the third month the Kumbha-saṅkrānti took place before the end of it. The lunar month in which the Kumbha-saṅkrānti occurred is naturally the month Māgha. Thus between the natural Kārttika and the natural Māgha there was only one lunar month instead of two, and consequently one is said to be expunged.

46. *Their names.* It will be seen that the general brief rule (*Art. 44*) for naming lunar months is altogether wanting in many respects, and therefore rules had to be framed to meet the emergency. But different rules were framed by different teachers, and so arose a difference in practice. The rule followed at present is given in the following verse.

*Minādistho Raviḥ yeshām ārambhā-prathame kshane | bhavet te 'bde Chāndra māsāḥ
chaitrādyā dvādaśa smṛitāḥ.*"

¹ The scheme of pārvīmānta months and the rule for naming the intercalated months known to have been in use from the 12th century A.D., are followed in this diagram.

"The twelve lunar months, at whose first moment the sun stands in Mina and the following [signs], are called Chaitra, and the others [in succession]."

According to this rule the added month in the above example (*Art. 45*) will be named Vaiśākha, since the sun was in Mesha when it began; and in the example of the expunged month the month between the natural Kārttika and the natural Māgha will be named Mārgasīrsha, because the sun was in Vṛiśchika when it commenced, and Pausha will be considered as expunged.

This rule is given in a work named *Kālatatva-vivechana*, and is attributed to the sage Vyāsa. The celebrated astronomer Bhāskarāchārya (A. D. 1150) seems to have followed the same rule,¹ and it must therefore have been in use at least as early as the 12th century A. D. As it is the general rule obtaining through most part of India in the present day we have followed it in this work.

There is another rule which is referred to in some astronomical and other works, and is attributed to the *Brahma-Siddhānta*.² It is as follows:

"*Meshādisthe Savitari yo yo māsah prapūryate chāndrah | Chaitrādyah sa jñeyah pārtidvitve 'dhimāso 'nyāyah.*" ||

"That lunar month which is completed when the sun is in [the sign] Mesha etc., is to be known as Chaitra, etc. [respectively]; when there are two completions, the latter [of them] is an added month."

It will be seen from the Table given above (p. 26) that for the names of ordinary months both rules are the same, but that they differ in the case of added and suppressed months. The added month between natural Chaitra and natural Vaiśākha, in the example in *Art. 45*, having ended when the sun was in Mesha, would be named "Chaitra" by this second rule, but "Vaiśākha" by the first rule, because it commenced when the sun was in Mesha. Again, the month between natural Kārttika and natural Māgha, in the example of an expunged month, having ended when the sun was in Makara, would be named "Pausha" by this second rule, and consequently Mārgasīrsha would be expunged; while by the first rule it would be named "Mārgasīrsha" since it commenced when the sun was in Vṛiśchika, and Pausha would be the expunged month. It will be noticed, of course, that the difference is only in name and not in the period added or suppressed.³ Both these rules should be carefully borne in mind when studying inscriptions or records earlier than 1100 A. D.

47. *Their determination according to true and mean systems.* It must be noted with regard to the intercalation and suppression of months, that whereas at present these are regulated by the sun's and moon's apparent motion,—in other words, by the apparent length of the solar and lunar months—and though this practice has been in use at least from A. D. 1100 and was followed by Bhaskarāchārya, there is evidence to show that in earlier times they were regulated by the mean length of months. It was at the epoch of the celebrated astronomer Śripati,⁴ or about A. D. 1040, that the change of practice took place, as evidenced by the following passage in his *Siddhānta Śekhara*, (quoted in the *Jyotiṣha-darpaṇa*, in A. D. 1557.)

¹ See his *Siddhānta-Siromati*, *madhyamāddhikāra*, *adhimāsanirnaya*, verse 6, and his own commentary on it. [S. B. D.]

² It is not to be found in either of the *Brahma-Siddhāntas* referred to above, but there is a third Brahmas-Siddhānta which I have not seen as yet. [S. B. D.]

³ In Prof. Chattere's list of added and suppressed months, in those published in Mr. Cowasjee Patell's *Chronology*, and in General Sir A. Cunningham's *Indian Eras* it is often noted that the same month is both added and suppressed. But it is clear from the above rules and definitions that this is impossible. A month cannot be both added and suppressed at the same time. The mistake arose probably from resort being made to the first rule for naming *adhika* months, and to the second for the suppressed months.

⁴ Thanks are due to Mr. Mahadeo Chitrapājī Apte, B.A., LL.B., very recently deceased, the founder of the Anandārama at Poona, for his discovery of a part of Śripati's *Kāraṇa* named the *Dhikotida*, from which I got Śripati's date. I find that it was written in Śaka 961 expired (A.D. 1039-40). [S. B. D.]

*Madhyama-Ravi-saṅkrānti-praveśa-rakito bhaved adhikah
 Madhyaś Chāndro māso madhyādhika-lakshanam chaitat
 Vidvāṁśas-tv-āchāryā nirasya madhyādhikam māsam
 Kuryuḥ sphuṭa-mānena hi yato 'dhikah spashṭa eva syāt.*

"The lunar month which has no mean sun's entrance into a sign shall be a mean intercalated month. This is the definition of a mean added month. The learned Āchāryas should leave off [using] the mean added months, and should go by apparent reckoning, by which the added month would be apparent (true)."

It is clear, therefore, that mean intercalations were in use up to Śripati's time. In the *Vedāṅga Jyotiṣha* only the mean motions of the sun and moon are taken into account, and it may therefore be assumed that at that time the practice of regulating added and suppressed months by apparent motions was unknown. These apparent motions of the sun and moon are treated of in the astronomical *Siddhāntas* at present in use, and so far as is known the present system of astronomy came into force in India not later than 400 A. D.¹ But on the other hand, the method of calculating the *ahargaṇa* (a most important matter), and of calculating the places of planets, given in the *Surya* and other *Siddhāntas*, is of such a nature that it seems only natural to suppose that the system of mean intercalations obtained for many centuries after the present system of astronomy came into force, and thus we find Śripati's utterance quoted in an astronomical work of the 15th century. There can be no suppression of the month by the mean system, for the mean length of a solar month is longer than that of a mean lunar month, and therefore two mean saṅkrāntis cannot take place in a mean lunar month.

The date of the adoption of the true (apparent) system of calculating added and suppressed months is not definitely known. Bhāskarāchārya speaks of suppressed months, and it seems from his work that mean intercalations were not known in his time (A. D. 1150.) We have therefore in our Tables given mean added months up to A. D. 1100, and true added and suppressed months for the whole period covered by our Tables.²

48. For students more familiar with solar reckoning we will give the rules for the intercalation and suppression of months in another form. Ordinarily one lunar month ends in each solar month. When two lunar months end in a solar month the latter of the two is said to be an *adhika* (added or intercalated) month, and by the present practice it receives the name of the following natural lunar month, but with the prefix *adhika*. Thus in the Table on p. 25, two lunar months end during the solar month Mesha, the second of which is *adhika* and receives, by the present practice, the name of the following natural lunar month, Vaiśākha. When no lunar month ends in a solar month there is a *kshaya māsa*, or expunged or suppressed month; i.e., the name of one lunar month is altogether dropped, viz., by the present practice, the one following that which would be derived from the solar month. Thus, in the Table above, no lunar month ends in the solar month Dhanus. Mārgaśirsha is the name of the month in which the Dhanus saṅkrānti occurs; the name Pausha is therefore expunged.

The rule for naming natural lunar months, and the definition of, and rule for naming, added

¹ Up to recently the date was considered to be about the 6th century A.D. Dr. Thibaut, one of the highest living authorities on Indian Astronomy, fixes it at 400 A.D. (See his edition of the *Pūncha Siddhāntikā* Introd., p. LX.). My own opinion is that it came into existence not later than the 2nd century B.C. [S. B. D.]

² I am inclined to believe that of the two rules for naming lunar months the second was connected with the mean system of added months, and that the first came into existence with the adoption of the true system. But I am not as yet in possession of any evidence on the point. See, however, the note to Art. 51 below. [S. B. D.]

and suppressed months, may be summed up as follows. That amânta lunar month in which the Mesha sañkrânti occurs is called Chaitra, and the rest in succession. That amânta lunar month in which there is no sañkrânti is *adhîka* and receives the name (1) of the preceding natural lunar month by the old *Brahma-Siddhânta* rule, (2) of the following natural lunar month by the present rule. When there are two sañkrântis in one amânta lunar month, the name which would be derived from the first is dropped by the old *Brahma-Siddhânta* rule, the name which would be derived from the second is dropped by the present rule.

49. *Different results by different Siddhântas.* The use of different *Siddhântas* will sometimes create a difference in the month to be intercalated or suppressed, but only when a sañkrânti takes place very close¹ to the end of the amâvâsyâ. Such cases will be rare. Our calculations for added and suppressed months have been made by the *Sûrya-Siddhânta*, and to assist investigation we have been at the pains to ascertain and particularize the exact moments (given in tithi-indices, and tithis and decimals) of the sañkrântis preceding and succeeding an added or suppressed month, from which it can be readily seen if there be a probability of any divergence in results if a different *Siddhânta* be used. The Special Tables published by Professor Jacobi in the *Epigraphia Indica* (Vol., II., pp. 403 ff.) must not be relied on for calculations of added and suppressed months of *Siddhântas* other than the *Sûrya-Siddhânta*. If a different *Siddhânta* happened to have been used by the original computor of the given Hindu date, and if such date is near to or actually in an added or suppressed month according to our Table I., it is possible that the result as worked out by our Tables may be a whole month wrong. Our mean intercalations from A.D. 300 to 1100 are the same by the original *Sûrya-Siddhânta*, the present *Sûrya-Siddhânta*, and the first *Arya-Siddhânta*.

50. *Some peculiarities.* Certain points are worth noticing in connection with our calculations of the added and suppressed months for the 1600 years from A.D. 300 to 1900 according to the *Sûrya-Siddhânta*.

(a) Intercalations occur generally in the 3rd, 5th, 8th, 11th, 14th, 16th and 19th years of a cycle of 19 years. (b) A month becomes intercalary at an interval of 19 years over a certain period, and afterwards gives way generally to one of the months preceding it, but sometimes, though rarely, to the following one. (c) Out of the seven intercalary months of a cycle one or two are always changed in the next succeeding cycle, so that after a number of cycles the whole are replaced by others. (d) During our period of 1600 years the months Mârgâśîrsha, Pausha, and Mâgha are never intercalary. (e) The interval between years where a suppression of the month occurs is worth noticing. In the period covered by our Tables the first suppressed month is in A.D. 404, and the intervals are thus: 19, 65, 38, 19, 19, 46, 19, 141, 122, 19, 141, 141, 65, 19, 19, 19, 46, 76, 46, 141, 141, and an unfinished period of 78 years. At first sight there seems no regularity, but closer examination shews that the periods group themselves into three classes, viz., (i.) 19, 38, 76; (ii.) 141; and (iii.) 122, 65 and 46 years; the first of which consists of 19 or its multiples, the second is a constant, and the third is the difference between (ii.) and (i.) or between 141 and a multiple of 19. The unfinished period up to 1900 A.D. being 78 years, we are led by these peculiarities to suppose that there will be no suppressed month till at earliest (122 years =)

¹ It is difficult to define the exact limit, because it varies with different *Siddhântas*, and even for one *Siddhânta* it is not always the same. It is, however, generally not more than six ghatikâs, or about 33 of our tithi-indices (1). But in the case of some *Siddhântas* as corrected with a bija the difference may amount sometimes to as much as 20 ghatikâs, or 113 of our tithi-indices. It would be very rare to find any difference in true added months; but in the case of suppressed months we might expect some divergence, a month suppressed by one authority not being the same as that suppressed by another, or there being no suppression at all by the latter in some cases. Differences in mean added months would be very rare, except in the case of the *Brahma-Siddhânta*. (See Art. 88.)

A.D. 1944, and possibly not till (141 years =) A.D. 1963.¹ (d) Mâgha is only once suppressed in Saka 1398 current, Mârgâśîrsha is suppressed six times, and Pausha 18 times. No other month is suppressed.

Bhâskarâchârya lays down² that Kârttika, Mârgâśîrsha and Pausha only are liable to be suppressed, but this seems applicable only to the *Brahma-Siddhânta* of which Bhâskarâchârya was a follower. He further states, "there was a suppressed month in the Śaka year 974 expired, and there will be one in Śaka 1115, 1256 and 1378 all expired", and this also seems applicable to the *Brahma-Siddhânta* only. By the *Sûrya-Siddhânta* there were suppressed months in all these years except the last one, and there was an additional suppression in Śaka 1180 expired.

Gaṇeśa Daivajñâ, the famous author of the *Grahalâgħava* (A.D. 1520), as quoted by his grandson, in his commentary on the *Siddhânta-Śiromâṇi*, says, "By the *Sûrya-Siddhânta* there will be a suppressed month in Saka 1462, 1603, 1744, 1885, 2026, 2045, 2148, 2167, 2232, 2373, 2392, 2514, 2533, 2655, 2674, 2796 and 2815, and by the *Ārya-Siddhânta*³ there will be one in 1481, 1763, 1904, 2129, 2186, 2251 (all expired)." The first four by *Sûrya* calculations agree with our results.

51. By the *pûrṇimânta* scheme. Notwithstanding that the *pûrṇimânta* scheme of months is and was in use in Northern India, the amânta scheme alone is recognized in the matter of the nomenclature and intercalation of lunar months and the commencement of the luni-solar year. The following is the method adopted—first, the ordinary rule of naming a month is applied to an amânta lunar month, and then, by the *pûrṇimânta* scheme, the dark fortnight of it receives the name of the following month. The correspondence of amânta and *pûrṇimânta* fortnights for a year is shown in Table II., Part i., and it will be observed that the bright fortnights have the same name by both schemes while the dark fortnights differ by a month, and thus the *pûrṇimânta* scheme is always a fortnight in advance of the amânta scheme.

The saṅkrântis take place in definite amânta lunar months, thus the Makara-saṅkrânti invariably takes place in amânta Pausha, and in no other month; but when it takes place in the krishṇa-paksha of amânta Pausha it falls in *pûrṇimânta* Mâgha, because that fortnight is said to belong to Mâgha by the *pûrṇimânta* scheme. If, however, it takes place in the sukla paksha, the month is Pausha by both schemes. Thus the Makara-saṅkrânti, though according to the amânta scheme it can only fall in Pausha, may take place either in Pausha or Mâgha by the *pûrṇimânta* scheme; and so with the rest.

The following rules govern *pûrṇimânta* intercalations. Months are intercalated at first as if there were no *pûrṇimânta* scheme, and afterwards the dark fortnight preceding the intercalated month receives, as usual, the name of the month to which the following natural bright fortnight belongs, and therefore the intercalated month also receives that name. Thus, in the example given above (Art. 45), intercalated amânta Vaisâkha (as named by the first rule) lies between natural amânta Chaitra and natural amânta Vaisâkha. But by the *pûrṇimânta* scheme the dark half of natural amânta Chaitra acquires the name of natural Vaisâkha; then follow the two fortnights of adhika Vaisâkha; and after them comes the bright half of the (nija) natural *pûrṇimânta*

¹ This relation of intervals is a distinct assistance to calculation, as it should lead us to look with suspicion on any suppression of a month which does not conform to it.

² See the *Siddhânta-Śiromâṇi*, *Madhyamâddhikâra*. Bhâskara wrote in Śaka 1072 (A.D. 1150). He did not give the names of the suppressed months.

³ I have ascertained that Gaṇeśa has adopted in his *Grahalâgħava* some of the elements of the *Ārya-Siddhânta* as corrected by Lalla's bīja, and by putting to test one of the years noted I find that in these calculations also the *Ārya-Siddhânta* as corrected by Lalla's bīja was used. Gaṇeśa was a most accurate calculator, and I feel certain that his results can be depended upon. [S. B. D.]

Vaiśākha. Thus it happens that half of natural pūrṇimānta Vaiśākha comes before, and half after, the intercalated month.¹

Of the four fortnights thus having the name of the same month the first two fortnights are sometimes called the "First Vaiśākha," and the last two the "Second Vaiśākha."

It will be seen from Table II., Part i., that amānta Phālguna krishna is pūrṇimānta Chaitra krishna. The year, however, does not begin then, but on the same day as the amānta month, i.e., with the new moon, or the beginning of the next bright fortnight.

Having discussed the lesser divisions of time, we now revert to the Hindu year. And, first, its beginning.

Years and Cycles.

52. *The Hindu New-year's Day.*—In Indian astronomical works the year is considered to begin, if luni-solar, invariably with amānta Chaitra Śukla 1st,—if solar with the Mesha saṅkrānti; and in almost all works *mean* Mesha saṅkrānti is taken for convenience of calculations, very few works adopting the apparent or true one. At present in Bengal and the Tamil country, where solar reckoning is in use, the year, for religious and astronomical purposes, commences with the apparent Mesha-saṅkrānti, and the civil year with the first day of the month Mesha, as determined by the practice of the country (*See above Art. 28*). But since mean Mesha-saṅkrānti is taken as the commencement of the solar year in astronomical works, it is only reasonable to suppose that the year actually began with it in practice in earlier times, and we have to consider how long ago the practice ceased.

In a *Karanya* named *Bhāsvati* (A. D. 1099) the year commences with apparent Mesha saṅkrānti, and though it is dangerous to theorize from one work, we may at least quote it as shewing that the present practice was known as early as A. D. 1100. This date coinciding fairly well with Śripati's injunction quoted above (*Art. 47*) we think it fair to assume for the present that the practice of employing the mean Mesha saṅkrānti for fixing the beginning of the year ceased about the same time as the practice of mean intercalary months.

The luni-solar Chaitrādi² year commences, for certain religious and astrological purposes, with the first moment of the first tithi of Chaitra, or Chaitra śukla pratipadā and this, of course, may fall at any time of the day or night, since it depends on the moment of new moon. But for the religious ceremonies connected with the beginning of a samvatsara (year), the sunrise of the day on which Chaitra śukla pratipadā is current at sunrise is taken as the first or opening day of the year. When this tithi is current at sunrise on two days, as sometimes happens, the first, and when it is not current at any sunrise (i.e., when it is expunged) then the day on which it ends, is taken as the opening day. For astronomical purposes the learned take any convenient

¹ Such an anomaly with regard to the pūrṇimānta scheme could not occur if the two rules were applied, one that "that pūrṇimānta month in which the Mesha saṅkrānti occurs is always called Chaitra, and so on in succession," and the other that "that pūrṇimānta month in which no saṅkrānti occurs is called an intercalated month." The rules were, I believe, in use in the sixth century A.D. (*See my remarks Ind. Ant., XX., p. 50 f.*) But the added month under such rules would never agree with the amānta added months. There would be from 14 to 17 months' difference in the intercalated months between the two, and much inconvenience would arise thereby. It is for this reason probably that the pūrṇimānta scheme is not recognised in naming months, and that pūrṇimānta months are named arbitrarily, as described in the first para, of Art. 51. This arbitrary rule was certainly in use in the 11th century A.D. (*See Ind. Ant., vol. VI., p. 58*, where the Makara-saṅkrānti is said to have taken place in Māgha.)

After this arbitrary rule of naming the pūrṇimānta months once came into general use, it was impossible in Northern India to continue using the second, or *Brahma-Siddhānta*, rule for naming the months. For in the example in *Art. 45* above the intercalated month would by that rule be named Chaitra, but if its preceding fortnight be a fortnight of Vaiśākha it is obvious that the intercalated month cannot be named Chaitra. In Southern India the practice may have continued in use a little longer. [S. B. D.]

² *Chaitriddi*, "beginning with Chaitra"; *Kārtikiddi*, "beginning with Kārttika"; *Meskiddi*, with Mesha; and so on.

moment,—such as mean sunrise, noon, sunset, or midnight, but generally the sunrise,—on or before Chaitra ūkla pratipadā, as their starting-point.¹ Sometimes the beginning of the mean Chaitra ūkla pratipadā is so taken.

When Chaitra is intercalary there seems to be a difference of opinion whether the year in that case is to begin with the intercalated (*adhika*) or natural (*nija*) Chaitra. For the purposes of our Table I. (cols. 19 to 25) we have taken the *adhika* Chaitra of the true system as the first month of the year.

But the year does not begin with Chaitra all over India. In Southern India and especially in Gujarāt the years of the Vikrama era commence in the present day with Kārttika ūkla pratipadā. In some parts of Kāthiāvād and Gujarāt the Vikrama year commences with Āshāḍha ūkla pratipadā.² In a part of Ganjam and Orissa, the year begins on Bhādrapada ūkla 12th. (*See under Oṅko reckoning, Art. 64.*) The Amlī year in Orissa begins on Bhādrapada ūkla 12th, the Vilāyati year, also in general use in Orissa, begins with the Kanyā sañkrānti; and the Fasli year, which is luni-solar in Bengal, commences on pūrṇimānta Āśvina kṛi. 1st (viz., 4 days later than the Vilāyati).

In the South Malayālam country (Travancore and Cochin), and in Tinnevelly, the solar year of the Kollam era, or Kollam āndu, begins with the month Chiṅgam (Simha), and in the North Malayālam tract it begins with the month Kannī (Kanyā). In parts of the Madras Presidency the Fasli year originally commenced on the 1st of the solar month Ādi (Karka), but by Government order about A.D. 1800 it was made to begin on the 13th of July, and recently it was altered again, so that now it begins on 1st July. In parts of the Bombay Presidency the Fasli year begins when the sun enters the nakshatra Mṛigaśīrsha, which takes place at present about the 5th or 6th of June.

Alberuni mentions (A.D. 1030) a year commencing with Mārgaśīrsha as having been in use in Sindh, Multān, and Kanouj, as well as at Lahore and in that neighbourhood; also a year commencing with Bhādrapada in the vicinity of Kashmīr.³ In the *Mahābhārata* the names of the months are given in some places, commencing with Mārgaśīrsha. (*Anuśāsana parva adhyāyas 106 and 109.*) In the *Vedāṅga Jyotiṣha* the year commences with Māgha ūkla pratipadā.

53. *The Sixty-year cycle of Jupiter.*⁴ In this reckoning the years are not known by numbers, but are named in succession from a list of 60 names, often known as the "Brihaspati samvatsara chakra,"⁵ the wheel or cycle of the years of Jupiter. Each of these years is called a "samvatsara." The word "samvatsara" generally means a year, but in the case of this cycle the year is not equal to a solar year. It is regulated by Jupiter's mean motion; and a Jovian year is the period during which the planet Jupiter enters one sign of the zodiac and passes completely through it

¹ See *Ind. Ant.*, XIX., p. 45, second paragraph of my article on the Original *Surya-Siddhānta*. [S. B. D.]

² I have myself seen a pañchāṅg which mentions this beginning of the year, and have also found some instances of the use of it in the present day. I am told that at Idar in Gujarāt the Vikrama samvat begins on Āshāḍha krishna dvitiya. [S. B. D.]

³ The passage, as translated by Sachau (Vol. II., p. 8 f.), is as follows. "Those who use the Saka era, the astronomers, begin the year with the month Chaitra, whilst the inhabitants of Kanīr, which is conterminous with Kashmīr, begin it with the month Bhādrapada... All the people who inhabit the country between Bardarl and Mārgala begin the year with the month Kārttika... The people living in the country of Nirahara, behind Mārgala, as far as the utmost frontiers of Tākeshwar and Lohāvar, begin the year with the month Mārgaśīrsha... The people of Lanbaga, i.e., Lamghān, follow their example. I have been told by the people of Multān that this system is peculiar to the people of Sindh and Kanōj, and that they used to begin the year with the new moon of Mārgaśīrsha, but that the people of Multān only a few years ago had given up this system, and had adopted the system of the people of Kashmīr, and followed their example in beginning the year with the new moon of Chaitra."

⁴ Articles 53 to 61 are applicable to Northern India only (*See Art. 62.*)

⁵ The term is one not recognized in Sanskrit works. [S. B. D.]

with reference to his mean motion. The cycle commences with Prabhava. See Table I., cols. 6, 7, and Table XII.

54. The duration of a Bârhaspatya samvatsara, according to the *Sûrya-Siddhânta*, is about 361.026721 days, that is about 4.232 days less than a solar year. If, then, a samvatsara begins exactly with the solar year the following samvatsara will commence 4.232 days before the end of it. So that in each successive year the commencement of a samvatsara will be 4.232 days in advance, and a time will of course come when two samvatsaras will begin during the same solar year. For example, by the *Sûrya-Siddhânta* with the bija, Prabhava (No. 1) was current at the beginning of the solar year Saka 1779. Vibhava (No. 2) commenced 3.3 days after the beginning of that year, that is after the Mesha sañkrânti; and Sukla (No. 3) began 361.03 days after Vibhava, that is 364.3 days after the beginning of the year. Thus Vibhava and Šukla both began in the same solar year. Now as Prabhava was current at the beginning of Šaka 1779, and Šukla was current at the beginning of Šaka 1780, Vibhava was expunged in the regular method followed in the North. Thus the rule is that when two Bârhaspatya samvatsaras begin during one solar year the first is said to be expunged, or to have become *kshaya*; and it is clear that when a samvatsara begins within a period of about 4.232 days after a Mesha sañkrânti it will be expunged.

By the *Sûrya Siddhânta* $85\frac{60}{211}$ solar years are equal to $86\frac{60}{211}$ Jovian years. So that one expunction is due in every period of $85\frac{60}{211}$ solar years. But since it really takes place according to the rule explained above, the interval between two expunctions is sometimes 85 and sometimes 86 years.

55. Generally speaking the samvatsara which is current at the beginning of a year is in practice coupled with all the days of that year, notwithstanding that another samvatsara may have begun during the course of the year. Indeed if there were no such practice there would be no occasion for an expunction. Epigraphical and other instances, however, have been found in which the actual samvatsara for the time is quoted with dates, notwithstanding that another samvatsara was current at the beginning of the year.¹

56. *Variations.* As the length of the solar year and year of Jupiter differs with different *Siddhântas* it follows that the expunction of samvatsaras similarly varies.

57. Further, since a samvatsara is expunged when two samvatsaras begin in the same year, these expunctions will differ with the different kinds of year. Where luni-solar years are in use it is only natural to suppose that the rule will be made applicable to that kind of year, an expunction occurring when two samvatsaras begin in such a year; and there is evidence to show that in some places at least, such was actually the case for a time. Now the length of an ordinary luni-solar year (354 days) is less than that of a Jovian year (361 days), and therefore the beginning of two consecutive samvatsaras can only occur in those luni-solar years in which there is an intercalary month. Again, the solar year sometimes commences with the *mean* Mesha-sañkrânti, and this again gives rise to a difference.²

The *Jyotisha-tattva* rule (*given below Art. 59*) gives the samvatsara current at the time of the *mean*, not of the *apparent*, Mesha-sañkrânti, and hence all expunctions calculated thereby must be held to refer to the solar year only when it is taken to commence with the *mean* Mesha-sañkrânti.³ It is important that this should be remembered.

¹ See *Ind. Ant.*, Vol. XIX., pp. 27, 33, 187.

² These points have not yet been noticed by any European writer on Indian Astronomy. [S. B. D.]

³ As to the *mean* Mesha-sañkrânti, see *Art. 26* above.

58. To find the current samvatsara. The samvatsaras in our Table I., col. 7, are calculated by the *Surya-Siddhānta* without the bija up to A.D. 1500, and with the bija from A.D. 1501 to 1900; and are calculated from the apparent Mesha-saṅkrānti. If the samvatsara current on a particular day by some other authority is required, calculations must be made direct for that day according to that authority, and we therefore proceed to give some rules for this process.

59. Rules for finding the *Bṛhaspatya* samvatsara current on a particular day.¹

a. By the *Surya-Siddhānta*.² Multiply the expired Kali year by 211. Subtract 108 from the product. Divide the result by 18000. To the quotient, excluding fractions, add the numeral of the expired Kali year plus 27. Divide the sum by 60. The remainder, counting from Prabhava as 1, is the samvatsara current at the beginning of the given solar year, that is at its apparent Mesha-saṅkrānti. Subtract from 18000 the remainder previously left after dividing by 18000. Multiply the result by 361, and divide the product by 18000. Calculate for days, ghaṭikās, and palas. Add 15 palas to the result. The result is then the number of days, etc., elapsed between the apparent Mesha-saṅkrānti and the end of the samvatsara current thereon. By this process can be found the samvatsara current on any date.

Example 1.—Wanted the samvatsara current at the beginning of Saka 233 expired and the date on which it ended. Saka 233 expired = (Table I.) Kali 3412 expired. $\frac{3412 \times 211 - 108}{18000} = 39\frac{1721}{18000}$. 39 + 3412 + 27 = 3478. $\frac{3478}{10} = 57\frac{8}{10}$. The remainder is 58; and we have it that No. 58 Raktākshin (Table XII.) was the samvatsara current at the beginning (apparent Mesha-saṅkrānti) of the given year. Again; $18000 - 17824 = 176$. $\frac{176 \times 361}{18000} = 3$ d. 31 gh. 47.2 p. Adding 15 pa. we have 3 d. 32 gh. 2.2 pa. This shews that Raktākshin will end and Krodhana (No. 59) begin 3 d. 32 gh. 2.2 pa. after the apparent Mesha-saṅkrānti. This last, by the *Surya Siddhānta*, occurred on 17th March, A.D. 311, at 27 gh. 23 pa. (see Table I., col. 13, and the Table in Art. 96), and therefore Krodhana began on the 20th March at 59 gh. 25.2 pa., or 34.8 palas before mean sunrise on 21st March. We also know that since Krodhana commences within four days after Mesha it will be expunged (Art. 54 above).

b. By the *Ārya Siddhānta*. Multiply the expired Kali year by 22. Subtract 11 from the product. Divide the result by 1875. To the quotient excluding fractions add the expired Kali year + 27. Divide the sum by 60. The remainder, counted from Prabhava as 1, is the samvatsara current at the beginning of the given solar year. Subtract from 1875 the remainder previously left after dividing by 1875. Multiply the result by 361. Divide the product by 1875. Add 1 gh. 45 pa. to the quotient. The result gives the number of days, etc., that have elapsed between the apparent Mesha-saṅkrānti and the end of the samvatsara current thereon.

Example 2.—Required the samvatsara current at the beginning of Saka 230 expired, and the time when it ended.

Saka 230 expired = Kali 3409 expired. $\frac{3409 \times 22 - 11}{1875} = 39\frac{1962}{1875}$. 39 + 3409 + 27 = 3475, which, divided by 60, gives the remainder 55. Then No. 55 Durmati (Table XII.) was current at the beginning of the given year. Again; $1875 - 1862 = 13$. $\frac{13 \times 361}{1875} = 2$ d. 30 gh. 10.56 pa. Adding 1 gh.

¹ By all these rules the results will be correct within two ghaṭikās where the moment of the Mesha-saṅkrānti according to the authority used is known.

² The rule for the present *Vasiṣṭha*, the *Sādāyuga Brahma*, the *Romaka*, and the *Soma Siddhāntas* is exactly the same. That by the original *Surya-Siddhānta* is also similar, but in that case the result will be incorrect by about 2 ghaṭikās (48 minutes). For all these authorities take the time of the Mesha-saṅkrānti by the present *Surya-Siddhānta* or by the *Ārya-Siddhānta*, whichever may be available. The moment of the Mesha-saṅkrānti according to the *Surya-Siddhānta* is given in our Table I. only for the years A.D. 1100 to 1900. The same moment for all years between A.D. 800 and 1100 can be found by the Table in Art. 96. If the *Ārya-Siddhānta* saṅkrānti is used for years A.D. 300 to 1100 the result will never be incorrect by more than 2 ghaṭikās 45 palas (1 hour and 6 minutes). The Table should be referred to.

45 pa., we get 2 d. 31 gh. 55.56 pa. Add this to the moment of the Mesha sañkrânti as given in Table I., cols. 13—16, viz., 16th March, 308 A.D., Tuesday, at 41 gh. 40 p., and we have 19th March, Friday, 13 gh. 35.56 p. after mean sunrise as the moment when Durmati ends and Dundubhi begins. Here again, since Dundubhi commences within four days of the Mesha sañkrânti, it will be expunged.

c. *By the Sûrya-Siddhânta with the bija (to be used for years after about 1500 A.D.).* Multiply the expired Kali year by 117. Subtract 60 from the product. Divide the result by 10000. To the figures of the quotient, excluding fractions, add the number of the expired Kali year plus 27. Divide the sum by 60. And the remainder, counted from Prabhava as 1, is the samvatsara current at the beginning of the given solar year. Subtract from 10000 the remainder left after the previous division by 10000. Multiply the difference by 361, and divide the product by 10000. Add 15 pa. The result is the number of days, etc., that have elapsed between the apparent Mesha sañkrânti and the end of the samvatsara current thereon.¹

Example.—Required the samvatsara current at the beginning of Śaka 1436 expired, and the moment when it ends. Śaka 1436 expired = Kali 4615 expired (Table I.). $\frac{4615 \times 117 - 60}{10000} = 53 \frac{895}{10000}$ $\frac{53 + 4815 + 27}{60} = 78 \frac{15}{60}$. The remainder 15 shews that Vrîsha was current at the Mesha-sañkrânti. $\frac{10000 - 895}{10000} \cdot 361 = 301$ + 15 p. = 3 d. 47 gh. 25.8 p. + 15 p. = 3 d. 47 gh. 40.8 p. Table I. gives the Mesha-sañkrânti as March 27th, 44 gh. 25 p., Monday. 27 d. 44 gh. 25 p. + 3 d. 47 gh. 40.8 p. = 31 d. 32 gh. 5.8 p.; and this means that Vrîsha ended at 32 gh. 5.8 p. after mean sunrise at Ujjain on Friday, 31st March. At that moment Chitrabhadra begins, and since it began within four days of the Mesha-sañkrânti, it is expunged.

d. *Brihat-samhitâ and Jyotishatattva Rules.* The rules given in the *Brihat-samhitâ* and the *Jyotishatattva* seem to be much in use, and therefore we give them here. The *Jyotishatattva* rule is the same as that for the *Ārya-Siddhânta* given above, except that it yields the year current at the time of mean Mesha-sankranti, and that it is adapted to Śaka years. The latter difference is merely nominal of course, as the moment of the beginning of a samvatsara is evidently the same by both.² We have slightly modified the rules, but in words only and not in sense.

The *Jyotishatattva* rule is this. Multiply the current Śaka year by 22. Add 4291. Divide the sum by 1875. To the quotient excluding fractions add the number of the current Śaka year. Divide the sum by 60. The remainder, counted from Prabhava as 1, is the samvatsara current at the beginning of the given year. Subtract the remainder left after previously dividing by 1875 from 1875. Multiply the result by 361. And divide the product by 1875. The result gives the number of days by which, according to the *Ārya-Siddhânta*, the samvatsara ends after mean Mesha-sañkrânti. The mean³ Mesha-sañkrânti will be obtained by adding 2d. 8 gh. 51 pa. 15 vipa. to the time given in Table I., cols. 13 to 18.

Work out by this rule the example given above under the *Ārya-Siddhânta* rule, and the result will be found to be the same by both.

The Brihat-samhitâ rule. Multiply the expired Śaka year by 44. Add 8589. Divide the sum by 3750. To the quotient, excluding fractions, add the number of the expired Śaka year

¹ In these three rules the apparent Mesha-sañkrânti is taken. If we omit the subtraction of 108, 11, and 60, and do not add 15 p., 1 gh. 45 p., and 15 p. respectively, the result will be correct with respect to the mean Mesha-sañkrânti.

² I have not seen the *Jyotishatattva* (or "Jyotishatara" as Warren calls it, but which seems to be a mistake), but I find the rule in the *Ratnasmîlî* of Śripati (A.D. 1039). It must be as old as that by the *Ārya-Siddhânta*, since both are the same. [S. B. D.]

³ If we add 4280 instead of 4291, and add 1 gh. 45 pa. to the final result, the time so arrived at will be the period elapsed since apparent Mesha-sañkrânti. Those who interpret the *Jyotishatattva* rule in any different way have failed to grasp its proper meaning. [S. B. D.]

plus 1. Divide the sum by 60. The remainder, counted from Prabhava as 1, is the samvatsara current at the beginning of the year. Subtract from 3750 the remainder obtained after the previous division by 3750. Multiply the result by 361, and divide the product by 3750. This gives the number of days by which the samvatsara current at the beginning of the year will end after the Mesha saṅkranti.¹

60. *List of Expunged Samvatsaras.* The following is a comparative list of expunged samvatsaras as found by different authorities, taking the year to begin at the mean Mesha saṅkrānti.

List of Expunged Samvatsaras.²

First Arya-Siddhānta, Brihat-saṅkhīta, Rātņamālā, Jyotiṣhatattra Rules.			Sūrya-Siddhānta Rule without bīja up to 1500 A.D., and with bīja afterwards.			First Ārya-Siddhānta, Brihat-saṅkhīta, Rātņamālā, Jyotiṣhatattra Rules.			Sūrya-Siddhānta Rule without bīja up to 1500 A.D., and with bīja afterwards.		
Saka year current.	A. D.	Expunged Samvatsara.	Saka year current.	A. D.	Expunged Samvatsara.	Saka year current.	A. D.	Expunged Samvatsara.	Saka year current.	A. D.	Expunged Samvatsara.
232	309-10	57 Rudhirodgṛīṇī	234	311-12	59 Kṛudhāṇī	1084	1161-62	19 Pārthīva	1087	1184-85	22 Sarvadhārinī
317	394-95	23 Virodhīnī	319*	396-97	25 Khāra	1169	1240-47	45 Virodhakṛītī	1172*	1249-50	48 Āñanda
402	479-80	49 Rākṣasī	404*	481-82	51 Piṅgala	1254	1331-32	11 Iṣvara	1258	1335-36	15 Viśha
487	564-55	15 Viśha	490	567-68	18 Tārṣīya	1340	1417-18	38 Kṛodhīnī	1343	1420-21	41 Plavaṅga
572	649-50	41 Plavaṅga	575*	652-53	44 Śādharāṇī	1425	1502-03	4 Pramoda	1437	1514-15	16 Chitrabhaṇī
658	735-36	8 Bhāva	660*	737-38	10 Dhātri	1510	1587-88	30 Durmukha	1522*	1599-1600	42 Klāka
743	820-21	34 Śārvacī	746	823-24	37 Śobhana						
828	905-06	60 Kshaya	831	908-09	3 Śukla	1595	1672-73	56 Dundubhi	1608	1685-86	9 Yuvanī
913	990-91	26 Nandana	916*	993-94	29 Maṇmatha	1680	1757-58	22 Survadhārinī	1693*	1770-71	35 Plava
999	1076-77	53 Siddhārthīnī	1002	1079-80	56 Dundubhi	1766	1843-44	49 Rākṣasī	1779	1856-57	2 Vibhava

If we take the years to commence with the apparent Mesha-saṅkrānti the samvatsaras expunged by Sūrya-Siddhānta calculation will be found in Table I., col. 7; and those by the Ārya-Siddhānta can be found by the rule for that Siddhānta given in Art. 59 above.

61. The years of Jupiter's cycle are not mentioned in very early inscriptions. They are mentioned in the Sūrya-Siddhānta. Dr. J. Burgess states that he has reason to think that they were first introduced about A.D. 349, and that they were certainly in use in A.D. 530. We have therefore given them throughout in Table I.

62. *The southern (luni-solar) sixty-year cycle.* The sixty-year cycle is at present in daily use in Southern India (south of the Narmadā), but there the samvatsaras are made to correspond with the luni-solar year as well as the solar; and we therefore term it the luni-solar 60-year cycle in contradistinction to the more scientific Bārhaspatya cycle of the North.

¹ It is not stated what Mesha-saṅkrānti is meant, whether mean or apparent. The rule is here given as generally interpreted by writers both Indian and European, but in this form its origin cannot be explained. I am strongly inclined to think that Varśhamihira, the author of the *Brihat-saṅkhīta*, meant the rule to run thus: Multiply the current Saka year by 44. Add 8582 (or 8581 or 8583). Divide the sum by 3750. To the integers of the quotient add the given current Saka year; (and the rest as above). The result is for the mean Mesha-saṅkrānti." In this form it is the same as the Ārya-Siddhānta or the Jyotiṣhatattra rule, and can be easily explained. (S. B. D.)

² In this Table the *Brihat-saṅkhīta* rule is worked as I interpret it. But as interpreted by others the expunctions will differ, the differences being in Saka (current) 231, the 56th; 908, the 52nd; 1839, the 37th.

By the Sūrya-Siddhānta the years marked with an asterisk in the Saka column of this Table differ from those given in Table I., col. 7, being in each case one earlier; the rest are the same. (S. B. D.)

There is evidence¹ to show that the cycle of Jupiter was in use in Southern India before Saka 828 (A.D. 905-6); but from that year, according to the *Ārya Siddhānta*, or from Saka 831 (A.D. 908-9) according to the *Surya-Siddhānta*, the expunction of the samvatsaras was altogether neglected, with the result that the 60-year cycle in the south became luni-solar from that year. At present the northern samvatsara has advanced by 12 on the southern. There is an easy rule for finding the samvatsara according to the luni-solar cycle, viz., add 11 to the current Saka year, and divide by 60; the remainder is the corresponding luni-solar cycle year. It must not be forgotten that the samvatsaras of Jupiter's and the southern cycle, are always to be taken as current years, not expired.

63. *The twelve-year cycle of Jupiter.* There is another cycle of Jupiter consisting of twelve samvatsaras named after the lunar months. It is of two kinds. In one, the samvatsara begins with the heliacal rising² of Jupiter and consists of about 400 solar days, one samvatsara being expunged every 12 years or so.³ In the other, which we have named the "twelve-year cycle of Jupiter of the mean-sign system", the years are similar in length to those of the sixty-year cycle of Jupiter just described, and begin at the same moment. Both kinds, though chiefly the former, were in use in early times, and the latter is often employed in modern dates, especially in those of the Kollam era. The samvatsaras of this heliacal rising system can only be found by direct calculations according to some *Siddhānta*. The correspondence of the samvatsaras of the mean-sign system with those of the sixty-year cycle are given in Table XII. They proceed regularly.

64. *The Graha-parivṛitti and Oṅko cycles.* There are two other cycles, but they are limited to small tracts of country and would perhaps be better considered as eras. We however give them here.

The southern inhabitants of the peninsula of India (chiefly of the Madura district) use a cycle of 90 solar years which is called the *Graha-parivṛitti*. Warren has described the cycle, deriving his information from the celebrated Portuguese missionary Beschi, who lived for over forty years in Madura. The cycle consists of 90 solar years, the length of one year being 365 d. 15 gh. 31 pa. 30 vi., and the year commences with Meshā. Warren was informed by native astronomers at Madras that the cycle consisted of the sum in days of 1 revolution of the sun, 15 of Mars, 22 of Mercury, 11 of Jupiter, 5 of Venus and 29 of Saturn, though this appears to us quite meaningless. The length of this year is that ascertained by using the original *Surya-Siddhānta*; but from the method given by Warren for finding the beginning of the years of this cycle it appears that astronomers have tried to keep it as nearly as possible in agreement with calculations by the *Ārya-Siddhānta*, and in fact the year may be said to belong to the *Ārya-Siddhānta*. The cycle commenced with Kali 3079 current (B.C. 24) and its epoch, i.e., the *Graha-parivṛitti* year 0 current⁴ is Kali 3078 current (B.C. 25).

¹ See *Corpus Inscrīp. Indic.*, Vol. III, p. 80, note; *Ind. Antiq.*, XVII, p. 142.

² The heliacal rising of a superior planet is its first visible rising after its conjunctions with the sun, i.e., when it is at a sufficient distance from the sun to be first seen on the horizon at its rising in the morning before sunrise, or, in the case of an inferior planet (Mercury or Venus), at its setting in the evening after sunset. For Jupiter to be visible the sun must be about 11° below the horizon. [R. S.]

³ It is fully described by me in the *Indian Antiquary*, vol. XVII. [S. B. D.]

⁴ In practice of course the word "current" cannot be applied to the year 0, but it is applied here to distinguish it from the year 0 complete or expired, which means year 1 current. We use the word "epoch" to mean the year 0 current. The epoch of an era given in a year of another era is useful for turning years of one into years of another era. Thus, by adding 3078 (the number of the Kali year corresponding to the *Graha-parivṛitti* cycle epoch) to a *Graha-parivṛitti* year, we can get the equivalent Kali year; and by subtracting the same from a Kali year we get the corresponding *Graha-parivṛitti* year.

To find the year of the Graha-parivṛitti cycle, add 72 to the current Kali-year, 11 to the current Saka year, or 24 or 23 to the A.D. year, viz., 24 from Mesha to December 31st, and 23 from January 1st to Mesha; divide by 90 and the remainder is the current year of the cycle.

The Oñko¹ cycle of 59 luni-solar years is in use in part of the Ganjam district of the Madras Presidency. Its months are pūrṇimānta, but it begins the year on the 12th of Bhādrapada-śuddha,² calling that day the 12th not the 1st. In other words, the year changes its numerical designation every 12th day of Bhādrapada-śuddha. It is impossible as yet to say decidedly when the Oñko reckoning commenced. Some records in the temple of Jagannātha at Puri (perfectly valueless from an historical point of view) show that it commenced with the reign of Subhānideva in 319 A.D., but the absurdity of this is proved by the chronicler's statement that the great Mughal invasion took place in 327 A.D. in the reign of that king's successor.³ Some say that the reckoning commenced with the reign of Chōdagaṅga or Chōrgaṅga, the founder of the Gāṅgavariṣa, whose date is assigned usually to 1131-32 A.D., while Sutton in his *History of Orissa* states that it was introduced in 1580 A.D. In the zamindari tracts of Parlakimedī, Peddakimedī and Chinnakimedī the Oñko Calendar is followed, but the people there also observe each a special style, only differing from the parent style and from one another in that they name their years after their own zamindars. A singular feature common to all these four kinds of regnal years is that, in their notation, the years whose numeral is 6, or whose numerals end with 6 or 0 (except 10), are dropped.⁴ For instance, the years succeeding the 5th and 19th Oñkos of a prince or zamindar are called the 7th and 21st Oñkos respectively. It is difficult to account for this mode of reckoning; it may be, as the people themselves allege, that these numerals are avoided because, according to their traditions and śāstras, they forebode evil, or it may possibly be, as some might be inclined to suppose, that the system emanated from a desire to exaggerate the length of each reign. There is also another unique convention according to which the Oñko years are not counted above 59, but the years succeeding 59 begin with a second series, thus "second 1", "second 2", and so on. It is also important to note that when a prince dies in the middle of an Oñko year, his successor's 1st Oñko which commences on his accession to the throne, does not run its full term of a year, but ends on the 11th day of Bhādrapada-śuddha following; consequently the last regnal year of the one and the first of the other together occupy only one year, and one year is dropped in effect. To find, therefore, the English equivalent of a given Oñko year, it will be necessary first to ascertain the style to which it relates, i.e., whether it is a Jagannātha Oñko or a Parlakimedī Oñko, and so on; and secondly to value the given year by excluding the years dropped (namely, the 1st—possibly, the 6th, 16th, 20th, 26th, 30th, 36th, 40th, 46th, 50th, 56th). There are lists of Orissa princes available, but up to 1797 A.D. they would appear to be perfectly inauthentic.⁵ The list from

¹ Or Anka.

² On the 11th according to some, but all the evidence tends to shew that the year begins on the 12th.

³ The real date of the Muhammadan invasion seems to be 1568 A.D. (J. A. S. B. for 1883, LII., p. 233, note). The invasion alluded to is evidently that of the "Yavanas", but as to these dates these temple chronicles must never be believed. [R. S.]

⁴ Some say that the first year is also dropped, similarly; but this appears to be the result of a misunderstanding, this year being dropped only to fit in with the system described lower down in this article. Mr. J. Beames states that "the first two years and every year that has a 6 or a 0 in it are omitted", so that the 37th Oñko of the reign of Rāmachandra is really his 28th year, since the years 1, 2, 6, 10, 16, 20, 26, 30 and 36 are omitted. (J. A. S. B. 1883, LII., p. 234, note. He appears to have been misled about the first two years.

⁵ Sewell's *Sketch of the Dynasties of Southern India*, p. 64. *Archaeological Survey of Southern India*, vol. II., p. 204.

that date forwards is reliable, and below are given the names of those after whom the later Oñko years have been numbered, with the English dates corresponding to the commencement of the 2nd Oñkos of their respective reigns.

Oñko 2 of Mukundadeva	September 2, 1797.	(Bhádrapada śukla 12th.)		
Do. Rámachandradeva	September 22, 1817.	Do.	Do.	
Do. Vírakeśvaradeva	September 4, 1854.	Do.	Do.	
Do. Divyashimhadeva	September 8, 1859.	Do.	Do.	

PART II.

THE VARIOUS ERAS.

65. *General remarks.* Different eras have, from remote antiquity, been in use in different parts of India, having their years luni-solar or solar, commencing according to varying practice with a given month or day; and in the case of luni-solar years, having the months calculated variously according to the amânta or pûrñamânta system of pakshas. (*Art. 12 above*). The origin of some eras is well known, but that of others has fallen into obscurity. It should never be forgotten, as explaining at once the differences of practice we observe, that when considering "Indian" science we are considering the science of a number of different tribes or nationalities, not of one empire or of the inhabitants generally of one continent.

66. If a number of persons belonging to one of these nationalities, who have been in the habit for many years of using a certain era with all its peculiarities, leave their original country and settle in another, it is natural that they should continue to use their own era, notwithstanding that another era may be in use in the country of their adoption; or perhaps, while adopting the new era, that they should apply to it the peculiarities of their own. And *vice versa* it is only natural that the inhabitants of the country adopted should, when considering the peculiarities of the imported era, treat it from their own stand-point.

67. And thus we actually find in the pañchângs of some provinces a number of other eras embodied, side by side with the era in ordinary use there, while the calendar-makers have treated them by mistake in the same or nearly the same manner as that of their own reckoning. For instance, there are extant solar pañchângs of the Tamil country in which the year of the Vikrama era is represented as a solar Meshâdi year. And so again Śaka years are solar in Bengal and in the Tamil country, and luni-solar in other parts of the country. So also we sometimes find that the framers of important documents have mentioned therein the years of several eras, but have made mistakes regarding them. In such a case we might depend on the dates in the document if we knew exactly the nationality of the authors, but very often this cannot be discovered, and then it is obviously unsafe to rely on it in any sense as a guide. This point should never be lost sight of.

68. Another point to be always borne in mind is that, for the sake of convenience in calculation a year of an era is sometimes treated differently by different authors in the same province, or indeed even by the same author. Thus, Gañeśa Daivajña makes Śaka years begin

with Chaitra śukla pratipadā in his *Grahalāghava* (A.D. 1520), but with mean Mesha saṅkrānti in his *Tithichintāmaṇi* (A.D. 1525.)

69. It is evident therefore that a certain kind of year, e.g., the solar or luni-solar year, or a certain opening month or day, or a certain arrangement of months and fortnights and the like, cannot be strictly defined as belonging exclusively to a particular era or to a particular part of India. We can distinctly affirm that the eras whose luni-solar years are Chaitrādi (*i.e.*, beginning with Chaitra śukla pratipadā) are always Meshādi (beginning with the Mesha saṅkrānti) in their corresponding solar reckoning, but beyond this it is unsafe to go.

70. *Current and expired years.* It is, we believe, now generally known what an "expired" or "current" year is, but for the benefit of the uninitiated we think it desirable to explain the matter fully. Thus; the same Śaka year (A.D. 1894) which is numbered 1817 *vartamāna*, or astronomically current, in the pañchāngs of the Tamil countries of the Madras Presidency, is numbered 1816 *gata* ("expired") in other parts of India. This is not so unreasonable as Europeans may imagine, for they themselves talk of the third furlong after the fourth mile on a road as "four miles three furlongs" which means three furlongs after the expiry of the fourth mile, and the same in the matter of a person's age; and so September, A.D. 1894, (Śaka 1817 current) would be styled in India "Śaka 1816 expired, September", equivalent to "September after the end of Śaka 1816" or "after the end of 1893 A.D.". Moreover, Indian reckoning is based on careful calculations of astronomical phenomena, and to calculate the planetary conditions of September, 1894, it is necessary first to take the planetary conditions of the end of 1893, and then add to them the data for the following nine months. That is, the end of 1893 is the basis of calculation. It is always necessary to bear this in mind because often the word *gata* is omitted in practice, and it is therefore doubtful whether the real year in which an inscription was written was the one mentioned therein, or that number decreased by one.¹

In this work we have given the corresponding years of the Kali and Śaka eras actually current, and not the expired years. This is the case with all eras, including the year of the *Vikrama*² era at present in use in Northern India.

71. *Description of the several eras.* In Table II., Part iii., below we give several eras, chiefly those whose epoch is known or can be fixed with certainty, and we now proceed to describe them in detail.

The Kali-Yuga.—The moment of its commencement has been already given (Art. 16 above). Its years are both Chaitrādi (luni-solar) and Meshādi (solar.) It is used both in astro-

¹ See 'Calculations of Hindu dates', by Dr. Fleet, in the *Ind. Ant.*, vols. XVI. to XIX., and my notes on the date of a Jain Purāṇa in Dr. Bhāskararām's "Report on the search for Sankrit manuscripts" for 1883—1884 A.D., pp. 429—30 §§ 36, 37. [S. B. D.]

² The Vikrama era is never used by Indian astronomers. Out of 150 Vikrama dates examined by Dr. Kielhorn (*Ind. Ant.*, XIX.), there are only six which have to be taken as current years. Is it not, however, possible that all Vikrama years are really current years, but that sometimes in writings and inscriptions the authors have made them doubly current in consequence of thinking them erroneously to be expired years. There is an instance of a Śaka year made twice current in an inscription published in the *Ind. Ant.*, (vol. XX., p. 191). The year was already 1155 *current*, but the number given by the writer of the inscription is 1156, as if 1155 had been the expired year.

As a matter of fact I do not think that it is positively known whether the years of the Christian era are themselves really expired or current years. Warren, the author of the *Kālasāṅkālita* was not certain. He calls the year corresponding to the Kali year 3101 expired "A.D. 0 complete" (p. 302) or "1 current" (p. 294). Thus, by his view, the Christian year corresponding to the Kali year 3102 expired would be A.D. 1 complete or A.D. 2 current. But generally European scholars fix A.D. 1 current as corresponding to Kali 3102 expired. The current and expired years undoubtedly give rise to confusion. The years of the astronomical eras, the Kali and Śaka for instance, may, unless the contrary is proved, be assumed to be expired years, and those of the non-astronomical eras, such as the Vikrama, Gupta, and many others, may be taken as current ones. (See, however, Note 3, p. 42, below.) [S. B. D.]

nomical works and in pañchāngs. In the latter sometimes its expired years, sometimes current years are given, and sometimes both. It is not often used in epigraphical records.¹

Saptarshi-Kala.—This era is in use in Kashmir and the neighbourhood. At the time of Alberuni (1030 A.D.), it appears to have been in use also in Multān and some other parts. It is the only mode of reckoning mentioned in the *Rāja-Tarāṅgiṇī*. It is sometimes called the "Laukika-Kāla" and sometimes the "Śāstra-Kāla". It originated on the supposition that the seven Rishis (the seven bright stars of Ursa Major) move through one nakshatra (27th part of the ecliptic) in 100 years, and make one revolution in 2700 years; the era consequently consists of cycles of 2700 years. But in practice the hundreds are omitted, and as soon as the reckoning reaches 100, a fresh hundred begins from 1. Kashmirian astronomers make the era, or at least one of its cycles of 2700 years, begin with Chaitra śukla 1st of Kali 27 current. Disregarding the hundreds we must add 47 to the Saptarshi year to find the corresponding current Saka year, and 24—25 for the corresponding Christian year. The years are Chaitrādi. Dr. F. Kielhorn finds² that they are mostly current years, and the months mostly pūrṇimānta.

The Vikrama era.—In the present day this era is in use in Gujarāt and over almost all the north of India, except perhaps Bengal.³ The inhabitants of these parts, when migrating to other parts of India, carry the use of the era with them. In Northern India the year is Chaitrādi, and its months pūrṇimānta, but in Gujarāt it is Kārttikādi and its months are amānta. The settlers in the Madras Presidency from Northern India, especially the Mārvādis who use the Vikrama year, naturally begin the year with Chaitra śukla pratipadā and employ the pūrṇimānta scheme of months; while immigrants from Gujarāt follow their own scheme of a Kārttikādi amānta year, but always according to the Vikrama era. In some parts of Kāthiāvād and Gujarāt the Vikrama era is Āshāḍhādi⁴ and its months amānta. The practice in the north and south leads in the present day to the Chaitrādi pūrṇimānta Vikrama year being sometimes called the "Northern Vikrama," and the Kārttikādi amānta Vikrama year the "Southern Vikrama."

The correspondence of these three varieties of the Vikrama era with the Saka and other eras, as well as of their months, will be found in Table II., Parts ii. and iii.

Prof. F. Kielhorn has treated of this era at considerable length in the *Ind. Antq.*, vols. XIX. and XX., and an examination of 150 different dates from 898 to 1877 of that era has led him to the following conclusions (*ibid.*, XX., p. 398 ff.).

(1) It has been at all times the rule for those who use the Vikrama era to quote the expired years, and only exceptionally⁵ the current year.

(2) The Vikrama era was Kārttikādi from the beginning, and it is probable that the change which has gradually taken place in the direction of a more general use of the Chaitrādi year was owing to the increasing growth and influence of the Śaka era. Whatever may be the practice in quite modern times, it seems certain that down to about the 14th century of the Vikrama era both kinds of years, the Kārttikādi and the Chaitrādi, were used over exactly the same tracts of country, but more frequently the Kārttikādi.

(3) While the use of the Kārttikādi year has been coupled with the pūrṇimānta as often as with the

¹ *Corpus Inscr.* Ind., Vol. III., *Introduction*, p. 69, note.

² *Ind. Ant.*, Vol. XX., p. 149 ff.

³ In Bengāli pañchāngs the Vikrama Samvat, or Sambat, is given along with the Śaka year, and, like the North-Indian Vikrama Samvat, is Chaitrādi pūrṇimānta.

⁴ See *Ind. Ant.*, vol. XVII., p. 93; also note 3, p. 31, and connected Text.

⁵ See, however, note 2 on the previous page.

amânta scheme of months, the Chaitrâdi year is found to be more commonly joined with the pûrnimânta scheme: but neither scheme can be exclusively connected with either the Kârttikâdi or Chaitrâdi year.

The era was called the "Mâlava" era from about A.D. 450 to 850. The earliest known date containing the word "Vikrama" is Vikrama-samvat 898 (about A.D. 840); but there the era is somewhat vaguely described as "the time called Vikrama"; and it is in a poem composed in the Vikrama year 1050 (about A.D. 992) that we hear for the first time of a king called Vikrama in connection with it. (See *Ind. Antig.*, XX., p. 404).

At the present day the Vikrama era is sometimes called the "Vikrama-samvat", and sometimes the word "samvat" is used alone as meaning a year of that era. But we have instances in which the word "samvat" (which is obviously an abbreviation of the word *samvatsara*, or year) is used to denote the years of the Śaka, Śimha, or Valabhi eras¹ indiscriminately.

In some native pañchângs from parts of the Madras presidency and Mysore for recent years the current Vikrama dates are given in correspondence with current Śaka dates; for example, the year corresponding to A.D. 1893–94 is said to be Śaka 1816, or Vikrama 1951. (See remarks on the Śaka era above.)

The Christian era. This has come into use in India only since the establishment of the English rule. Its years at present are tropical solar commencing with January 1st, and are taken as current years. January corresponds at the present time with parts of the luni-solar amânta months Mârgâśîrsha and Pausha, or Pausha and Mâgha. Before the introduction of the new style, however, in 1752 A.D., it coincided with parts of amânta Pausha and Mâgha, or Mâgha and Phâlguna. The Christian months, as regards their correspondence with luni-solar and solar months, are given in Table II., Part ii.

The Śaka era.—This era is extensively used over the whole of India; and in most parts of Southern India, except in Tinnevelly and part of Malabar, it is used exclusively. In other parts it is used in addition to local eras. In all the *Karayâs*, or practical works on astronomy it is used almost exclusively.² Its years are Chaitrâdi for luni-solar, and Meshâdi for solar, reckoning. Its months are pûrnimânta in the North and amânta in Southern India. Current years are given in some pañchângs, but the expired years are in use in most³ parts of India.

The Chedi or Kalachuri era.—This era is not now in use. Prof. F. Kielhorn, examining the dates contained in ten inscriptions of this era from 793 to 934,⁴ has come to the conclusion

¹ See *Ind. Ant.*, vol. XII., pp. 213, 293; XI., p. 242 ff.

² I have seen only two examples in which authors of *Karayâs* have used any other era along with the Śaka. The author of the *Râma-vînoda* gives, as the starting-point for calculations, the Akbar year 35 together with the Śaka year 1512 (expired), and the author of the *Phattesdhâprakâdâ* fixes as its starting-point the 48th year of "Phattesâha" coupled with the Śaka year 1626. [S. B. D.]

³ Certain Telugu (luni-solar) and Tamil (solar) pañchângs for the last few years, which I have procured, and which were printed at Madras and are clearly in use in that Presidency, as well as a Canarese pañchâng for A.D. 1893, (Śaka 1816 current, 1815 expired) edited by the Palace Astronomer of H. H. the Mahârâjâ of Mysore, give the current Śaka years. But I strongly doubt whether the authors of these pañchângs are themselves acquainted with the distinction between so-called current and expired years. For instance, there is a pañchâng annually prepared by Mr. Anna Ayyangâr, a resident of Kañcipuram in the Tanjore District, which appears to be in general use in the Tamil country, and in that for the solar Meshâdi year corresponding to 1887–88 he uses the expired Śaka year, calling this 1809; while in those for two other years that I have seen the current Śaka year is used. I have conversed with several Tamil gentlemen at Poona, and learn from them that in their part of India the generality of people are acquainted only with the name of the *samvatsars* of the 60-year cycle, and give no numerical value to the years. Where the years are numbered, however, the expired year is in general use. I am therefore inclined to believe that the so-called current Śaka years are nowhere in use; and it becomes a question whether the so-called expired Śaka year is really an expired one. [S. B. D.]

⁴ *Indian Antiquary* for August, 1888, vol. XVII., p. 215, and the *Academy* of 10th Dec., 1887, p. 394 f. I had myself calculated these same inscription-dates in March, 1887, and had, in conjunction with Dr. Fleet, arrived at nearly the same conclusions as Dr. Kielhorn's, but we did not then settle the epoch, believing that the data were not sufficiently reliable. (*Corpus. Inscript. Indic.*, Vol. III., Introd., p. 9. [S. B. D.] See also Dr. Kielhorn's Paper read before the Oriental Congress in London. [R. S.]

that the 1st day of the 1st *current* Chedi year corresponds to Āśvina śukla pratipadā of Chaitrādi Vikrama 306 current, (Śaka 171 current, 5th Sept., A.D. 248); that consequently its years are Āśvinādi; that they are used as *current* years; that its months are pūrṇimānta; and that its epoch, *i.e.*, the beginning of Chedi year 0 *current*, is A.D. 247—48.

The era was used by the Kalachuri kings of Western and Central India, and it appears to have been in use in that part of India in still earlier times.

The Gupta era.—This era is also not now in use. Dr. Fleet has treated it at great length in the introduction to the *Corpus. Inscript. Ind.* (Vol. III, "Gupta Inscriptions"), and again in the *Indian Antiquary* (Vol. XX., pp. 376 ff.) His examination of dates in that era from 163 to 386 leads him to conclude that its years are *current* and Chaitrādi; that the months are pūrṇimānta; and that the epoch, *i.e.*, the beginning of Gupta Samvat 0 *current*, is Śaka 242 current (A.D. 319—20). The era was in use in Central India and Nepal, and was used by the Gupta kings.

The Valabhi era.—This is merely a continuation of the Gupta era with its name changed into "Valabhi." It was in use in Kāthiāvād and the neighbourhood, and it seems to have been introduced there in about the fourth Gupta century. The beginning of the year was thrown back from Chaitra śukla 1st to the previous Kārttika śukla 1st, and therefore its epoch went back five months, and is synchronous with the *current* Kārttikādi Vikrama year 376 (A.D. 318—19, Śaka 241—42 *current*). Its months seem to be both amānta and pūrṇimānta.

The inscriptions as yet discovered which are dated in the Gupta and Valabhi era range from the years 82 to 945 of that era.

The Bengali San.—An era named the "Bengali San" (sometimes written in English "Sen") is in use in Bengal. It is a solar year and runs with the solar Śaka year, beginning at the Mesha saṅkrānti; but the months receive lunar-month names, and the first, which corresponds with the Tamil Chaitra, or with Mesha according to the general reckoning, is here called Vaiśākha, and so on throughout the year, their Chaitra corresponding with the Tamil Phālguna, or with the Mīna of our Tables. We treat the years as *current* ones. Bengali San 1300 *current* corresponds with Śaka 1816 *current* (A.D. 1893—94). Its epoch was Śaka 516 *current*, A.D. 593—94. To convert a Bengali San date into a Śaka date for purposes of our Tables, add 516 to the former year, which gives the *current* Śaka solar year, and adopt the comparison of months given in Table II., Part. ii., cols. 8, 9.

The Vilāyatī year.—This is another solar year in use in parts of Bengal, and chiefly in Orissa; it takes lunar-month names, and its epoch is nearly the same as that of the "Bengali San", viz., Śaka 515—16 *current*, A.D. 592—93. But it differs in two respects. First, it begins the year with the solar month Kanyā which corresponds to Bengal solar Āśvina or Āśvin. Secondly, the months begin on the day of the saṅkrānti instead of on the following (2nd) or 3rd day (*see Art. 28, the Orissa Rule*).

The Amlī Era of Orissa—This era is thus described in Giriśa Chandra's "Chronological Tables" (preface, p. xvi.): "The Amlī commences from the birth of Indradyumna, Rājā of Orissa, on Bhādrapada śukla 12th, and each month commences from the moment when the sun enters a new sign. The Amlī San is used in business transactions and in the courts of law in Orissa."¹

¹ The Vilāyatī era, as given in some Bengal Government annual chronological Tables, and in a Bengali pañcāṅga printed in Calcutta that I have seen, is made identical with this Amlī era in almost every respect, except that its months are made to commence civilly in accordance with the second variety of the midnight rule (*Art. 28*). But facts seem to be that the Vilāyatī year commences, not on lunar Bhādrapada śukla 12th, but with the Kanyā saṅkrānti, while the Amlī year does begin on lunar Bhādrapada śukla 12th. It may be remarked that Warren writes—in A.D. 1825—(*Kālāsaṅkalita, Tables p. IX.*) that the "Vilāyatī year is reckoned from the 1st of the krishna paksha in Chaitra", and that its numerical designation is the same with the Bengali San. [S. B. D.]

It is thus luni-solar with respect to changing its numerical designation, but solar as regards the months and days. But it seems probable that it is really luni-solar also as regards its months and days.

The Kanyā saṅkrānti can take place on any day from about 11 days previous to lunar Bhādrapada śukla 12th to about 18 days after it. With the difference of so many days the epoch and numerical designation of the Amlī and Vilāyati years are the same.

The Fasali year.—This is the harvest year introduced, as some say, by Akbar, originally derived from the Muhammadan year, and bearing the same number, but beginning in July. It was, in most parts of India, a solar year, but the different customs of different parts of India caused a divergence of reckoning. Its epoch is apparently A. H. 963 (A. D. 1556), when its number coincided with that of the purely lunar Muhammadan year, and from that date its years have been solar or luni-solar. Thus (A. H.) $963 + 337$ (solar years) = 1300, and (A. D.) $1556 + 337 = 1893$ A.D., with a part of which year Fasali 1300 coincides, while the same year is A. H. 1310. The era being purely official, and not appealing to the feelings of the people of India, the reckoning is often found to be loose and unreliable. In Madras the Fasali year originally commenced with the 1st day of the solar month Āḍi (Karka), but about the year 1800 A.D. the British Government, finding that this date then coincided with July 13th, fixed July 13th as the permanent initial date; and in A.D. 1855 altered this for convenience to July 1st, the present reckoning. In parts of Bombay the Fasali begins when the sun enters the nakshatra Mrigasīrsha, viz., (at present) about the 5th or 6th June. The Bengāli year and the Vilāyati year both bear the same number as the Fasali year.

The names of months, their periods of beginning, and the serial number of days are the same as in the Hijra year, but the year changes its numerical designation on a stated solar day. Thus the year is already a solar year, as it was evidently intended to be from its name. But at the present time it is luni-solar in Bengal, and, we believe, over all North-Western India, and this gives rise to a variety, to be now described.

The luni-solar Fasali year.—This reckoning, though taking its name from a Muhammadan source, is a purely Hindu year, being luni-solar, pūrṇimānta, and Āśvinādi. Thus the luni-solar Fasali year in Bengal and N. W. India began (pūrṇimānta Āśvina krishṇa pratipadā, Śaka 1815 current =) Sept. 7th, 1882. A peculiarity about the reckoning, however, is that the months are not divided into bright and dark fortnights, but that the whole runs without distinction of pakshas, and without addition or expunction of tithis from the 1st to the end of the month, beginning with the full moon. Its epoch is the same as that of the Vilāyati year, only that it begins with the full moon next preceding or succeeding the Kanyā saṅkrānti, instead of on the saṅkrānti day.

In Southern India the Fasali year 1302 began on June 5th, 1892, in Bombay, and on July 1st, 1892, in Madras. It will be seen, therefore, that it is about two years and a quarter in advance of Bengal.

To convert a luni-solar Bengali or N. W. Fasali date, approximately, into a date easily workable by our Tables, treat the year as an ordinary luni-solar pūrṇimānta year; count the days after the 15th of the month as if they were days in the śukla fortnight, 15 being deducted from the given figure; add 515 to make the year correspond with the Śaka year, for dates between Āśvina 1st and Chaitra 15th (= amānta Bhādrapada krishṇa 1st and amānta Phālguna krishṇa 30th)—and 516 between Chaitra 15th and Āśvina 1st. Thus, let Chaitra 25th 1290 be the given date. The 25th should be converted into śukla 10th; adding 516 to 1290 we have 1806, the equivalent Śaka year. The corresponding Śaka date is therefore amānta Chaitra śukla 10th,

1806 current. From this the conversion to an A.D. date can be worked by the Tables. For an exact equivalent the saṅkrānti day must be ascertained.

The Mahratta Sūr-san or Shahūr-san.—This is sometimes called the *Arabi-san*. It was extensively used during the Mahratta supremacy, and is even now sometimes found, though rarely. It is nine years behind the Fasali of the Dakhan, but in other respects is just the same; thus, its year commences when the sun enters the nakshatra Mrigāśirsha, in which respect it is solar, but the days and months correspond with Hijra reckoning. It only diverged from the Hijra in A.D. 1344, according to the best computation, since when it has been a solar year as described above. On May 15th, A.D. 1344, the Hijra year 745 began. But since then the Shahūr reckoning was carried on by itself as a solar year. To convert it to an A.D. year, add 599.

The Harsha-Kāla.—This era was founded by Harshavardhana of Kanauj,¹ or more properly of Thaneśar. At the time of Alberuni (A.D. 1030) it was in use in Mathurā (Muttra) and Kanauj. Its epoch seems to be Śaka 529 current, A.D. 606–7. More than ten inscriptions have been discovered in Nepal² dated in the first and second century of this era. In all those discovered as yet the years are qualified only by the word "samvat".

The Māgi-San.—This era is current in the District of Chittagong. It is very similar to the Bengali-san, the days and months in each being exactly alike. The Māgi is, however, 45 years behind the Bengali year,³ e.g., Māgi 1200 = Bengali 1245.

The Kollam era, or era of Paraśurāma.—The year of this era is known as the *Kollam āṇḍu*. *Kollam* (anglicé Quilon) means "western", *āṇḍu* means "a year". The era is in use in Malabar from Mangalore to Cape Comorin, and in the Tinnevelly district. The year is sidereal solar. In North Malabar it begins with the solar month Kannī (Kanyā), and in South Malabar and Tinnevelly with the month Chiṅgam (Sīrha). In Malabar the names of the months are sign-names, though corrupted from the original Sanskrit; but in Tinnevelly the names are chiefly those of lunar months, also corrupted from Sanskrit, such as Śittirai or Chittirai for the Sanskrit Chaitra, corresponding with Mesha, and so on. The sign-names as well as the lunar-month names are given in the pañchāṅgs of Tinnevelly and the Tamil country. All the names will be found in Table II., Part ii. The first Kollam āṇḍu commenced in Kali 3927 current, Śaka 748 current, A.D. 825–26, the epoch being Śaka 747–48 current, A.D. 824–25. The years of this era as used are current years, and we have treated them so in our Tables.

The era is also called the "era of Paraśurāma", and the years run in cycles of 1000. The present cycle is said to be the fourth, but in actual modern use the number has been allowed to run on over the 1000, A.D. 1894–95 being called Kollam 1070. We believe that there is no record extant of its use earlier than A.D. 825, and we have therefore, in our Table I., left the appropriate column blank for the years A.D. 300–825. If there were really three cycles ending with the year 1000, which expired A.D. 824–25, then it would follow that the Paraśurāma, or Kollam, era began in Kali 1927 current, or the year 3528 of the Julian period.⁴

The Nevār era. This era was in use in Nepal up to A.D. 1768, when the Saka era

¹ Alberuni's India, English translation by Sachau, Vol. II., p. 5.

² *Corpus Inscr. Indic.*, Vol. III., Introd., p. 177 ff.

³ Giriśa Chandra's *Chronological Tables for A.D. 1764 to 1900*.

⁴ Warren (*Kālasāṅkalita*, p. 208) makes it commence in "the year 3537 of the Julian period, answering to the 1926th of the Kali yug". But this is wrong if, as we believe, the Kollam years are current years, and we know no reason to think them otherwise. Warren's account was based on that of Dr. Buchanan who made the 977th year of the third cycle commence in A.D. 1800. But according to the present Malabar use it is quite clear that the year commencing in 1800 A.D., was the 978th Kollam year.

was introduced.¹ Its years are Kārttikādi, its months amānta, and its epoch (the beginning of the Nevār year o current) is the Kārttikādi Vikrama year 936 current, Śaka 801—2 current, A.D. 878—79. Dr. F. Kielhorn, in his *Indian Antiquary* paper on the "Epoch of the Newār era"² has come to the conclusion that its years are generally given in expired years, only two out of twenty-five dates examined by him, running from the 235th to the 995th year of the era, being current ones. The era is called the "Nepāl era" in inscriptions, and in Sanskrit manuscripts; "Nevār" seems to be a corruption of that word. Table II., Part iii., below gives the correspondence of the years with those of other eras.

The Chālukya era. This was a short-lived era that lasted from Śaka 998 (A.D. 1076) to Śaka 1084 (A.D. 1162) only. It was instituted by the Chālukya king Vikramāditya Tribhuvana Malla, and seems to have ceased after the defeat of the Eastern Chālukyas in A.D. 1162 by Vijala Kalachuri. It followed the Śaka reckoning of months and pakshas. The epoch was Śaka 998—99 current, A.D. 1075—76.

The Simha Samvat.—This era was in use in Kāthiāvād and Gujarāt. From four dates in that era of the years 32, 93, 96 and 151, discussed in the *Indian Antiquary* (Vols. XVIII. and XIX. and elsewhere), we infer that its year is luni-solar and current; the months are presumably amānta, but in one instance they seem to be pūrṇimānta, and the year is most probably Āshāḍhādi. It is certainly neither Kārttikādi nor Chaitrādi. Its epoch is Śaka 1036—37 current, A.D. 1113—14.

The Lakshmana Sena era.—This era is in use in Tirhut and Mithila, but always along with the Vikrama or Śaka year. The people who use it know little or nothing about it. There is a difference of opinion as to its epoch. Colebrooke (A.D. 1796) makes the first year of this era correspond with A.D. 1105; Buchanan (A.D. 1810) fixes it as A.D. 1105 or 1106; Tirhut almanacs, however, for the years between A.D. 1776 and 1880 shew that it corresponds with A.D. 1108 or 1109. Buchanan states that the year commences on the first day after the full moon of the month Āshāḍha, while Dr. Rājendra Lāl Mitra (A.D. 1878) and General Cunningham assert that it begins on the first Māgha badi (Māgha krishṇa 1st).³ Dr. F. Kielhorn, examining six independent inscriptions dated in that era (from A.D. 1194 to 1551), concludes⁴ that the year of the era is Kārttikādi; that the months are amānta; that its first year corresponds with A.D. 1119—20, the epoch being A.D. 1118—19, Śaka 1041—42 current; and that documents and inscriptions are generally dated in the expired year. This conclusion is supported by Abul Fazal's statement in the *Akbarnāma* (Śaka 1506, A.D. 1584). Dr. Kielhorn gives, in support of his conclusion, the equation "Laksh: sam: 505 = Śaka sam: 1546" from a manuscript of the *Smṛititattvāmṛita*, and proves the correctness of his epoch by other dates than the six first given.

The Ilāhi era.—The "Tārīkh-i Ilāhi," that is "the mighty or divine era," was established by the emperor Akbar. It dates from his accession, which, according to the *Tabakāt-i-Akbari*, was Friday the 2nd of Rabi-uś-ṣāni, A.H. 963, or 14th February,⁵ 1556 (O. S.), Śaka 1478 current. It was employed extensively, though not exclusively on the coins of Akbar and Jahāngīr, and appears to have fallen into disuse early in the reign of Shāh-Jahān. According to Abūl Fazal, the days and months are both natural solar, without any intercalations. The names of the months and days correspond with the ancient Persian. The months have from 29 to 30 days each.

¹ General Sir A. Cunningham's *Indian Eras*, p. 74.

² *Ind. Ant.*, Vol. XVII., p. 246 ff.

³ This much information is from General Cunningham's "Indian Eras."

⁴ *Ind. Ant.*, XIX., p. 1 ff.

⁵ General Cunningham, in his "Indian Eras", gives it as 15th February; but that day was a Saturday..

There are no weeks, the whole 30 days being distinguished by different names, and in those months which have 32 days the two last are named *roz o shab* (day and night), and to distinguish one from another are called "first" and "second".¹ Here the lengths of the months are said to be "from 29 to 30 days each", but in the old Persian calendar of Yazdajird they had 30 days each, the same as amongst the Parsees of the present day. The names of the twelve months are as follow:—

1	Farwardin	5	Mirdâd	9	Ader
2	Ardi-behisht	6	Shariûr	10	Déi
3	Khurdâd	7	Mihir	11	Bahman
4	Tir	8	Abân	12	Isfandarmaz

The Mahratta Râja Śaka era.—This is also called the "Râjyâbhiseka Śaka". The word "Śaka" is used here in the sense of an era. It was established by Śivaji, the founder of the Mahratta kingdom, and commenced on the day of his accession to the throne, i.e., Jyeshtha śukla trayodaśi (13th) of Śaka 1596 expired, 1597 current, the Ānanda samvatsara. The number of the year changes every Jyeshtha śukla trayodaśi; the years are current; in other respects it is the same as the Southern luni-solar amânta Śaka years. Its epoch is Śaka 1596—97 current, A.D. 1673—74. It is not now in use.

72. *Names of Hindî and N.W. Fasali months.*—Some of the months in the North of India and Bengal are named differently from those in the Peninsula. Names which are manifestly corruptions need not be noticed, though "Bhâdûn" for Bhâdrapada is rather obscure. But "Kuar" for Āsvina, and "Āghân", or "Aghrân", for Mârgâśîrsha deserve notice. The former seems to be a corruption of Kumâri, a synonym of Kanyâ (=Virgo, the damsel), the solar sign-name. If so, it is a peculiar instance of applying a solar sign-name to a lunar month. "Āghân" (or "Aghrân") is a corrupt form of *Agrahâyaṇa*, which is another name of Mârgâśîrsha.

PART III.

DESCRIPTION AND EXPLANATION OF THE TABLES.

73. *Table I.*—Table I. is our principal and general Table, and it forms the basis for all calculations. It will be found divided into three sections. (1) Table of concurrent years; (2) intercalated and suppressed months; (3) moments of commencement of the solar and luni-solar years. All the figures refer to mean solar time at the meridian of Ujjain. The calculations are based on the *Surya-Siddhânta*, without the bija up to 1500 A.D. and with it afterwards, with the exception of cols. 13 to 17 inclusive for which the *Ārya-Siddhânta* has been used. Throughout the table the solar year is taken to commence at the moment of the apparent Mêsha sañkrânti or first point of Aries, and the luni-solar year with amânta Chaitra śukla pratipadâ. The months are taken as amânta.

74. *Cols. 1 to 5.*—In these columns the concurrent years of the six principal eras are

¹ Prinsep's *Indian Antiquities*, II., *Useful Tables*, p. 171.

given. (As to current and expired years see Art. 70 above.) A short description of eras is given in Art. 71. The years in the first three columns are used alike as solar and luni-solar, commencing respectively with Mesha or Chaitra. (For the beginning point of the year see Art. 52 above.) The Vikrama year given in col. 3 is the Chaitrādi Vikrama year, or, when treated as a solar year which is very rarely the case, the Meshādi year. The Āshāḍhādi and Kārttikādi Vikrama years are not given, as they can be regularly calculated from the Chaitrādi year, remembering that the number of the former year is one less than that of the Chaitrādi year from Chaitra to Jyeshṭha or Āśvina (both inclusive), as the case may be, and the same as the Chaitrādi year from Āshāḍha or Kārttika to the end of Phālguna.

Cols. 4 and 5. The eras in cols. 4 and 5 are described above (Art. 71.) The double number is entered in col. 4 so that it may not be forgotten that the Kollam year is non-Chaitrādi or non-Meshādi, since it commences with either Kannī (Kanyā) or Chiṅgam (Siṁha). In the case of the Christian era of course the first year entered corresponds to the Kali, Śaka or Chaitrādi Vikrama year for about three-quarters of the latter's course, and for about the last quarter the second Christian year entered must be taken. The corresponding parts of the years of all these eras as well as of several others will be found in Table II., Parts ii. and iii.

75. *Cols. 6 and 7.*—These columns give the number and name of the current samvatsara of the sixty-year cycle. There is reason to believe that the sixty-year luni-solar cycle (in use mostly in Southern India) came into existence only from about A. D. 909; and that before that the cycle of Jupiter was in use all over India. That is to say, before A. D. 909 the samvatsaras in Southern India were the same as those of the Jupiter cycle in the North. If, however, it is found in any case that in a year previous to A.D. 908 the samvatsara given does not agree with our Tables, the rule in Art. 62 should be applied, in order to ascertain whether it was a luni-solar samvatsara.

The samvatsara given in col. 7 is that which was current at the time of the Mesha saṅkrānti of the year mentioned in cols. 1 to 3. To find the samvatsara current on any particular day of the year the rules given in Art. 59 should be applied. For other facts regarding the samvatsaras, see Arts. 53 to 63 above.

76. *Cols. 8 to 12, and 8a to 12a.* These concern the *adhika* (intercalated) and *kshaya* (suppressed) months. For full particulars see Arts. 45 to 51. By the mean system of intercalations there can be no suppressed months, and by the true system only a few. We have given the suppressed months in italics with the suffix "*Ksh*" for "kshaya." As mean added months were only in use up to A.D. 1100 (Art. 47) we have not given them after that year.

77. The name of the month entered in col. 8 or 8a is fixed according to the first rule for naming a lunar month (Art. 46), which is in use at the present day. Thus, the name Āshāḍha, in cols. 8 or 8a, shows that there was an intercalated month between natural Jyeshṭha and natural Āshāḍha, and by the first rule its name is "Adhika Āshāḍha", natural Āshāḍha being "Nija Āshāḍha." By the second rule it might have been called Jyeshṭha, but the intercalated period is the same in either case. In the case of expunged months the word "Pausha", for instance, in col. 8 shows that in the lunar month between natural Kārttika and natural Māgha there were two saṅkrāntis; and according to the rule adopted by us that lunar month is called Mārgaśirsha, Pausha being expunged.

78. Lists of intercalary and expunged months are given by the late Prof. K. L. Chhatre in a list published in Vol. I., No. 12 (March 1851) of a Mahrāthi monthly magazine called *Jñānaprasāraka*, formerly published in Bombay, but now discontinued; as well as in Cowasjee

Patell's "Chronology", and in the late Gen. Sir A. Cunningham's "Indian Eras,"¹ But in none of these three works is a single word said as to how, or following what authority, the calculations were made, so that we have no guide to aid us in checking the correctness of their results.

79. An added lunar month being one in which no sañkrānti of the sun occurs, it is evident that a sañkrānti must fall shortly before the beginning, and another one shortly after the end, of such a month, or in other words, a solar month must begin shortly before and must end shortly after the added lunar month. It is further evident that, since such is the case, calculation made by some other *Siddhānta* may yield a different result, even though the difference in the astronomical data which form the basis of calculation is but slight. Hence we have deemed it essential, not only to make our own calculations afresh throughout, but to publish the actual resulting figures which fix the months to be added and suppressed, so that the reader may judge in each case how far it is likely that the use of a different authority would cause a difference in the months affected. Our columns fix the moment of the sañkrānti before and the sañkrānti after the added month, as well as the sañkrānti after the beginning, and the sañkrānti before the end, of the suppressed month; or in other words, determine the limits of the adhika and kshaya māsas. The accuracy of our calculation can be easily tested by the plan shewn in Art. 90 below. (See also Art. 88 below.) The moments of time are expressed in two ways, viz., in lunation-parts and tithis, the former following Prof. Jacobi's system as given in *Ind. Ant.*, Vol. XVII.

80. Lunation-parts or, as we elsewhere call them, "tithi-indices" (or "t") are extensively used throughout this work and require full explanation. Shortly stated a lunation-part is $\frac{1}{1000}$ th of an apparent synodic revolution of the moon (see Note 2, Art. 12 above). It will be well to put this more clearly. When the difference between the longitude of the sun and moon, or in other words, the eastward distance between them, is *nil*, the sun and moon are said to be in conjunction; and at that moment of time occurs (the end of) *amāvāsyā*, or new moon. (Arts. 7.29 above.) Since the moon travels faster than the sun, the difference between their longitudes, or their distance from one another, daily increases during one half and decreases during the other half of the month till another conjunction takes place. The time between two conjunctions is a synodic lunar month or a lunation, during which the moon goes through all its phases. The lunation may thus be taken to represent not only time but space. We could of course have expressed parts of a lunation by time-measure, such as by hours and minutes, or ghaṭikās and palas, or by space-measure, such as degrees, minutes, or seconds, but we prefer to express it in lunation-parts, because then the same number does for either time or space (see Art. 89 below). A lunation consists of 30 tithis. $\frac{1}{30}$ th of a lunation consequently represents the time-duration of a tithi or the space-measurement of 12 degrees. Our lunation is divided into 10,000 parts, and about 333 lunation-parts ($\frac{1}{1000}$ ths) go to one tithi, 667 to two tithis, 1000 to three and so on. Lunation-parts are therefore styled "tithi-indices", and by abbreviation simply "t". Further, a lunation or its parts may be taken as apparent or mean. Our tithi-, nakshatra-, and yoga-indices are apparent and not mean, except in the case of mean added months, where the index, like the whole lunation, is mean.

¹ Gen. Cunningham admittedly (p. 91) follows Cowasjee Patell's "Chronology" in this respect, and on examination I find that the added and suppressed months in these two works (setting aside some few mistakes of their own) agree throughout with Prof. Chhatre's list, even so far as to include certain instances where the latter was incorrect. Patell's "Chronology" was published fifteen years after the publication of Prof. Chhatre's list, and it is not improbable that the former was a copy of the latter. It is odd that not a single word is said in Cowasjee Patell's work to shew how his calculations were made, though in those days he would have required months or even years of intricate calculation before he could arrive at his results. [S. B. D.]

Our tithi-index, or " t ", therefore shows in the case of true added months as well as elsewhere, the space-difference between the apparent, and in the case of mean intercalations between the mean, longitudes of the sun and moon, or the time required for the motions of the sun and moon to create that difference, expressed in 10,000ths of a unit, which is a circle in the case of space, and a lunation or synodic revolution of the moon in the case of time. Briefly the tithi-index " t " shews the position of the moon in her orbit with respect to the sun, or the time necessary for her to gain that position., e.g., "0" is new moon, "5000" full moon, "10,000" or "0" new moon; "50" shews that the moon has recently (*i.e.*, by $\frac{50}{10000}$ ths, or 3 hours 33 minutes—*Table X., col. 3*) passed the point or moment of conjunction (new moon); 9950 shews that she is approaching new-moon phase, which will occur in another 3 hours and 33 minutes.

81. A lunation being equal to 30 tithis, the tithi-index, which expresses the 10,000th part of a lunation, can easily be converted into tithi-notation, for the index multiplied by 30 (practically by 3), gives, with the decimal figures marked off, the required figure in tithis and decimals. Thus if the tithi-index is 9950, which is really 0.9950, it is equal to $(0.9950 \times 30 =) 29.850$ tithis, and the meaning is that $\frac{9950}{10000}$ ths of the lunation, or 29.850 tithis have expired. Conversely a figure given in tithis and decimals divided by 30 expresses the same in 10,000ths parts of a lunation.

82. The tithi-index or tithi is often required to be converted into a measure of solar time, such as hours or ghatikás. Now the length of an apparent lunation, or of an apparent tithi, perpetually varies, indeed it is varying at every moment, and consequently it is practically impossible to ascertain it except by elaborate and special calculations; but the length of a mean lunation, or of a mean tithi, remains permanently unchanged. Ignoring, therefore, the difference between apparent and mean lunations, the tithi-index or tithi can be readily converted into time by our Table X., which shews the time-value of the mean lunation-part ($\frac{1}{10000}$ th of the mean lunation), and of the mean tithi-part ($\frac{1}{10000}$ th of the mean tithi). Thus, if $t = 50$, Table X. gives the duration as 3 hours 33 minutes; and if the tithi-part¹ is given as 0.150 we have by Table X. (2 h. 22 m. + 1 h. 11 min. =) 3 h. 33 m.

It must be understood of course that the time thus given is not very accurate, because the tithi-index (t) is an apparent index, while the values in Table X. are for the mean index. The same remark applies to the nakshatra (n) or yoga (y) indices, and if accuracy is desired the process of calculation must be somewhat lengthened. This is fully explained in example 1 in Art. 148 below. In the case of mean added months the value of (t) the tithi-index is at once absolutely accurate.

83. The saṅkrāntis preceding and succeeding an added month, as given in our Table I., of course take place respectively in the lunar month preceding and succeeding that *added* month.

84. To make the general remarks in Arts. 80, 81, 82 quite clear for the intercalation of months we will take an actual example. Thus, for the Kali year 3403 the entries in cols. 9 and 11 are 9950 and 287, against the true added month Āśvina in col. 8. This shews us that the saṅkrānti preceding the true added, or Adhika, Āśvina took place when 9950 lunation-parts of the natural month Bhādrapada (preceding Adhika Āśvina) had elapsed, or when $(10,000 - 9950 =) 50$ parts had to elapse before the end of Bhādrapada, or again when 50 parts had to elapse

¹ A thousandth part of a tithi is equal to 1.42 minutes, which is sufficiently minute for our purposes, but a thousandth of a lunation is equivalent to 7 hours 5 minutes, and this is too large; so that we have to take the 10000th of a lunation as our unit, which is equal to 4.25 minutes, and this suffices for all practical purposes. In this work therefore a lunation is treated of as having 10,000 parts, and a tithi 1000 parts.

before the beginning of the added month; and that the sañkrânti succeeding true Adhika Âsvina took place when 287 parts of the natural month Nija Âsvina had elapsed, or when 287 parts had elapsed after the end of the added month Adhika Âsvina.

85. The moments of the sañkrântis are further given in tithis and decimals in cols. 10, 12, 10 α and 12 α . Thus, in the above example we find that the preceding sañkrânti took place when 29·850 tithis of the preceding month Bhâdrapada had elapsed, i.e., when $(30 - 29\cdot850 =) 0\cdot150$ tithi had still to elapse before the end of Bhâdrapada; and that the succeeding sañkrânti took place when 0·861 of a tithi of the succeeding month, Âsvina, had passed.

To turn these figures into time is rendered easy by Table X. We learn from it that the preceding sañkrânti took place (50 lunation parts or 0·150 tithi parts) about 3 h. 33 m. before the beginning of Adhika Âsvina; and that the succeeding sañkrânti took place (287 lunation parts, or 0·861 tithi parts) about 20 h. 20 m. after the end of Adhika Âsvina. This time is approximate. For exact time see Arts. 82 and 90.

The tithi-indices here shew (see Art. 88) that there is no probability of a different month being intercalated if the calculation be made according to a different authority.

86. To constitute an expunged month we have shewn that two sañkrântis must occur in one lunar month, one shortly after the beginning and the other shortly before the end of the month; and in cols. 9 and 10 the moment of the first sañkrânti, and in cols. 11 and 12 that of the second sañkrânti, is given. For example see the entries against Kali 3506 in Table I. As already stated, there can never be an expunged month by the mean system

87. In the case of an added month the moon must be waning at the time of the preceding, and waxing at the time of the succeeding sañkrânti, and therefore the figure of the tithi-index must be approaching 10,000 at the preceding, and over 10,000, or beginning a new term of 10,000, at the succeeding, sañkrânti. In the case of expunged months the case is reversed, and the moon must be waxing at the first, and waning at the second sañkrânti; and therefore the tithi-index must be near the beginning of a period of 10,000 at the first, and approaching 10,000 at the second, sañkrânti.

88. When by the *Sûrya-Siddhânta* a new moon (the end of the amâvâsyâ) takes place within about 6 ghaṭikâs, or 33 lunation-parts, of the sañkrânti, or beginning and end of a solar month, there may be a difference in the added or suppressed month if the calculation be made according to another *Siddhânta*. Hence when, in the case of an added month, the figure in col. 9 or 9 α is more than $(10,000 - 33 =) 9967$, or when that in col. 11 or 11 α is less than 33; and in the case of an expunged month when the figure in col. 9 is less than 33, or when that in col. 11 is more than 9967, it is possible that calculation by another *Siddhânta* will yield a different month as intercalated or expunged; or possibly there will be no expunction of a month at all. In such cases fresh calculations should be made by Prof. Jacobi's Special Tables (*Epig. Ind.*, Vol. II.) or direct from the *Siddhânta* in question. In all other cases it may be regarded as certain that our months are correct for all *Siddhântas*. The limit of 33 lunation-parts here given is generally sufficient, but it must not be forgotten that where *Siddhântas* are used with a bija correction the difference may amount to as much as 20 ghaṭikâs, or 113 lunation-parts (See above, note to Art. 49).

In the case of the *Sûrya-Siddhânta* it may be noted that the added and suppressed months are the same in almost all cases, whether the bija is applied or not.

89. We have spared no pains to secure accuracy in the calculation of the figures entered in cols. 9 to 12 and 9 α to 12 α , and we believe that they may be accepted as finally correct,

but it should be remembered that their time-equivalent as obtained from Table X. is only approximate for the reason given above (Art. 82.) Since Indian readers are more familiar with tithis than with lunation-parts, and since the expression of time in tithis may be considered desirable by some European workers, we have given the times of all the required sankrāntis in tithis and decimals in our columns, as well as in lunation-parts; but for turning our figures into time-figures it is easier to work with lunation-parts than with tithi-parts. It may be thought by some readers that instead of recording the phenomena in lunation-parts and tithis it would have been better to have given at once the solar time corresponding to the moments of the sankrāntis in hours and minutes. But there are several reasons which induced us, after careful consideration, to select the plan we have finally adopted. First, great labour is saved in calculation; for to fix the exact moments in solar time at least five processes must be gone through in each case, as shewn in our Example I. below (Art. 148) It is true that, by the single process used by us, the time-equivalents of the given lunation-parts are only approximate, but the lunation-parts and tithis are in themselves exact. Secondly, the time shewn by our figures in the case of the mean added months is the same by the Original *Sūrya*, the Present *Sūrya*, and the *Ārya-Siddhānta*, as well as by the Present *Sūrya-Siddhānta* with the bija, whereas, if converted into solar time, all of these would vary and require separate columns. Thirdly, the notation used by us serves one important purpose. It shews in one simple figure the distance in time of the sankrāntis from the beginning and end of the added or suppressed month, and points at a glance to the probability or otherwise of there being a difference in the added or suppressed month in the case of the use of another authority. Fourthly, there is a special convenience in our method for working out such problems as are noticed in the following articles.

90. Supposing it is desired to prove the correctness of our added and suppressed months, or to work them out independently, this can easily be done by the following method: The moment of the Mesha sankrānti according to the *Sūrya-Siddhānta* is given in cols. 13, 14 and 15a to 17a for all years from A.D. 1100 to 1900, and for other years it can be calculated by the aid of Table D. in Art. 96 below. Now we wish to ascertain the moment of two consecutive new moons connected with the month in question, and we proceed thus. The interval of time between the beginning of the solar year and the beginning or end of any solar month according to the *Sūrya-Siddhānta*, is given in Table III., cols. 8 or 9; and by it we can obtain by the rules in Art. 151 below, the tithi-index for the moment of beginning and end of the required solar month, i.e., the moments of the solar sankrāntis, whose position with reference to the new moon determines the addition or suppression of the luni-solar month. The exact interval also in solar time between those respective sankrāntis and the new moons (remembering that at new moon " t " = 10,000) can be calculated by the same rules. This process will at once shew whether the moon was waning or waxing at the preceding and succeeding sankrāntis, and this of course determines the addition or suppression of the month. The above, however, applies only to the apparent or true intercalations and suppressions. For mean added months the *Sodhya* (2 d. 8 gh. 51 p. 15 vi.) must be added (see Art. 26) to the Mesha-sankrānti time according to the *Ārya-Siddhānta* (Table I., col. 15), and the result will be the time of the mean Mesha sankrānti. For the required subsequent sankrāntis all that is necessary is to add the proper figures of duration as given in Art. 24, which shews the mean length of solar months, and to find the " a " for the results so obtained by Art. 151. Then add 200 to the totals and the result will be the required tithi-indices.

91. It will of course be asked how our figures in Table I. were obtained, and what guarantee we can give for their accuracy. It is therefore desirable to explain these points. Our calcula-

tions for true intercalated and suppressed months were first made according to the method and Tables published by Prof. Jacobi (*in the Ind. Ant., Vol. XVII., pp. 145 to 181*) as corrected by the errata list printed in the same volume. We based our calculations on his Tables 1 to 10, and the method given in his example 4 on pp. 152—53,¹ but with certain differences, the necessity of which must now be explained. Prof. Jacobi's Tables 1 to 4, which give the dates of the commencement of the solar months, and the hour and minute, were based on the *Ārya-Siddhānta*, while Tables 5 to 10 followed the *Surya-Siddhānta*, and these two *Siddhāntas* differ. In consequence several points had to be attended to. First, in Prof. Jacobi's Tables 1 to 4 the solar months are supposed to begin exactly at Ujjain mean sunset, while in fact they begin (as explained by himself at p. 147) at or shortly after mean sunset. This state of things is harmless as regards calculations made for the purpose for which the Professor designed and chiefly uses these Tables, but such is not the case when the task is to determine an intercalary month, where a mere fraction may make all the difference, and where the exact moment of a sankrānti must positively be ascertained. Secondly, the beginning of the solar year, *i.e.*, the moment of the Mesha-sankranti, differs when calculated according to those two *Siddhāntas*, as will be seen by comparing cols. 15 to 17 with cols. 15^a to 17^a of our Table I., the difference being *nil* in A.D. 496 and 6 gh. 23 pa. 41.4 pra. vi. in 1900 A.D. Thirdly, even if we suppose the year to begin simultaneously by both *Siddhāntas*, still the collective duration of the months from the beginning of the year to the end of the required solar month is not the same,² as will be seen by comparing cols. 6 or 7 with cols. 8 or 9 of our Table III. We have applied all the corrections necessitated by these three differences to the figures obtained from Prof. Jacobi's Tables and have given the final results in cols. 9 and 11. We know of no independent test which can be applied to determine the accuracy of the results of our calculations for true added and suppressed months; but the first calculations were made exceedingly carefully and were checked and rechecked. They were made quite independently of any previously existing lists of added and suppressed months, and the results were afterwards compared with Prof. Chhatre's list; and whenever a difference appeared the calculations were completely re-examined. In some cases of expunged months the difference between the two lists is only nominal, but in other cases of difference it can be said with certainty that Prof. Chhatre's list is wrong. (*See note to Art. 46*) Moreover, since the greatest possible error in the value of the tithi-index that can result by use of Prof. Jacobi's Table is 7 (*see his Table p. 164*), whenever the tithi-index for added and suppressed months obtained by our computation fell within 7 of 10,000, *i.e.*, whenever the resulting index was below 7 or over 9993, the results were again tested direct by the *Surya-Siddhānta*.³

As regards mean intercalations every figure in our cols. 9^a to 12^a was found correct by independent test. The months and the times of the sankrāntis expressed in tithi-indices and tithis were calculated by the present *Surya-Siddhānta*, and the results are the same whether

¹ For finding the initial date of the lunisolar years Prof. Jacobi's Tables I. to XI. were used, and in the course of the calculations it was necessary to introduce a few alterations, and to correct some misprints which had crept in in addition to those noted in the already published errata-list. Thus, the earliest date noted in Tables I. to IV., being A.D. 354, these Tables had to be extended backwards by adding two lines more of figures above those already given. In Table VI., as corrected by the errata, the bija is taken into account only from A.D. 1601, whereas we consider that it should be introduced from A.D. 1501 (*see Art. 21*). In Table VI. the century correction is given for the New (Gregorian) Style from A.D. 1600 according to the practice in the most part of Europe. I have preferred, however, to introduce the New Style into our Tables from Sept. A.D. 1752 to suit English readers, and this necessitated an alteration in the century data for two centuries. [R. S.]

² It is the same according to Warren, but in this respect he is in error. (*See note to Art. 24*.)

³ 42 calculations were thus made direct by the *Surya-Siddhānta* with and without the bija, with the satisfactory result that the error in the final figure of the tithi-index originally arrived at was generally only of 1 or 2 units, while in some cases it was *at* 1. It was rarely 3, and only once 4. It never exceeded 4. It may therefore be fairly assumed that our results are accurate. [S.B.D.]

worked by that or by the Original *Surya-Siddhânta*, the First *Ārya-Siddhânta*, or the Present *Surya-Siddhânta* with the *bija*.

We think, therefore, that the list of true added and suppressed months and that of the mean added months as given by us is finally reliable.

92. *Cols. 13 to 17 or to 17a.* The solar year begins from the moment of the Mesha saṅkrânti and this is taken as *apparent and not mean*. We give the exact moment for all years from A.D. 300 to 1900 by the *Ārya-Siddhânta*, and in addition for years between A.D. 1100 and 1900 by the *Surya-Siddhântas* as well. (*See also Art. 96*). Every figure has been independently tested, and found correct. The week-day and day of the month A.D. as given in cols. 13 and 14 are applicable to both the *Siddhântas*, but particular attention must be paid to the footnote in Table I., annexed to A.D. 1117—18 and some other subsequent years. The entries in cols. 15 and 15a for Indian reckoning in ghaṭikâs and palas, and in cols. 17 and 17a for hours and minutes, imply that at the instant of the saṅkrânti so much time has elapsed since mean sunrise at Ujjain on the day in question. Ujjain mean sunrise is generally assumed to be 6.0 a.m.

93. The alteration of week-day and day of the month alluded to in the footnote mentioned in the last paragraph (Table I., A.D. 1117—18) is due to the difference resulting from calculations made by the two *Siddhântas*, the day fixed by the *Surya-Siddhânta* being sometimes one later than that found by the *Ārya-Siddhânta*. It must be remembered, however, that the day in question runs from sunrise to sunrise, and therefore a moment of time fixed as falling between midnight and sunrise belongs to the preceding day in Indian reckoning, though to the succeeding day by European nomenclature. For example, the Mesha saṅkrânti in Śaka 1039 expired (A.D. 1117) took place, according to the *Ārya-Siddhânta* on Friday 23rd March at 58 gh. 1p. after Ujjain mean sunrise (23 h. 12 m. after sunrise on Friday, or 5.12 a.m. on Saturday morning, 24th); while by the *Surya-Siddhânta* it fell on Saturday 24th at 0 gh. 51 pa. (= 0 h. 20 m. after sunrise or 6.20 a.m.). This only happens of course when the saṅkrânti according to the *Ārya-Siddhânta* falls nearly at the end of a day, or near mean sunrise.

94. In calculating the instant of the apparent Mesha-saṅkrântis, we have taken the sodhya at 2 d. 8 gh. 51 pa. 15 vipa. according to the *Ārya-Siddhânta*, and 2 d. 10 gh. 14 pa. 30 vipa. according to the *Surya-Siddhânta*. (*See Art. 26*.)

95. The figure given in brackets after the day and month in cols. 13 and 19 is the number of that day in the English common year, reckoning from January 1st. For instance, 75 against 16th March shows that 16th March is the 75th day from January 1st inclusive. This figure is called the "date indicator", or shortly (*d*), in the methods of computation "B" and "C" given below (*Part IV.*), and is intended as a guide with reference to Table IX., in which the collective duration of days is given in the English common year.

96. The fixture of the moments of the 1600 Mesha-saṅkrântis noted in this volume will be found advantageous for many purposes, but we have designed it chiefly to facilitate the conversion of solar dates as they are used in Bengal and Southern India.¹ We have not given the moments of Mesha-saṅkrântis according to the *Surya-Siddhânta* prior to A.D. 1100, so that the *Ārya-Siddhânta* computation must be used for dates earlier than that, even those occurring in Bengal. There is little danger in so doing, since the difference between the times of the Mesha-saṅkrântis according to the two *Siddhântas* during that period is very slight, being *nil* in A.D. 496, and only increasing to 1 h. 6 m. at the most in 1100 A.D. It is, however, advisable to give a correction Table so as to ensure accuracy, and consequently we append the Table which follows, by which the difference for any year lying between A.D. 496 and 1100 A.D. can be found. It is

¹ See Art. 21, and the first footnote appended to it.

used in the following manner. First find the interval in years between the given year and A.D. 496. Then take the difference given for that number of years in the Table, and subtract or add it to the moment of the Mesha-sankranti fixed by us in Table I. by the *Arya-Siddhānta*, according as the given year is prior or subsequent to A.D. 496. The quotient gives the moment of the Mesha-sankranti by the *Surya-Siddhānta*.

TABLE

Shewing the difference between the moments of the Mesha-sankranti as calculated by the Present Surya and the first Arya-Siddhāntas; the difference in A.D. 496 (Saka 496 current) being o.

No. of years.	Difference Expressed in			No. of years.	Difference Expressed in			No. of years.	Difference Expressed in		
	gh.	pa.	minutes.		gh.	pa.	minutes.		gh.	pa.	minutes.
1	0	0.3	0.1	10	0	2.7	1.1	100	0	27.3	10.9
2	0	0.5	0.2	20	0	5.5	2.2	200	0	54.6	21.9
3	0	0.8	0.3	30	0	8.3	3.3	300	1	22.0	32.8
4	0	1.1	0.4	40	0	10.9	4.4	400	1	49.3	48.7
5	0	1.4	0.5	50	0	13.7	5.5	500	2	16.6	54.7
6	0	1.6	0.7	60	0	16.4	6.6	600	2	44.0	65.6
7	0	1.9	0.8	70	0	19.1	7.7	700	3	11.3	76.5
8	0	2.2	0.9	80	0	21.9	8.7	800	3	38.6	87.5
9	0	2.5	1.0	90	0	24.6	9.8	900	4	6.0	98.4

Example. Find the time of the Mesha saṅkranti by the *Surya-Siddhānta* in A.D. 1000. The difference for $(1000 - 496 =)$ 504 years is $(2 \text{ gh. } 16.6 \text{ pa.} + 1.1 \text{ pa.} =) 2 \text{ gh. } 17.7 \text{ pa.}$ Adding this to Friday, 22nd March, 42gh. 5pa., i.e., the time fixed by the *Arya-Siddhānta* (Table I., cols. 14, 15), we have 44 gh. 22.7 pa. from sunrise on that Friday as the actual time by the *Surya-Siddhānta*.

97. Cols. 19 to 25. The entries in these columns enable us to convert and verify Indian luni-solar dates. They were first calculated, as already stated, according to the Tables published by Prof. Jacobi in the *Indian Antiquary*¹ (Vol. XVII.). The calculations were not only most carefully made, but every figure was found to be correct by independent test. As now finally issued, however, the figures are those obtained from calculations direct from the *Surya-Siddhānta*, specially made by Mr. S. Balkrishna Dikshit. The articles *a*, *b*, *c*, in cols. 23 to 25 are very important as they form the basis for all calculations of dates demanding an exact result. Their meaning is fully described below (*Art. 102.*).

The meaning of the phrase "moon's age" (*heading of cols. 21, 22*) in the Nautical Almanack is the mean time in days elapsed since the moon's conjunction with the sun (*amāvāsyā*, new moon). For our purposes the moon's age is its age in lunation-parts and tithis, and these have been fully explained above.

98. The week-day and day of the month A.D. given in cols. 19 and 20 shew the civil day on which Chaitra śukla pratipadā of each year, as an apparent tithi, ends.² The figures given in cols. 21 to 25 relate to Ujjain mean sunrise on that day.

¹ See note 1 to *Art. 91*.

² We have seen before (*Arts. 45 etc. above*) how months and tithis are sometimes added or expunged. Now in case of Chaitra śukla pratipadā being current at sunrise on two successive days, as sometimes happens, the first of these civil days, i.e., the day previous to that given by us, is taken as the first day of the Indian luni-solar year (*see Art. 52*). This does not, however, create any confusion in our method C since the quantities given in cols. 23 to 25 are correct for the day and time for which they are given; while as for our methods A and B, the day noted by us is more convenient.

99. When an intercalary Chaitra occurs by the true system (*Arts. 45 etc. above*) it must be remembered that the entries in cols. 19 to 25 are for the śukla-pratipadā of the *intercalated*, not the *true*, Chaitra.

100. The first tithi of the year (Chaitra śukla pratipadā) in Table I., cols. 19 to 25, is taken as an apparent, not mean, tithi, which practice conforms to that of the ordinary native pāñchāngs. By this system, as worked out according to our methods A and B, the English equivalents of all subsequent tithis will be found as often correct as if the first had been taken as a mean tithi;—probably more often.

101. The figures given in cols. 21 and 22, except in those cases where a minus sign is found prefixed (*e.g.*, Kali 4074 current), constitute a first approximation showing how much of chaitra śukla pratipadā had expired on the occurrence of mean sunrise at Ujjain on the day given in cols. 19 and 20. Col. 21 gives the expired lunation-parts or tithi-index, and col. 22 shews the same period in tithi-parts, *i.e.*, decimals of a tithi. The meaning of both of these is explained above (*Arts. 80 and 81*). We differ from the ordinary pāñchāngs in one respect, viz., that while they give the portion of the tithi which has to run after mean sunrise, we have given, as in some ways more convenient, the portion already elapsed at sunrise. Thus, the entry 286 in col. 21 means that 286 lunation-parts of Chaitra śukla 1st had expired at mean sunrise. The new moon therefore took place 286 lunation-parts before mean sunrise, and by Table X., col. 3, 286 lunation-parts are equal to (14 h. 10 m. + 6 h. 6 m. =) 20 h. 16 m. The new moon therefore took place 20 h. 16 m. before sunrise, or at 9.44 a.m. on the previous day by European reckoning. The ending-moment of Chaitra śukla pratipadā can be calculated in the same way, remembering that there are 333 lunation-parts to a tithi.

We allude in the last paragraph to those entries in cols. 21 and 22 which stand with a minus sign prefixed. Their meaning is as follows:—Just as other tithis have sometimes to be expunged so it occasionally happens that Chaitra śukla 1st has to be expunged. In other words, the last tithi of Phālguna, or the tithi called amāvāsyā, is current at sunrise on one civil day and the 2nd tithi of Chaitra (Chaitra śukla dvitiyā) at sunrise on the following civil day. In such a case the first of these is the civil day corresponding to Chaitra śukla 1st; and accordingly we give this civil day in cols. 19 and 20. But since the amāvāsyā-tithi (the last tithi of Phālguna) was actually current at sunrise on that civil day we give in cols. 21 and 22 the lunation-parts and tithi-parts of the amāvāsyā-tithi which have to run after sunrise with a minus sign prefixed to them. Thus, “—12” in col. 21 means that the tithi-index at sunrise was 10,000—12 = or 9988, and that the amāvāsyā-tithi (Phālguna Krishna 15 or 30) (*Table VIII., col. 3*) will end 12 lunation-parts after sunrise, while the next tithi will end 333 lunation-parts after that.

102. (*a, b, c, cols. 23, 24, 25*). The moment of any new moon, or that moment in each lunation when the sun and moon are nearest together, in other words when the longitudes of the sun and moon are equal, cannot be ascertained without fixing the following three elements,—
 (a) The eastward distance of the moon from the sun in mean longitude, (b) the moon's mean anomaly (*Art. 15 and note*), which is here taken to be her distance from her perigee in mean longitude, (c) the sun's mean anomaly, or his distance from his perigee in mean longitude. And thus our “*a*”, “*b*”, “*c*”, have the above meanings; “*a*” being expressed in 10,000ths of a circle reduced by 200.6 for purposes of convenience of use, all calculations being then additive, “*b*” and “*c*” being given in 1000ths of the circle. To take an example. At Ujjain mean sunrise on Chaitra śukla pratipadā of the Kali year 3402 (Friday, 8th March, A.D. 300), the mean longitudes calculated direct from the *Surya-Siddhānta* were as follow: The sun, 349° 22' 27".92.

The sun's perigee, $257^\circ 14' 22".86$. The moon, $355^\circ 55' 35".32$. The moon's perigee, $33^\circ 39' 58".03$. The moon's distance from the sun therefore was $(355^\circ 55' 35".32 - 349^\circ 22' 27".92 =) 6^\circ 33' 7".4 = .0182$ of the orbit of 360° . This (.0182) reduced by 0.02006 comes to 0.99814 ; and consequently " a " for that moment is 9981.41 . The moon's mean anomaly " b " was $(355^\circ 55' 35".32 - 33^\circ 39' 58".03 =) 322^\circ 15' 37".29 = 895.17$. And the sun's mean anomaly " c " was $(349^\circ 22' 27".92 - 257^\circ 14' 22".86 =) 92^\circ 8' 5".06 = 255.93$.¹ We therefore give $a = 9981$, $b = 895$, $c = 256$. The figures for any other year can if necessary be calculated from the following Table, which represents the motion. The increase in a , b , c , for the several lengths of the luni-solar year and for 1 day, is given under their respective heads; the figures in brackets in the first column representing the day of the week, and the first figures the number of days in the year.

Increase of a , b , c , in one year, and in one day.

Number of days in the year.	a .	b , without $blja$.	b , with $blja$.	c .
354(4)	9875.703387	847.2197487	847.220646	969.1755567
355(5)	214.835267	888.5113290	888.512230	971.9136416
356(5)	9696.029305	899.675604	899.676575	48.67161909
354(6)	34.661285	935.967185	935.968158	51.3094039
355(0)	373.293166	972.258766	972.259742	54.04789
1(1)	388.03193033	36.291581211	36.291588746	2.787784906

103. Table II., Part i., of this table will speak for itself (see also Art. 51 above). In the second part is given, in the first five columns, the correspondence of a cycle of twelve lunar months of a number of different eras with the twelve lunar months of the Śaka year 1000,² which itself corresponds exactly with Kali 4179, Chaitrādi Vikrama 1135, and Gupta 738. Cols. 8 to 13 give a similar concurrence of months of the solar year Śaka 1000. The concurrence of parts of solar months and of parts of the European months with the luni-solar months is given in cols. 6 and 7, and of the same parts with the solar months in cols. 14 and 15. Thus, the luni-solar amānta month Āshādha of the Chaitrādi Śaka year 1000 corresponds with amānta Āshādha of Kali 4179, of Chaitrādi Vikrama 1135, and of the Gupta era 758; of the Āshādhādi Vikrama year 1135, and of the Chedi or Kalachuri 828; of the Kārttikādi Vikrama year 1134, and of the Nēvār year 198. Parts of the solar months Mithuna and Karka, and parts of June and July of 1077 A.D. correspond with it; in some years parts of the other

¹ Calculating by Prof. Jacobi's Tables, a , b , c , are 9980, 896 and 255, each of which is wrong by 1.

The above figures were submitted by me to Dr. Downing of the Nautical Almanack office, with a request that he would test the results by scientific European methods. In reply he gave me the following quantities, for the sun from Leverrier's Tables, and for the moon from Hansen's Tables (for the epoch A.D. 300, March 8th, 6 am., for the meridian of Ujjain). Mean long. of sun $345^\circ 51' 47".7$, Do. of sun's perigee $253^\circ 54' 58".5$, Do. of moon $333^\circ 0' 36".0$, Do. of moon's perigee $36^\circ 0' 48".4$. He also verified the statement that the sunrise on the morning of March 8th was that immediately following new moon. The difference in result is partly caused by the fact that Leverrier's and Hansen's longitudes are tropical, and those of the Sōrya-Siddhānta sidereal. Comparing the two results we find a difference of $0^\circ 35' 40".9$ in " a ", $5^\circ 24' 49".69$ in " b ", $0^\circ 11' 15".87$ in " c ". The closeness of the results obtained from the use of (1) purely Hindu (2) purely European methods is remarkable. Our Tables being for Indian documents and inscriptions we of course work by the former. [R. S.]

² This year Śaka 1000 is chosen for convenience of addition or subtraction when calculating other years, and therefore we have not taken into account the fact that Śaka 1000 was really an intercalary year, having both an Adhika Jyeshtha and a Niṣa Jyeshtha month. That peculiarity affects only that one year and not the concurrence of other months of previous or subsequent years in other eras.

two Christian months noted in col. 7 will correspond with it. In the year Śaka 1000, taken as a Meshādi solar year, the month Śimha corresponds with the Bengali Bhādrapada and the Tamil Āvāpi of the Meshādi Kali 4179, and Meshādi Vikrama 1135; with Āvāpi of the Śinhhādi Tinnevelly year 253; with Chingam of the South Malayālam Śinhhādi Kollam āñdu 253, and of the North Malayālam Kanyādi Kollam āñdu 252. Parts of the lunar months Śrāvaṇa and Bhādrapada correspond with it, as well as parts of July and August of the European year 1077 A.D.; in some years parts of August and September will correspond with it.

All the years in this Table are current years, and all the lunar months are amānta.

It will be noticed that the Tuju names of lunar months and the Tamil and Tinnevelly names of solar months are corruptions of the original Sanskrit names of lunar months; while the north and south Malayālam names of solar months are corruptions of the original Sanskrit sign-names. Corruptions differing from these are likely to be found in use in many parts of India. In the Tamil Districts and the district of Tinnevelly the solar sign-names are also in use in some places.

104. *Table II.*, Part iii. This portion of the Table, when read with the notes printed below would seem to be simple and easy to be understood, but to make it still clearer we give the following rules:—

I. Rule for turning into a Chaitrādi or Meshādi year (for example, into a luni-solar Śaka, or solar Śaka, year) a year of another era, whether earlier or later, which is non-Chaitrādi or non-Meshādi.

(a) *For an earlier era.* When the given date falls between the first moment of Chaitra or Mesha and the first moment of the month in which, as shewn by the heading, the year of the given earlier era begins, subtract from the given year the first, otherwise the second, of the double figures given under the heading of the earlier era along the line of the year o of the required Chaitrādi or Meshādi era (*e.g.*, the Śaka).

Examples. (1) To turn Vaisākha Śukla 1st of the Ashādhādi Vikrama year 1837, or Śrāvaṇa śukla 1st of the Kārttikādi Vikrama year 1837 into corresponding Śaka reckoning. The year is $(1837 - 134 =)$ 1703 Śaka. The day and month are the same in each case. (2) To turn Māgha śukla 1st of the Kārttikādi Vikrama samvat 1838 into the corresponding Śaka date. The year is $(1838 - 135 =)$ 1703 Śaka. The day and month are the same. (3) Given 1st December, 1822 A.D. The year is $(1822 - 77 =)$ 1745 Śaka current. (4) Given 2nd January, 1823 A.D. The year is $(1823 - 78 =)$ 1745 Śaka current.

(b) *For a later era.* When the given day falls between the first moment of Chaitra or Mesha and the first moment of the month in which, as shewn by the heading, the later era begins, add to the number of the given year the figure in the Table under the heading of the required Chaitrādi or Meshādi era along the line of the year o/1 of the given later era. In the reverse case add that number reduced by one.

Examples. (1) To turn the 1st day of Mithuna 1061 of the South Malayālam Kollam Āñdu into the corresponding Śaka date. The year is $(1061 + 748 =)$ Śaka 1809 current. The day and month are the same. (2) To turn the 1st day of Makara 1062 of the South Malayālam Kollum Āñdu into the corresponding Śaka date. The year is $(1062 + 747 =)$ 1809 Śaka current. The day and month are the same.

II. Rule for turning a Chaitrādi or Meshādi (*e.g.*, a Śaka) year into a non-Chaitrādi or non-Meshādi year of an earlier or later era.

(a) *For an earlier era.* When the given day falls between the first moment of Chaitra or Mesha and the first moment of the month in which, as shown by the heading, the year of the

earlier era begins, add to the given Chaitrādi or Meshādi year the first, otherwise the second, of the double figures given under the heading of the earlier era along the line of the year o of the Chaitrādi or Meshādi era given.

Examples. (1) To turn Bhādrapada krishṇa 30th of the Śaka year 1699 into the corresponding Kārttikādi Vikrama year. The year is $(1699 + 134 =) 1833$ of the Kārttikādi Vikrama era. The day and month are the same. (2) To turn the same Bhādrapada krishṇa 30th, Śaka 1699, into the corresponding Āshāḍhādi Vikrama year. The year is $(1699 + 135 =) 1834$ of the Āshāḍhādi Vikrama era. The day and month are the same.

(b) *For a later era.* When the given day falls between the first moment of Chaitra or Mesha and the first moment of the month in which, as shown by the heading, the later era begins, subtract from the given year the number under the heading of the given Chaitrādi or Meshādi era along the line of the year o/1 of the given later era; in the reverse case subtract that number reduced by one.

Examples. (1) To turn the 20th day of Simha Śaka 1727 current into the corresponding North Malayālam Kollam Āñdu date. The day and month are the same. The era is a Kanyādi era, and therefore the required year is $(1727 - 748 =) 979$ of the required era. (2) To turn the 20th day of Simha Śaka 1727 current into the corresponding South Malayālam (Tinnevelly) Kollam Āñdu date. The day and month are the same. The era is Simhādi, and therefore the required year is $(1727 - 747 =) 980$ of the required era.

III. Rule for turning a year of one Chaitrādi or Meshādi era into one of another Chaitrādi or Meshādi era. This is obviously so simple that no explanations or examples are required.

IV. Rule for turning a year of a non-Chaitrādi or non-Meshādi era into one of another year equally non-Chaitrādi or non-Meshādi. These are not required for our methods, but if any reader is curious he can easily do it for himself.

This Table must be used for all our three methods of conversion of dates.

105. *Table III.*—The numbers given in columns 3a and 10 are intended for use when calculation is made approximately by means of our method "B" (*Arts. 137, 138*).

It will be observed that the number of days in lunar months given in col. 3a is alternately 30 and 29; but such is not always the case in actual fact. In all the twelve months it occurs that the number of days is sometimes 29 and sometimes 30. Thus Bhādrapada has by our Table 29 days, whereas it will be seen from the panchāṅg extract printed in Art. 30 above that in A.D. 1894 (Śaka 1816 expired) it had 30 days.

The numbers given in col. 10 also are only approximate, as will be seen by comparing them with those given in cols. 6 to 9.

Thus all calculations made by use of cols. 3a and 10 will be sometimes wrong by a day. This is unavoidable, since the condition of things changes every year, so that no single Table can be positively accurate in this respect; but, other elements of the date being certain, calculations so made will *only* be wrong by one day, and if the week-day is given in the document or inscription concerned the date may be fixed with a fair pretence to accuracy. If entire accuracy is demanded, our method "C" must be followed. (*See Arts. 2 and 126.*)

The details in cols. 3, and 6 to 9, are exactly accurate to the unit of a pala, or 24 seconds. The figure in brackets, or week-day index (*w*), is the remainder after casting out sevens from the number of days; thus, casting out sevens from 30 the remainder is 2, and this is the (*w*) for 30. To guard against mistakes it may be mentioned that the figure "2" does not of course mean that the Mesha or Vṛishabha sankrānti always takes place on (2) Monday.

106. *Tables IV. and V.* These tables give the value of (*w*) (week-day) and (*a*) (d) and

(c) for any required number of civil days, hours, and minutes, according to the *Surya Siddhānta*. It will be seen that the figures given in these Tables are calculated by the value for one day given in Art. 102.


Table IV. is Prof. Jacobi's *Indian Antiquary* (Vol. XVII.) Table 7, slightly modified to suit our purposes; the days being run on instead of being divided into months, and the figures being given for the end of each period of 24 hours, instead of at its commencement. Table V. is Prof. Jacobi's Table 8.

107. *Tables VI. and VII.* These are Prof. Jacobi's Tables 9 and 10 re-arranged. It will be well that their meaning and use should be understood before the reader undertakes computations according to our method "C". It will be observed that the centre column of each column-triplet gives a figure constituting the equation for each figure of the argument from 0 to 1000, the centre figure corresponding to either of the figures to right or left. These last are given only in periods of 10 for convenience, an auxiliary Table being added to enable the proper equation to be determined for all arguments. Table VI. gives the lunar equation of the centre, Table VII. the solar equation of the centre. (Art. 15 note 3 above). The argument-figures are expressed in 1000ths of the circle, while the equation-figures are expressed in 10,000ths to correspond with the figures of our "*a*," to which they have to be added. Our (*b*) and (*c*) give the mean anomaly of the moon and sun for any moment, (*a*) being the mean longitudinal distance of the moon from the sun. To convert this last (*a*) into true longitudinal distance the equation of the centre for both moon and sun must be discovered and applied to (*a*) and these Tables give the requisite quantities. The case may perhaps be better understood if more simply explained. The moon and earth are constantly in motion in their orbits, and for calculation of a tithi we have to ascertain their relative positions with regard to the sun. Now supposing a railway train runs from one station to another twenty miles off in an hour. The average rate of running will be twenty miles an hour, but the actual speed will vary, being slower at starting and stopping than in the middle. Thus at the end of the first quarter of an hour it will not be quite five miles from the start, but some little distance short of this, say *m* yards. This distance is made up as full speed is acquired, and after three-quarters of an hour the train will be rather *more* than 15 miles from the start, since the speed will be slackened in approaching the station,—say *n* yards more than the 15 miles. These distances of *m* yards and *n* yards, the one in defect and the other in excess, correspond to the "Equation of the Centre" in planetary motion. The planetary motions are not uniform and a planet is thus sometimes behind, sometimes in front of, its mean or average place. To get the true longitude we must apply to the mean longitude the equation of the centre. And this last for both sun (or earth) and moon is what we give in these two Tables. All the requisite data for calculating the mean anomalies of the sun and moon, and the equations of the centre for each planet, are given in the Indian *Siddhāntas* and *Karanas*, the details being obtained from actual observation; and since our Tables generally are worked according to the *Surya Siddhānta*, we have given in Tables VI. and VII. the equations of the centre by that authority.

Thus the Tables enable us to ascertain (*a*) the mean distance of moon from sun at any moment, (*b*) the correction for the moon's true (or apparent) place with reference to the earth, and (*c*) the correction for the earth's true (or apparent) place with reference to the sun; and with these corrections applied to the (*a*) we have the true (or apparent) distance of the moon from the sun, which marks the occurrence of the true (or apparent) tithi; and this result is our tithi-index, or (*t*). From this tithi-index (*t*) the tithi current at any given moment is found from Table VIII., and the time equivalent is found by Table X. Full explanation for actual work is given in Part IV. below (Arts. 139—160).

The method for calculating a nakshatra or yoga is explained in Art. 133.

108. Since the planet's true motion is sometimes greater and sometimes less than its mean motion it follows that the two equations of the centre found from (b) and (c) by our Tables VI. and VII. have sometimes to be added to and sometimes subtracted from the mean longitudinal distance (*a*), if it is required to find the true (or apparent) longitudinal distance (*f*). But to simplify calculation it is advisable to eliminate this inconvenient element, and to prepare the Tables so that the sum to be worked may always be one of addition. Now it is clear that this can be done by increasing every figure of each equation by its largest amount, and decreasing the figure (*a*) by the sum of the largest amount of both, and this is what has been done in the Tables. According to the *Surya Siddhānta* the greatest possible lunar equation of the centre is $5^{\circ} 2' 47''.17$ ($= .0140,2$ in our tithi-index computation), and the greatest possible solar equation of the centre is $2^{\circ} 10' 32''.35$ ($= .0060,4$). But the solar equation of the centre, or the equation for the earth, must be introduced into the figure representing the distance of the moon from the sun *with reversed sign*, because a positive correction to the earth's longitude implies a negative correction to the distance of moon from sun. This will be clear from a diagram.



Let *S* be the sun, *M* the moon, *E* the earth, *P* the direction of perigee. Then the angle *SEM* represents the distance of moon from sun. But if we add a positive correction to (*i.e.*, increase) the earth's longitude *PSE* and make it *PSE'* (greater than *PSE* by *ESE'*) we thereby decrease the angle *SEM* to *SE'M'*, and we decrease it by exactly the same amount, since the angle *SEM* = \angle *SE'M'* + \angle *ESE'*, as may be seen if we draw the line *EX* parallel to *E'S*; for the angle *SEX* = \angle *ESE'* by Euclid.

Every figure of each equation is thus increased in our Tables VI. and VII. by its greatest value, *i.e.*, that of the moon by 140,2 and that of the sun by 60,4, and every figure of (*a*) is decreased by the sum of both, or $(140,2 + 60,4 =) 200,6$.¹

In conclusion, Table VI. yields the lunar equation of the centre calculated by the *Surya Siddhānta*, turned into 10,000ths of a circle, and increased by 140,2; and Table VII. yields the solar equation of the centre calculated by the *Surya Siddhānta*, with sign reversed, converted into 10,000ths of a circle, and increased by 60,4.² This explains why for argument *o* the equation given is lunar 140 and solar 60. If there were no such alteration made the lunar equation for Arg. *o* would be ± 0 , for Arg. 250 (or 90°) + 140, for Arg. 500 (180°) ± 0 , and for Arg. 750 (or 270°) - 140, and so on.

109. The lunar and solar equations of the centre for every degree of anomaly are given

¹ Prof. Jacobi gives this as 200,5, but after most careful calculation I find it to be 200,6. [S. B. D.]

² Prof. Jacobi has not explained these Tables.

in the *Makaranda*, and from these the figures given by us for every $\frac{1}{100}$ th of a circle, or 10 units of the argument of the Tables, are easily deduced.

110. The use of the auxiliary Table is fully explained on the Table itself.

111. *Table VIII.* This is designed for use with our method *C*, the rules for which are given in Arts. 139—160. As regards the tithi-index, see Art. 80. The period of a nakshatra or yoga is the 27th part of a circle, that is $13^{\circ} 20'$ or $\frac{1000}{27} = 370\frac{10}{27}$. Thus, the index for the ending point of the first nakshatra or yoga is 370 and so on.¹ Tables VIII.A. and VIII.B. speak for themselves. They have been inserted for convenience of reference.

112. *Table IX.* is used in both methods *B* and *C*. See the rules for work.

113. *Table X.* (See the rules for work by method *C*.) The mean values in solar time of the several elements noted herein, as calculated by the *Surya-Siddhānta*, are as follow:—

A tithi	= 1417.46822	minutes.
A lunation	= 42524.046642	do.
A sidereal month	= 39343.21	do.
A yoga-chakra	= 36605.116	do.

From these values the time-equivalents noted in this Table² have been calculated. (See also note to Art. 82.)

114. *Table XI.* This Table enables calculations to be made for observations at different places in India. (See Art. 36, and the rules for working by our method *C*.)

115. *Table XII.* We here give the names and numbers of the samvatsaras, or years of the sixty-year cycle of Jupiter, with those of the twelve-year cycle corresponding thereto. (See the description of these cycles given above, Arts. 53 to 63.)

116. *Table XIII.* This Table was furnished by Dr. Burgess and is designed to enable the week-day corresponding to any European date to be ascertained. It explains itself. Results of calculations made by all our methods may be tested and verified by the use of this Table.

117. *Tables XIV. and XV.* are for use by our method *A* (see the rules), and were invented and prepared by Mr. T. Lakshmiah Naidu of Madras.

Table XVI. is explained in Part V.

PART IV.

USE OF THE TABLES.

118. The Tables now published may be used for several purposes, of which some are enumerated below.

(1) For finding the year and month of the Christian or any Indian era corresponding to a given year and month in any of the eras under consideration.

¹ This Table contains Prof. Jacobi's Table 11 (*Ind. Ant.*, XVII., p. 147) and his Table 17, p. 181, in a modified form [S. B. D.]

² The Table contains Prof. Jacobi's Table 11 (*Ind. Ant.*, XVII., p. 172), as well as his Table 17 Part II. (*id.* p. 181) modified and enlarged. I have also added the equivalents for tithi parts, and an explanation. [S. B. D.]

(2) For finding the samvatsara of the sixty-year cycle of Jupiter, whether in the southern (luni-solar) or northern (mean-sign) scheme, and of the twelve-year cycle of Jupiter, corresponding to the beginning of a solar (Meshādi) year, or for any day of such a year.

(3) For finding the added or suppressed months, if any, in any year.

But the chief and most important use of them are;

(4) The conversion of any Indian date—luni-solar (*tithi*) or solar—into the corresponding date A.D. and vice versa, from A.D. 300 to 1900, and finding the week-day of any such date;

(5) Finding the *karanā*, *nakshatra*, and *yoga* for any moment of any Indian or European date, and thereby verifying any given Indian date;

(6) Turning a Hindu solar date into a luni-solar date, and vice versa.

(7) Conversion of a Muhammadan Hijra date into the corresponding date A.D., and vice versa. This is fully explained in Part V. below.

119. (1) *For the first purpose* Table I., cols. 1 to 5, or Table II., must be used, with the explanation given in Part III. above. For eras not noted in these two Tables see the description of them given in Art. 71. In the case of obscure eras whose exact nature is not yet well known, the results will only be approximate.

(N.B.—It will be observed that in Table II., Part ii., portions of two solar months or of four¹ Christian months are made to correspond to a lunar month and vice versa, and therefore that if this Table *only* be used the results may not be exact).

The following note, though not yielding very accurate results, will be found useful for finding the corresponding parts of lunar and solar months. The *tithi* corresponding to the Mesha-sankrānti can be approximately² found by comparing its English date (Table I., col. 13) with that of the luni-solar Chaitra śukla 1st (Table I., col. 19); generally the saṅkrāntis from Vṛishabha to Tulā fall in successive lunar months, either one or two tithis later than the given one. Tulā falls about 10 tithis later in the month than Mesha; and the saṅkrāntis from Vṛischika to Mīna generally fall on the same tithi as that of Tulā. Thus, if the Mesha saṅkrānti falls on śukla pañchamī (5th) the Vṛishabha saṅkrānti will fall on śukla shasthī (6th) or saptamī (7th), the Mithuna saṅkrānti on śukla ashtamī (8th) or navamī (9th), and so on.

120. (2) *For the samvatsara* of the southern sixty-year cycle see col. 6 of Table I., or calculate it by the rule given in Art. 62. For that of the sixty-year cycle of Jupiter of the mean sign system, according to *Surya Siddhānta* calculations, current at the beginning of the solar year, i.e., at the true (or apparent) Mesha sankrānti, see col. 7 of Table I.; and for that current on any day in the year according to either the *Surya* or *Arya Siddhāntas*, use the rules in Art. 59. To find the samvatsara of the twelve-year cycle of the mean-sign system corresponding to that of the Jupiter sixty-year cycle see Table XII.

121. (2) *To find the added or suppressed month* according to the *Surya Siddhānta* by the true (apparent) system see col. 8 of Table I. throughout; and for an added month of the mean system according to either the Original or Present *Surya Siddhāntas*, or by the *Arya Siddhānta*, see col. 8a of Table I. for any year from A.D. 300 to 1100.

122. (4) *For conversion of an Indian date into a date A.D. and vice versa, and to find the week day of any given date*, we give below three methods, with rules and examples for work.

123. The first method A (Arts. 135, 136), the invention of Mr. T. Lakshmiah Naidu of

¹ Of course only two in a single case, but four during the entire period of 1600 years covered by our Tables.

² The exact *tithi* can be calculated by Arts. 149 and 151.

Madras, is a method for obtaining approximate results without any calculation by the careful use of mere eye-tables, viz., Tables XIV. and XV. These, with the proper use of Table I., are alone necessary. But it must never be forgotten that this result may differ by one, or at the utmost two, days from the true one, and that it is not safe to trust to them unless the era and bases of calculation of the given date are clearly known. (See Art. 126 below.)

124. By our second method B (Arts. 137, 138), which follows the system established by Mr. W. S. Krishnaswami Naidu of Madras, author of "*South Indian Chronological Tables*" (Madras 1889), and which is intended to enable an approximation to be made by a very simple calculation, a generally accurate correspondence of dates can be obtained by the use of Tables I., III., and IX. The calculation is so easy that it can be done in the head after a little practice. It is liable to precisely the same inaccuracies as method A, neither more nor less.

125. Tables II. and III. will also be sometimes required for both these methods.

126. The result obtained by either of these methods will thus be correct to within one or two days, and as often as not will be found to be quite correct; but there must always be an element of uncertainty connected with their use. If, however, the era and original bases of calculation of the given date are certainly known, the result arrived at from the use of these eye-tables may be corrected by the week-day if that has been stated; since the day of the month and year will not be wrong by more than a day, or two at the most, and the day of the week will determine the corresponding civil day. Suppose, for instance, that the given Hindu date is Wednesday, Vaisâkha ūkla 5th, and it is found by method A or method B that the corresponding day according to European reckoning fell on a Thursday, it may be assumed, presuming that all other calculations for the year and month have been correctly made, that the civil date A.D. corresponding to the Wednesday is the real equivalent of Vaisâkha ūkla 5th. But these rough methods should never be trusted to in important cases. For a specimen of a date where the bases of calculation are not known see example xxv., Art. 160 below.

127. When Tables XIV. and XV. are once understood (and they are perfectly simple) it will probably be found advisable to use method A in preference to method B.

128. As already stated, our method "C" enables the conversion of dates to be made with precise accuracy; the exact moments of the beginning and ending of every tithi can be ascertained; and the corresponding date is obtained, simultaneously with the week-day, in the required reckoning.

129. The week-day for any European date can be found independently by Table XIII., which was supplied by Dr. Burgess.

131¹ (5) *To find the karaṇa, nakshatra, or yoga current on any Indian or European date; and to verify any Indian date.*

Method C includes calculations for the karaṇa, nakshatra and yoga current at any given moment of any given day, as well as the instants of their beginnings and endings; but for this purpose, if the given date is other than a tithi or a European date, it must be first turned into one or the other according to our rules (Art. 139 to 152.)

132. It is impossible, of course, to verify any tithi or solar date unless the week-day, nakshatra, karaṇa, or yoga, or more than one of these, is also given; but when this requirement is satisfied our method C will afford proof as to the correctness of the date. To verify a solar date it must first be turned into a tithi or European date. (Art. 134 or 149.)

133. For an explanation of the method of calculating tithis and half-tithis (karaṇas) see Art. 107 above. Our method of calculation for nakshatras and yogas requires a little

¹ Art. 130 has been omitted.

more explanation. The moon's nakshatra (Arts. 8, 38) is found from her apparent longitude. By our method C we shew how to find t (=the difference of the apparent longitudes of sun and moon), and equation¹ c (=the solar equation of the centre) for any given moment. To obtain (t) the sun's apparent longitude is subtracted from that of the moon, so that if we add the sun's apparent longitude to (t) we shall have the moon's apparent longitude. Our (c) (Table I., last column) is the sun's mean anomaly, being the mean sun's distance from his perigee. If we add the longitude of the sun's perigee to (c), we have the sun's mean longitude, and if we apply to this the solar equation of the centre (+ or -) we have the sun's apparent longitude.² According to the *Surya-Siddhānta* the sun's perigee has only a very slight motion, amounting to $3' 5''$.8 in 1600 years. Its longitude for A.D. 1100, the middle of the period covered by our Tables, was $257^{\circ} 15' 55''.7$ or .7146.3 of a circle, and therefore this may be taken as a constant for all the years covered by our Tables.

Now, true or apparent sun = mean sun + equation of centre. But we have not tabulated in Table VII., col. 2, the exact equation of the centre; we have tabulated a quantity (say x) the value of which is expressed thus:—

$$x = 60.4 - \text{equation of centre} \quad (\text{see Art. 108}).$$

$$\text{So that equation of centre} = 60.4 - x.$$

$$\text{Hence, apparent sun} = \text{mean sun} + 60.4 - x.$$

$$\text{But mean sun} = c + \text{perigee}, \text{ (which is } 7146.3 \text{ in tithi-indices.)}$$

$$= c + 7146.3.$$

$$\text{Hence apparent sun (which we call } s) = c + 7146.3 + 60.4 - x.$$

$$= c + 7206.7 - x; \text{ or, say, } = c + 7207 - x$$

where x is, as stated, the quantity tabulated in col. 2, Table VII.

(c) is expressed in 1000ths, while 7207 and the solar equation in Table VII. are given in 10000ths of the circle, and therefore we must multiply (c) by 10. $t + s$ = apparent moon = n (the index of a nakshatra.) This explains the rule given below for work (Art. 156).

For a yoga, the addition of the apparent longitude of the sun (s) and moon (n) is required. $s + n = y$ (the index of a yoga.) And so the rule in Art. 159.

134. (6) *To turn a solar date into its corresponding luni-solar date and vice versa.*

First turn the given date into its European equivalent by either of our three methods and then turn it into the required one. The problem can be worked direct by anyone who has thoroughly grasped the principle of these methods.

Method A.

APPROXIMATE COMPUTATION OF DATES BY USE OF THE EVE-TABLE.

This is the method invented by Mr. T. Lakshmin Naidu, nephew of the late W. S. Krishnaswami Naidu of Madras, author of "South Indian Chronological Tables."

Results found by this method may be inaccurate by as much as two days, but not more. If the era and bases of calculation of the given Hindu date are clearly known, and if the given date mentions a week-day, the day found by the Tables may be altered to suit it. Thus, if the Table yield result Jan. 10th, Thursday, but the inscription mentions the week-day as "Tuesday", then Tuesday, January 8th, may be assumed to be the correct date A.D. corresponding to the given Hindu date, if the principle on which the Hindu date was fixed is known. If not, this method must not be trusted to.

135. (A.) *Conversion of a Hindu solar date into the corresponding date A.D.* Work by the following rules, always bearing in mind that when using the Kaliyuga or Saka year Hindus

¹ Equation c is the equation in Table VII.

² Reference to the diagram in Art. 108 will make all this plain, if PSE be taken as the sun's mean anomaly, and ESE' the equation of the centre, PSE' + longitude of the sun's perigee being the sun's true or apparent longitude.

usually give the number of the expired year, and not that astronomically current, (e.g., Kaliyuga 4904 means in full phrase "after 4904 years of the Kaliyuga had elapsed")—but when using the name of the cyclic year they give that of the one then current. All the years given in Table I. are current years. The Table to work by is Table XIV.

Rule I. From Table I., cols. 1 to 7, and Table II., as the case may be, find the year (current) and its initial date, and week-day (cols. 13, 14, Table I.). But if the given Hindu date belongs to any of the months printed in italics at the head of Table XIV., take the next following initial date and week day in cols. 13, 14 of Table I. The months printed in the heading in capitals are the initial months of the years according to the different reckonings.

Rule II. For either of the modes of reckoning given at the left of the head-columns of months, find the given month, and under it the given date.

Rule III. From the given date so found, run the eye to the left and find the week-day in the same line under the week-day number found by Rule I. This is the required week-day.

Rule IV. Note number in brackets in the same line on extreme left.

Rule V. In the columns to left of the *body* of the Table choose that headed by the bracket-number so found, and run the eye down till the initial date found by Rule I. is obtained.

Rule VI. From the month and date in the upper columns (found by Rule II.) run the eye down to the point of junction (vertical and horizontal lines) of this with the initial date found by Rule V. This is the required date A.D.

Rule VII. If the date A.D. falls on or after 1st January in columns to the right, it belongs to the next following year. If such next following year is a leap-year (marked by an asterisk in Table I.) and the date falls after February 28th in the above columns, reduce the date by one day.

N.B.—The dates A.D. obtained from this Table for solar years are Old Style dates up to 8th April, 1753, inclusive.

EXAMPLE. Find date A.D. corresponding to 20th Panguni of the Tamil year Rudhirodgāri, Kali 4904 expired.

- By Rule I. Kali 4905 current, 2 (Monday), 11th April, 1803.
- " II. Tamil Panguni 20.
- " III. (under " 2 ") Friday.
- " IV. Bracket-number (5).
- " V. [Under (5)]. Run down to April 11th.
- " VI. (Point of junctions) March 31st.
- " VII. March 30th. (1804 is a leap year.)

Answer.—Friday, March 30th, 1804 N.S. (See example 11, p. 74.)

(B.) *Conversion of a date A.D. into the corresponding Hindu solar date.* (See Rule V., method B. Art. 137, p. 70.) Use Table XIV.

Rule I. From Tables I., cols. 1 to 7 and 13, 14, and Table II., as the case may be, find the Hindu year, and its initial date and week-day, opposite the given year A.D. If the given date falls before such initial date, take the next previous Hindu year and its initial date and week-day A.D.

Rule II. From the columns to the left of the *body* of Table XIV. find that initial date found by Rule I. which is in a line, when carrying the eye horizontally to the right, with the given A.D. date, and note point of junction.

Rule III. Note the bracket-figure at head of the column on left so selected.

Rule IV. From the point of junction (Rule II.) run the eye vertically up to the Hindu date-columns above, and select that date which is in the same horizontal line as the bracket-figure on the extreme left corresponding with that found by Rule III. This is the required date.

Rule V. If the given date falls in the columns to the right after the 28th February in a leap-year (marked with an asterisk in Table I.), add 1 to the resulting date.

Rule VI. From the date found by Rule IV. or V., as the case may be, carry the eye horizontally to the week-day columns at the top on the left, and select the day which lies under the week-day number found from Table I. (Rule I.). This is the required week-day.

Rule VII. If the Hindu date arrived at falls under any of the months printed in italics in the Hindu month-columns at head of Table, the required year is the one next previous to that given in Table I. (Rule I.).

EXAMPLE. Find the Tamil solar date corresponding to March 30th, 1804 (N.S.).

(By Rule I.) Rudhirodgāri, Kali 4905 current. 2 (Monday) April 11th. (March 30th precedes April 11th.)

(By Rules II., III.) The point of junction of March 30th (body of Table), and April 11th, (columns on left) is under "(4)." Other entries of April 11th do not correspond with any entry of March 30.

(By Rule IV.) The date at the junction of the vertical column containing this "March 30th" with "(4)" horizontal is 19th Pañguni.

(By Rule V.) (1804 is a leap-year) 20th Pañguni.

(By Rule VI.) Under "2" (Rule I.), Friday.

Answer.—Friday, 20th Pañguni, of Rudhirodgāri, Kali 4905 current. (See example 15, p. 76.

136. (A.) *Conversion of a Hindu luni-solar date into the corresponding date A.D.* Work by the following rules, using Tables XV.A., and XV.B.

Rule I. From Table I. find the current year and its initial day and week-day in A.D. reckoning, remembering that if the given Hindu date falls in one of the months printed in italics at the head of Table XV. the calculation must be made for the next following A.D. year. (The months printed in capitals are the initial months of the years according to the different reckonings enumerated in the column to the left.)

Rule II. (a.) Find the given month, and under it the given date, in the columns at the head of Table XV., in the same line with the appropriate mode of reckoning given in the column to the left. The dates printed in black type are kṛishṇa, or dark fortnight, dates.

(b.) In intercalary years (cols. 8 to 12, 8a to 12a of Table I.), if the given month is itself an adhika māsa (intercalary month), read it, for purpose of this Table, as if it were not so; but if the given month is styled *nija*, or if it falls after a repeated month, but before an expunged one (if any), work in this Table for the month next following the given one, as if that and not the given month had been given. If the given month is preceded by both an intercalated and a suppressed month, work as if the year were an ordinary one.

Rule III. From the date found by Rule II. carry the eye to the left, and find the week-day in the same horizontal line, but directly under the initial week-day found by Rule I.

Rule IV. Note the number in brackets on the extreme left opposite the week-day last found.

Rule V. In the columns to the left of the body of the Table choose that headed by the

bracket-number so found, and run the eye down till the initial date found by Rule I. is obtained.

Rule VI. From the Hindu date found by Rule II. run the eye down to the point of junction, (vertical and horizontal lines) of this date with the date found by Rule V. The result is the required date A.D.

Rule VII. (a.) If the date A.D. falls on or after January 1st in the columns to the right, it belongs to the next following year A.D.

(b.) If it is after February 28th in a leap-year (marked by an asterisk in col. 5, Table I.) reduce the date by one day, except in a leap-year in which the initial date (found in Table I.) itself falls after February 28th.

(c.) The dates obtained up to April 3rd, A.D. 1753, are Old Style dates.

EXAMPLE. To find the date A.D. corresponding to amānta Kārttika krishṇa 2nd of Kali 4923 expired, Śaka 1744 expired, Kārttikādi Vikrama 1878 expired, Chaitrādi Vikrama 1879 expired (1880 current), "Vijaya" in the Br̥ihaspati cycle, "Chitrabhbhū" in the luni-solar 60-year cycle.

(By Rule I.) (Kali 4924 current), 1 Sunday, March 24th, 1822.

(By Rule II.) (Kārttika, the 8th month, falls after the repeated month, 7 Āśvina, and before the suppressed month, 10 Pausha), Mārgasīrsha krishṇa 2nd.

(By Rule III.) (Under "1"), 1 Sunday.

(By Rule IV.) Bracket-number (1).

(By Rule V.) Under (1) run down to March 24th (Rule I.)

(By Rule VI.) (Point of junction) December 1st.

Answer.—Sunday, December 1st, 1822.

(B.) *Conversion of a date A.D. into the corresponding luni-solar Hindu date.* (See Rule V. method B, p. 67 below). Use Tables XV.A., XV.B.

Rule I. From Table I. find the Hindu year, and its initial date and week-day, using also Table II., Parts ii., iii. If the given date falls before such initial date take the next previous Hindu year, and its initial date and week-day.

Rule II. In the columns to the left of the body of Table XV. note the initial date found by Rule I., which is in the same horizontal line with the given date in the body of the Table.

Rule III. Carrying the eye upwards, note the bracket-figure at the head of the initial date-column so noted.

Rule IV. From the given date found in the body of the Table (Rule II.) run the eye upwards to the Hindu date-columns above, and select the date which is in the same horizontal line as the bracket-figure in the extreme left found by Rule III. This is the required Hindu date.

Rule V. Note in Table I. if the year is an intercalary one (cols. 8 to 12, and 8a to 12a). If it is so, note if the Hindu month found by Rule IV. (a) precedes the first intercalary month, (b) follows one intercalated and one suppressed month, (c) follows an intercalated, but precedes a suppressed month, (d) follows two intercalated months and one suppressed month. In cases (a) and (b) work as though the year were a common year, i.e., make no alteration in the date found by Rule IV. In cases (c) and (d) if the found month immediately follows the intercalated month, the name of the required Hindu month is to be the name of the intercalated month with the prefix "nija," and not the name of the month actually found; and if the found month does not immediately follow the intercalated month, then the required Hindu month is the month immediately preceding the found month. If the found month is itself intercalary, it retains its name, but with the prefix "adhika." If the found month is itself suppressed, the required month is the month immediately preceding the found month.

Rule VI. If the given date A.D. falls after February 29th in the columns to the right, in a leap-year (marked with an asterisk in Table I.), add 1 to the resulting Hindu date.

Rule VII. From the date found by Rule IV. carry the eye horizontally to the week-day columns on the left, and select the day which lies under the initial week-day number found by Rule I. This is the required week-day.

Rule VIII. If the Hindu date arrived at falls under any of the months printed in italics in the Hindu month-columns at head of the table, the required year is the one next previous to that given by Table I. (Rule I. above.)

EXAMPLE. Find the Telugu luni-solar date corresponding to Sunday, December 1st, 1822.

(By Rule I.) A.D. 1822—23, Sunday, March 24th, Kali 4923 expired, Śaka 1744 expired, Chitrabhānu samvatsara in the luni-solar 60-year or southern cycle reckoning, Vijaya in the northern cycle.

(By Rules II., III.) (Bracket-figure) 1.

(By Rule IV.) Mārgaśīrsha krishṇa 2nd.

(By Rule Vc.) (Āśvina being intercalated and Pausha suppressed in that year), Kārttika krishṇa 2nd.

(By Rule VI.) The year was not a leap-year.

(By Rule VII.) Sunday.

(By Rule VIII.) Does not apply.

Answer.—Sunday, Kārttika krishṇa 2nd, Kali 4923 expired, Śaka 1744 expired. (This can be applied to all Chaitrādi years.) (See example 12 below, p. 75.)

Method B.

APPROXIMATE COMPUTATION OF DATES BY A SIMPLE PROCESS.

This is the system introduced by Mr. W. S. Krishnaswami Naidu of Madras into his "South-Indian Chronological Tables."

137. (A.) *Conversion of Hindu dates into dates A.D.* (See Art. 135 above, para. 1.)

Rule I. Given a Hindu year, month and date. Convert it if necessary by cols. 1 to 5 of Table I., and by Table II., into a Chaitrādi Kali or Śaka year, and the month into an amānta month. (See Art. 104.) Write down in a horizontal line (*d*) the date-indicator given in brackets in col. 13 or 19 of Table I., following the names of the initial civil day and month of the year in question as so converted, and (*w*) the week-day number (col. 14 or 20) corresponding to the initial date A.D. given in cols. 13 or 19. To both (*d*) and (*w*) add, from Table III., the collective duration of days from the beginning of the year as given in cols. 3a or 10 as the case may be, up to the end of the month preceding the given month, and also add the number of given Hindu days in the given month minus 1. If the given date is luni-solar and belongs to the krishṇa paksha, add 15 to the collective duration and proceed as before.

Rule II. From the sum of the first addition find in Table IX. (top and side columns)

the required English date, remembering that when this is over 365 in a common year or 366 in a leap-year the date A.D. falls in the ensuing A.D. year.

Rule III. From the sum of the second addition cut out sevens. The remainder shews the required day of the week.

Rule IV. If the Hindu date is in a luni-solar year where, according to cols. 8 to 12, there was an added (*adhika*) or suppressed (*kshaya*) month, and falls after such month, the addition or suppression or both must be allowed for in calculating the collective duration of days; i.e., add 30 days for an added month, and deduct 30 for a suppressed month.

Rule V. The results are Old Style dates up to, and New Style dates from, 1752 A.D. The New style in England was introduced with effect from after 2nd September, 1752. Since the initial dates of 1752, 1753 only are given, remember to apply the correction (+ 11 days) to any date between 2nd September, 1752, and 9th April, 1753, in calculating by the Hindu solar year, or between 2nd September, 1752, and 4th April, 1753, in calculating by the Hindu luni-solar year, so as to bring out the result in New Style dates A.D. The day of the week requires no alteration.

Rule VI. If the date A.D. found as above falls after February 29th in a leap-year, it must be reduced by one day.

(a) Luni-Solar Dates.

EXAMPLE 1. Required the A.D. equivalent of (luni-solar) Vaisâkha śukla shashṭhi (6th), year Sârvâri, Saka 1702 expired, (1703 current).

The A.D. year is 1780 (a leap-year). The initial date (*d*) = 5th April (96), and (*w*) = 4 Wednesday, (Table I., cols. 5, 19, 20).

	<i>d.</i>	<i>w.</i>
State this accordingly	96	4
Collective duration (Table III., col. 3a)	30	30
Given date (6)—1	5	5
	131	
	1 (Rule VI.)	
	130	39+7 = Rem. 4

The result gives 130 (Table IX.) = May 10th, and 4 = Wednesday. The required date is therefore Wednesday, May 10th, A.D. 1780.

EXAMPLE 2. Required the A.D. equivalent of (luni-solar) Kârttika śukla pañchami (5th) Saka 1698 expired (1699 current).

The A.D. year is 1776, and the initial date is (*d*) = 20th March (80), (*w*) = Wednesday (4). This is a leap-year, and the Table shews us that the month (6) Bhâdrapada was intercalated. So there is both an *adhika* Bhâdrapada and a *nija* Bhâdrapada in this year, which compels us to treat the given month Kârttika as if it were the succeeding month Mârgâśîrsha in order to get at the proper figure for the collective duration.

	d.	w.
The given figures are	80	4
Collective duration (Table III.)	236	236
for Mārgasīrsha	4	4
Given date (5)—1	<hr/>	<hr/>
	320	
	—1 (Rule VI.)	<hr/>
	319	$244 \div 7 = \text{Rem. } 6.$

319 = (Table IX.) November 15th. 6 = Friday

Answer.—Friday, November 15th, A.D. 1776.

EXAMPLE 3. Required the A.D. equivalent of Kārttika kṛishṇa pañchami (5th) of the same luni-solar year.

	d.	w.
As before	80	4
Collective duration (Table III., col. 3a.)	236	236
Given date (5 + 15)—1	19	19
	<hr/>	<hr/>
	335	
	—1 (Rule VI.)	<hr/>
	334	$259 \div 7, \text{ Rem. } 0.$

334 = (Table IX.) November 30th. 0 = Saturday.

Answer.—Saturday, November 30th, A.D. 1776.

EXAMPLE 4. Required the A.D. equivalent of Māgha kṛishṇa pādyami (1st) of K.Y. 4923 expired (4924 current). This corresponds (Table I., col. 5) to A.D. 1822, the Chitrabhānu sambavaṃsatsara, and col. 8 shews us that the month Āśvina was intercalated (*adhika*), and the month Pausha suppressed (*kshaya*). We have therefore to add 30 days for the adhika month and subtract 30 days for the kshaya month, since Māgha comes after Pausha. Hence the relative place of the month Māgha remains unaltered,

Table I. gives 24th March (83), (1) Sunday, as the initial day.

	d.	w.
Initial date	83	1
Collective duration (Table III., col. 3a)	295	295
Given date (1 + 15)—1	15 (Rule I.)	15
	<hr/>	<hr/>
	393	$311 \div 7, \text{ Rem. } 3.$

3 = Tuesday. 393 = January 28th of the following A.D. year (Table IX.).

Answer.—Tuesday, January 28th, A.D. 1823.

This is correct by the Tables, but as there happened to be an expunged tithi in Māgha sukla, the first fortnight of Māgha, the result is wrong by one day. The corresponding day was really Monday, January 27th, and to this we should have been guided if the given date had included the mention of Monday as the week-day. That is, we should have fixed Monday, January 27th, as the required day A.D. because our result gave Tuesday, January 28th, and we knew that the date given fell on a Monday.

EXAMPLE 5. Required the A.D. equivalent of Pausha śukla trayodaśi (13th) K.Y. 4853 expired, Āṅgiras samvatsara in luni-solar or southern reckoning. This is K. Y. 4854 current.

The year (Table I., col. 5) is A.D. 1752, a leap-year. The initial date (cols. 19, 20) is 5th March (65), (5) Thursday. The month Āshāḍha was intercalated. Therefore the given month (Pausha) must be treated, for collective duration, as if it were the succeeding month Māgha.

	d.	w.
Initial date	65	5
Collective duration (Table III., col. 3a)	295	295
Given date (13)—1	12	12
	<hr/>	<hr/>
	372	
	—1 (Rule VI)	
	<hr/>	<hr/>
	371	312 \div 7, Rem. 4.

We must add eleven days to the amount 371 to make it a New Style date, because it falls after September 2nd, 1752, and before 4th April, 1753, (after which all dates will be in New Style by the Tables). $371 + 11 = 382 =$ January 17th (Table IX.). 4 = Wednesday.

Answer.—Wednesday, January 17th, A.D. 1753.

EXAMPLE 6. Required the A.D. equivalent of Vikrama samvatsara 1879 Āshāḍha krishṇa dvitiyā (2nd). If this is a southern Vikrama year, as used in Gujarāt, Western India, and countries south of the Narmadā, the year is Kārttikādi and amānta, i.e., the sequence of fortnights makes the month begin with śukla 1st. The first process is to convert the date by Table II., Part iii., col. 3, Table II., Part ii., and Table I., into a Chaitrādi year and month. Thus—Āshāḍha is the ninth month of the year and corresponds to Āshāḍha of the following Chaitrādi Kali year, so that the given month Āshāḍha of Vikrama 1879 corresponds to Āshāḍha of Kali 4924. Work as before, using Table I. for Kali 4924. Initial date, 24th March (83), (1) Sunday.

	d.	w.
Initial date	83	1
Collective duration (Table III., col. 3a)	89	89
Given date (2 + 15)—1	16	16
	<hr/>	<hr/>
	188	106 \div 7 Rem. 1

188 (Table IX.) = July 7th. 1 = Sunday.

Answer.—Sunday, July 7th, A.D. 1822.¹

If the year given be a northern Vikrama year, as used in Mālwa, Benares, Ujjain, and countries north of the Narmadā, the Vikrama year is Chaitrādi and corresponds to the Kali 4923, except that, being pūrnimānta, the sequence of fortnights differs (see Table II., Part i.). In such a case Āshāḍha krishṇa of the Vikrama year corresponds to Jyeshṭha krishṇa in amānta months, and we must work for Kali 4923 Jyeshṭha krishṇa 2nd. By Table I. the initial date is April 3rd (93), (3) Tuesday. The A.D. year is 1821—22.

¹ This is actually wrong by one day, owing to the approximate collective duration of days (Table III., 3a) being taken as 89. It might equally well be taken as 88. If it is desired to convert tithis into days (p. 75, note 2) a 64th part should be subtracted. The collective duration of the last day of Jyeshṭha in tithis is 90. $90 \div 64 = 1.40$. $90 - 1.40 = 88.60$. If taken as 88 the answer would be Saturday, July 6th, which is actually correct. This serves to shew how errors may arise in days when calculation is only

	<i>d.</i>	<i>w.</i>
Collective duration (Table III., col. 3a)	93	3
Given date ($2 + 15$)—1	59	59
	16	16
	168	$78 \div 7$, Rem. 1.

$168 =$ June 17th. 1 = Sunday.

Answer.—Sunday, June 17th, A.D. 1821.

(b) *Solar Dates.*

EXAMPLE 7. Required the date A.D. corresponding to the Tamil (solar) 18th Purat̄tāśi of Rudhirodgārin = K.Y. 4904 expired, or 4905 current.

Table I., cols. 13 and 14, give (*d*) = April 11th (101), (*w*) = (2) Monday, and the year A.D. 1803.

	<i>d.</i>	<i>w.</i>
Initial date	101	2
Collective duration (Table III., col. 10)	156	156
Given date (18)—1	17	17
	274	$175 \div 7$, Rem. 0.

274 (Table IX.) gives October 1st. 0 = Saturday.

Answer.—Saturday, October 1st, A.D. 1803.

EXAMPLE 8. Required the equivalent A.D. of the Tinnevelly Āñdu 1024, 20th Āvaṇi.

The reckoning is the same as the Tamil as regards months, but the year begins with Āvaṇi. Āñdu 1024 = K.Y. 4950. It is a solar year beginning (see Table I.) 11th April (102), (3) Tuesday, A.D. 1848 (a leap-year).

	<i>d.</i>	<i>w.</i>
Initial date	102	3
Tables II., Part ii., cols. 10 & 7, and III., col. 10.	125	125
Given date (20)—1	19	19
	246	
	—1 (Rule VI.)	
	245	$147 \div 7$, Rem. 0.

0 = Saturday; 245 = (Table IX.) September 2nd.

Answer.—Saturday, September 2nd, A.D. 1848.

EXAMPLE 9. Required the equivalent date A.D. of the South Malayālam Āñdu 1024, 20th Chīngam. The corresponding Tamil month and date (Table II., Part ii., cols. 9 and 11) is 20th Āvaṇi K.Y. 4950, and the answer is the same as in the last example.

EXAMPLE 10. Required the equivalent date A.D. of the North Malayālam (Kollam) Āñdu 1023, 20th Chīngam. This (Chīngam) is the 12th month of the Kollam Āñdu year which begins with Kannī. It corresponds with the Tamil 20th Āvaṇi K.Y. 4950 (Table II., Part ii., cols. 9, 12, and Table II., Part iii.), and the answer is similar to that in the two previous examples.

[The difference in the years will of course be noted. The same Tamil date corresponds

to South Malayālam Āñdu 1024, 20th Chingam, and to the same day of the month in the North Malayālam (Kollam) Āñdu 1023, the reason being that in the former reckoning the year begins with Chingam, and in the latter with Kanni.]

EXAMPLE 11. Required the A.D. equivalent of the Tamil date, 20th Pañguni of Rudhirod-gārin, K.Y. 4905 current (or 4904 expired.)

Table I. gives (*d*) 11th April (101), 1803 A.D. as the initial date of the solar year, and its week-day (*w*) is (2) Monday.

	<i>d.</i>	<i>w.</i>
Initial date	101	2
Collective duration (Table III., col. 10)	335	335
Given date, (20)—1	19	19
	455	
	—1 (Rule VI.)	
	454	356 + 7, Rem. 6.

6 = Friday; 454 (Table IX.) = March 30th in the following A.D. year, 1804.

Answer.—Friday, March 30th, 1804. (See example 1, above.)

138. (B.) *Conversion of dates A.D. into Hindu dates.* (See Art. 135 above, par. 1.)

Rule I. Given a year, month, and date A.D. Write down in a horizontal line (*d*) the date-indicator of the initial date [in brackets (Table I., cols. 13 or 19, as the case may be)] of the corresponding Hindu year required, and (*w*) the week-day number of that initial date (col. 14 or 20), remembering that, if the given date A.D. is earlier than such initial date, the (*d*) and (*w*) of the previous Hindu year must be taken. Subtract the date-indicator from the date number of the given A.D. date in Table IX., remembering that, if the previous Hindu year has been taken down, the number to be taken from Table IX. is that on the right-hand side of the Table and not that on the left. From the result subtract (Table III., col. 3a or 10) the collective-duration-figure which is nearest to, but lower than, that amount, and add 1 to the total so obtained; and to the (*w*) add the figure resulting from the second process under (*d*), and divide by 7. The result gives the required week-day. The resulting (*d*) gives the day of the Hindu month following that whose collective duration was subtracted.

Rule II. Observe (Table I., cols. 8 or 8a) if there has been an addition or suppression of a month prior to the month found by Rule I. and proceed accordingly.

An easy rule for dealing with the added and suppressed month is the following. When the intercalated month (Table I., col. 8 or 8a) precedes the month immediately preceding the one found, such immediately preceding month is the required month; when the intercalated month immediately precedes the one found, such immediately preceding month with the prefix "nija," natural, is the required month; when the intercalated month is the same as that found, such month with the prefix "adhika" is the required month. When a suppressed month precedes the month found, the required month is the same as that found, because there is never a suppression of a month without the intercalation of a previous month, which nullifies the suppression so far as regards the collective duration of preceding days. But if the given month falls after two intercalations and one suppression, act as above for one intercalation only.

Rule III. See Art. 137 (A) Rule V. (p. 70), but subtract the eleven days instead of adding.

Rule IV. If the given A.D. date falls in a leap-year after 29th February, or if its date-number

(right-hand side of Table IX.) is more than 365, and the year next preceding it was a leap-year, add 1 to the date-number of the given European date found by Table IX., before subtracting the figure of the date-indicator

Rule V. Where the required date is a Hindu luni-solar date the second total, if less than 15, indicates a śukla date. If more than 15, deduct 15, and the remainder will be a krishṇa date. Krishṇa 15 is generally termed krishṇa 30; and often śukla 15 is called "pūrṇimā" (full-moon day), and krishṇa 15 (or "30") is called amāvāsyā (new-moon day).

(a) Luni-Solar Dates.

EXAMPLE 12. Required the Telugu or Tuļu equivalent of December 1st, 1822. The luni-solar year began 24th March (83) on (1) Sunday (Table I., cols. 19 and 20.)

	d.	w.
(d) and (w) of initial date (Table I.)	83	1
(Table IX.) 1st December (335)	$(335 - 83 =) 252$	252
(Table III.) Collective duration to end of Kārttika	—236	
Add 1 to remainder	$16 + 1 = 17$	$253 \div 7$, Rem. 1.

17 indicates a krishṇa date. Deduct 15. Remainder 2. The right-hand remainder shews (1) Sunday.

The result so far is Sunday Mārgasīrsha krishṇa 2nd. But see Table I., col. 8. Previous to this month Āsvina was intercalated. (The suppression of Pausha need not be considered because that month comes after Mārgasīrsha.) Therefore the required month is not Mārgasīrsha, but Kārttika; and the answer is Sunday Kārttika krishṇa 2nd (Telugu), or Jarde (Tuļu), of the year Chitrabhānu, K.Y. 4923 expired, Śaka 1744 expired. (See the example on p. 69.)

(Note.) As in example 6 above, this date is actually wrong by one day, because it happened that in Kārttika śukla there was a tithi, the 12th, suppressed, and consequently the real day corresponding to the civil day was Sunday Kārttika krishṇa 3rd. These differences cannot possibly be avoided in methods A and B, nor by any method unless the duration of every tithi of every year be separately calculated. (See example xvii., p. 92.)

EXAMPLE 13. Required the Chaitrādi Northern Vikrama date corresponding to April 9th 1822. By Table I. A.D. 1822—23 = Chaitrādi Vikrama 1880 current. The reckoning is luni-solar. Initial day (d) March 24th (83), (w) 1 Sunday

	d.	w.
From Table I.	83	1
(Table IX.) April 9th (99)	$99 - 83 = 16$	16
Add	1	
	—	
	17	
For śukla dates	—15	
	—	
	2	$17 \div 7$, Rem. 3.

This is Tuesday, amānta Chaitra krishṇa 2nd.¹ But it should be converted into Vaiśākha krishṇa 2nd, because of the custom of beginning the month with the full-moon (Table II., Part i.).

¹ The actual date was Tuesday, amānta Chaitra krishṇa 3rd, the difference being caused by a tithi having been expunged in the śukla fortnight of the same month (see note to examples 6 and 12 above).

Since the Chaitrādi Vikrama year begins with Chaitra, the required Vikrama year is 1880 current, 1879 expired. But if the required date were in the Southern reckoning, the year would be 1878 expired, since 1879 in that reckoning does not begin till Kārttika.

(b) Solar Dates.

EXAMPLE 14. i. Required the Tamil equivalent of May 30th, 1803 A.D.

Table I. gives the initial date April 11th (101), and week-day number 2 Monday.

	d.	w.
From Table I.	101	2
(Table IX.) May 30th (150)	150 - 101 = 49	49
(Table III.) Collective duration to end of Śittirai (Mesha)	—31	
	<hr/>	<hr/>
	18	
Add 1	+ 1	
	<hr/>	<hr/>
	19	51 ÷ 7, Rem. 2.

The day is the 19th; the month is Vaiyāśi, the month following Śittirai; the week-day is (2) Monday.

Answer.—Monday, 19th Vaiyāśi of the year Rudhirodgārin, K.Y. 4904 expired, Śaka 1725 expired.

EXAMPLE 15. Required the Tamil equivalent of March 30th, 1804. The given date precedes the initial date in 1804 A.D. (Table I., col. 13) April 10th, so the preceding Hindu year must be taken. Its initial day is 11th April (101), and the initial week-day is (2) Monday. 1804 was a leap-year.

	d.	w.
From Table I.	101	2
(Table IX.) (March 30th) 454 + 1 for leap-year, 455 - 101 = 354	354	
(Table III., col. 10) Collective duration to end of / Māsi = Kumbha (Table II., Part ii.)	—335	
	<hr/>	<hr/>
Add 1	+ 1	
	<hr/>	<hr/>
	20	356 ÷ 7, Rem. 6.

Answer.—Friday 20th Pañguni of the year Rudhirodgārin K.Y. 4904 expired, Śaka 1725 expired. (See the example on p. 67.)

EXAMPLE 16. Required the North Malayałam Āñdu equivalent of September 2nd, 1848. Work as by the Chaitrādi year. The year is solar. 1848 is a leap-year.

	d.	w.
From Table I.	102	3
(Table IX.) September 2nd (245) + 1 for leap year	246 - 102 = 144	144
Coll. duration to end of Karka	—125	
	<hr/>	<hr/>
Add 1	+ 1	
	<hr/>	<hr/>
	20	147 ÷ 7, Rem. 0

Answer.—Saturday 20th Chiṅgam. This is the 12th month of the North Malayālam Āñdu which begins with Kanni. The year therefore is 1023.

If the date required had been in South Malayālam reckoning, the date would be the same, 20th Chiṅgam, but as the South Malayālis begin the year with Chiṅgam as the first month, the required South Malayālam year would be Āñdu 1024.

Method C.

EXACT CALCULATION OF DATES.

(A.) Conversion of Hindu luni-solar dates into dates A.D.

139. To calculate the week-day, the equivalent date A.D., and the moment of beginning or ending of a tithi. Given a Hindu year, month, and tithi.—Turn the given year into a Chaitrādi Kali, Śaka, or Vikrama year, and the given month into an amānta month (if they are not already so) and find the corresponding year A.D., by the aid of columns 1 to 5¹ of Table I., and Table II., Parts i., ii., iii. Referring to Table I., carry the eye along the line of the Chaitrādi year so found, and write down² in a horizontal line the following five quantities corresponding to the day of commencement (Chaitra śukla pratipadā) of that Chaitrādi-year, viz., (d) the date-indicator given in brackets after the day and month A.D. (Table I., col. 19), (w) the week-day number (col. 20), and (a), (b), (c) (cols. 23, 24, 25). Find the number of tithis which have intervened between the initial day of the year (Chaitra śukla pratipadā), and the given tithi, by adding together the number of tithis (collective duration) up to the end of the month previous to the given one (col. 3, Table III.), and the number of elapsed tithis of the given month (that is the serial number of the given tithi reduced by one), taking into account the extra 15 days of the śukla paksha if the tithi belongs to the krishṇa paksha, and also the intervening intercalary month,³ if any, given in col. 8 (or 8a) of Table I. This would give the result in tithis. But days, not tithis, are required. To reduce the tithis to days, reduce the sum of the tithis by its 60th part,⁴ taking fractions larger than a half as one, and neglecting half or less. The result is the (d), the approximate number of days which have intervened since the initial day of the Hindu year. Write this number under head (d), and write under their respective heads, the (w), (a), (b), (c) for that number of days from Table IV. Add together the two lines of five quantities, but in the case of (w) divide the result by 7 and write only the remainder, in the case of (a) write only the remainder under 10000, and in the case of (b) and (c) only the remainder under 1000.⁵ Find separately the equations to arguments (b) and (c) in Tables VI. and VII. respectively, and add them to the total under (a). The sum (t) is the tithi-index, which, by cols. 2 and 3 of Table VIII., will indicate the tithi current at mean sunrise on the week-day found under (w). If the number of the tithi so indicated is not the same as that of the given one, but is greater or less by one (or by two in rare cases), subtract one (or two) from, or add

¹ The initial days in cols. 18 and 19, Table I., belong to the first of the double years A.D. given in col. 5.

² It will be well for a beginner to take an example at once, and work it out according to the rule. After a little practice the calculations can be made rapidly.

³ When the intercalary month is Chaitra, count that also. See Art. 99 above.

⁴ This number is taken for easy calculation. Properly speaking, to convert tithis into days the 64th part should be subtracted. The difference does not introduce any material error.

⁵ Generally with regard to (w), (a), (b), (c) in working addition sums, take only the remainder respectively over 7, 10000, 1000 and 1000; and in subtracting, if the sum to be subtracted be greater, add respectively 7, 10000, 1000 and 1000 to the figure above.

one (or two) to, both (d) and (w);¹ subtract from, or add to, the (a) (b) (c) already found, their value for one (or two) days (Table IV.); add to (a) the equations for (b) and (c) (Tables VI. and VII.) and the sum (t) will then indicate the tithi. If this is the same as given (if not, proceed again as before till it corresponds), the (w) is its week-day, and the date shewn in the top line and side columns of Table IX. corresponding with the ascertained (d) is its equivalent date A.D. The year A.D. is found on the line of the given Chaitrādi year in col. 5, Table I. Double figures are given in that column; if (d) is not greater than 365 in a common year, or 366 in a leap-year, the first, otherwise the second, of the double figures shows the proper A.D. year.

140. For all practical purposes and for some ordinary religious purposes a tithi is connected with that week-day at whose sunrise it is current. For some religious purposes, however, and sometimes even for practical purposes also, a tithi which is current at any particular moment of a week-day is connected with that week-day. (See Art. 31 above.)

141. In the case of an expunged tithi, the day on which it begins and ends is its week-day and equivalent. In the case of a repeated tithi, both the civil days at whose sunrise it is current,² are its week-days and equivalents.

142. *A clue for finding when a tithi is probably repeated or expunged.* When the tithi-index corresponding to a sunrise is greater or less, within 40, than the ending index of a tithi, and when the equation for (b) (Table VI.) is decreasing, a repetition of the same or another tithi takes place shortly after or before that sunrise; and when the equation for (b) is increasing an expunction of a tithi (different from the one in question) takes place shortly before or after it.

143. The identification of the date A.D. with the week-day arrived at by the above method, may be verified by Table XIII. The verification, however, is not in itself proof of the correctness of our results.

144. *To find the moment of the ending of a tithi.* Find the difference between the (t) on the given day at sunrise and the (t) of the tithi-index which shews the ending point of that tithi (Table VIII.). With this difference as argument find the corresponding time either in ghaṭikās and palas, or hours and minutes, according to choice, from Table X. The given tithi ends after the given sunrise by the interval of time so found. But this interval is not always absolutely accurate. (See Art. 82). If accuracy is desired add the (a) (b) (c) for this interval of time (Table V.) to the (a) (b) (c) already obtained for sunrise. Add as before to (a) the equations of (b) and (c) from Tables VI. and VII., and find the difference between the (t) thus arrived at and the (t) of the ending point of the tithi (Table VIII.). The time corresponding to that difference, found from Table X., will show the ending of the tithi before or after the first found time. If still greater accuracy is desired, proceed until (t) amounts exactly to the (t) of the ending point (Table VIII.) For ordinary purposes, however, the first found time, or at least that arrived at after one more process, is sufficiently accurate.

145. The moment of the beginning of a tithi is the same as the moment of ending of the tithi next preceding it; and this can be found either by calculating backwards from the (t) of the same tithi, or independently from the (t) of the preceding tithi.

146. The moment of beginning or ending of tithis thus found is in mean time, and is applicable to all places on the meridian of Ujjain, which is the same as that of Lankā. If the

¹ Thus far the process will give the correct result if there be no probability by the rule given below of the expunction (*ekhaya*) or repetition (*vridhi*) of a tithi shortly preceding or following; and the (d) and (w) arrived at at this stage will indicate by use of Table IX. the A.D. equivalent, and the week-day of the given tithi.

² For the definitions of expunged and repeated tithis see Art. 32 above.

exact mean time for other places is required, apply the correction given in Table XI., according to the rule given under that Table. If after this correction the ending time of a tithi is found to fall on the previous or following day the (*d*) and (*w*) should be altered accordingly.

Mean time is used throughout the parts of the Tables used for these rules, and it may sometimes differ from the true, used, at least in theory, in Hindu *pāñchāṅgas* or almanacks.

The ending time of a tithi arrived at by these Tables may also somewhat differ from the ending time as arrived at from authorities other than the *Sūrya Siddhānta* which is used by us. The results, however, arrived at by the present Tables, may be safely relied on for all ordinary purposes.¹

147. *N.B. i.* Up to 1100 A.D. both mean and true intercalary months are given in Table I. (see Art. 47 above). When it is not certain whether the given year is an expired or current year, whether it is a Chaitrādi year or one of another kind, whether the given month is amānta or pūrṇimānta, and whether the intercalary month, if any, was taken true or mean, the only course is to try all possible years and months.

N.B. ii. The results are all Old Style dates up to, and New Style dates from, 1753 A.D. The New Style was introduced with effect from after 2nd September, 1752. Since only the initial dates of 1752 and 1753 are given, remember to apply the correction (+ 11 days) to any date between 2nd September, 1752, and 9th April, 1753, in calculating by the Hindu solar year, and between 2nd September, 1752, and 4th April, 1753, in calculating by the Hindu luni-solar year, so as to bring out the result in New Style dates A.D. The day of the week requires no alteration.

N.B. iii. If the date A.D. found above falls after February 28th in a leap-year, it must be reduced by 1.

N.B. iv. The Hindus generally use expired (*gata*) years, while *current* years are given throughout the Tables. For example, for Śaka year 1702 "expired" 1703 current is given.

148. EXAMPLE I. Required the week-day and the A.D. year, month, and day corresponding to Jyeshṭha śukla panchami (5th), year Śārvati, Śaka year 1702 expired (1703 current), and the ending and beginning time of that tithi.

The given year is Chaitrādi (see N.B. ii., Table II., Part iii.). It does not matter whether the month is amānta or pūrṇimānta, because the fortnight belongs to Jyeshṭha by both systems (see Table II., Part i.). Looking to Table I. along the given current Śaka year 1703, we find that its initial day falls in A.D. 1780 (see note 1 to Art. 139), a leap-year, on the 5th April, Wednesday; and that *d* (col. 19), *w* (col. 20), *a* (col. 23), *b* (col. 24) and *c* (col. 25) are 96, 4, 1, 657 and 267 respectively. We write them in a horizontal line (see the working of the example below). From Table I., col. 8, we find that there is no added month in the year. The number therefore of tithis between Chaitra ś. 1 and Jyeshṭha ś. 5 was 64, viz., 60 up to the end of Vaisākha (see Table III., col. 3), the month preceding the given one, and 4 in Jyeshṭha. The sixtieth part of 64 (neglecting the fraction $\frac{4}{64}$ because it is not more than half) is 1. Reduce 64 by one and we have 63 as the approximate number of days between Chaitra ś. 1 and Jyeshṭha ś. 5. We write this number under (*d*). Turning to Table IV. with the argument 63 we find under (*w*) (*a*) (*b*) (*c*) the numbers 0, 1334, 286, 172, respectively, and we write them under their respective heads, and add together the two quantities under each head. With the argument (*b*) (943) we turn to Table VI. for the equation. We do not find exactly the number 943 given, but we have 940 and 950 and must see the difference between the corresponding equation-figures and fix the appropriate figure for 943. The auxiliary table given will fix this, but in practice it can be easily calculated in the head. (The

¹ See Arts. 36 and 37 in which all the points noted in this article are fully treated of.

full numbers are not given so as to avoid cumbrousness in the tables.) Thus the equation for (b) (943) is found to be 90, and from Table VII. the equation for (c) is found to be 38. Adding 90 and 38 to (a) (1335) we get 1463, which is the required tithi-index (t). Turning with this to Table VIII., col. 3, we find by col. 2 that the tithi current was ūkla 5, i.e., the given date. Then (w) 4, Wednesday, was its week-day; and the tithi was current at mean sunrise on the meridian of Ujjain on that week-day. Turning with (d) 159 to Table IX., we find that the equivalent date A.D. was 8th June; but as this was after 28th February in a leap-year, we fix 7th June, A.D. 1780, (see N.B. iii., Att. 147) as the equivalent of the given tithi. As (t) is not within 40 of 1667, the (t) of the 5th tithi (Table VIII.), there is no probability of an expunction or repetition shortly preceding or following (Art. 142). The answer therefore is Wednesday, June 7th, A.D. 1780.

To find the ending time of the tithi. (t) at sunrise is 1463; and Table VIII., col. 3, shews that the tithi will end when (t) amounts to 1667. $(1667 - 1463 =) 204 =$ (Table X.) 14 hours, 27 minutes, and this process shews us that the tithi will end 14 hours, 27 minutes, after sunrise on Wednesday, June 7th. This time is, however, approximate. To find the time more accurately we add the increase in (a) (b) (c) for 14 h. 27 m. (Table V.) to the already calculated (a) (b) (c) at sunrise; and adding to (a) as before the equations of (b) and (c) (Tables VI. and VII.) we find that the resulting (t) amounts to 1686. $1686 - 1667 = 19 = 1$ hour and 21 minutes (Table X.). But this is a period beyond the end of the tithi, and the amount must be deducted from the 14 h. 27 m. first found to get the true end. The true end then is 13 h. 6 m. after sunrise on June 7th. This time is accurate for ordinary purposes, but for still further accuracy we proceed again as before. We may either add the increase in (a) (b) (c) for 13 h. 6 m. to the value of (a) (b) (c) at sunrise, or subtract the increase of (a) (b) (c) for 1 h. 21 m. from their value at 14 h. 27 m. By either process we obtain (t) = 1665. Proceed again. $1667 - 1665 = 2 =$ (Table X.) 9 minutes after 13 h. 6 m. or 13 h. 15 m. Work through again for 13 h. 15 m. and we obtain (t) = 1668. Proceed again. $1668 - 1667 = 1 =$ (Table X.) 4 minutes before 13 h. 15 m. or 13 h. 11 m. Work for 13 h. 11 m., and we at last have 1667, the known ending point. It is thus proved that 13 h. 11 m. after sunrise is the absolutely accurate mean ending time of the tithi in question by the *Sūrya-Siddhānta*.

To find the beginning time of the given tithi. We may find this independently by calculating as before the (t) at sunrise for the preceding tithi, (in this case ūkla 4th) and thence finding its ending time. But in the example given we calculate it from the (t) of the given tithi. The tithi begins when (t) amounts to 1333 (Table VIII.), or $(1463 - 1333) 130$ before sunrise on June 7th. 130 is (Table X.) 9 h. 13 m. Proceed as before, but deduct the (a) (b) (c) instead of adding, and (see working below) we eventually find that (t) amounts exactly to 1333 and therefore the tithi begins at 8 h. 26 m. before sunrise on June 7th, that is 15 h. 34 m. after sunrise on Tuesday the 6th. The beginning and ending times are by Ujjain or Lankā mean time. If we want the time, for instance, for Benares the difference in longitude in time, 29 minutes, should be added to the above result (See Table XI.). This, however, does not affect the day.

It is often very necessary to know the moments of beginning and ending of a tithi. Thus our result brings out Wednesday, June 7th, but since the 5th tithi began 15 h. 34 m. after sunrise on Tuesday, i.e., about 9 h. 34 m. p.m., it might well happen that an inscription might record a ceremony that took place at 10 p.m., and therefore fix the day as Tuesday the 5th tithi, which, unless the facts were known, would appear incorrect.

From Table XII. we find that 7th June, A.D. 1780, was a Wednesday, and this helps to fix that day as current.

We now give the working of EXAMPLE I.

WORKING OF EXAMPLE I.

(a) The day corresponding to Jyeshtha ūkla 5th.	d.	w.	a.	b.	c.
Saka 1703 current, Chaitra ūkla 1st, (Table I., cols. 19, 20, 23, 24, 25)	96	4	1	657	267
Approximate number of days from Chaitra ūkla 1st to Jyeshtha ūk. 5th, (64 tithis reduced by a 60th part, neglecting fractions, = 63) with its (w) (a) (b) (c) (Table IV.)	63	0	1334	286	172
	159	4	1335	943	439
Equation for (b) (943) (Table VI.)				90	
Do. (c) (439) (Table VII.)				38	
				1463	= t.

(t) gives ūkla 5th (Table VIII., cols. 2, 3) (the same as the given tithi).

(d)—1, (N. B. iii., Art. 147), or the number of days elapsed from

January 1st, = 158

158 = June 7th (Table IX.). A.D. 1780 is the corresponding year, and 4 (w) Wednesday is the week-day of the given tithi.

Answer.—Wednesday, June 7th, 1780 A.D.

(b) The ending of the tithi Jyeshtha ūk. 5. (Table VIII.) $1667 - 1463 = 204 = (14 \text{ h. } 10 \text{ m.} + 0 \text{ h. } 17 \text{ m.}) = 14 \text{ h. } 27 \text{ m.}$ (Table X.). Therefore the tithi ends at 14 h. 27 m. after mean sunrise on Wednesday. For more accurate time we proceed as follows:

	a.	b.	c.
At sunrise on Wednesday (see above)	1335	943	439
For 14 hours (Table V.)	198	21	2
For 27 minutes, (Do.)	6	1	0
	1539	965	441
Equation for (b) (965) (Table VI.)		109	
Do. (c) (441) (Do. VII.)		38	
	1686	= t.	

1686—1667 (Table VIII.) = 19 = 1 h. 21 m.; and 1 h. 21 m. deducted from 14 h. 27 m. gives 13 h. 6 m. after sunrise on Wednesday as the moment when the tithi ended. This is sufficient for all practical purposes. For absolute accuracy we proceed again.

	a.	b.	c.
For sunrise (as before)	1335	943	439
For 13 hours (Table V.)	183	20	1
For 6 minutes (Do.)	1	0	0
	1519	963	440
Equation for (b) (963) (Table VI.)		108	
Do. (c) (440) (Do. VII.)		38	
	1665	= t.	

$1667 - 1665 = 2 = 9 \text{ m. after } 13 \text{ h. } 6 \text{ m.} = 13 \text{ h. } 15 \text{ h.}$	<i>a.</i>	<i>b.</i>	<i>c.</i>
Again for sunrise (<i>as before</i>)	1335	943	439
For 13 hours (Table V.)	183	20	1
For 15 minutes (Do.)	4	0	0
	<hr/>	<hr/>	<hr/>
	1522	963	440

Equation for (<i>b</i>) (963)	108		
Do. (<i>c</i>) (440)	38		
	<hr/>	<hr/>	<hr/>
	1668 = <i>t</i> .		

$1668 - 1667 = 1 = 4 \text{ m. before } 13 \text{ h. } 15 \text{ m.} = 13 \text{ h. } 11 \text{ m.}$	<i>a.</i>	<i>b.</i>	<i>c.</i>
Again for sunrise (<i>as before</i>)	1335	943	439
For 13 hours (Table V.)	183	20	1
For 11 minutes (Do.)	3	0	0
	<hr/>	<hr/>	<hr/>
	1521	963	440

Equation for (<i>b</i>) (963)	108		
Do. (<i>c</i>) (440)	38		
	<hr/>	<hr/>	<hr/>

Actual end of the tithi	1667 = <i>t</i> .
-----------------------------------	-------------------

Thus 13 h. 11 m. after sunrise is the absolutely accurate ending time of the tithi.

(c) *The beginning of the tithi, Jyeshtha ūk. 5.* Now for the beginning, 1463 (the original *t*, as found)—1333 (beginning of the tithi, (Table VIII.) = 130 = (Table X.) (7 h. 5 m. + 2 h. 8 m.) = 9 h. 13 m.; and we have this as the point of time before sunrise on Wednesday when the tithi begins.

For sunrise (<i>as before</i>)	<i>a.</i>	<i>b.</i>	<i>c.</i>
	<i>a.</i>	<i>b.</i>	<i>c.</i>
For 9 h. (Table V.)	127	14	1
For 13 m. (Do.)	3	0	0
	<hr/>	<hr/>	<hr/>
Deduct	130	14	1
	<hr/>	<hr/>	<hr/>
	130	14	1
	<hr/>	<hr/>	<hr/>
Equation for <i>b</i> . (929)	79		
Do. <i>c</i> . (438)	37		
	<hr/>	<hr/>	<hr/>
	1321 = <i>t</i> .		

(The beginning of the tithi) 1333—1321 = 12 = Table X.) 51 m. after the above time (9 h. 13 m.), and this gives 8 h. 22 m. before sunrise. We proceed again.

For 9 h. 13 m. before sunrise (<i>found above</i>)	<i>a.</i>	<i>b.</i>	<i>c.</i>
Plus for 51 minutes (Table V.)	12	1	0
	<hr/>	<hr/>	<hr/>
	1217	930	438
Equation for <i>b</i> . (930)	80		
Do. <i>c</i> . (438)	37		
	<hr/>	<hr/>	<hr/>
	1334 = <i>t</i> .		

$1334 - 1333 = 1 = 4$ m. before the above time (viz., 8 h. 22 m.) i.e., 8 h. 26 m. before sunrise. Proceed again.

	<i>a.</i>	<i>b.</i>	<i>c.</i>
For 8 h. 22 m. before sunrise (<i>found above</i>)	1217	930	438
Deduct for 4 m. (Table V.)	1	0	0
	1216	930	438
Equation for <i>b.</i> (930)	80		
Do. <i>c.</i> (438)		37	
			1333 = <i>t.</i>

The result is precisely the same as the beginning point of the tithi (Table VIII.), and we know that the tithi actually began 8 hours 26 minutes before sunrise on Wednesday, or at 15 h. 34 m. after sunrise on Tuesday, 6th June. /

EXAMPLE II. Required the week-day and equivalent A.D. of Jyeshtha śuk. dasamī (10th) of the southern Vikrama year 1836 expired, 1837 current. The given year is *not* Chaitrādi. Referring to Table II., Parts ii., and iii., we find, by comparing the non-Chaitrādi Vikrama year with the Śaka, that the corresponding Śaka year is 1703 current, that is the same as in the first example. We know that the months are amānta.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
State the figures for the initial day (Table I., cols. 19, 20, 23, 24, 25)	96	4	1	657	267
The number of intervened tithis down to end of Vaisākha, 60, (Table III.) + the number of the given date minus <i>t</i> , is 69; reduced by a 60th part = 68, and by Table IV. we have	68	5	3027	468	186
	164	2	3028	125	453
Equation for (<i>b</i>) 125 (Table VI.)				239	
Do. (<i>c</i>) 453 (Table VII.)				42	
				3309	= <i>t.</i>

(*d*) (164) — 1 (*N.B. iii.*, Art. 147) = 163.

The result, 3309, fixes the day as sukla 10th (Table VIII., cols. 2, 3), the same as given.

Answer.—(By Table IX.) 163 = June 12th, 2 = Monday. The year is A.D. 1780 (Table II., Part ii.). The tithi will end at (3333 — 3309 = 24, or by Table X.) 1 h. 42 m. after sunrise, since 3309 represents the state of that tithi at sunrise, and it then had 24 lunation-parts to run. Note that this (*t*) (3309) is less by 24 than 3333, the ending point of the 10th tithi; that 24 is less than 40; and that the equation for (*b*) is increasing. This shows that an expunction of a tithi will shortly occur (Art. 142.).

EXAMPLE III. Required the week-day and equivalent A.D. of Jyeshtha śukla ekādaśī (11th) of the same Śaka year as in example 2, i.e., Ś. 1703 current.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
See (Table I.) example 2	96	4	1	657	267
Intervened days (to end of Vaisākha 59, + 11 given days - 1) = 69.					
By Table IV.	69	6	3366	504	189
	165	3	3367	161	456
Equation for (b) (161) (Table VI.)				258	
Do. (c) (456) (Table VII.)				43	
					3668 = <i>t</i> .

This figure (*t* = 3668) by Table VIII., cols. 2, 3, indicates śukla 12th.

d - 1 (N.B. iii., Art. 147) = 164 and Table IX. gives this as June 13th. The (*w*) is 3 = Tuesday. The year (Table II. Part iii.) is 1780 A.D.

The figure of (*t*), 3668, shows that the 12th tithi and not the required tithi (11th) was current at sunrise on Tuesday; but we found in example 2 that the 10th tithi was current at sunrise on Monday, June 12th, and we therefore learn that the 11th tithi was expunged. It commenced 1 h. 42 min. after sunrise on Monday and ended 4 minutes before sunrise on Tuesday, 13th June.¹ The corresponding day answering to śukla 10th is therefore Monday, June 12th, and that answering to śukla 12 is Tuesday the 13th June.

EXAMPLE IV. Required the week-day and equivalent A.D. of the pūrṇimānta Āshāḍha krishṇa dvitiyā (2) of the Northern Vikrama year 1837 expired, 1838 current. The northern Vikrama is a Chaitrādi year, and so the year is the same as in the previous example, viz., A.D. 1780-1 (Table II., Part iii.). The corresponding amānta month is Jyeshṭha (Table II., Part i.). Work therefore for Jyeshṭha krishṇa 2nd in A.D. 1780-1 (Table I.).

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
See example 1 (Table I.)	96	4	1	657	267
60 (coll. dur. to end Vais.) + 15 (for krishṇa fortnight) + 1 (given date minus 1) = 76 tithis = 75 days (as before); Table IV. gives .	75	5	5397	722	205
	171	2	5398	379	472
Equation for (b) (379)				237	
Do. (c) (472)				50	
					5685 = <i>t</i> .

(*d*) - 1 (N.B. iii., Art. 147) = 170 = (Table IX.) 19th June. (2) = Monday. The year is 1780 A.D.

So far we have Monday, 19th June, A.D. 1780. But the figure 5685 for (*t*) shows that kri. 3rd and not the 2nd was current at sunrise on Monday the 19th June. It commenced (5685 - 5667 = 18 =) 1 h. 17 m. before sunrise on Monday. (*t*) being greater, but within 40, than the ending point of kri. 2nd, and the equation for (b) decreasing, it appears that a repetition of a tithi will shortly follow (but not precede). And thus we know that Sunday the 18th June is the equivalent of kri. 2nd.

EXAMPLE V. Required the week-day and equivalent A.D. of the amānta Jyeshṭha kri. 3rd of the Śaka year 1703 current, the same as in the last 4 examples.

¹ This is shown by (*t*) = 3668 at sunrise, the end being indicated by 3667. Difference 1 lunation-unit, or 4 minutes.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
(See example 1)	96	4	1	657	267
60 (coll. dur. to end Vaiś.) + 15 + 2 = 77 tithis = 76 days. (Table IV.)	76	6	5736	758	208
	172	3	5737	415	475
Equation for (<i>b</i>) (415)				211	
Do. (<i>c</i>) (475)				51	
				5999	

This indicates krishṇa 3rd, the same tithi as given. (*d*)—1 = 171 = 20th June, 1780 A.D.

From these last two examples we learn that krishṇa 3rd stands at sunrise on Tuesday 20th as well as Monday 19th. It is therefore a repeated or *vriddhi* tithi, and both days 19th and 20th correspond to it. It ends on Tuesday (6000—5999 = 1 =) 4 minutes after sunrise.

EXAMPLE VI. Required the week-day and A.D. equivalent of Kārttika śukla 5th of the Northern Vikrama year 1833 expired (1834 current). (See example 2, page 70.)

The given year is Chaitrādi. It matters not whether the month is amānta or pūrnimānta because the given tithi is in the śukla fortnight. The initial day of the given year falls on (Table I., col. 19) 20th March (80), (col. 20) 4 Wednesday; and looking in Table I. along the line of the given year, we find in col. 8 that the month Bhādrapada was intercalated or added (*adhika*) in it. So the number of months which intervened between the beginning of the year and the given tithi was 8, one more than in ordinary year.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
(Table I., cols. 19, 20, 23, 24, 25)	80	4	9841	54	223
(Coll. dur.) 240 + 4 = 244 = 240 days (Table IV.,)	240	2	1272	710	657
	320	6	1113	764	880
Equation for (<i>b</i>) (764)				0	
Do. (<i>c</i>) (880)				102	
				1215	= <i>t</i> .

This indicates, not kri. 5 as given, but kri. 4 (Table VIII.)

Adding 1 to (*d*) and (*w*) (see Rule above, Art. 139) 321 0

a—1 (N.B. *iii.*, Art. 147) 320 = (Table IX.) Nov. 16th, A.D. 1776. 0 = Saturday.

(*t*) being not within 40 of the ending point of the tithi there is no probability of a repetition or expunction shortly preceding or following, and therefore Saturday the 16th November, 1776 A.D., is the equivalent of the given tithi.

EXAMPLE VII. Required the week-day and A.D. equivalent of amānta Māgha krishṇa 1st of Kali 4923 expired, 4924 current. (See example 4, page 71.)

The given year is Chaitrādi. Looking in Table I. along the line of the given year, we see that its initial day falls on 24th March (83), 1822 A.D., 1 Sunday, and that (col. 8) the month (7) Āśvina was intercalated and (10) Pausha expunged. So that, in counting, the number of intervened months is the same, viz., 10, as in an ordinary year, Māgha coming after Pausha.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
(Table I., cols. 19, 20, 23, 24, 23)	83	1	212	899	229
(Coll. dur.) $300 + 15$ (sukla paksha) + (1—1=) 0 = 315 tithis = 310 days. By (Table IV.)	310	2	4976	250	849
	393	3	5188	149	78
Equation for (<i>b</i>) (149) (Table VI.)				252	
Do. (<i>c</i>) (78) (Table VII.)				32	
					5472 = <i>t.</i>

The figure 5472 indicates (Table VIII.) kri. 2nd, *i.e.*, not the same as given (1st), but the tithi following. We therefore subtract 1 from (*d*) and (*w*) (Art. 139) making them 392 and 2.

Since (*t*) is not within 40 of the ending point of the tithi, there is no probability of a *kshaya* or *vriddhi* shortly following or preceding. (*w*) 2 = Monday. 392 = (Table IX.) 27th January. And therefore 27th January, A.D. 1823, Monday, is the equivalent of the given tithi.

EXAMPLE VIII. Required the week-day and the A.D. equivalent of śukla 13th of the Tuļu month Puntelu, Kali year 4853 expired, 4854 current, "Āngiras samvatsara" in the luni-solar or southern 60-year cycle. (See example 5, page 72.)

The initial day (Table I.) is Old Style 5th March (65), A.D. 1752, a leap-year, (5) Thursday; and Ashāḍha was intercalated. The Tulu month Puntelu corresponds to the Sanskrit Pausha (Table II., Part ii.), ordinarily the 10th, but now the 11th, month on account of the intercalated Ashāḍha.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
(Table I., cols. 19, 20, 23, 24, 25)	65	5	39	777	213
(Coll. dur.) $300 + 12$ (given tithi minus 1) = 312 tithis = 307 days	307	6	3960	142	840
	372	4	3999	919	53
Equation for (<i>b</i>) (919)				71	
Do. (<i>c</i>) (53)				40	
					4110 = <i>t.</i>

The result, 4110, indicates śukla 13th, *i.e.*, the same tithi as that given.

(*d*)—1 (N.B. iii., Art. 147) = 371 = (by Table IX.) January 6th, A.D. 1753.

We must add 11 days to this to make it a New Style date, because it falls after September 2nd, 1752, and before 4th April, 1753, the week-day remaining unaltered (see N.B. ii., Art. 147), and 17th January, 1753 A.D., is therefore the equivalent of the given date.

(B.) Conversion of Hindu solar dates into dates A.D.

149. To calculate the week-day and the equivalent date A.D. Turn the given year into a Meshādi Kali, Śaka, or Vikrama year, and the name of the given month into a sign-name, if they are not already given as such, and find the corresponding year A.D. by the aid of columns 1 to 5, Table I., and Table II., Parts ii., and iii. Looking in Table I. along the line of the Meshādi year so obtained, write down in a horizontal line the following three quantities corresponding to the

commencement of that (Meshādi) year, viz., (*d*) the date-indicator given in brackets after the day and month A.D. in col. 13, (*w*) the week-day number (*col. 14*), and the time—either in ghaṭikās and palas, or in hours and minutes as desired—of the Mesha sañkrānti according to the *Arya-Siddhānta* (cols. 15, or 17). For a Bengali date falling between A.D. 1100 and 1900, take the time by the *Surya-Siddhānta* from cols. 15a or 17a. When the result is wanted for a place not on the meridian of Ujjain, apply to the Mesha sañkrānti time the correction given in Table XI. Under these items write from Table III., cols. 6, 7, 8, or 9 as the case may be, the collective duration of time from the beginning of the year up to the end of the month preceding the given one—days under (*d*), week-day under (*w*), and hours and minutes or ghaṭikās and palas under *h.m.*, or *g.h.p.* respectively. Add together the three quantities. If the sum of hours exceeds 24, or if the sum of ghaṭikās exceeds 60, write down the remainder only, and add one each to (*w*) and (*d*). If the sum of (*w*) exceeds 7, cast out sevens from it. The result is the time of the astronomical beginning of the current (given) month. Determine its civil beginning by the rules given in Art. 28 above.

When the month begins civilly on the same day as, on the day following, or on the third day after, the sañkrānti day, subtract 1 from, or add 0, or 1, to both (*d*) and (*w*), and then to each of them add the number of the given day, casting out sevens from it in the case of (*w*). (*w*) is then the required week-day, and (*d*) will show, by Table IX., the A.D. equivalent of the given day.

N.B. i. When it is not certain whether the given year is Meshādi or of another kind, or what rule for the civil beginning of the month applies, all possible ways must be tried.

N.B. ii. See *N.B. ii.*, *iii.*, *iv.*, Art. 147, under the rules for the conversion of luni-solar dates.

EXAMPLE IX. Required the week-day and the date A.D. corresponding to (Tamil) 18th Purattāsi of Rudhirodgārin, Kali year 4904 expired, (4905 current). (See example 7, p. 73.)

The given year, taken as a solar year, is Meshādi. The month Purattādi, or Purattāsi, corresponds to Kanyā (Table II., Part ii.), and the year is a Tamil (Southern) one, to which the *Arya Siddhānta* is applicable (see Art. 21). Looking in Table I. along the line of the given year, we find that it commenced on 11th April (col. 13), A.D. 1803, and we write as follows:—

	<i>d.</i>	<i>w.</i>	<i>h. m.</i>
(Table I., cols. 13, 14, 17)	101	2	10 7
(Table III., col. 7) collective duration up to the end of Simha	156	2	10 28
	257	4	20 35

This shows that the Kanyā sañkrānti took place on a (4) Wednesday, at 20 h. 35 m. after sunrise, or 2.35 a.m. on the European Thursday. (Always remember that the Hindu week-day begins at sunrise.) The month Kanyā, therefore, begins civilly on Thursday.¹ (*Rule 2(a)*, Art. 28.) We add, therefore 0 to (*d*) and (*w*)

Add 18, the serial number of the given day, to (*d*) and, casting out sevens from the same figure, 18, add 4 to (*w*)

0	0
18	4
275	1

Then (*w*) = 1, i.e., Sunday, and 275 = (Table IX.) 2nd October.

Answer.—Sunday, 2nd October, 1803 A.D.

EXAMPLE X. Required the week-day and A.D. date corresponding to the 20th day of the Bengali (solar) month Phālguna of Śaka 1776 expired, 1777 current, at Calcutta.

¹ It would have so begun if the sañkrānti occurred at 7 p.m. on the Wednesday, or at any time after sunset (6 p.m.).

The year is Meshādi and from Bengal, to which the *Surya Siddhānta* applies (see Art. 21). The Bengali month Phālguna corresponds to Kumbha (Table II., Part ii.). The year commenced on 11th April, 1854, A.D. (Table I.).

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Table I., cols. 13, 14, 17a)	101	3	17	13
Difference of longitude for Calcutta (Table XI.)			+ 50	
Collective duration up to the end of Makara (Table III., col. 9.)	305	4	2	2
	406	0	20	5

This result represents the moment of the astronomical beginning of Kumbha, which is after midnight on Saturday, for 20 h. 5 m. after sunrise is 2.5 a.m. on the European Sunday morning. The month, therefore, begins civilly on Monday (Art. 28, Rule 1 above).

Add, therefore, 1 to (*d*) and (*w*) 1 1

Add 20 (given day) to (*d*), and, casting out sevens from 20, add 6 to (*w*) 20 6

0 = Saturday, 427 = 3rd March (Table IX.) 427 0

Answer.—Saturday, 3rd March, A.D. 1855.

EXAMPLE XI. Required the week-day and A.D. date corresponding to the Tinnevelly Āndū 1024, 20th day of Āvāṇī. (See example 8, p. 73.)

The year is South Indian. It is not Meshādi, but Simhādi. Its corresponding Śaka year is 1771 current; and the sign-name of the month corresponding to Āvāṇī is Simha (Table I., and Table II., Parts ii., and iii.) The Śaka year 1771 commenced on 11th April (102), A.D. 1848 (a leap-year), on (3) Tuesday. Work by the *Arya-Siddhānta* (Art. 21).

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Table I., cols. 13, 14, 17)	102	3	1	30
Collective duration up to the end of Karka	125	6	9	38
	227	2	11	8

The month begins civilly on the same day by one of the South Indian systems (Art. 28, Rule 2, a); therefore subtract 1 from both (*d*) and (*w*). 1 1

Add 20, the serial number of the given day, to (*d*) and (less sevens) to (*w*) 226 1

Deduct 1 for 29th February (N.B. ii., Art. 149 and N.B. iii., Art. 147) 246 0

245

० = Saturday. २४५ = (Table IX.) Sept. 2nd.

Answer.—Saturday, September 2nd, 1848 A.D.

EXAMPLE XII. Required the week-day and A.D. date corresponding to the South Malayālām Āñdu 1024, 19th Chiṅgam. (The calculations in Example xi. shew that the South-Malayālām month Chiṅgam began civilly one day later (Art. 28, Rule 2b). Therefore the Tamil 20th Āvani was the 19th South-Malayālām.)

Referring to Table II., Part ii., we see that the date is the same as in the last example.

EXAMPLE XIII. Required the week-day and A.D. date corresponding to the North Malayālām Āñdu 1023, 20th Chiṅgam.

Referring to Table II., Part ii., we see that the date is the same as in the last two examples.

(C.) *Conversion into dates A.D. of tithis which are coupled with solar months.*

150. Many inscriptions have been discovered containing dates, in expressing which a tithi has been coupled, not with a lunar, but with a solar month. We therefore find it necessary to give rules for the conversion of such dates.

Parts of two lunar months corresponding to each solar month are noted in Table II., Part ii., col. 14. Determine by Art. 119, or in doubtful cases by direct calculation made under Arts. 149 and 151, to which of these two months the given tithi of the given fortnight belongs, and then proceed according to the rules given in Art. 139.

It sometimes happens that the same solar month contains the given tithi of both the lunar months noted in Table II., Part ii., col. 14, one occurring at the beginning of it and the other at the end. Thus, suppose that in a certain year the solar month Mesha commenced on the luni-solar tithi Chaitra śukla ashtāmi (8th) and ended on Vaiśākha śukla daśāmi (10th). In this case the tithi śukla navāmi (9th) of both the lunar months Chaitra and Vaiśākha fell in the same solar month Mesha. In such a case the exact corresponding lunar month cannot be determined unless the vāra (week-day), nakshatra, or yoga is given, as well as the tithi. If it is given, examine the date for both months, and after ascertaining when the given details agree with the given tithi, determine the date accordingly.

EXAMPLE XIV. Required the A.D. year, month, and day corresponding to a date given as follows;—"Śaka 1187, on the day of the nakshatra Rohini, which fell on Saturday the thirteenth tithi of the second fortnight in the month of Mithuna."¹

It is not stated whether the Śaka year is expired or current. We will therefore try it first as expired. The current year therefore is 1188. Turning to Table I. we find that its initial day, Chaitra śukla 1st, falls on 20th March (79), Friday (6), A.D. 1265. From Table II., Part ii., col. 14, we find that parts of the lunar months Jyeshṭha and Āshāḍha correspond to the solar month Mithuna. The Mesha saṅkrānti in that year falls on (Table I., col. 13) 25th March, Wednesday, that is on or about Chaitra śukla shashṭhi (6th), and therefore the Mithuna saṅkrānti falls on (about) Jyeshṭha śukla daśāmi (10th) and the Karka saṅkrānti on (about) Āshāḍha śukla dvādaśi (12th) (see Art. 119). Thus we see that the thirteenth tithi of the second fortnight falling in the solar month of Mithuna of the given date must belong to amānta Jyēṣṭha.

¹ This date is from an actual inscription in Southern India. (See *Ind. Ant.*, XXII., p. 219).

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
S. 1188, Chaitra ū. 1st (Table I., cols. 19, 20, 23, 24, 25)	79	6	287	879	265
Approximate number of days from Ch. ū. 1st to Jyesh. kri. 13th (87 tithis reduced by 60th part = 86) with its (w) (a) (b) (c) (Table IV.)	86	2	9122	121	235
	165	1	9409	0	500
Equation for (b) (o) (Table VI.)			140		
Do. (c) (500) Table VII.)			60		
			9609	= t.	
The resulting number 9609 fixes the tithi as krishna 14th (Table VIII., cols. 2, 3), i.e., the tithi immediately following the given tithi. There is no probability of a <i>kshaya</i> or <i>vridddhi</i> shortly before or after this (Art 142). Deduct, therefore, 1 from (d) and (w)			1	1	
	164	0			

164 = (Table IX.) 13th June; 0 = Saturday.

Answer.—13th June, 1265 A.D., Saturday, (as required).¹

(D.) *Conversion of dates A.D.² into Hindu luni-solar dates.*

151. Given a year, month, and date A.D., write down in a horizontal line (*w*) the week-day number, and (a), (b), (c) (Table I., cols. 20, 23, 24, 25) of the initial day (Chaitra ū. 1) of the Hindu Chaitrādi (Śaka) year corresponding to the given year; remembering that if the given date A.D. is earlier than such initial day, the (w) (a) (b) (c) of the previous Hindu year³ must be taken. Subtract the date-indicator of the initial date (in brackets, Table I., col. 19) from the date number of the given date (Table IX.), remembering that, if the initial day of the previous Hindu year has been taken, the number to be taken from Table IX. is that on the right-hand side, and not that on the left (*see also N.B. ii. below*). The remainder is the number of days which have intervened between the beginning of the Hindu year and the required date. Write down, under their respective heads, the (w) (a) (b) (c) of the number of intervening days from Table IV., and add them together as before (*see rules for conversion of luni-solar dates into dates A.D.*). Add to (a) the equation for (b) and (c) (Tables VI., VII.) and the sum (*t*) will indicate the tithi (Table VIII.) at sunrise of the given day; (w) is its week-day. To the number of intervening days add its sixtieth⁴ part. See the number of tithis next lower than this total⁵ (Table III., col. 3) and the lunar month along the same line (col. 2). Then this month is the month preceding the required month, and the following month is the required month.

When there is an added month in the year, as shown along the line in col. 8 or 8a of Table I., if it comes prior to the resulting month, the month next preceding the resulting month

It is found by actual calculation under Art. 156 that the given nakshatra falls on the same date, and therefore we know that the above result is correct.

² This problem is easier than its converse, the number of intervening days here being certain.

³ If the Rule I(a) in Art. 104 (Table II., Part iii.) be applied, this latter part of the rule necessarily follows.

⁴ A 59th part, or more properly 63rd, should be added, but by adding a 60th, which is more convenient, there will be no difference in the ultimate result. Neglect the fraction half or less, and take more than half as equivalent to one.

⁵ This total is the approximate number of tithis which have intervened. When it is the same as, or very near to, the number of tithis forming the collective duration up to the end of a month (as given in col. 3, Table III.), there will be some doubt about the required month; but this difficulty will be easily solved by comparing together the resulting tithi and the number of tithis which have intervened.

is the required month; if the added month is the same as the resulting month, the date belongs to that added month itself; and if the resulting month comes earlier than the added month, the result is not affected.

When there is a suppressed month in the year, if it is the same as, or prior to, the resulting month, the month next following the resulting month is the required month. If it is subsequent to the resulting month the result is not affected. If the resulting month falls after both an added and suppressed month the result is unaffected.

From the date in a Chaitrādi year thus found, any other Hindu year corresponding to it can be found, if required, by reference to Table II., Parts ii., and iii.

The tithi thus found is the tithi corresponding to the given date A.D.; but sometimes a tithi which is current at any moment of an A.D. date may be said to be its corresponding tithi.

N.B. i. See *N.B. ii.*, Art. 147; but for "+ 11" read "—11".

N.B. ii. If the given A.D. date falls in a leap-year after 29th February, or if its date-number is more than 365 (taken from the right-hand side of Table IX.) and the year next preceding it was a leap-year, add 1 to the date-number before subtracting the date-indicator from it.

EXAMPLE XV. Required the tithi and month in the Śaka year corresponding to 7th June, 1780 A.D.

The Śaka year corresponding to the given date is 1703 current. Its initial day falls on (4) Wednesday, 5th April, the date-indicator being 96.

w. a. b. c.

(Table I., cols. 20, 23, 24, 25) 4 1 657 267

7th June = 158 (Table IX.)

Add + 1 for leap-year (*N.B. ii.*)

159

Deduct 96 the (d) of the initial date
 — (Table I., col. 19).

Days that have intervened 63. By Table IV. 63 = 0 1334 286 172

4 1335 943 439

Equation for (b) (943) (Table VI.) 90

Do. (e) (439) (Table VII.) 38

— — —

4 1463 = t.

Śukla 5th (Table VIII.) is the required tithi, and (4) Wednesday is the week-day. Now $63 + \frac{3}{4} = 64\frac{3}{4}$. The next lowest number in col. 3, Table III., is 60, which shows Vaiśākha to be the preceding month. Jyeshṭha is therefore the required month.

Answer.—Śaka 1703 current, Jyeshṭha śukla 5th, Wednesday.

If the exact beginning or ending time of the tithi is required, proceed as in example 1 above (Art. 148.).

We have seen in example 1 above (Art. 148) that this Jyeshṭha 5th ended, and śukla 6th commenced, at 13 h. 11 m. after sunrise on the given date; and after that hour śukla 6th corresponded with the given date. Śukla 6th therefore may be sometimes said to correspond to the given date as well as śukla 5th.

EXAMPLE XVI.—Required the tithi and month in the southern Vikrama year corresponding to 12th September, 1776 A.D.

The Śaka year corresponding to the given date is 1699 current. Its initial date falls on 20th March (80), 4 Wednesday, A.D. 1776. Bhādrapada was intercalated in that year.

	w.	a.	b.	c.
(Table I., cols. 20, 23, 24, 25)			4	9841
12 September = 255 (Table IX.)			54	223
Add 1 for leap-year (N.B. ii.)				
	256			
Deduct 80 the (d) of the initial day.				
Days that have intervened 176 = (Table IV.)	1	9599	387	482
Equation for (b) (441) (Table VI.)	5	9440	441	705
Do. (c) (705) (Table VII.)		191		
		118		
			5	9749 = t.

This indicates (Table VIII.) krishṇa 30th (amāvāsyā, or new moon day), Thursday.

The intervening tithis are $176 + \frac{175}{60} = 179$. The number next below this in col. 3, Table III., is 150, and shows that Śrāvaṇa preceded the required month. But Bhādrapada was intercalated this year and it immediately followed Śrāvaṇa. Therefore the resulting tithi belongs to the intercalated or adhika Bhādrapada.

Answer.—Adhika Bhādrapada krī: 30th of Śaka 1699 current, that is adhika Bhādrapada krī. 30th of the Southern Vikrama Kārttikādi year 1833 current, 1832 expired. (Table II., Part ii.).

EXAMPLE XVII. Required the Telugu and Tulu equivalents of December 1st, 1822 A.D.

The corresponding Telugu or Tulu Chaitrādi Śaka year is 1745 current, Āśvina was intercalary and Pausha was expunged (col. 8, Table I.). Its initial date falls on 24 March (83), A.D. 1822, (1) Sunday.

	w.	a.	b.	c.
Table I., cols. 20, 23, 24, 25)	1	212	899	229
1st December = 335 (Table IX.)				
Deduct 83 (The d. of the initial day)				
Days that have intervened 252 = (Table IV.)	0	5335	145	690
Equation for (b) (44) (Table IV.)	1	5547	44	919
Do. (c) (919) (Do. VII.)		180		
		90		

The results give us krishṇa 3, Sunday (1), (Table VIII.) 1 5817 = t.

$252 + \frac{175}{60} = 256$. The number next below 256 in col. 3, Table III., is 240, and shews that Kārttika preceded the required month, and the required month would therefore be Mārga-

sîrsha. But Ásvina, which is prior to Mârgasîrsha, was intercalated. Kârttika therefore is the required month. Pausha was expunged, but being later than Kârttika the result is not affected.

Answer.—Sunday, Kârttika (Telugu), or Jârde (Tulu) (Table II., Part ii.), kr. 3rd of the year Chitrabhânu, Śaka 1745 (1744 expired), Kali year 4923 expired.

EXAMPLE XVIII. Required the tithi and pûrṇimânta month in the Śaka year corresponding to 18th January, 1541 A.D.

The given date is prior to Chaitra śukla 1 in the given year. We take therefore the initial day in the previous year, A.D. 1540, which falls on Tuesday the 9th March (69). The corresponding Śaka year is 1463 current.

w. a. b. c.

(Table I., cols. 20, 23, 24, 25) 3 108 756 229

18th January = . . . 383 (Table IX.)

Add for leap-year . . . 1 (N.B. ii., latter part.)

384

Deduct 69 (The d. of the initial day.)

No. of intervening days.	315 = (by Table IV.)	o	6669	432	862
			3	6777	188	91
Equation for (b) (188) (Table VI.)			269		
Do. (c) (91) (Do. VII.)			28		
			3	7074	= t.	

The result gives us krishna 7th, Tuesday (3) (Table VIII.).

$315 + \frac{315}{69} = 320$ tithis. The next lower number to 320 in col. 3, Table III., is 300, which shews Pausha as preceding the required month, and the required month would therefore be Mâgha. Ásvina, however, which is prior to Mâgha, was intercalary in this year; Pausha, therefore, would be the required month; but it was expunged; Mâgha, therefore, becomes again the required month. Adhika Ásvina and kshaya Pausha being both prior to Mâgha, they do not affect the result. By Table II. amânta Mâgha krishna is pûrṇimânta Phâlguna krishna. Therefore pûrṇimânta Phâlguna krishna 7th, Tuesday, Śaka 1463 current, is the required date.

(E.) Conversion of A.D. dates into Hindu solar dates.

152. Given a year, month, and date A.D., write down from Table I. in a horizontal line the (d) (w) and (h) (m) (the time) of the Mesha sañkrânti, by the Árya or Sûrya-Siddhânta¹ as the case may require, of the Hindu Meshâdi year, remembering that if the given day A.D. is earlier than the Mesha sañkrânti day in that year the previous² Hindu year must be taken. Subtract the date-indicator of the Mesha sañkrânti day from the date-number of the given date (Table IX.), remembering that if the Mesha sañkrânti time of the previous Hindu year is taken the number to be taken from Table IX. is that on the right-hand side, and not that on the left (*see also Art. 151, N.B. ii.*); the remainder is the number of days which intervened between the Mesha sañkrânti and the given day. Find from Table III., cols. 6, 7, 8 or 9, as the case may be, the number next below that number of intervening days. Write its three quantities (d), (w), and the time of the sañkrânti (h. m.), under their respective heads, and add together the three quantities separately (*See Art. 149*

¹ See Art. 21, and notes 1 and 2, and Arts. 93 and 96.

² See note 4, p. 90.

above). The sum is the time of the astronomical beginning of the required month, and the month next following that given in col. 5, on the line of the next lowest number, is the month required.

Ascertain the day of the civil beginning of the current required month by the rules in Art. 28. When it falls on the same day as the sañkrânti day, or the following, or the third day, respectively, subtract 1 from, or add 0 or 1 to, both (*d*) and (*w*). Subtract (*d*) from the date-number of the given date. The remainder is the required Hindu day. Add that remainder, casting out sevens from it, to (*w*). The sum is the week-day required.

From the Meshâdi year and the sign-name of the month thus found, any other corresponding Hindu year can be found by reference to Table III., Parts ii., and iii.

Observe the cautions contained in *N.B. i.* and *ii.* to Art. 151.

EXAMPLE XIX. Required the Tamil, Tinnevelly, and South and North Malayâlam equivalents of 30th May, 1803 A.D. (See example 14, p. 76.)

The corresponding Meshâdi Śaka year current is 1726. Its Mesha sañkrânti falls on April 11th (101), 2 Monday. The *Ārya Siddhânta* applies. (See Art. 21.)

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Table I., cols. 13 14, 17)	101	2	10	7
May 30th = 150 (Table IX.)				

Deduct 101, the (*d*) of the initial day.

Intervening days 49

The number next below 49, (Table III., col. 7), for the end of Mesha and beginning of Vrishabha, is 30, and we have

30 2 22 12

[Total of hours = 32. 1 day of 24 hours carried over to (*d*) and (*w*).] Astronomical beginning of Vrishabha

132 5 8 19

By all South Indian reckonings, except that in the South Malayâlam country, the month begins civilly on the same day as the sañkrânti. Subtract, therefore, 1 from (*d*) and (*w*)

1 1

Subtract 131 (*d*) from the number of the given date

131 4

150

Remainder, 19, is the required date in the month of Vrishabha.

19

Add 19, casting out sevens, to (*w*)

5

Required week-day

2

Answer.—Monday, 19th day of the month Vrishabha, Tamil Vaigâsi, of Śaka 1726 current (1725 expired); Kali 4904 expired (Table I., or Table II., Part iii.); Tinnevelly Āṇḍu 978, Vaigâsi 19th; North Malayâlam Āṇḍu 978, Edavam 19th.

The Vrishabha sañkrânti took place 8 h. 19 m. after sunrise, viz., not within the first $\frac{2}{3}$ ths of the day. Therefore by the South Malayâlam system the month Vrishabha began civilly, not on (5) Thursday, but on the following day (6) Friday. Therefore we have to add or subtract nothing from 132 and 5. Subtracting 132 from 150, the remainder, 18th, is the required day. Adding (18 + 7) to 5 (*w*) we get (2) Monday as the required week-day. Therefore Monday 18th of Edavam, Kollam Āṇḍu 978, is the required South Malayâlam equivalent.

EXAMPLE XX. Required the week-day and Bengali date at Calcutta corresponding to March 3rd, 1855 A.D. The *Surya-Siddhânta* is the authority in Bengal. The given day is earlier than the Mesha saṅkrânti in the year given. We must take therefore as our starting-point the Mesha saṅkrânti of the previous year, which falls on 11th April (101), Tuesday, (3) Śaka 1777 current, A.D. 1854.

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Table I., cols. 13, 14, 17a)	101	3	17	13
Difference of longitude for Calcutta (Table XI.)				+ 50
March 3rd, 1855 = 427 (Table IX.)				
Deduct (<i>d</i>) of the initial day 101				
Intervening days 326				
The number next below 326 (Table III. col. 9), for the end of Makara and beginning of Kumbha is	305	4	2	2
The astronomical beginning of Kumbha, after midnight on Saturday =	406	0	20	5
The civil beginning falls on the third day, Monday (Art. 28). We add therefore 1 to (<i>d</i>) and (<i>w</i>)	1	1		
The last civil day of Makara =	407	1		
Subtract (<i>d</i>) 407 from the date number of 3rd March	427			
Remainder 20, and the required date is 20th Kumbha.	20			
Add 20 to (<i>w</i>) casting out sevens	6			
The required week-day is Saturday	0			

The Bengali month corresponding to Kumbha is Phâlguna (Table II., Part ii.).

Answer.—The 20th day of Phâlguna, Saturday, Śaka, 1776 expired. (See example x above.)

EXAMPLE XXI. Required the South Indian solar dates equivalent to 2nd September, 1848 A.D. The corresponding Meshâdi Śaka year (current) is 1771. It commenced on 11th April (102), Tuesday (3).

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Table I., cols. 13, 14, 17)	102	3	1	30
2nd September = 245 (Table IX.)				
Add 1 for leap-year 1 (N.B. ii, Art. 151.)				
Date-number of the given day 246				
Deduct (<i>d</i>) of the initial day 102				
Intervening days 144				
The number next below 144, (col. 7, Table III.), for the end of Karka and beginning of Simha is 125, and we write	125	6	9	38
The astronomical beginning of Simha is	227	2	11	8
This is the civil beginning by one of the Southern systems.				

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
(Brought over)	277	2	11	8
Subtract 1 from (<i>d</i>) and (<i>w</i>)	1	1		
Last civil day of Karka =	226	1		
Subtract 226 from the date number 246 (Table IX.) of the given day	246			
Required date in the month Simha	20			
Add this to (<i>w</i>) casting out sevens	6			
The required week-day is Saturday	0			
The equivalents are therefore:—(see Table II., Part ii.)				
Saturday 19th Chīngam, South Malayālam Āñdu 1024 (See example XII., p. 89.)				
Do. 20th Do. North Do. 1023				
Do. 20th Avāñi Tinnevelly Āñdu 1024				
Do. 20th Do. Tamil Śaka year 1771 (current).				

(F.) Determination of Karanas.

153. We now proceed to give rules for finding the karanas on a given day,—the exact moments of their beginning and ending, and the karaṇa current at sunrise on any given day, or at any moment of any given day.

The karanas¹ of a given tithi may be found by the following rule. Multiply the number of expired tithis by two. Divide this by 7; and the remainder is the karaṇa for the current half of the tithi. *Example.*—Find the karaṇa for the second half of krishṇa 8th. The number of expired tithis from the beginning of the month is $(15 + 7\frac{1}{2}) = 22\frac{1}{2}$. $22\frac{1}{2} \times 2 = 45$. Casting out sevens the 3rd, or Kaulava, is the required karaṇa.

154. To find the exact moments on which the karanas corresponding to a given tithi begin and end. Find the duration of the tithi from its beginning and ending moments, as calculated by the method given in Arts. 139, 144, and 145 above. The first half of the tithi is the period of duration of its first karaṇa, and the second half that of the second.

EXAMPLE XXII. Find the karanas, and the periods of their duration, current on Jyeshṭha śukla pañchami (5th) of the Śaka year 1702 expired (1703 current). From Table VIII., cols. 4 and 5 we observe that (1) Bava is the first, and (2) Bālava is the second, karaṇa corresponding to the 5th tithi. In the first example above (Art. 148) we have found that the tithi commenced on Tuesday, 6th June, A.D. 1780, at 15 h. 34 m. after mean sunrise, and that it ended on Wednesday, 7th June, at 13 h. 11 m. after mean sunrise. It lasted therefore for 21 h. 37 m. (8 h. 26 m. on Tuesday and 13 h. 11 m. on Wednesday). Half of this duration is 10 h. 48 m. The Bava karaṇa lasted therefore from 15 h. 34 m. after mean sunrise on Tuesday, June 6th, to 2 h. 22 m. after mean sunrise on Wednesday, June 7th, and the Bālava karaṇa lasted thence to the end of the tithi.

155. The karaṇa at sunrise or at any other time can of course easily be found by the above method. It can also be calculated independently by finding the (ℓ) for the time given. Its beginning or ending time also can be found, with its index, by the same method as is used for that of a tithi. The index of a karaṇa can be easily found from that of a tithi by finding the middle point of the latter. For example, the index of the middle point of śukla 14th

¹ For the definition of karanas, and other information regarding them, see Arts. 10 and 40.

is 4500, or $4333 +$ half the difference between 4333 and 4667 (*Table VIII.*), and therefore the indices for the beginning and ending of the 5th karaṇa on ūkla 14th are 4333 and 4500, and of the 6th karaṇa on the same tithi 4500 and 4667.

EXAMPLE XXII(a). Find the karaṇa at sunrise on Wednesday the 7th June, A.D. 1780, Jyeshṭha ūkla 5th, Śaka 1702 expired (1703 current).

In examples i. and xv. above we have found (*t*) at the given sunrise to be 1463. Turning with this to Table VIII. we see that the karaṇa was the 1st or 2nd. The index of the first is 1333 to 1500, and therefore the first karaṇa, Bava, was current at the given sunrise.

(G) *Determination of Nakshatras.*

156. To find the nakshatra at sunrise, or at any other moment, of an Indian or European date. If the given date be other than a tithi or a European date, turn it into one or other of these. Find the (*a*) (*b*) (*c*) and (*t*) for the given moment by the method given in Arts. 139, 148 or 151, (*Examples i. or xv.*) above. Multiply (*c*) by ten; add 7207 to the product, and from this sum subtract the equation for (*c*) (*Table VII.*). Call the remainder (*s*). Add (*s*) to (*t*). Call the result (*n*). Taken as an index, (*n*) shows, by Table VIII., col. 6, 7, 8, the nakshatra current at the given moment as calculated by the ordinary system.

157. If the nakshatra according to the Garga or Brahma Siddhānta system is required, use cols. 9 or 10 respectively of Table VIII.

158. The beginning or ending time of the nakshatra can be calculated in the same manner as that of a tithi. Since (*c*) is expressed in 1000ths, and 10000ths of it are neglected, the time will not be absolutely correct.

EXAMPLE XXIII. Find the nakshatra current at sunrise on Wednesday, Jyeshṭha ūkla 5th, Śaka 1702 expired, (7th June, 1780 A.D.)

	<i>t.</i>	<i>c.</i>	<i>Equation for c. (Table VII.)</i>
As calculated in Example i. or xv. above	1463	439	38
Multiply (<i>c</i>) by 10		$439 \times 10 = 4390$	
Add		7207	
			1597
Subtract equation for (<i>c</i>)			38
Add (<i>s</i>) to (<i>t</i>)	1559		$1559 = (s)$
			3022 = (<i>n</i>)

This result (*n*) gives Asleshā (*Table VIII.*, cols. 6, 7, 8) as the required current nakshatra. The (*n*) so found 3022—2963 (index to beginning point of Asleshā) = 59. Therefore Asleshā begins 3 h. 52 m. (*Table X.*, col. 4) before sunrise on the Wednesday.

3333 (end of Asleshā)—3022(*n*) = 311, and therefore Asleshā ends (19 h. 40 m. + 43 m. =) 20 h. 23 m. after sunrise on the Wednesday.

For greater accuracy we may proceed as in Example i. (*Art. 148.*)

(H) *Determination of Yogas.*

159. The next problem is to find the *yoga* at sunrise or at any other moment of an Indian or European date. If the given date is other than a tithi or a European date, turn it

into one or the other of these. Find (*a*) (*b*) (*c*) (*t*) (*s*) and (*n*) for the given moment as above (Art. 156). Add (*s*) to (*n*). Call the sum (*y*). This, as index, shews by Table VIII., cols. 11, 12, 13, the *yoga* current at the given moment.

EXAMPLE XXIV. Find the *yoga* at sunrise on Jyeshtha śukla 5th, Saka 1702 expired, 7th June, 1780 A.D.

As calculated in example xviii.	$(s) = 1559$	$(n) = 3022$
Add (<i>n</i>) to (<i>s</i>)	$(n) = 3022$	

Required *yoga* (*y*) = $4581 = (13)$ Vyāghāta (Table VIII.).

We find the beginning point of Vyāghāta from this.

The (*y*) so found $4581 - 4444$ (beginning point of Vyāghāta) = 137 = (6 h. 6 m. + 2 h. 15 m.) = 8 h. 21 m. before sunrise on Wednesday (Table X., col. 5).

The end of Vyāghāta is found thus:

(End of Vyāghāta) $4815 - 4581$ (*y*) = 234 = (12 h. 12 m. + 2 h. 4 m.) = 14 h. 16 m. after sunrise on Wednesday.

(1.) Verification of Indian dates.

160. (See Art. 132.) The following is an example of the facility afforded by the Tables in this volume for verifying Indian dates.

EXAMPLE XXV. Suppose an inscription to contain the following record of its date,— “Śaka 666, Kārttika krishṇa amāvāsyā (30), Sunday, nakshatra Hasta.” The problem is to verify this date and find its equivalent A.D. There is nothing here to shew whether the given year is current or expired, whether the given month is amānta or pūrṇimānta, and whether, if the year be the current one, the intercalary month in it was taken as true or mean.¹

First let us suppose that the year is an expired one (667 current) and the month amānta. There was no intercalary month in that year. The given month would therefore be the eighth, and the number of intervening months from the beginning of the year is 7.

	d.	w.	a.	b.	c.
Śaka 667 current. (Table I., cols. 19, 20, 23, 24, 25)	80	6	324	773	278
210 (7 months) + 15 (śukla) + 14 (kr. amāvāsyā is 15, and 1 must be subtracted by rule) = 239 tithis = 235 days	235	4	9578	529	643
	315	3	9902	302	921
Equation for (<i>b</i>) (302) (Table VI.)				271	
Do. (<i>c</i>) (921) (Do. VII.)				90	
	—	—			
	3	263	= <i>t</i> .		

This gives us Tuesday, śukla 1st (Table VIII.). Index, *t* = 263, proves that 263 parts of the tithi had expired at sunrise on Tuesday, and thence we learn that this śukla 1st commenced on Monday, and that the preceding tithi krī. 30 would possibly commence on Sunday. If so, can we connect the tithi krī. 30 with the Sunday? Let us see.

¹ This will illustrate the danger of trusting to Tables XIV. and XV. in important cases.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
Already obtained	315	3	9902	302	921
Subtract value for two days (Table IV.)	2	2	677	73	5
	313	1	9225	229	916
Equation for (<i>b</i>) (229) (Table VI.)			279		
Do. (<i>c</i>) (916) (Do. VII.)			91		
			1	9595	= <i>t</i> .

This index gives us krishṇa 14th (Table VIII.) as current at sunrise on Sunday (1). The tithi ended and kṛi. 30 commenced $(9667 - 9595 = 72 =)$ 5 h. 6 m. after sunrise on Sunday. This kṛi. 30 therefore can be connected with a Sunday, and if the nakshatra comes right—Hasta—then this would be the given date. We calculate the nakshatra at sunrise on Sunday.

	<i>t.</i>	<i>c.</i>
As calculated above	9595	916
(<i>c</i>) multiplied by 10		$916 \times 10 = 9160$
Add constant		$\overline{7207}$
		$\overline{6367}$
Subtract the equation for (<i>c</i>) (Table VII.)		$\overline{91}$
Add (<i>s</i>) to (<i>t</i>)	6276	$\overline{6276 = (s)}$
		$\overline{5871 = (n)}$

This index (*n*) gives nakshatra No. 16 Visākhā (Table VIII., col. 6, 7, 8). Therefore No. 13 Hasta had already passed, and this proves that the date obtained above is incorrect.

Now if Kārttika in the given record be pūrṇimānta, the amānta month corresponding (Table II., Part i) would be Āśvina, the 7th month, and it is possible that Āśvina kṛi. 30, falling back as it does 29 or 30 days from the date calculated, might fall on a Sunday. Let us see if it did so.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
Chaitra śukla 1, Śaka 667 current (as above)	80	6	324	773	278
180 (6 expired months) + 15 (śukla) + 14 (see above) = 209 tithis					
= 206 days	206	3	9758	476	564
Equation for (<i>b</i>) (249) (Table VI.)	286	2	82	249	842
Do. (<i>c</i>) (842) (Do. VII.)			280		
			111		
			2	473 = (<i>t</i>)	

The result gives us Monday, śukla 2nd.¹

¹ Note that this approximate calculation, which is the same as that by method B, comes out actually wrong by two days.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
State the figures for this	286	2	82	249	842
Subtract value for two days (Table IV.)	2	2	677	73	5
	284	0	9405	176	837
Equation for (<i>b</i>) (176) (Table VI.)				265	
Do. (<i>c</i>) (842) (Do. VII.)				112	
				—	
	0		9782		

This gives Saturday krishna (30), amāvāsyā, i.e., that tithi had $(10,000 - 9782)$ 218 parts to run at sunrise on Saturday. Therefore it ended on Saturday, and cannot be connected with a Sunday. Here again we have not the correct date.

Now let us suppose that the given year 666 is a *current* amānta year. Then the given month, Kārttika, is amānta, and the intercalary month was Bhādrapada. The given month would be the 9th.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
Chaitra śukla 1st, Śaka 666 current (Table I.)	61	0	289	837	227
240 (for 8 months) + 15 (śukla) + 14 (as above) = 269 tithies = 265 days (Table IV.)	265	6	9737	617	726
	326	6	26	454	953
Equation for (<i>b</i>) (454) (Table VI.)				180	
Do. (<i>c</i>) (953) (Do. VII.)				78	
	6		284 = <i>t</i>		

This gives us Friday, śukla 1st. The preceding day is krishna amāvāsyā, and this therefore ends on Thursday and can in no way be connected with a Sunday. This date is therefore again wrong. The amāvāsyā of the previous month (29 days back) would end on a Wednesday or perhaps Tuesday, so that cannot help us. If we go back yet a month more, it is possible that the krishna amāvāsyā might fall on a Sunday. That month could only be called Kārttika if it were treated according to the pūrnimānta system and if there were no intercalary month. The given month would then be the 7th in the year. We test this as usual.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
Chaitra śukla 1st, Śaka 666 current	61	0	289	837	227
180 (6 expired months) + 15 śukla + 14 (as before) = 209 tithis = 206 days (Table IV.)	206	3	9758	476	564
	267	3	47	313	791
Equation for (<i>b</i>) (313) (Table VI.)				269	
Do. (<i>c</i>) (791) (Do. VII.)				119	
	3		435 = <i>t</i>		

This gives Tuesday,¹ śukla 2nd, two tithis in advance of the required one.

¹ In this case the result by the approximate method A or B will be wrong by two days.

We may either subtract the value of (*w*) (*a*) (*b*) (*c*) for two days from their value as already obtained, or may add the value for (206—2 =) 204 days to the value at the beginning of the year. We try the latter.

	<i>d.</i>	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>
Chaitra śukla 1st, Śaka 666 current (Table I.)	61	0	289	837	227
204 days (Table IV.)	204	1	9081	403	559
	265	1	9370	240	786
Equation for (<i>b</i>) (240) (Table VI.)			280		
Do. (<i>c</i>) (786) (Do. VII.)			119		
			1	9769	= <i>t</i>

This gives us krishṇa amāvāsyā, (1) Sunday, as required.

(*d*) = 265 = (Table IX.) 22nd September, 743 A.D. (Table I.). From Table XIII. we see that the week-day is right. If the nakshatra Hasta comes right, then this is the given date. We calculate it according to rule.

	<i>t.</i>	<i>c.</i>
As already obtained	9769	786
(<i>c</i>) multiplied by 10	7860	
Add constant	7207	
	5067	
Subtract the equation for (<i>c</i>) (786) (Table VII.)	119	
Add (<i>s</i>) to (<i>t</i>)	4948	4948 = (<i>s</i>)
	4717	= (<i>n</i>)

This result gives No. 13 Hasta (Table VIII.) as required.

This therefore is the given date. Its equivalent A.D. is 22nd September, 743 A.D. The data were imaginary. If they had been taken from an actual record they would have proved that mean and not true intercalary months were in use in A.D. 743, because we have found that there was no intercalary month prior to the given month Kārttika. The mean intercalary month in that year (Table I.) was the 9th month, Mārgaśīrsha, and of course Kārttika was unaffected by it. 160(A). See page of Addenda and Errata.

PART V.

THE MUHAMMADAN CALENDAR.

161. The Muhammadan era of the *Hijra*, or "flight," dates from the flight of Muhammad (Anglicé Mahomet) which took place, according to the Hissabi or astronomical reckoning, on the evening of July 15th, A.D. 622. But in the *Helali*, or chronological reckoning, Friday, July 16th, is made the initial date. The era was introduced by the Khalif Umar.

162. The year is purely lunar, and the month begins with the first heliacal rising of the moon after the new moon. The year is one of 354 days, and of 355 in intercalary years. The months have alternately 30 and 29 days each (*but see below*), with an extra day added to the last month eleven times in a cycle of thirty years. These are usually taken as the 2nd, 5th, 7th, 10th, 13th, 15th, 18th, 21st, 24th, 26th, and 29th in the cycle, but Jervis gives the 8th, 16th, 19th, and 27th as intercalary instead of the 7th, 15th, 18th and 26th, though he mentions the usual list. Ulug Beg mentions the 16th as a leap-year. It may be taken as certain that the practice varies in different countries, and sometimes even at different periods in the same country.

30 years are equal to $(354 \times 30 + 11) = 10,631$ days and the mean length of the year is $354\frac{11}{30}$ days.¹

Since each Hijra year begins 10 or 11 civil days earlier than the last, in the course of 33 years the beginning of the Muhammadan year runs through the whole course of the seasons.

163. Table XVI. gives a complete list of the initial dates of the Muhammadan Hijra years from A.D. 300 to A.D. 1900. The asterisk in col. 1 shews the leap-years, when the year consists of 355 days, an extra day being added to the last month Zil-hijjat. The numbers in brackets following the date in col. 3 refer to Table IX. (*see above, Art. 95*), and are for purposes of calculation as shewn below.

Muhammadan Months.

1	2	Days.	Collective duration.				Days.	Collective duration.
			3	4	1	2		
1	Muharram	30	30	7	Rajab	30	207	
2	Safar	29	59	8	Sha'bân	29	236	
3	Rabi-ul awwal	30	89	9	Ramazân	30	266	
4	Rabi-ul âkhir, or Rabi-us sâni.	29	118	10	Shawwâl	29	295	
5	Jumâda'l awwal	30	148	11	Zi-l-ka'da	30	325	
6	Jumâda'l âkhir, or Jumâda-s sâni	29	177	12	Zi-l-hijja	29	354 ¹	
					In leap-years	30	355 ¹	

164. Since the Muhammadan year invariably begins with the heliacal rising of the moon, or her first observed appearance on the western horizon shortly after the sunset following the new-moon (the amâvâsyâ day of the Hindu luni-solar calendar), it follows that this rising is due about the end of the first tithi (sukla pratipadâ) of every lunar month, and that she is actually seen on the evening of the civil day corresponding to the 1st or 2nd tithi of the sukla (bright) fortnight. As, however, the Muhammadan day—contrary to Hindu practice, which counts the day from sunrise to sunrise—consists of the period from sunset to sunset, the first date of a Muhammadan month is always entered in Hindu almanacks as corresponding with the next following Hindu civil day. For instance, if the heliacal rising of the moon takes place shortly after sunset on a Saturday, the 1st day of the Muhammadan month is, in Hindu panchângs, coupled with the

¹ A year of the Hijra = 0.970223 of a Gregorian year, and a Gregorian year = 1.03069 years of the Hijra. Thus 32 Gregorian years are about equal to 33 years of the Hijra, or more nearly 163 Gregorian years are within less than a day of 168 Hijra years.

Sunday which begins at the next sunrise. But the Muhammadan day and the first day of the Muhammadan month begin with the Saturday sunset. (*See Art. 30, and the pāñchāng extract attached.*)

165. It will be well to note that where the first tithi of a month ends not less than 5 ghaṭikās, about two hours, before sunset, the heliacal rising of the moon will most probably take place on the same evening; but where the first tithi ends 5 ghaṭikās or more after sunset the heliacal rising will probably not take place till the following evening. When the first tithi ends within these two periods, *i.e.*, 5 ghaṭikās before or after sunset, the day of the heliacal rising can only be ascertained by elaborate calculations. In the pāñchāng extract appended to Art. 30 it is noted that the heliacal rising of the moon takes place on the day corresponding to September 1st.

166. It must also be specially noted that variation of latitude and longitude sometimes causes a difference in the number of days in a month; for since the beginning of the Muhammadan month depends on the heliacal rising of the moon, the month may begin a day earlier at one place than at another, and therefore the following month may contain in one case a day more than in the other. Hence it is not right to lay down a law for all places in the world where Muhammadan reckoning is used, asserting that invariably months have alternately 29 and 30 days. The month Safar, for instance, is said to have 29 days, but in the pāñchāng extract given above (*Art. 30*) it has 30 days. No universal rule can be made, therefore, and each case can only be a matter of calculation.¹ The rule may be accepted as fairly accurate.

167. The days of the week are named as in the following Table.

Days of the Week.

	Hindustāni.	Persian.	Arabic.	Hindi.
1. Sun.	Itwār.	Yak-shamba.	Yaumu'l-ahād.	Rabi-bār.
2. Mon.	Somwār, or Pir.	Do-shamba.	" -iṣnain.	Som-bār.
3. Tues.	Mangal.	Sih-shamba.	" -ṣalāsa'.	Mangal-bār.
4. Wed.	Budh.	Chahār-shamba.	" -arbā'.	Budh-bār.
5. Thurs.	Jum'a-rāt.	Panj-shamba.	" -khamīs.	Brihaspati-bār.
6. Fri.	Jum'a.	Ādina.	" -Jum'ah.	Sukra-bār.
7. Sat.	Sanīchar.	Shamba, or Hafta.	Yaumu's-sab't.	Sanī-bār.

Old and New style.

168. The New Style was introduced into all the Roman Catholic countries in Europe from October 5th, 1582 A.D., the year 1600 remaining a leap-year, while it was ordained that 1700, 1800, and 1900 should be common and not leap-years. This was not introduced into England till September 3rd, A.D. 1752. In the Table of Muhammadan initial dates we have given the comparative dates according to English computation, and if it is desired to assimilate the date to that of any Catholic country, 10 days must be added to the initial dates given by us from Hijra 991 to Hijra 1111 inclusive, and 11 days from H. 1112 to 1165 inclusive. Thus, for Catholic countries H. 1002 must be taken as beginning on September 27th, A.D. 1593.

¹ So far as I know no European chronologist of the present century has noticed this point. Tables could be constructed for the heliacal rising of the moon in every month of every year, but it would be too great a work for the present publication. [S. B. D.]

The Catholic dates will be found in Professor R. Wüstenfeld's "Vergleichungs-Tabellen der Muhammadanischen und Christlichen Zeitrechnung" (Leipzig 1854).

To convert a date A.H. into a date A.D.

169. Rule 1. Given a Muhammadan year, month, and date. Take down (*w*) the week-day number of the initial day of the given year from Table XVI., col. 2, and (*d*) the date-indicator in brackets given in col. 3 of the same Table (Art. 163 and 95 above.) Add to each the collective duration up to the end of the month preceding the one given, as also the moment of the given date minus 1 (Table in Art. 163 above). Of the two totals the first gives the day of the week by casting out sevens, and the second gives the day of the month with reference to Table IX.

Rule 2. Where the day indicated by the second total falls on or after February 29th in an English leap-year, reduce the total by one day.

Rule 3. For Old and New Style between Hijra 991 and 1165 see the preceding article.

EXAMPLE 1. Required the English equivalent of 20th Muharram, A.H. 1260.
A.H. 1260 begins (Table XVI.) January 22nd, 1844.

(<i>w</i>) Col. 2	(<i>d</i>) Col. 3
2	22
Given date minus 1 = 19	19
—	—
21	41 = (Table IX.) Feb. 10th.
Cast out sevens = 21	
—	
0 = Saturday.	

Answer.—Saturday, February 10th, A.D. 1844.

EXAMPLE 2. Required the English equivalent of 9th Rajab, A.H. 1311.
A.H. 1311 begins July 15th, 1893.

<i>w.</i>	<i>d.</i>
0	196
9th Rajab = (177 + 8) = 185	185
—	—
7 185	381 = Jan. 16th, 1894.

(26) 3 = Tuesday.

Answer.—Tuesday, January 16th, A.D. 1894.

This last example has been designedly introduced to prove the point we have insisted on viz., that care must be exercised in dealing with Muhammadan dates. According to Traill's *Indian Diary, Comparative Table of Dates*, giving the correspondence of English, Bengali, N.W. Fasali, "Samvat", Muhammadan, and Burmese dates, Rajab 1st corresponded with January 9th, and therefore Rajab 9th was Wednesday, January 17th, but Letts and Whitaker give Rajab 1st as corresponding with January 8th, and therefore Rajab 9th = Tuesday, January 16th, as by our Tables.

To convert a date A.D. into a date A.H.

170. Rule 1. Take down (*w*) the week-day number of the initial day of the corresponding Muhammadan year, or the year previous if the given date falls before its initial date, from Table XVI., col. 2, and (*d*) the corresponding date-indicator in brackets as given in col. 3. Subtract (*d*) from the collective duration up to the given A.D. date, as given in Table IX., Parts i. or ii. as the case may be. Add the remainder to (*w*). From the same remainder subtract the collective duration given in the Table in Art. 163 above which is next lowest, and add 1. Of these two totals (*w*) gives, by casting out sevens, the day of the week, and (*d*) the date of the Muhammadan month following that whose collective duration was taken.

Rule 2. When the given English date is in a leap-year, and falls on or after February 29th, or when its date-number is more than 365 (taken from the right-hand side of Table IX.), and the year preceding it was a leap-year, add 1 to the collective duration given in Table IX.

Rule 3. For Old and New Style see above, Art. 167.

EXAMPLE. Required the Muhammadan equivalent of January 16th, 894 A.D.

Since by Table XVI. we see that A.H. 1312 began July 5th, 1894 A.D., it is clear that we must take the figures of the previous year. This gives us the following:

(<i>w</i>)	(<i>d</i>)
0	196
	—
	Jan. 16th (Table IX.) = 381
	— 196
	—
185	185
—	—
7 185	
	—
(26) 3 = Tuesday.	Coll. dur. (Art. 163) — 177
	—
	8
	+ 1
	—
	9

Answer.—Tuesday, Rajab 9th, A.H. 1311.

Perpetual Muhammadan Calendar.

By the kindness of Dr. J. Burgess we are able to publish the following perpetual Muhammadan Calendar, which is very simple and may be found of use. Where the week-day is known this Calendar gives a choice of four or five days in the month. But where it is not known it must be found, and in that case our own process will be the simpler, besides fixing the day exactly instead of merely giving a choice of several days.

							0	30	60	90	120	150	180	
							210	240	270	300	330	360	390	
							420	450	480	510	540	570	600	
PERPETUAL MUHAMMADAN CALENDAR.							Years A.H.	630	660	690	720	750	780	810
								840	870	900	930	960	990	1020
								1050	1080	1110	1140	1170	1200	1230
For odd years.								1260	1290	1320	1350	1380	1410	1440
								DOMINICAL LETTERS.						
0	5*	8	13*		21*	29*		G	B	D	F	A	C	E
1		9		17		25		C	E	G	B	D	F	A
2*		10*		18*		26*		F	A	C	E	G	B	D
3		11	16*	19	24*	27		A	C	E	G	B	D	F
4		12		20		28		D	F	A	C	E	G	B
6		14		22				B	D	F	A	C	E	G
7*		15		23				E	G	B	D	F	A	C
1 Muḥarram								A	G	F	E	D	C	B
10 Shawwāl														
2 Ṣafar								C	B	A	G	F	E	D
7 Rabi'ah														
3 Rabi'ul-Āwwal								D	C	B	A	G	F	E
12 Zil-hijjat														
4 Rabī'l-Ākhir								F	E	D	C	B	A	G
9 Ramadān														
5 Jamādā-l-Āwwal								G	F	E	D	C	B	A
6 Jamādā-l-Ākhir								B	A	G	F	E	D	C
11 Zil-ka'dat														
8 Shū'bān								E	D	C	B	A	G	F
1	8	15	22	29	Sun.	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.			
2	9	16	23	30	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Sun.			
3	10	17	24		Tues.	Wed.	Thur.	Fri.	Sat.	Sun.	Mon.			
4	11	18	25		Wed.	Thur.	Fri.	Sat.	Sun.	Mon.	Tues.			
5	12	19	26		Thur.	Fri.	Sat.	Sun.	Mon.	Tues.	Wed.			
6	13	20	27		Fri.	Sat.	Sun.	Mon.	Tues.	Wed.	Thur.			
7	14	21	28		Sat.	Sun.	Mon.	Tues.	Wed.	Thur.	Fri.			

From the Hijra date subtract the next greatest at the head of the first Table, and in that column find the Dominical letter corresponding to the remainder. In the second Table, with the Dominical letter opposite the given month, run down to the week-days, and on the left will be found the dates and vice versa.

EXAMPLE. For Ramadān, A.H. 1310. The nearest year above is 1290, difference 20; in the same column with 1290, and in line with 20, is F. In line with Ramadān and the column F we find Sunday 1st, 8th, 15th, 22nd, 29th, etc.

* In the 11 years marked with an asterisk the month Zil-ka'dat has 30 days; in all others 29. Thus A.H. 1306 (1290 + 16) had 355 days, the 30th of Zil-ka'dat being Sunday.

T A B L E S.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.									
Kali.	Saka.	Chaitra Vikrami	Māshāni (Solar) year in Bengal.	Kollam.	A. D.	Samvat-sa.		Name of month.	True.			Lunation parts (l.)	Tithi.	Lunation parts (l.)	Tithi.	
						(Southern.)			Time of the preceding saṅkrānti expressed in		Time of the succeeding saṅkrānti expressed in					
1	2	3	3a	4	5	6	7	8	9	10	11	12				
3402	223	353	—	—	*300-1 47 Pramādin										
3403	224	359	—	—	301-2 48 Ānanda	7 Āśvina	9950	29.850	287	0.861					
3404	225	360	—	—	302-3 49 Rākṣasa										
3405	226	361	—	—	303-4 50 Anala										
3406	227	362	—	—	*304-5 51 Pingala	5 Śrāvana	9585	28.755	248	0.744					
3407	228	363	—	—	305-6 52 Kālayukta										
3408	229	364	—	—	306-7 53 Siddhārthīn										
3409	230	365	—	—	307-8 54 Randra	3 Jyeshtha	9442	28.326	152	0.456					
3410	231	366	—	—	*308-9 55 Durnati										
3411	232	367	—	—	309-10 56 Dandubhi										
3412	233	368	—	—	310-11 57 Rudhraodgirī	2 Vaiśākha	9781	29.343	321	0.963					
3413	234	369	—	—	311-12 58 Raktikāsha ¹⁾										
3414	235	370	—	—	*312-13 60 Kshaya	6 Bhādrapada	9767	29.301	374	1.122					
3415	236	371	—	—	313-14 1 Prabhava										
3416	237	372	—	—	314-15 2 Vibhava										
3417	238	373	—	—	315-16 3 Sakla	4 Āshādha	9648	28.944	306	0.918					
3418	239	374	—	—	*316-17 4 Pramoda										
3419	240	375	—	—	317-18 5 Prajāpati										
3420	241	376	—	—	318-19 6 Āngira	3 Jyeshtha	9861	29.583	648	1.944					
3421	242	377	—	—	319-20 7 Śeimukha										
3422	243	378	—	—	*320-21 8 Bhāva	7 Āśvina	9919	29.757	312	0.936					
3423	244	379	—	—	321-22 9 Yuvan										
3424	245	380	—	—	322-23 10 Dhātri										
3425	246	381	—	—	323-24 11 Āśvina	5 Śrāvana	9770	29.310	349	1.047					
3426	247	382	—	—	*324-25 12 Bahudhānya										
3427	248	383	—	—	325-26 13 Pramādhīnī										
3428	249	384	—	—	326-27 14 Vikrama	3 Jyeshtha	9409	28.227	186	0.858					
3429	250	385	—	—	327-28 15 Viśha										
3430	251	386	—	—	*328-29 16 Chitrābhāṣā										
3431	252	387	—	—	329-30 17 Subhāṣā	2 Vaiśākha	9897	29.691	348	1.044					
3432	253	388	—	—	330-31 18 Tāraṇa										
3433	254	389	—	—	331-32 19 Pārthiva	6 Bhādrapada	9835	29.305	360	1.080					
3434	255	390	—	—	*332-33 20 Vyāya										

¹⁾ Kroḍhama, No. 59, was suppressed.

TABLE I.

(Col. 23) $a =$ Distance of moon from sun. (Col. 24) $b =$ moon's mean anomaly. (Col. 25) $c =$ sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
						Solar year.				Luni-Solar year. (Civil day of Chaitra Śaka 1st.)								
Name of month.	Mean.		Day and Month A. D.	(Time of the Mesha saṅkrānti.)			Day and Month A. D.	Week day. A. D.	Week day.	At Sunrise on meridian of Ujjain.								
	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in		Day	By the Ārya Siddhānta.	Week day.				Moon's Age.	Month	Tithi	at	δ	c			
	Lunat. parts (A.)	Tithi.		Lunat. parts (A.)	Tithi	Gh. Pa	H. M.			Lunat. parts elapsed (A.)	Tithi elapsed				Kali.			
Sa.	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
10 Pañcha.	9980	29.940	287	0.861	16 Mar. (76)	0 Sat.	37	30	15	0	8 Mar. (68)	6 Fri.	34	102	9981	895	256	3402
					16 Mar. (75)	1 Sun.	53	1	21	12	26 Feb. (57)	4 Wed.	199	597	196	779	228	3403
					17 Mar. (76)	3 Tues.	8	32	3	25	17 Mar. (76)	3 Tues.	235	705	230	715	279	3404
6 Bhādrapada.	9815	29.446	123	0.368	16 Mar. (76)	5 Thur.	39	35	15	50	23 Feb. (54)	4 Wed.	199	597	9982	409	218	3406
					16 Mar. (75)	6 Fri.	55	6	22	2	13 Mar. (72)	3 Tues.	272	816	16	345	269	3407
					17 Mar. (76)	1 Sun.	10	37	4	15	2 Mar. (61)	0 Sat.	163	489	9982	192	238	3408
3 Jyeshtha.	9958	29.874	265	0.796	17 Mar. (76)	2 Mon.	26	9	10	27	20 Feb. (51)	5 Thur.	314	942	107	76	210	3409
					16 Mar. (76)	3 Tues.	41	40	16	40	10 Mar. (70)	4 Wed.	292	876	141	12	261	3410
11 Maigha.	9793	29.380	101	0.302	16 Mar. (75)	4 Wed.	57	11	22	52	27 Feb. (58)	1 Sun.	49	147	17	859	230	3411
					17 Mar. (76)	5 Fri.	12	42	5	5	17 Feb. (48)	6 Fri.	334	702	231	743	202	3412
					17 Mar. (76)	0 Sat.	28	14	11	17	8 Mar. (67)	5 Thur.	280	840	266	678	254	3413
8 Kārtika.	9936	29.809	244	0.731	16 Mar. (76)	1 Sun.	43	45	17	30	25 Feb. (56)	2 Mon.	260	780	142	526	223	3414
					16 Mar. (75)	2 Mon.	59	16	23	42	14 Mar. (73)	0 Sat.	42	126	9838	425	271	3415
					17 Mar. (76)	4 Wed.	14	47	5	55	4 Mar. (63)	5 Thur.	322	966	52	309	243	3416
4 Āśāḍha.	9773	29.315	79	0.237	17 Mar. (76)	5 Thur.	30	19	12	7	21 Feb. (52)	2 Mon.	186	558	9928	156	213	3417
					16 Mar. (76)	6 Fri.	45	50	18	20	11 Mar. (71)	1 Sun.	179	537	9962	92	264	3418
					17 Mar. (76)	1 Sun.	1	21	0	32	1 Mar. (60)	6 Fri.	296	888	177	976	236	3419
1 Chaitra.	9914	29.743	222	0.665	17 Mar. (76)	2 Mon.	16	52	6	45	18 Feb. (49)	3 Tues.	69	207	52	823	205	3420
					17 Mar. (76)	3 Tues.	32	24	12	57	9 Mar. (68)	2 Mon.	87	261	87	759	256	3421
9 Mārgasīrsha.	9750	29.249	57	0.171	16 Mar. (76)	4 Wed.	47	55	19	10	26 Feb. (57)	6 Fri.	17	051	9963	606	225	3422
					17 Mar. (76)	5 Fri.	3	26	1	22	16 Mar. (75)	3 Thur.	101	303	9907	542	277	3423
					17 Mar. (76)	0 Sat.	18	57	7	35	5 Mar. (64)	2 Mon.	104	312	9873	389	246	3424
6 Bhādrapada.	9893	29.678	200	0.600	17 Mar. (76)	1 Sun.	34	29	13	47	22 Feb. (53)	6 Fri.	31	093	9749	236	215	3425
					16 Mar. (76)	2 Mon.	50	0	20	0	12 Mar. (72)	5 Thur.	47	141	9783	172	266	3426
					17 Mar. (76)	4 Wed.	5	31	2	12	2 Mar. (61)	3 Tues.	187	561	9998	56	238	3427
2 Vaiśākha.	9728	29.184	35	0.106	17 Mar. (76)	5 Thur.	21	2	8	25	20 Feb. (51)	1 Sun.	302	906	212	939	210	3428
					17 Mar. (76)	6 Fri.	36	34	14	37	11 Mar. (70)	0 Sat.	285	864	247	875	261	3429
11 Maigha.	9871	29.612	178	0.634	16 Mar. (76)	0 Sat.	52	5	20	50	28 Feb. (59)	4 Wed.	124	372	122	723	281	3430
					17 Mar. (76)	2 Mon.	7	36	3	2	16 Feb. (47)	1 Sun.	81	243	9998	570	200	3431
					17 Mar. (76)	3 Tues.	23	7	9	15	7 Mar. (66)	0 Sat.	268	804	33	506	251	3432
7 Āśvina.	9706	29.118	13	0.040	17 Mar. (76)	4 Wed.	38	39	15	27	24 Feb. (55)	4 Wed.	161	483	9908	358	220	3433
					16 Mar. (76)	5 Thur.	54	10	21	40	14 Mar. (74)	3 Tues.	219	657	9943	289	272	3434

TABLE I.

Lunation-parts = 10,000ths. of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitraati, Vikrama.	Mehidhi-(Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						(Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		Lunation parts (l.)	Time of the preceding sankranti expressed in Tithis.	Time of the succeeding sankranti expressed in Tithis.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
3435	256	391	—	—	333-34 21 Sarvajit.						
3436	257	392	—	—	334-35 22 Sarvalhāri.	4 Āshādha.	9718	29.154	474	1.422	
3437	258	393	—	—	335-36 23 Virodhini.						
3438	259	394	—	—	*336-37 24 Vikṛita.						
3439	260	395	—	—	337-38 25 Khara.	3 Jyeshtha.	9881	29.583	607	1.821	
3440	261	396	—	—	338-39 26 Nandana.						
3441	262	397	—	—	339-40 27 Vijaya.	7 Āśvina.	9888	29.664	275	0.825	
3442	263	398	—	—	*340-41 28 Jaya.						
3443	264	399	—	—	341-42 29 Maṇmatha.						
3444	265	400	—	—	342-43 30 Durnukha.	5 Śrīvāna.	9957	29.871	532	1.596	
3445	266	401	—	—	343-44 31 Hemalambā.						
3446	267	402	—	—	*344-45 32 Vilumba.						
3447	268	403	—	—	345-46 33 Viśākha.	3 Jyeshtha.	9384	28.152	152	0.456	
3448	269	404	—	—	346-47 34 Śārvati.						
3449	270	405	—	—	347-48 35 Piava.						
3450	271	406	—	—	*348-49 36 Śubhakrīt.	1 Chaitra.	9890	29.670	86	0.258	
3451	272	407	—	—	349-50 37 Sobhāna.						
3452	273	408	—	—	350-51 38 Kroḍhīn.	6 Bhādrapada.	9998	29.994	438	1.314	
3453	274	409	—	—	351-52 39 Viśvāsan.						
3454	275	410	—	—	*352-53 40 Parābhava.						
3455	276	411	—	—	353-54 41 Piavaṅga.	4 Āshādha.	9701	29.103	550	1.630	
3456	277	412	—	—	354-55 42 Klinka.						
3457	278	413	—	—	355-56 43 Saumya.						
3458	279	414	—	—	*356-57 44 Sādharāṇa.	3 Jyeshtha.	9956	29.868	605	1.809	
3459	280	415	—	—	357-58 45 Virodhakrīt.						
3460	281	416	—	—	358-59 46 Paridhāvīn.	7 Āśvina.	9933	29.799	256	0.768	
3461	282	417	—	—	359-60 47 Pramādiṇa.						
3462	283	418	—	—	*360-61 48 Āmnoda.						
3463	284	419	—	—	361-62 49 Rikhaṇṭa.	4 Āshādha.	9245	27.735	67	0.201	
3464	285	420	—	—	362-63 50 Anala.						
3465	286	421	—	—	363-64 51 Piṅgala.						
3466	287	422	—	—	*364-65 52 Kālāyukta.	3 Jyeshtha.	9443	28.329	192	0.576	
3467	288	423	—	—	365-66 53 Siddhārthīn.						

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE													
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)										Kali.	
	Time of the preceding sankranti expressed in Lunation parts. (t.)	Tithis.	Time of the succeeding sankranti expressed in Lunation parts. (t.)	Tithis.	Day and Month A. D.	(Time of the Mesha sankranti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Moon's Age	Lunat. parts elapsed. (%)	Tithis elapsed.	a .	b .	c .	
						Week day.	By the Ārya Siddhānta.	Gh. Pa H. M.												
Sa	9a	10a	11a	12a	13	14	15	17	19	30	21	22	23	24	25	1				
4 Āshādha	9849	29.547	156	0.469	17 Mar. (76)	0 Sat.	9 41	3 52	4 Mar. (63)	1 Sun.	321	963	157	172	244	3435				
					17 Mar. (76)	1 Sun.	25 12	10 5	21 Feb. (52)	5 Thur.	192	579	33 20	20	213	3436				
					17 Mar. (76)	2 Mon.	40 44	16 17	12 Mar. (71)	4 Wed.	170	510	68 956	264	3437					
					16 Mar. (76)	3 Tues.	56 15	22 30	1 Mar. (61)	2 Mon.	303	909	282 839	236	3438					
1 Chaitra	9992	29.975	299	0.597	17 Mar. (76)	5 Thur.	11 46	4 42	18 Feb. (49)	6 Fri.	172	516	158 686	205	3439					
					17 Mar. (76)	6 Fri.	27 17	10 55	9 Mar. (68)	5 Thur.	235	705	192 622	256	3440					
9 Mārgaśīrsha	9827	29.481	184	0.403	17 Mar. (76)	0 Sat.	42 49	17 7	26 Feb. (57)	2 Mon.	236	708	68 469	225	3441					
					16 Mar. (76)	1 Sun.	58 20	23 20	16 Mar. (76)	1 Sun.	322	966	103 406	277	3442					
					17 Mar. (76)	3 Tues.	13 51	5 32	5 Mar. (64)	5 Thur.	259	777	9979 253	246	3443					
6 Bhādrapada	9970	29.909	277	0.832	17 Mar. (76)	4 Wed.	29 22	11 45	22 Feb. (53)	3 Mon.	79	237	9854 100	215	3444					
					17 Mar. (76)	5 Thur.	44 54	17 57	13 Mar. (72)	1 Sun.	60	180	9889 36	266	3445					
					17 Mar. (77)	0 Sat.	0 25	0 10	2 Mar. (59)	6 Fri.	175	525	103 920	239	3446					
2 Vaiśākha	9805	29.416	113	0.338	17 Mar. (76)	1 Sun.	15 56	6 22	20 Feb. (51)	4 Wed.	328	984	318 803	210	3447					
					17 Mar. (76)	2 Mon.	31 27	12 35	10 Mar. (69)	2 Mon.	20	060	14 703	259	3448					
11 Māgha	9948	29.844	255	0.766	17 Mar. (76)	3 Tues.	46 59	18 47	28 Feb. (59)	0 Sat.	296	588	228 586	231	3449					
					17 Mar. (77)	5 Thur.	2 30	1 0	17 Feb. (48)	4 Wed.	304	912	104 433	200	3450					
					17 Mar. (76)	6 Fri.	18 1	7 12	6 Mar. (65)	2 Mon.	62	186	9800 333	249	3451					
7 Āśvinī	9783	29.350	91	0.272	17 Mar. (76)	0 Sat.	33 32	13 25	24 Feb. (55)	0 Sat.	292	876	14 217	221	3452					
					17 Mar. (76)	1 Sun.	49 4	19 37	15 Mar. (74)	6 Fri.	303	909	49 152	272	3453					
					17 Mar. (77)	3 Tues.	4 35	1 50	3 Mar. (63)	3 Tues.	64	192	9924 1000	241	3454					
4 Āshādha	9926	29.775	234	0.701	17 Mar. (76)	4 Wed.	20 6	8 2	21 Feb. (52)	1 Sun.	157	561	139 883	213	3455					
					17 Mar. (76)	5 Thur.	35 37	14 15	12 Mar. (71)	0 Sat.	186	558	173 819	264	3456					
12 Phālguna	9762	29.285	69	0.207	17 Mar. (76)	6 Fri.	51 9	20 27	1 Mar. (60)	4 Wed.	68	204	49 666	234	3457					
					17 Mar. (77)	1 Sun.	6 40	2 40	18 Feb. (49)	1 Sun.	55	165	9925 514	202	3458					
9 Mārgaśīrsha	9904	29.713	212	0.635	17 Mar. (76)	3 Tues.	37 42	15 5	25 Feb. (56)	4 Wed.	110	330	9835 297	223	3459					
					17 Mar. (76)	4 Wed.	53 14	21 17	16 Mar. (75)	3 Tues.	148	444	9870 233	274	3460					
					17 Mar. (77)	6 Fri.	8 45	3 30	5 Mar. (65)	1 Sun.	318	954	83 116	246	3461					
5 Śrīvatsa	9740	29.219	47	0.141	17 Mar. (76)	0 Sat.	24 16	9 42	22 Feb. (53)	5 Thur.	70	210	9960 963	215	3462					
					17 Mar. (76)	1 Sun.	39 47	15 55	13 Mar. (72)	4 Wed.	52	156	9994 900	207	3463					
2 Vaiśākha	9883	29.547	190	0.570	17 Mar. (77)	4 Wed.	10 50	4 20	20 Feb. (51)	6 Fri.	124	372	84 630	208	3464					
					17 Mar. (76)	5 Thur.	26 21	10 32	10 Mar. (69)	5 Thur.	202	606	119 566	259	3465					

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS								
Kali.	Saka.	Chaitra& Vikram.	Metaphil (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding sankranti expressed in Lunation parts (t)	Tithi.	Time of the succeeding sankranti expressed in Lunation parts (t)	Tithi
						(Southern.)	Brihaspati- cycle (Northern) current at Mesha sankranti.		8	7	8	9	10	11	12
1	2	3	3a	4	5										
3468	289	424	—	—	366-67	54 Raudra.....	12 Phâlguna.....	9914	29.742	16	0.048			
3469	290	425	—	—	367-68	55 Durmati.....								
3470	291	426	—	—	*368-69	56 Dusdubhi.....								
3471	292	427	—	—	369-70	57 Rudhirodghrin.....	5 Srâvâga.....	9574	28.722	196	0.588			
3472	293	428	—	—	370-71	58 Raktilaksha.....								
3473	294	429	—	—	371-72	59 Krodhana.....								
3474	295	430	—	—	*372-73	60 Kashaya.....	4 Ashâlha.....	9658	28.974	531	1.593			
3475	296	431	—	—	373-74	1 Prabhava.....								
3476	297	432	—	—	374-75	2 Vibhava.....								
3477	298	433	—	—	375-76	3 Śukla.....	2 Vaisâkha.....	9747	29.241	136	0.408			
3478	299	434	—	—	*376-77	4 Pramoda.....								
3479	300	435	—	—	377-78	5 Prajâpati.....	6 Bhâdrapada.....	9663	28.989	77	0.231			
3480	301	436	—	—	378-79	6 Angiras.....								
3481	302	437	—	—	379-80	7 Śrimukha.....								
3482	303	438	—	—	*380-81	8 Bhâva.....	4 Åshâlha.....	9202	27.606	140	0.420			
3483	304	439	—	—	381-82	9 Yuvan.....								
3484	305	440	—	—	382-83	10 Dhâtri.....								
3485	306	441	—	—	383-84	11 Ivara.....	3 Jyeshtha.....	9602	28.806	186	0.558			
3486	307	442	—	—	*384-85	12 Bahudhânya.....								
3487	308	443	—	—	385-86	13 Pramâthin.....	12 Phâlguna.....	9895	29.685	41	0.123			
3488	309	444	—	—	386-87	14 Vikramu.....								
3489	310	445	—	—	387-88	15 Vrîsha.....								
3490	311	446	—	—	*388-89	16 Chitrabhânu.....	5 Srâvâga.....	9613	28.839	336	1.008			
3491	312	447	—	—	389-90	17 Subhânu.....								
3492	313	448	—	—	390-91	18 Târâya.....								
3493	314	449	—	—	391-92	19 Pârtihva.....	4 Åshâlha.....	9687	29.061	491	1.473			
3494	315	450	—	—	*392-93	20 Vyasya.....								
3495	316	451	—	—	393-94	21 Sarvajit.....								
3496	317	452	—	—	394-95	22 Sarvalhârin.....	2 Vaisâkha.....	9875	29.625	323	0.969			
3497	318	453	—	—	395-96	23 Virodhîn.....								
3498	319	454	—	—	*396-97	24 Vikriti.....	6 Bhâdrapada.....	9531	29.403	370	0.810			
3499	320	455	—	—	397-98	25 Kharâ 1)								
3500	321	456	—	—	398-99	27 Vijaya.....								

¹⁾ Nandana, No. 26, was suppressed.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE													
Name of month.	Mean:				Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st.)								Kali.		
	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in			Day and Month A. D.	(Time of the Mēsha saṅkrānti)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Moon's Age,	a	b	c		
		Lunation parts. (t.)	Tithis	Lunation parts. (t.)	Tithis	Day	Week day.	By the Ārya Siddhānta.			Gh. Pa.	H. M.							
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
10 Pausha.....	9718	29.154	25	0.076	17 Mar. (76)	6 Fri.	41	52	16	45	27 Feb. (58)	2 Mon.	.207	.621	9995	.414	228	3468	
					17 Mar. (76)	0 Sat.	57	24	22	57	18 Mar. (77)	1 Sun.	.284	.852	30	.349	279	3469	
7 Āśvina.....	9861	29.582	168	0.504	17 Mar. (76)	3 Tues.	28	26	11	22	24 Feb. (55)	3 Tues.	.177	.531	0905	.197	249	3470	
					17 Mar. (76)	4 Wed.	43	57	17	35	15 Mar. (74)	2 Mon.	.329	.987	120	.80	221	3471	
					17 Mar. (76)	5 Thur.	59	29	23	47	4 Mar. (63)	6 Fri.	.64	.192	30	.863	241	3472	
3 Jyeshtha....	9696	29.058	3	0.010	17 Mar. (77)	0 Sat.	15	0	6	0	22 Feb. (53)	4 Wed.	.246	.738	244	.747	213	3473	
					17 Mar. (76)	1 Sun.	30	31	12	12	12 Mar. (71)	3 Tues.	.291	.873	279	.683	265	3474	
12 Phālguna....	9839	29.517	146	0.439	17 Mar. (76)	2 Mon.	46	2	18	25	1 Mar. (60)	0 Sat.	.269	.807	155	.530	234	3475	
					18 Mar. (77)	4 Wed.	1	34	0	37	18 Feb. (49)	4 Wed.	.271	.813	30	.377	203	3476	
					17 Mar. (77)	5 Thur.	17	5	6	50	7 Mar. (67)	2 Mon.	.3	.009	9726	.277	252	3477	
9 Mīrgaśīrsha..	9982	29.945	289	0.867	17 Mar. (76)	6 Fri.	32	36	13	25	25 Feb. (56)	0 Sat.	.200	.600	9941	.160	223	3478	
					17 Mar. (76)	0 Sat.	48	7	19	15	16 Mar. (75)	6 Fri.	.197	.591	9975	.97	275	3479	
5 Śrīvana....	9817	29.451	124	0.373	17 Mar. (77)	3 Tues.	19	10	7	40	23 Feb. (54)	1 Sun.	.82	.246	65	.827	216	3480	
					17 Mar. (76)	4 Wed.	34	41	13	52	18 Mar. (72)	0 Sat.	.100	.300	100	.763	267	3481	
					17 Mar. (76)	5 Thur.	50	12	20	5	2 Mar. (61)	4 Wed.	.26	.078	9976	.610	236	3482	
2 Vaiśākha....	9960	29.879	267	0.801	18 Mar. (77)	0 Sat.	5	44	2	17	19 Feb. (50)	1 Sun.	.32	.096	9851	.457	205	3483	
					17 Mar. (77)	1 Sun.	21	15	8	30	0 Mar. (69)	0 Sat.	.113	.339	9856	.394	257	3484	
10 Pausha....	9795	29.386	103	0.308	17 Mar. (79)	2 Mon.	36	48	14	42	26 Feb. (57)	4 Wed.	.42	.126	9762	.241	226	3485	
					17 Mar. (76)	3 Tues.	52	17	20	55	17 Mar. (76)	3 Tues.	.63	.189	9796	.177	277	3486	
					18 Mar. (77)	5 Thur.	7	49	3	7	7 Mar. (66)	1 Sun.	.203	.609	11	.60	249	3487	
7 Āśvina....	9938	29.814	245	0.786	17 Mar. (77)	6 Fri.	23	20	9	20	25 Feb. (56)	6 Fri.	.317	.951	223	.944	221	3488	
					17 Mar. (76)	0 Sat.	38	51	15	32	15 Mar. (74)	5 Thur.	.304	.912	260	.580	272	3489	
					17 Mar. (76)	1 Sun.	54	22	21	45	4 Mar. (63)	2 Mon.	.185	.414	136	.727	242	3490	
3 Jyeshtha....	9773	29.320	81	0.242	18 Mar. (77)	3 Tues.	9	54	3	57	21 Feb. (52)	6 Fri.	.90	.270	11	.574	211	3491	
					17 Mar. (77)	4 Wed.	25	25	10	10	11 Mar. (71)	5 Thur.	.177	.531	46	.510	262	3492	
12 Phālguna....	9916	29.748	223	0.670	17 Mar. (76)	5 Thur.	40	56	16	22	28 Feb. (59)	3 Mon.	.172	.516	9922	.357	231	3493	
					17 Mar. (76)	6 Fri.	56	27	22	35	17 Feb. (48)	6 Fri.	.74	.222	9797	.205	200	3494	
					18 Mar. (77)	1 Sun.	11	59	4	47	8 Mar. (67)	5 Thur.	.80	.340	9832	.140	252	3495	
8 Kārtikī....	9752	29.255	59	0.177	17 Mar. (77)	2 Mon.	27	30	11	0	26 Feb. (57)	3 Tues.	.208	.624	46	.24	223	3496	
					17 Mar. (76)	4 Wed.	58	32	23	25	6 Mar. (65)	0 Sat.	.319	.957	295	.844	247	3497	

TABLE I.

Lunation-parts = 10,000^{ths} of a circle. A tithi = 1/10th of the moon's synodic revolution.

Kali.	Saka.	Chaitra Vikram.	Mesha (Solar) year in Boudh.	I. CONCURRENT YEAR.					II. ADDED LUNAR MONTHS.					
				Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding sankranti expressed in Lunation parts. (t)	Tithi.	
						(Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		6	7	8			
1	2	3	3a	4	5									
3501	322	457	—	—	399-400	28 Jaya	4 Āshādha	9199	27.597	34	0.102		
3502	323	458	—	—	*400-401	29 Maṇmatha							
3503	324	459	—	—	401- 2	30 Durmukha							
3504	325	460	—	—	402- 3	31 Hemalamba	3 Jyeshtha	9777	29.831	343	1.029		
3505	326	461	—	—	403- 4	32 Vilambha							
3506	327	462	—	—	*404- 5	33 Viśakha	8 Kārttika	9957	29.871	20	0.060		
								9 Maṛguā (Ksh.)	20	0.060	9968	29.904		
								12 Phālguna	9859	29.577	3	0.006		
3507	328	463	—	—	405- 6	34 Śārvari							
3508	329	464	—	—	406- 7	35 Piṣṭa							
3509	330	465	—	—	407- 8	36 Śubhakṛit	5 Śrāvana	9586	28.758	374	1.129		
3510	331	466	—	—	*408- 9	37 Śohasra							
3511	332	467	—	—	409- 10	38 Kroḍhin							
3512	333	468	—	—	410- 11	39 Viśvāsava	4 Āshādha	9813	29.439	515	1.545		
3513	334	469	—	—	411- 12	40 Pañchiha							
3514	335	470	—	—	*412- 13	41 Piṇḍava							
3515	336	471	—	—	413- 14	42 Klika	2 Vaiśākha	9908	29.724	445	1.335		
3516	337	472	—	—	414- 15	43 Saṁya							
3517	338	473	—	—	415- 16	44 Śādhāra	6 Bhādrapada	9011	29.733	434	1.302		
3518	339	474	—	—	*416- 17	45 Virodhakṛit							
3519	340	475	—	—	417- 18	46 Paridhāvī							
3520	341	476	—	—	418- 19	47 Pramādin	4 Āshādha	9294	27.882	30	0.000		
3521	342	477	—	—	419- 20	48 Ānanda							
3522	343	478	—	—	*420- 21	49 Rākṣasa							
3523	344	479	—	—	421- 22	50 Anala	3 Jyeshtha	9949	29.847	542	1.626		
3524	345	480	—	—	422- 23	51 Piṅgala							
3525	346	481	—	—	423- 24	52 Kiliyukta	7 Āśvin	9920	29.780	154	0.402		
3526	347	482	—	—	*424- 25	53 Siddhārthī	10 Pañchā (Ksh.)	93	0.279	9055	29.865		
3527	348	483	—	—	425- 26	54 Randra	1 Chaitra	9985	29.955	324	0.972		
3528	349	484	—	—	426- 27	55 Durmati	5 Śrāvana	9554	28.662	349	1.047		
3529	350	485	—	—	427- 28	56 Dundubhi							
3530	351	486	—	—	*428- 29	57 Rudrodirogītī							

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)					III. COMMENCEMENT OF THE													
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)						Kali.			
	Lunation parts. (.)	Tithis	Lunation parts. (.)	Tithis	Day and Month A. D.	(Time of the Mesha sākṛti.)		Day and Month A. D.	Week day.	Lunat. partia elapsd. (.)	Tithis elapsd.	At Sunrise on meridian of Ujjain.						
						By the Ārya Siddhānta.	Gh. Pa. H. M.					Moon's Age.	a .	b .	c .			
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
5 Śrāvana	9894	29.683	202	0.605	18 Mar. (77)	6 Fri.	14	4	5	37	23 Feb. (54)	4 Wed.	182	.546	171	691	216	3501
					17 Mar. (77)	0 Sat.	29	35	11	50	13 Mar. (73)	3 Tues.	246	.738	206	627	267	3502
					17 Mar. (76)	1 Sun.	45	6	18	2	2 Mar. (61)	0 Sat.	246	.738	82	474	236	3503
1 Chaitra	9730	29.189	37	0.111	18 Mar. (77)	3 Tues.	0	37	0	15	19 Feb. (50)	4 Wed.	228	.678	9957	321	206	3504
					18 Mar. (77)	4 Wed.	16	9	6	27	10 Mar. (69)	3 Tues.	272	.816	9992	257	257	3505
10 Pāusha	9872	29.617	180	0.539	17 Mar. (77)	5 Thur.	31	40	12	40	27 Feb. (58)	0 Sat.	94	.282	9868	104	220	3506
					17 Mar. (76)	6 Fri.	47	11	18	52	17 Mar. (76)	6 Fri.	78	.234	9902	40	277	3507
					18 Mar. (77)	1 Sun.	2	42	1	5	7 Mar. (66)	4 Wed.	192	.576	117	924	249	3508
6 Bhādrapada	9708	29.124	15	0.046	18 Mar. (77)	2 Mon.	18	14	7	17	24 Feb. (55)	1 Sun.	○	- .018	9992	771	219	3509
					17 Mar. (77)	3 Tues.	33	45	13	30	14 Mar. (74)	0 Sat.	32	.096	27	707	270	3510
					17 Mar. (76)	4 Wed.	49	16	19	42	4 Mar. (63)	5 Thur.	306	.918	241	590	242	3511
3 Jyeshtha	9851	29.553	158	0.474	18 Mar. (77)	6 Fri.	4	47	1	55	21 Feb. (52)	2 Mon.	313	.939	117	438	211	3512
					18 Mar. (77)	0 Sat.	20	19	8	7	11 Mar. (70)	0 Sat.	73	.219	9818	337	260	3513
12 Phālguna	9993	29.980	301	0.902	17 Mar. (77)	1 Sun.	35	50	14	20	29 Feb. (60)	5 Thur.	304	.912	27	221	231	3514
					17 Mar. (76)	2 Mon.	51	21	20	32	17 Feb. (48)	2 Mon.	104	.312	9903	68	201	3515
					18 Mar. (77)	4 Wed.	6	52	2	45	8 Mar. (67)	1 Sun.	82	.246	9938	4	252	3516
8 Karttika	9829	29.486	186	0.408	18 Mar. (77)	5 Thur.	22	14	8	57	26 Feb. (57)	6 Fri.	201	.606	152	887	224	3517
					17 Mar. (77)	6 Fri.	37	55	15	10	16 Mar. (75)	5 Thur.	202	.606	187	824	275	3518
					17 Mar. (76)	0 Sat.	53	26	21	22	5 Mar. (64)	2 Mon.	80	.240	63	671	244	3519
5 Śrāvana	9972	29.915	279	0.887	18 Mar. (77)	2 Mon.	8	57	3	35	22 Feb. (53)	6 Fri.	64	.192	9938	518	213	3520
					18 Mar. (77)	3 Tues.	24	29	9	47	13 Mar. (73)	5 Thur.	153	.459	9973	454	265	3521
					17 Mar. (77)	4 Wed.	40	0	16	0	1 Mar. (61)	2 Mon.	122	.366	9849	301	234	3522
1 Chaitra	9807	29.421	114	0.343	17 Mar. (76)	5 Thur.	55	31	22	12	18 Feb. (49)	6 Fri.	○	- .018	9724	148	203	3523
					18 Mar. (77)	0 Sat.	11	2	4	25	9 Mar. (68)	5 Thur.	○	- .00	9759	84	255	3524
10 Pāusha	9950	29.849	237	0.771	18 Mar. (77)	1 Sun.	26	34	10	37	27 Feb. (58)	3 Tues.	85	.255	9973	968	226	3525
					17 Mar. (77)	2 Mon.	42	5	16	50	17 Feb. (48)	1 Sun.	219	.657	188	851	198	3526
					17 Mar. (76)	3 Tues.	57	36	23	2	7 Mar. (66)	0 Sat.	226	.678	222	787	250	3527
6 Bhādrapada	9785	29.355	93	0.278	18 Mar. (77)	5 Thur.	13	7	5	15	24 Feb. (55)	4 Wed.	134	.402	98	685	219	3528
					18 Mar. (77)	6 Fri.	28	39	11	27	15 Mar. (74)	3 Tues.	213	.639	133	570	270	3529
					17 Mar. (77)	0 Sat.	44	10	17	40	3 Mar. (63)	0 Sat.	217	.651	8	418	239	3530

○ See Text, Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Śska.	Chaitra Śaka.	Vikram.	Mesha (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		True.			Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in
							(Southern.)	Bṛihaspati cycle (Northern) current at Meha saṅkrānti.	Name of month.	Lunation parts. (L.)	Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12	
3531	352	487	—	—	429-30	58 Raktāksha.....	3 Jyeshtha	9440	28.320	8	0.024	
3532	353	488	—	—	430-31	59 Krodhāna.....	
3533	354	489	—	—	431-32	60 Kshaya.....	
3534	355	490	—	—	*432-33	1 Prabhava	2 Vaisākha	9870	29.610	462	1.386	
3535	356	491	—	—	433-34	2 Vibhava.....	
3536	357	492	—	—	434-35	3 Śukla.....	6 Bhādrapada	9895	29.685	502	1.506	
3537	358	493	—	—	435-36	4 Pramoda.....	
3538	359	494	—	—	*436-37	5 Prajāpati.....	
3539	360	495	—	—	437-38	6 Āugīra.....	4 Ashādha	9475	28.425	118	0.354	
3540	361	496	—	—	438-39	7 Śrimukha.....	
3541	362	497	—	—	439-40	8 Bhāva.....	
3542	363	498	—	—	*440-41	9 Yuvan.....	3 Jyeshtha	9998	29.994	689	2.067	
3543	364	499	—	—	441-42	10 Dhātṛi.....	
3544	365	500	—	—	442-43	11 Āśvura.....	6 Bhādrapada	9440	28.320	22	0.066	
3545	366	501	—	—	443-44	12 Bahudhānya.....	
3546	367	502	—	—	*444-45	13 Pramāthīn.....	
3547	368	503	—	—	445-46	14 Vikrama.....	5 Śrāvana	9608	28.824	319	0.957	
3548	369	504	—	—	446-47	15 Vṛiṣha.....	
3549	370	505	—	—	447-48	16 Chitrabhaṇu.....	
3550	371	506	—	—	*448-49	17 Subhānu.....	3 Jyeshtha	9524	28.572	182	0.546	
3551	372	507	—	—	449-50	18 Tāraṇa.....	
3552	373	508	—	—	450-51	19 Pārthīva.....	
3553	374	509	—	—	451-52	20 Vyāya.....	2 Vaisākha	9847	29.541	423	1.369	
3554	375	510	—	—	*452-53	21 Sarvajit.....	
3555	376	511	—	—	453-54	22 Sarvadharīn.....	6 Bhādrapada	9858	29.574	485	1.455	
3556	377	512	—	—	454-55	23 Virodhīn.....	
3557	378	513	—	—	455-56	24 Vīkṛita.....	
3558	379	514	—	—	*456-57	25 Khara.....	4 Ashādha	9663	28.980	291	0.873	
3559	380	515	—	—	457-58	26 Nandana.....	
3560	381	516	—	—	458-59	27 Vijaya.....	
3561	382	517	—	—	459-60	28 Jayā.....	3 Jyeshtha	9670	29.010	674	2.023	
3562	383	518	—	—	*460-61	29 Maṇmatha.....	
3563	384	519	—	—	461-62	30 Dūrsukha.....	6 Bhādrapada	9898	28.194	28	0.084	

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Name of month.	Mean.					Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								
	Lunation parts. (t.)	Tithi.	Time of the preceding sankranti expressed in		Time of the succeeding sankranti expressed in	Day and Month A. D.	(Time of the Mesha sankranti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Kali.			
			Lunation parts. (t.)	Tithi.			Week dsy.	By the Arya Siddhānta.	Gh. Pa. H. M.			Lunat. parts elapsed. (t.)	Tithi elapsed.	α .	δ .	c .		
Sa	9n	10a	11n	12a	13	14	15	17	19	20	21	22	23	24	25	1		
3 Jyeshtha....	9928	29.784	235	0.706	17 Mar. (76)	1 Sun.	59 41	23 52	20 Feb. (51)	4 Wed.	166 .498	9884	265	208	3531			
					18 Mar. (77)	3 Tues.	15 12	6 5	11 Mar. (70)	3 Tues.	192 .576	9919	201	260	3532			
11 Māgha....	9763	29.290	71	0.212	18 Mar. (77)	4 Wed.	30 44	12 17	28 Feb. (59)	0 Sat.	○-34 -072	9794	48	229	3533			
					17 Mar. (77)	5 Thur.	46 15	18 30	18 Feb. (49)	5 Thur.	93 .279	8	932	201	3534			
					18 Mar. (77)	0 Sat.	1 46	0 42	8 Mar. (67)	4 Wed.	79 .287	43	868	252	3535			
8 Kārttika....	9906	29.718	213	0.640	18 Mar. (77)	1 Sun.	17 17	6 55	26 Feb. (57)	2 Mon.	258 .774	257	751	224	3536			
					18 Mar. (77)	2 Mon.	32 49	13 7	17 Mar. (76)	1 Sun.	304 .912	292	687	275	3537			
					17 Mar. (77)	3 Tues.	48 20	19 20	5 Mar. (65)	5 Thur.	278 .834	168	534	245	3538			
4 Āshādha....	9741	29.224	49	0.147	18 Mar. (77)	5 Thur.	3 51	1 32	22 Feb. (58)	2 Mon.	281 .843	44	381	214	3539			
					18 Mar. (77)	6 Fri.	19 22	7 45	12 Mar. (71)	0 Sat.	17 .051	9740	281	262	3540			
					18 Mar. (77)	0 Sat.	34 54	13 57	2 Mar. (61)	5 Thur.	214 .642	9954	165	234	3541			
1 Chaitra....	9884	29.653	192	0.575	17 Mar. (77)	1 Sun.	50 25	20 10	19 Feb. (50)	2 Mon.	○-15 -048	9830	12	203	3542			
					18 Mar. (77)	3 Tues.	5 56	2 22	10 Mar. (69)	2 Mon.	829 987	203	984	257	3543			
9 Mārgasīrsha....	9720	29.159	27	0.081	18 Mar. (77)	4 Wed.	21 27	8 35	27 Feb. (58)	6 Fri.	97 .291	79	832	227	3544			
					18 Mar. (77)	5 Thur.	36 59	14 47	15 Mar. (77)	5 Thur.	115 .345	113	767	278	3545			
					17 Mar. (77)	6 Fri.	52 30	21 0	6 Mar. (66)	2 Mon.	36 .108	9989	615	247	3546			
6 Bhādrapada....	9862	29.587	170	0.509	18 Mar. (77)	1 Sun.	8 1	3 12	23 Feb. (54)	6 Fri.	39 .117	9865	462	216	3547			
					18 Mar. (77)	2 Mon.	23 32	9 25	14 Mar. (73)	5 Thur.	124 .372	9900	398	268	3548			
					18 Mar. (77)	3 Tues.	39 4	15 37	3 Mar. (62)	2 Mon.	55 .165	9775	245	287	3549			
2 Vaiśākha....	9698	29.093	5	0.016	17 Mar. (77)	4 Wed.	54 35	21 50	21 Feb. (52)	0 Sat.	232 .696	9989	129	209	3550			
					18 Mar. (77)	5 Fri.	10 6	4 21	11 Mar. (70)	6 Fri.	219 .657	24	64	260	3551			
11 Māgha....	9841	29.522	148	0.444	18 Mar. (77)	0 Sat.	25 37	10 15	1 Mar. (60)	4 Wed.	332 .996	238	948	282	3552			
					18 Mar. (77)	1 Sun.	41 9	16 27	18 Feb. (49)	1 Sun.	122 .866	114	795	201	3553			
					17 Mar. (77)	2 Mon.	56 40	22 40	8 Mar. (68)	0 Sat.	150 .450	149	731	252	3554			
8 Kārttika....	9983	29.950	291	0.872	18 Mar. (77)	4 Wed.	12 11	4 52	25 Feb. (56)	4 Wed.	99 .297	24	578	221	3555			
					18 Mar. (77)	5 Thur.	27 42	11 5	16 Mar. (75)	3 Tues.	186 .558	59	515	274	3556			
					18 Mar. (77)	6 Fri.	43 14	17 17	5 Mar. (64)	0 Sat.	182 .546	9935	361	242	3557			
4 Āshādha....	9819	29.456	126	0.378	17 Mar. (77)	0 Sat.	58 45	23 30	22 Feb. (53)	4 Wed.	89 .267	9811	209	211	3558			
					18 Mar. (77)	2 Mon.	14 16	5 42	12 Mar. (71)	3 Tues.	96 .288	9845	145	262	3559			
1 Chaitra....	9962	29.885	269	0.807	18 Mar. (77)	4 Wed.	45 19	18 7	19 Feb. (50)	5 Thur.	○-21 -047	9935	875	204	3561			
					18 Mar. (78)	6 Fri.	0 50	0 20	9 Mar. (69)	4 Wed.	○-19 -037	9970	812	255	3562			
9 Mārgasīrsha....	9797	29.391	104	0.313	18 Mar. (77)	0 Sat.	16 21	6 33	27 Feb. (58)	2 Mon.	194 .582	185	695	227	3563			

○ See Text, Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.							
Kali.	Saka.	Chaitrādi Vikram.	Makhalī (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		True.			Time of the preceding sankranti expressed in Lunation parts. (L.)	Titthi.	Time of the succeeding sankranti expressed in Lunation parts. (L.)	Titthi.
						(Southern.)	Bṛihaspati cycle (Northern) current at Meṣa sankranti.	Name of month.	8	9				
1	2	3	3a	4	5	6	7	8	9	10	11	12		
3564	385	520	—	—	462-63	31 Hemalamba		
3565	386	521	—	—	463-64	32 Vilamba		
3566	387	522	—	—	*464-65	33 Viśākha	5 Śravana	9758	29.274	371	1.113		
3567	388	523	—	—	465-66	34 Śārvatī		
3568	389	524	—	—	466-67	35 Plava		
3569	390	525	—	—	467-68	36 Śubhakrit	3 Jyeṣṭha	9518	28.554	268	0.804		
3570	391	526	—	—	*468-69	37 Śobhana		
3571	392	527	—	—	469-70	38 Krodhīn		
3572	393	528	—	—	470-71	39 Viśvāsau	2 Vaiśākha	9914	29.742	409	1.227		
3573	394	529	—	—	471-72	40 Pariñchaya		
3574	395	530	—	—	*472-73	41 Plavāṅga	6 Bhādrapada	9876	29.628	443	1.329		
3575	396	531	—	—	473-74	42 Klika		
3576	397	532	—	—	474-75	43 Saumya		
3577	398	533	—	—	475-76	44 Śādhāraṇa	4 Āśāḍha	9783	29.349	482	1.446		
3578	399	534	—	—	*476-77	45 Virodhakrit		
3579	400	535	—	—	477-78	46 Paridhāvin		
3580	401	536	—	—	478-79	47 Praṇidhīn	3 Jyeṣṭha	9937	29.811	712	2.186		
3581	402	537	—	—	479-80	48 Ananda		
3582	403	538	—	—	*480-81	49 Rākṣasā	7 Āśvina	9984	29.052	385	1.165		
3583	404	539	—	—	481-82	50 Anala		
3584	405	540	—	—	482-83	51 Piṅgala ¹⁾		
3585	406	541	—	—	483-84	52 Siddhārthīn	5 Śravana	9953	29.859	521	1.563		
3586	407	542	—	—	*484-85	54 Rañgra		
3587	408	543	—	—	485-86	55 Durmatī		
3588	409	544	—	—	486-87	56 Dundubhi	3 Jyeṣṭha	9476	28.428	261	0.783		
3589	410	545	—	—	487-88	57 Rudhirodgārīn		
3590	411	546	—	—	*488-89	58 Ekaṭīkṣa	8 Kārttika	9928	29.784	86	0.256		
3591	412	547	—	—	489-90	59 Krodhāna	10 Pañcha (Keśa)	64	0.192	9950	29.850		
3592	413	548	—	—	490-91	60 Kahaya	1 Chaitra	9857	29.661	73	0.219		
3593	414	549	—	—	491-92	1 Prabhava	6 Bhādrapada	9993	29.979	472	1.416		
3594	415	550	—	—	*492-93	2 Vibhava		
3595	416	551	—	—	493-94	3 Śukla		

¹⁾ Kiliyukta, No. 52, was suppressed.

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE													
Name of month.	Mean				Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st)										
	Lunat. parts, (l.)	Tithis,	Lunat. parts, (l.)	Tithis	Day and Month A. D.	(Time of the Meshasankranti.)			Day and Month A. D.	Week day.	Lunat. parts elapsed, (l.)	At Sunrise on meridian of Ujjain.			Kali.				
						Week day.	By the Ārya Siddhānta.					Moon's Age.	l.	s.	c.				
						Gh. Pa.	H. M.					Tithis elapsed.							
8a	9a	10a	11a	12a	13	14	15	17	18	20	21	22	23	24	25	1			
6 Bhādrapada	9940	29.819	247	0.741	18 Mar. (77)	1 Sun.	31	52	12	45	18 Mar. (77)	1 Sun.	257	.771	219	631	278	3564	
					18 Mar. (77)	2 Moon.	47	24	18	57	7 Mar. (66)	5 Thur.	255	.765	95	478	247	3565	
					18 Mar. (77)	4 Wed.	2	55	1	10	24 Feb. (55)	2 Mon.	285	.705	9970	326	216	3566	
					18 Mar. (77)	5 Thur.	18	26	7	22	14 Mar. (78)	1 Sun.	285	.855	5	261	268	3567	
2 Vaiśākha	9775	29.325	82	0.247	18 Mar. (77)	6 Fri.	33	57	13	33	3 Mar. (62)	5 Thur.	110	.330	9881	109	237	3568	
					18 Mar. (78)	0 Sat.	49	29	19	47	21 Feb. (52)	3 Tues.	280	.696	95	992	209	3569	
11 Māgha	9918	29.754	225	0.676	18 Mar. (78)	2 Mon.	5	0	2	0	11 Mar. (71)	2 Mon.	298	.624	130	928	260	3570	
					18 Mar. (77)	3 Tues.	20	31	8	12	28 Feb. (59)	6 Fri.	7	.021	5	775	229	3571	
					18 Mar. (77)	4 Wed.	36	2	14	25	18 Feb. (49)	4 Wed.	246	.738	220	659	201	3572	
					18 Mar. (77)	5 Thur.	51	34	20	37	8 Mar. (67)	2 Mon.	6	.018	9916	558	310	3573	
7 Āśvina	9753	29.260	01	0.182	18 Mar. (78)	0 Sat.	7	5	2	50	26 Feb. (57)	0 Sat.	321	.963	130	442	222	3574	
					18 Mar. (77)	1 Sun.	22	36	9	2	15 Mar. (74)	5 Thur.	88	.249	9826	342	270	3575	
					18 Mar. (77)	2 Mon.	38	7	15	15	5 Mar. (64)	3 Tues.	819	.957	41	225	242	3576	
4 Ashādha	9896	29.688	203	0.610	18 Mar. (77)	3 Tues.	53	39	21	27	22 Feb. (53)	0 Sat.	120	.360	9916	72	211	3577	
					18 Mar. (78)	3 Thur.	9	10	3	40	12 Mar. (72)	6 Fri.	99	.297	9951	9	268	3578	
12 Phālguna	9731	29.194	39	0.116	18 Mar. (77)	5 Fri.	24	41	9	52	2 Mar. (61)	4 Wed.	216	.648	165	892	235	3579	
					18 Mar. (77)	0 Sat.	40	12	16	5	19 Feb. (50)	1 Sun.	44	.182	41	739	204	3580	
					18 Mar. (77)	1 Sun.	55	44	22	17	10 Mar. (69)	0 Sat.	91	.273	76	675	255	3581	
9 Mārgaśīrsha	9874	29.623	182	0.545	18 Mar. (78)	3 Tues.	11	15	4	30	27 Feb. (58)	4 Wed.	71	.213	9951	522	224	3582	
					18 Mar. (77)	4 Wed.	26	46	10	42	17 Mar. (76)	3 Tues.	164	.492	9986	458	276	3583	
					18 Mar. (77)	5 Thur.	42	17	16	55	6 Mar. (65)	0 Sat.	182	.396	9881	306	245	3584	
5 Śrāvana	9710	29.129	17	0.051	18 Mar. (77)	6 Fri.	57	49	23	7	23 Feb. (54)	4 Wed.	5	-	-	9737	153	214	3585
					18 Mar. (78)	1 Sun.	13	20	5	20	13 Mar. (73)	3 Tues.	5	-	-	9772	89	265	3586
					18 Mar. (77)	2 Mon.	28	51	11	32	3 Mar. (62)	1 Sun.	102	.306	9986	972	237	3587	
2 Vaiśākha	9833	29.557	160	0.479	18 Mar. (77)	3 Tues.	44	22	17	45	21 Feb. (53)	6 Fri.	238	.690	201	856	209	3588	
					18 Mar. (77)	4 Wed.	59	54	23	57	12 Mar. (71)	5 Thur.	239	.717	235	792	260	3589	
11 Māgha	9995	29.985	363	0.908	18 Mar. (78)	6 Fri.	15	25	6	10	29 Feb. (60)	2 Mon.	144	.432	111	639	230	3590	
					18 Mar. (77)	0 Sat.	30	56	12	22	17 Feb. (48)	6 Fri.	143	.429	9987	486	199	3591	
					18 Mar. (77)	1 Sun.	46	27	18	35	8 Mar. (67)	5 Thur.	227	.681	21	422	250	3592	
7 Āśvina	9831	29.492	138	0.414	19 Mar. (78)	3 Tues.	1	59	0	47	25 Feb. (56)	2 Mon.	177	.531	9897	269	219	3593	
					18 Mar. (78)	4 Wed.	17	30	7	0	15 Mar. (75)	1 Sun.	207	.621	9932	205	271	3594	
					18 Mar. (77)	5 Thur.	33	1	13	12	4 Mar. (63)	5 Thur.	5	-	-	9807	52	240	3595

◎ See Text, Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = 1/30th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.							
Kali.	Saka.	Chaitra˜. Vikrami.	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month	True.			Time of the preceding saṅkrānti expressed in Lunation parts (.)	Time of the succeeding saṅkrānti expressed in Lunation parts (.)	Tithi
						(Southern.)	Bṛihaspati cycle (Northern) current at Mesha saṅkrānti.		9	10	11			
1	2	3	3a	4	5	6	7	8	9	10	11	12		
3596	417	552	—	—	494- 95	4 Pramoda	4 Āshādha	9803	29.409	610	1.830		
3597	418	553	—	—	495- 96	5 Prajāpti							
3598	419	554	—	—	*496- 97	6 Āngirass							
3599	420	555	—	—	497- 98	7 Śrīmukha	3 Jyeṣṭha	9982	29.946	681	2.043		
3600	421	556	—	—	498- 99	8 Bhāva							
3601	422	557	—	—	499-500	9 Yuvan	7 Āśvina	9988	29.964	348	1.044		
3602	423	558	—	—	*500- 1	10 Dhātṛi							
3603	424	559	—	—	501- 2	11 Āvara							
3604	425	560	—	—	502- 3	12 Bahudhānya	4 Āshādha	9336	25.006	109	0.327		
3605	426	561	—	—	503- 4	13 Pramāthīn							
3606	427	562	—	—	*504- 5	14 Vikrama							
3607	428	563	—	—	505- 6	15 Vṛisha	3 Jyeṣṭha	9487	28.461	319	0.657		
3608	429	564	—	—	506- 7	16 Chitrabhbānu							
3609	430	565	—	—	507- 8	17 Subhānu	12 Phālguna	9983	29.949	52	0.156		
3610	431	566	—	—	*508- 9	18 Tāraṇa							
3611	432	567	—	—	509- 10	19 Pārthiva							
3612	433	568	—	—	510- 11	20 Vyāya	5 Śrāvana	9597	28.791	184	0.552		
3613	434	569	—	—	511- 12	21 Suryajit							
3614	435	570	—	—	*512- 13	22 Sarvadhārin							
3615	436	571	—	—	513- 14	23 Virodhin	4 Āshādha	9764	29.292	635	1.905		
3616	437	572	—	—	514- 15	24 Vikṛita							
3617	438	573	—	—	515- 16	25 Khara							
3618	439	574	—	—	*516- 17	26 Nandana	2 Vaiśākha	9737	29.311	122	0.366		
3619	440	575	—	—	517- 18	27 Vṛjya							
3620	441	576	—	—	518- 19	28 Jyeṣṭha	6 Bhādrapada	9648	28.944	78	0.234		
3621	442	577	—	—	519- 20	29 Maṇmatha							
3622	443	578	—	—	*520- 21	30 Dūrmukha							
3623	444	579	—	—	521- 22	31 Hemalambha	4 Āshādha	9810	27.930	167	0.501		
3624	445	580	—	—	522- 23	32 Vilambha							
3625	446	581	—	—	523- 24	33 Viśākha							
3626	447	582	—	—	*524- 25	34 Śravāri	3 Jyeṣṭha	9398	28.794	229	0.687		
3627	448	583	—	—	525- 26	35 Plava							

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)					III. COMMENCEMENT OF THE															
Name of month	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śakla 1st.)											Kali.
	Time of the preceding saṅkrānti expressed in Lunation parts. (t.)	Tithi.	Time of the succeeding saṅkrānti expressed in Lunation parts. (t.)		Tithi.	Day and Month A. D.	(Time of the Meṣha saṅkrānti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Moon's Age.	a.	b.	c.		
			Lunation parts.	Tithi.			Day	Week day.	By the Ārya Siddhānta.			Lunation parts elapsed. (t.)	Tithi elapsed.							
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1				
4 Āshādha	9973	29.920	281	0.842	18 Mar. (77)	6 Fri.	48	32	19 25	22 Feb. (53)	3 Tues.	109	.827	22	936	212	3596			
					19 Mar. (78)	1 Sun.	4	4	1 37	18 Mar. (72)	2 Mon.	96	.288	57	872	283	3597			
12 Phālguna	9809	29.436	116	0.848	18 Mar. (78)	2 Mon.	19	35	7 50	2 Mar. (62)	0 Sat.	271	.813	271	756	235	3598			
					18 Mar. (77)	3 Tues.	35	6	14	2 19 Feb. (50)	4 Wed.	206	.618	147	603	204	3599			
9 Mārgasīrsha	9951	29.834	259	0.777	19 Mar. (78)	6 Fri.	6	9	2 27	27 Feb. (58)	0 Sat.	289	.867	57	386	225	3600			
					18 Mar. (78)	0 Sat.	21	40	8 40	16 Mar. (76)	5 Thur.	29	.087	9753	286	273	3602			
					18 Mar. (77)	1 Sun.	37	11	14 52	6 Mar. (65)	3 Tues.	229	.657	9967	169	245	3603			
5 Śrāvana	9797	29.361	94	0.283	18 Mar. (77)	2 Mon.	52	42	21 5	23 Feb. (54)	0 Sat.	○—	—	9843	16	214	3604			
					19 Mar. (78)	4 Wed.	8	14	3 17	14 Mar. (73)	6 Fri.	○—	—	9878	952	265	3605			
					18 Mar. (78)	5 Thur.	23	45	9 30	3 Mar. (63)	4 Wed.	112	.336	92	826	237	3606			
2 Vaiśākha	9980	29.789	237	0.711	18 Mar. (77)	6 Fri.	39	16	15 42	21 Feb. (52)	2 Mon.	311	.933	306	719	209	3607			
					18 Mar. (77)	0 Sat.	54	47	21 55	11 Mar. (70)	0 Sat.	47	.141	9	619	258	3608			
10 Pāncha	9765	29.295	72	0.217	19 Mar. (78)	2 Mon.	10	19	4 7	28 Feb. (59)	4 Wed.	48	.144	9878	466	227	3609			
					18 Mar. (78)	3 Tues.	25	50	10 20	18 Mar. (78)	3 Tues.	135	.405	9912	402	278	3610			
					18 Mar. (77)	4 Wed.	41	21	16 32	7 Mar. (66)	0 Sat.	68	.204	9788	249	248	3611			
7 Āśvina	9905	29.724	215	0.646	18 Mar. (77)	5 Thur.	56	52	22 45	25 Feb. (56)	5 Thur.	248	.744	3	133	219	3612			
					19 Mar. (78)	0 Sat.	12	24	4 57	16 Mar. (75)	4 Wed.	236	.708	37	69	271	3613			
					18 Mar. (78)	1 Sun.	27	55	11 10	4 Mar. (64)	1 Sun.	○—	—	9913	916	240	3614			
3 Jyeṣṭha	9743	29.230	51	0.152	18 Mar. (77)	2 Mon.	43	26	17 22	22 Feb. (53)	6 Fri.	137	.411	128	799	212	3615			
					18 Mar. (77)	3 Tues.	58	57	23 35	13 Mar. (72)	5 Thur.	162	.486	162	736	263	3616			
12 Phālguna	9886	29.658	193	0.580	19 Mar. (78)	5 Thur.	14	29	5 47	2 Mar. (61)	3 Mon.	108	.324	38	583	239	3617			
					18 Mar. (78)	6 Fri.	30	0	12 0	19 Feb. (50)	6 Fri.	116	.348	9913	430	201	3618			
					18 Mar. (77)	0 Sat.	45	31	18 12	9 Mar. (68)	5 Thur.	192	.578	9948	366	253	3619			
8 Kārttika	9721	29.164	29	0.086	19 Mar. (78)	2 Mon.	1	2	0 25	26 Feb. (57)	2 Mon.	101	.303	9824	213	222	3620			
					19 Mar. (78)	3 Tues.	16	34	6 37	17 Mar. (76)	1 Sun.	110	.330	9858	149	273	3621			
					18 Mar. (78)	4 Wed.	32	5	12 50	6 Mar. (66)	5 Fri.	242	.726	73	33	245	3622			
5 Śrāvana	9864	29.593	172	0.515	18 Mar. (77)	5 Thur.	47	36	19 2	23 Feb. (54)	3 Tues.	○—	—	9949	880	214	3623			
					19 Mar. (78)	0 Sat.	3	7	1 15	14 Mar. (73)	2 Mon.	○—	—	9983	816	266	3624			
					19 Mar. (78)	1 Sun.	18	39	7 27	4 Mar. (63)	0 Sat.	204	.612	197	699	238	3625			
1 Chaitra	9700	29.099	7	0.021	18 Mar. (78)	2 Mon.	34	10	13 40	21 Feb. (52)	4 Wed.	174	.522	73	547	207	3626			
					18 Mar. (77)	3 Tues.	49	41	19 52	11 Mar. (70)	3 Tues.	264	.792	108	482	258	3627			

* See Text, Art. 101, para. 2.

TABLE I.

Lation-parts = 10,000ths of a circle. A tithi = 1/16th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Śaka.	Chaitra, Vīkrami.	Mehūli (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month	True.			
						(Southern.)	Bṛihespati cycle (Northern) current at Meha saṅkrānti:		Lation parts, (T.)	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in	
1	2	3	3a	4	5	6	7	8	9	10	11	12
3628	449	584	—	—	526-27	36 Śubhakrit.....	8 Kārttika.....	9878	29.634	25	0.084
3629	450	585	—	—	527-28	37 Śobhana.....	10 Pausha (Ksh.)	15	0.045	9998	29.994
3630	451	586	—	—	*528-29	38 Kroḍhīn.....	12 Phālguna.....	9998	29.994	126	0.378
3631	452	587	—	—	529-30	39 Viśvāraṇa.....	5 Śrāvapa.....	9691	29.073	364	1.092
3632	453	588	—	—	530-31	40 Purībhava.....
3633	454	589	—	—	531-32	41 Plavanga.....
3634	455	590	—	—	*532-33	42 Kliaka.....	4 Āśādha.....	9747	29.341	396	1.788
3635	456	591	—	—	533-34	43 Saṁyā.....
3636	457	592	—	—	534-35	44 Śādhāraṇa.....
3637	458	593	—	—	535-36	45 Virodhakrit.....	2 Vaiśākha.....	9909	29.727	320	0.960
3638	459	594	—	—	*536-37	46 Paridhāvin.....
3639	460	595	—	—	537-38	47 Praṇāḍīna.....	6 Bhādrapadā.....	9844	29.532	260	0.780
3640	461	596	—	—	538-39	48 Ānanda.....
3641	462	597	—	—	539-40	49 Rākṣhāsa.....
3642	463	598	—	—	*540-41	50 Anala.....	4 Āśādha.....	9277	27.831	146	0.438
3643	464	599	—	—	541-42	51 Piṅgala.....
3644	465	600	—	—	542-43	52 Kālayukta.....
3645	466	601	—	—	543-44	53 Siddhārthīn.....	3 Jyeṣṭha.....	9784	29.352	340	1.020
3646	467	602	—	—	*544-45	54 Raṇḍra.....
3647	468	603	—	—	545-46	55 Durmati.....	8 Kārttika.....	9965	29.895	55	0.165
3648	469	604	—	—	546-47	56 Dundubhi.....	10 Pausha (Ksh.)	30	0.090	9961	29.883
3649	470	605	—	—	547-48	57 Rudhrīrodgṛīn.....	12 Phālguna.....	9958	29.874	110	0.330
3650	471	606	—	—	*548-49	58 Raktākha.....	5 Śrāvapa.....	9690	29.070	467	1.371
3651	472	607	—	—	549-50	59 Kroḍhāna.....
3652	473	608	—	—	550-51	60 Kahaya.....
3653	474	609	—	—	551-52	1 Prabhava.....	4 Āśādha.....	9824	29.472	577	1.731
3654	475	610	—	—	*552-53	2 Vibhava.....
3655	476	611	—	—	553-54	3 Suka.....
3656	477	612	—	—	554-55	4 Prumoda.....	2 Vaiśākha.....	9990	29.970	482	1.416

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)					III. COMMENCEMENT OF THE														
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)							Kali.			
	Time of the preceding sākṛanti expressed in Lunar parts (४)	Tithis.	Time of the succeeding sākṛanti expressed in Lunar parts (४)	Tithis.	Day and Month A. D.	(Time of the Meha sākṛanti.)		Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.	Moon's Age.	Lunar parts elapsed (४)	Tithis elapsed.	a.	b.	c.			
						Week day.	By the Ārya Siddhānta.												
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
10 Pañcha.....	9842	29.527	150	0.449	19 Mar. (78) 5 Thur.	5 12	2	5 28 Feb. (59) 0 Sat.	247	.741	9984	330	227	3628					
					19 Mar. (78) 6 Fri.	20 44	8 17	19 Mar. (78) 6 Fri.	298	.894	18	266	278	3629					
					18 Mar. (78) 0 Sat.	36 15	14 30	7 Mar. (67) 3 Tues.	126	.378	9894	113	248	3630					
7 Āśvina.....	9985	29.955	292	0.877	18 Mar. (77) 1 Sun.	51 46	20 42	25 Feb. (56) 1 Sun.	245	.735	108	996	220	3631					
					19 Mar. (78) 3 Tues.	7 17	9 55	16 Mar. (78) 0 Sat.	235	.675	143	932	271	3632					
					19 Mar. (78) 4 Wed.	22 49	9 7	5 Mar. (64) 4 Wed.	22	.066	19	780	240	3633					
3 Jyeṣṭha.....	9821	29.462	128	0.884	18 Mar. (78) 5 Thur.	38 20	15 20	23 Feb. (54) 2 Mon.	256	.768	233	663	212	3634					
					18 Mar. (77) 6 Fri.	53 51	21 32	12 Mar. (71) 0 Sat.	15	.045	9929	563	261	3635					
12 Phālguna.....	9963	29.890	271	0.812	19 Mar. (78) 1 Sun.	9 22	3 45	2 Mar. (61) 5 Thur.	330	.990	143	446	232	3636					
					19 Mar. (78) 2 Mon.	24 54	9 57	19 Feb. (50) 2 Mon.	297	.891	19	293	202	3637					
					18 Mar. (78) 3 Tues.	40 25	16 10	9 Mar. (69) 1 Sun.	333	.999	54	230	253	3638					
8 Kārttika.....	9799	29.396	106	0.318	18 Mar. (77) 4 Wed.	55 56	22 32	26 Feb. (57) 5 Thur.	136	.408	9930	77	222	3639					
					19 Mar. (78) 6 Fri.	11 27	4 35	17 Mar. (76) 4 Wed.	116	.348	9964	13	273	3640					
					19 Mar. (78) 0 Sat.	26 59	10 47	7 Mar. (66) 2 Mon.	232	.696	178	890	245	3641					
5 Śrīvatsa.....	9941	29.824	249	0.746	18 Mar. (78) 1 Sun.	42 30	17 0	24 Feb. (55) 6 Fri.	56	.168	54	743	215	3642					
					18 Mar. (77) 2 Mon.	58 1	23 12	14 Mar. (73) 5 Thur.	102	.806	89	879	266	3643					
					19 Mar. (78) 4 Wed.	13 32	5 25	3 Mar. (62) 2 Mon.	81	.243	9965	527	235	3644					
1 Chaitra.....	9777	29.331	84	0.253	19 Mar. (78) 5 Thur.	29 4	11 37	20 Feb. (51) 6 Fri.	83	.249	9840	374	204	3645					
					18 Mar. (78) 6 Fri.	44 35	17 50	10 Mar. (70) 5 Thur.	145	.435	9875	310	256	3546					
10 Pañcha.....	9920	29.759	227	0.681	19 Mar. (78) 1 Sun.	0 6	0 2	27 Feb. (58) 2 Mon.	8	.024	9751	157	225	3647					
					19 Mar. (78) 2 Mon.	15 37	6 15	18 Mar. (77) 1 Sun.	3	.009	9785	98	276	3648					
					19 Mar. (78) 3 Tues.	31 9	12 27	8 Mar. (67) 6 Fri.	119	.357	0	976	248	3649					
6 Bhādrapada.....	9755	29.265	62	0.187	18 Mar. (78) 4 Wed.	46 40	18 40	26 Feb. (57) 4 Wed.	247	.741	214	860	220	3650					
					19 Mar. (78) 6 Fri.	2 11	0 52	16 Mar. (75) 3 Tues.	255	.785	249	796	271	3651					
					19 Mar. (78) 0 Sat.	17 42	7 5	5 Mar. (64) 0 Sat.	155	.465	124	643	240	3652					
3 Jyeṣṭha.....	9898	29.693	205	0.615	19 Mar. (78) 1 Sun.	33 14	13 17	22 Feb. (53) 4 Wed.	131	.453	0	490	209	3653					
					18 Mar. (78) 2 Mon.	48 45	19 30	12 Mar. (72) 3 Tues.	237	.711	35	426	261	3654					
11 Māgha.....	9733	29.200	41	0.129	19 Mar. (78) 4 Wed.	4 16	1 42	1 Mar. (60) 0 Sat.	188	.564	9910	274	230	3655					
					19 Mar. (78) 5 Thur.	19 47	7 55	18 Feb. (49) 4 Wed.	26	.078	9786	121	199	3656					

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali	Saka	Chaitrādi Vikrami.	Mesha (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						(Southern.)	Brihaspati cycle (Northern) current at Meha sākrānti.		Lunation parts. (L.)	Time of the preceding sākrānti expressed in	Lunation parts. (L.)	Time of the succeeding sākrānti expressed in
1	2	3	3a	4	5	6	7	8	9	10	11	12
3657	478	613	—	—	555-56 5 Prajāpati						
3658	479	614	—	—	*556-57 6 Angiras	6 Bhādrapada	9970	29.910	448	1.344	
3659	480	615	—	—	557-58 7 Śrīmukha						
3660	481	616	—	—	558-59 8 Bhāva						
3661	482	617	—	—	559-60 9 Yuvan	4 Āshādha	9320	27.960	108	0.324	
3662	483	618	—	—	*560-61 10 Dhātri						
3663	484	619	—	—	561-62 11 Īśvara						
3664	485	620	—	—	562-63 12 Bahudhānya	3 Jyeshtha	9967	29.901	527	1.581	
3665	486	621	—	—	563-64 13 Pramāthin						
							7 Āśvina	9921	29.763	140	0.420	
3666	487	622	—	—	*564-65 14 Vikrama	10 Pausha (Ksh.)	104	0.312	9989	29.967	
							12 Phālguna	9948	29.844	70	0.210	
3667	488	623	—	—	565-66 15 Vṛisha						
3668	489	624	—	—	566-67 16 Chitrabhānu						
3669	490	625	—	—	567-68 17 Subhānu ¹⁾	5 Śrāvana	9648	28.944	455	1.365	
3670	491	626	—	—	*568-69 19 Pārthiva						
3671	492	627	—	—	569-70 20 Vyasa						
3672	493	628	—	—	570-71 21 Sarvajit	4 Āshādha	9993	29.979	648	1.944	
3673	494	629	—	—	571-72 22 Sarvadhārin						
3674	495	630	—	—	*572-73 23 Virodhin						
3675	496	631	—	—	573-74 24 Viśvita	2 Vaiśākha	9980	29.940	551	1.653	
3676	497	632	—	—	574-75 25 Khara						
3677	498	633	—	—	575-76 26 Nandana	6 Bhādrapada	9997	29.991	567	1.701	
3678	499	634	—	—	*576-77 27 Vijaya						
3679	500	635	—	—	577-78 28 Jaysa						
3680	501	636	—	—	578-79 29 Maṇmatha	4 Ashādha	9462	28.886	144	0.432	
3681	502	637	—	—	579-80 30 Durmukha						
3682	503	638	—	—	*580-81 31 Hemalamba						
3683	504	639	—	—	581-82 32 Vilambha	2 Vaiśākha	9522	28.566	71	0.213	
3684	505	640	—	—	582-83 33 Vikāra						
3685	506	641	—	—	583-84 34 Sārvari	6 Bhādrapada	9530	28.590	71	0.213	
3686	507	642	—	—	*584-85 35 Piava						
3687	508	643	—	—	585-86 36 Śubhairat						

¹⁾ Tāraṇa, No. 18, was suppressed.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)									Kali.	
	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in			Day and Month A. D.	(Time of the Meha saṅkrānti.)			Day and Month A. D.	Week day.	Luni-Solar year. (Civil day of Chaitra Śukla 1st.)	At Sunrise on meridian of Ujjain.			Moon's Age.	a .	b .	c .	
		Lunat. parts. (t.)	Tithis.	Lunat. parts. (t.)	Tithis.	Day	By the Ārya Siddhānta.	Week day.	Day	Week day.	Lunat. parts. (t.)	Tithis.	clipped. (t.)	clipped.					
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
8 Kārttika	9876	29.628	183	0.550	19 Mar. (78)	6 Fri.	35	19	14	7	9 Mar. (68)	3 Tues.	11	.033	9821	57	250	3657	
.....	18 Mar. (78)	0 Sat.	50	50	20	20	27 Feb. (58)	1 Sun.	124	.372	35	940	222	3658	
.....	19 Mar. (78)	2 Mon.	6	21	2	32	17 Mar. (76)	0 Sat.	112	.386	70	876	274	3659	
4 Ashādha	9711	29.134	19	0.056	19 Mar. (78)	3 Tues.	21	52	8	45	7 Mar. (66)	5 Thur.	284	.852	284	760	246	3660	
.....	19 Mar. (78)	4 Wed.	37	24	14	57	24 Feb. (55)	2 Mon.	214	.642	160	607	215	3661	
.....	18 Mar. (78)	5 Thur.	52	55	21	10	14 Mar. (74)	1 Sun.	296	.888	194	543	266	3662	
.....	19 Mar. (78)	0 Sat.	8	26	3	22	3 Mar. (62)	5 Thur.	300	.900	70	390	235	3663	
1 Chaitra	9854	29.563	161	0.484	19 Mar. (78)	1 Sun.	23	57	9	35	20 Feb. (51)	2 Mon.	229	.687	9946	237	205	3664	
.....	19 Mar. (78)	2 Mon.	39	29	15	47	11 Mar. (70)	1 Sun.	245	.735	9981	173	256	3665	
10 Pañcha	9997	29.991	304	0.913	18 Mar. (78)	3 Tues.	55	0	22	0	28 Feb. (59)	5 Thur.	16	.048	9856	21	225	3666	
.....	19 Mar. (78)	5 Thur.	10	31	4	12	18 Mar. (77)	4 Wed.	○	-	-	9891	957	276	3667
.....	19 Mar. (78)	6 Fri.	26	2	10	25	8 Mar. (67)	2 Mon.	127	.381	105	840	248	3668	
6 Bhādrapada	9832	29.497	140	0.419	19 Mar. (78)	0 Sat.	41	34	16	37	26 Feb. (57)	0 Sat.	322	.966	319	723	220	3669	
.....	18 Mar. (78)	1 Sun.	57	5	22	50	15 Mar. (75)	5 Thur.	58	.174	16	623	269	3670	
.....	19 Mar. (78)	3 Tues.	12	36	5	2	4 Mar. (63)	2 Mon.	57	.171	9891	470	238	3671	
3 Jyeṣṭha	9975	29.925	282	0.847	19 Mar. (78)	4 Wed.	28	7	11	15	21 Feb. (52)	6 Fri.	37	.111	9767	318	207	3672	
.....	19 Mar. (78)	5 Thur.	43	39	17	27	12 Mar. (71)	5 Thur.	82	.246	9802	254	258	3673	
11 Māgha	9810	29.431	118	0.354	18 Mar. (78)	6 Fri.	59	10	23	40	1 Mar. (61)	3 Tues.	262	.786	16	137	230	3674	
.....	19 Mar. (78)	1 Sun.	14	41	5	52	18 Feb. (49)	0 Sat.	31	.063	9892	984	199	3675	
.....	19 Mar. (78)	2 Mon.	30	12	12	5	9 Mar. (68)	6 Fri.	○	-	-	9926	920	251	3676
8 Kārttika	9953	29.860	261	0.782	19 Mar. (78)	3 Tues.	45	44	18	17	27 Feb. (58)	4 Wed.	150	.450	141	804	223	3677	
.....	19 Mar. (79)	5 Thur.	1	15	0	30	17 Mar. (77)	3 Tues.	175	.525	175	740	274	3678	
.....	19 Mar. (78)	6 Fri.	16	46	6	42	6 Mar. (65)	0 Sat.	118	.354	51	587	243	3679	
4 Ashādha	9789	29.366	96	0.288	19 Mar. (78)	0 Sat.	32	17	12	55	23 Feb. (54)	4 Wed.	126	.378	9927	434	212	3680	
.....	19 Mar. (78)	1 Sun.	47	49	19	7	14 Mar. (73)	3 Tues.	203	.609	9961	370	264	3681	
1 Chaitra	9931	29.794	239	0.716	19 Mar. (78)	4 Wed.	18	51	7	32	20 Feb. (51)	5 Thur.	278	.834	51	101	205	3682	
.....	19 Mar. (78)	5 Thur.	34	22	13	45	11 Mar. (70)	4 Wed.	258	.774	86	37	256	3684	
9 Mārgasīrsha	9767	29.300	74	0.223	19 Mar. (78)	6 Fri.	49	54	19	57	28 Feb. (59)	1 Sun.	9	.027	9962	884	225	3685	
.....	19 Mar. (79)	1 Sun.	5	25	2	10	18 Mar. (78)	0 Sat.	10	.030	9996	820	277	3686	
.....	19 Mar. (78)	2 Mon.	20	56	8	22	8 Mar. (67)	5 Thur.	217	.651	211	704	248	3687	

○ See Text Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = 1/30th of the moon's synodic revolution.

I. CONCURRENT YEAR								II. ADDED LUNAR MONTHS				
Kali.	Saka	Chaitrī, Vikrami Makhdili (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara		Name of month.	True.				
					(Southern.)	Bṛihaspati cycle (Northern) current at Meha sankranti.		Lunation parts. (l.)	Tithi.	Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in	
1	2	3	3a	4	5	6	7	8	9	10	11	12
3688	509	644	—	—	586- 87	37 Sōbhāna	5 Śrāvāna	9654	28.962	416	1.248	
3689	510	645	—	—	587- 88	38 Krodhīn						
3690	511	646	—	—	*588- 89	39 Viśeṣavasu						
3691	512	647	—	—	589- 90	40 Parābhava	3 Jyeshtha	9581	28.743	180	0.567	
3692	513	648	—	—	590- 91	41 Piāvāgnī						
3693	514	649	—	—	591- 92	42 Kliaka						
3694	515	650	—	—	*592- 93	43 Sunmya	3 Vaiśākha	9938	29.814	527	1.581	
3695	516	651	—	—	593- 94	44 Śūdrāvara						
3696	517	652	1	—	594- 95	45 Virodhākṛitī	6 Bhādrapada	9960	29.880	584	1.752	
3697	518	653	2	—	595- 96	46 Paridhāvinī						
3698	519	654	3	—	*596- 97	47 Pramādīnī						
3699	520	655	4	—	597- 98	48 Ananda	4 Āśāḍha	9679	29.037	281	0.843	
3700	521	656	5	—	598- 99	49 Rākshasa						
3701	522	657	6	—	599-600	50 Anāls						
3702	523	658	7	—	*600- 1	51 Piṅgala	2 Vaiśākha	9482	28.446	76	0.228	
3703	524	659	8	—	601- 2	52 Kālayukta						
3704	525	660	9	—	602- 3	53 Siddhārthīnī	6 Bhādrapada	9506	29.518	119	0.357	
3705	526	661	10	—	603- 4	54 Raudra						
3706	527	662	11	—	*604- 5	55 Durmatī						
3707	528	663	12	—	605- 6	56 Dundubhi	5 Śrāvāna	9759	29.277	418	1.254	
3708	529	664	13	—	606- 7	57 Rudraḥirodgārīnī						
3709	530	665	14	—	607- 8	58 Raktākāshī						
3710	531	666	15	—	*608- 9	59 Krodhāna	3 Jyeshtha	9613	28.839	323	0.969	
3711	532	667	16	—	609- 10	60 Kshaya						
3712	533	668	17	—	610- 11	1 Prabhava	8 Kārttika	9960	29.880	30	0.000	
3713	534	669	18	—	611- 12	2 Vibhava	9 Mārgaśī (Kāshī)	30	0.090	9937	29.811	
3714	535	670	19	—	*612- 13	3 Śukla	2 Vaiśākha	9954	29.862	492	1.476	
3715	536	671	20	—	613- 14	4 Pramoda	6 Bhādrapada	9940	29.820	545	1.635	
3716	537	672	21	—	614- 15	5 Prajāpatī						
3717	538	673	22	—	615- 16	6 Angirāsī						
3718	539	674	23	—	*616- 17	7 Śīlenakha	4 Āśāḍha	9819	29.457	476	1.428	
3719	540	675	24	—	617- 18	8 Bhāva						

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st.)									
	Time of the preceding sankranti expressed in		Time of the succeeding sankranti expressed in		Day and Month A. D.	(Time of the Meha sankranti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.	Kali.						
	Lunation parts. (T.)	Tithi.	Lunation parts. (T.)	Tithi.		By the Ārya Siddhānta.	Gh. Pa.	H. M.										
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
6 Bhādrapada	9910	29.729	217	0.651	19 Mar. (78)	3 Tues.	36	27	14	35	25 Feb. (56)	2 Mon.	183	.549	87	551	218 3688	
					19 Mar. (78)	4 Wed.	31	59	20	47	16 Mar. (75)	1 Sun.	273	.819	121	487	269 3689	
					19 Mar. (79)	6 Fri.	7	30	3	0	4 Mar. (64)	5 Thur.	258	.774	9997	334	258 3690	
2 Vaiśākha	9745	29.235	52	0.157	19 Mar. (78)	0 Sat.	23	1	9	12	21 Feb. (52)	2 Mon.	141	.423	9972	181	207 3691	
					19 Mar. (78)	1 Sun.	38	32	15	25	12 Mar. (71)	1 Sun.	141	.423	9907	117	259 3692	
11 Māgha	9888	29.663	195	0.585	19 Mar. (78)	2 Mon.	54	4	21	37	2 Mar. (61)	6 Fri.	262	.786	122	1	230 3693	
					19 Mar. (79)	4 Wed.	9	35	3	50	19 Feb. (50)	3 Tues.	26	.078	9997	848	200 3694	
					19 Mar. (78)	5 Thur.	25	6	10	2	9 Mar. (68)	2 Mon.	35	.105	32	784	251 3695	
7 Āśvina	9723	29.170	31	0.092	19 Mar. (78)	6 Fri.	40	37	16	15	27 Feb. (58)	0 Sat.	265	.795	246	668	223 3696	
					19 Mar. (78)	0 Sat.	56	9	22	27	17 Mar. (76)	5 Thur.	24	.072	9942	567	271 3697	
					19 Mar. (79)	2 Mon.	11	40	4	40	5 Mar. (65)	2 Mon.	29	.087	9817	414	241 3698	
4 Āshādha	9866	29.598	173	0.520	19 Mar. (78)	3 Tues.	27	11	10	52	23 Feb. (54)	0 Sat.	308	.924	32	298	212 3699	
					19 Mar. (78)	4 Wed.	42	42	17	5	13 Mar. (72)	5 Thur.	2	—	—	9728	198 261 3700	
12 Phālguna	9701	29.104	9	0.026	19 Mar. (78)	5 Thur.	58	14	23	17	3 Mar. (62)	3 Tues.	152	.456	9943	81	283 3701	
					19 Mar. (79)	0 Sat.	13	45	5	30	21 Feb. (52)	1 Sun.	270	.810	157	965	205 3702	
					19 Mar. (78)	1 Sun.	29	16	11	42	11 Mar. (70)	0 Sat.	249	.747	192	900	256 3703	
9 Mārgaśīrsha	9844	29.532	151	0.454	19 Mar. (78)	2 Mon.	44	47	17	55	28 Feb. (59)	4 Wed.	67	.201	67	748	225 3704	
					20 Mar. (79)	4 Wed.	0	19	0	7	19 Mar. (78)	3 Tues.	115	.845	102	684	277 3705	
					19 Mar. (79)	5 Thur.	15	50	6	20	7 Mar. (67)	0 Sat.	91	.273	9978	531	246 3706	
6 Bhādrapada	9987	29.961	294	0.888	19 Mar. (78)	6 Fri.	31	21	12	32	24 Feb. (55)	4 Wed.	93	.276	9854	378	215 3707	
					19 Mar. (78)	0 Sat.	46	52	18	45	15 Mar. (74)	3 Tues.	157	.471	9888	314	266 3708	
					20 Mar. (79)	2 Mon.	2	24	0	57	4 Mar. (65)	0 Sat.	22	.066	9764	161	236 3709	
2 Vaiśākha	9822	29.467	130	0.389	19 Mar. (79)	3 Tues.	17	55	7	10	22 Feb. (53)	5 Thur.	160	.480	9978	45	209 3710	
					19 Mar. (78)	4 Wed.	33	26	18	22	12 Mar. (71)	4 Wed.	135	.405	13	981	259 3711	
11 Māgha	9965	29.895	272	0.817	19 Mar. (78)	5 Thur.	48	57	19	35	2 Mar. (61)	3 Mon.	261	.783	227	864	231 3712	
					20 Mar. (79)	0 Sat.	4	29	1	47	19 Feb. (50)	6 Fri.	110	.330	103	711	200 3713	
					19 Mar. (79)	1 Sun.	20	0	8	0	9 Mar. (69)	5 Thur.	166	.498	138	648	251 3714	
7 Āśvina	9800	29.401	108	0.323	19 Mar. (78)	2 Mon.	35	31	14	12	26 Feb. (57)	2 Mon.	159	.477	13	495	220 3715	
					19 Mar. (78)	3 Tues.	51	2	20	25	17 Mar. (76)	1 Sun.	247	.741	48	481	272 3716	
4 Āshādha	9943	29.830	251	0.752	19 Mar. (79)	6 Fri.	22	5	8	50	23 Feb. (54)	2 Mon.	40	.120	9799	125	210 3718	
					19 Mar. (78)	0 Sat.	37	36	15	2	18 Mar. (72)	1 Sun.	28	.084	9834	61	261 3719	

○ See Text, Art. 101 above, para 2.

TABLE I.

Lunation-parts = 10,000^{ths} of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra Vikram.	Mahabdi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						(Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		Lunation parts. (t.)	Tithi.	Lunation parts. (t.)	Tithi.
1	2	3	3a	4	5	6	7	8	9	10	11	12
3720	541	676	25	—	618-19 9 Yuvan.						
3721	542	677	26	—	619-20 10 Dhātri.	2 Vaiśākha.	9469	28.407	35	0.105	
3722	543	678	27	—	*620-21 11 Āvara.						
3723	544	679	28	—	621-22 12 Bahudhānya.	6 Bhādrapada.	9467	28.401	92	0.276	
3724	545	680	29	—	622-23 13 Pramāthin.						
3725	546	681	30	—	623-24 14 Vikrama.						
3726	547	682	31	—	*624-25 15 Vṛiasha.	5 Śrāvana.	9942	29.826	520	1.560	
3727	548	683	32	—	625-26 16 Chitrabhānu.						
3728	549	684	33	—	626-27 17 Subhānu.						
3729	550	685	34	—	627-28 18 Tāraṇa.	3 Jyeṣṭha.	9580	28.740	358	1.074	
3730	551	686	35	—	*628-29 19 Pārthīva.						
3731	552	687	36	—	629-30 20 Vyūna.	7 Āśvina.	9640	28.920	19	0.057	
3732	553	688	37	—	630-31 21 Sarvajit.	10 Pātsha (Ksh.).	101	0.303	9968	29.904	
3733	554	689	38	—	631-32 22 Sarvadhārin.	1 Chaitra.	9870	29.610	70	0.210	
3734	555	690	39	—	*632-33 23 Virodhin.	5 Śrāvana.	9406	28.218	7	0.021	
3735	556	691	40	—	633-34 24 Vikṛita.						
3736	557	692	41	—	634-35 25 Khara.						
3737	558	693	42	—	635-36 26 Nandana.	4 Ashādha.	9890	29.670	644	1.932	
3738	559	694	43	—	*636-37 27 Vijaya.						
3739	560	695	44	—	637-38 28 Jaya.						
3740	561	696	45	—	638-39 29 Manmatha.	2 Vaiśākha.	9551	28.653	31	0.093	
3741	562	697	46	—	639-40 30 Durmukha.						
3742	563	698	47	—	*640-41 31 Hemalamba.	6 Bhādrapada.	9504	28.512	60	0.180	
3743	564	699	48	—	641-42 32 Vilambī.						
3744	565	700	49	—	642-43 33 Vikṛīva.						
3745	566	701	50	—	643-44 34 Sārvati.	4 Āśādha.	9408	28.224	129	0.387	
3746	567	702	51	—	*644-45 35 Plava.						
3747	568	703	52	—	645-46 36 Śubhakrit.						
3748	569	704	53	—	646-47 37 Śobhana.	3 Jyeṣṭha.	9555	28.665	323	0.969	
3749	570	705	54	—	647-48 38 Krodhīn.						
3750	571	706	55	—	*648-49 39 Viśvāvan.	8 Kārtika.	9994	29.982	171	0.513	
3751	572	707	56	—	649-50 40 Parābhava.						

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE											
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								
	Time of the preceding sākṛanti expressed in		Time of the succeeding sākṛanti expressed in		Day and Month A. D.	(Time of the Mesha sākṛanti.)				Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.				Kali.	
	Lunat. parts (z.)	Tithis.	Lunat. parts (z.)	Tithis.		Week day.	By the Ārya Siddhānta.	Gh. Pa.	H. M.			Moon's Age.	α.	β.	γ.		
8a	9a	10a	11a	12a	13	14	15		17	19	20	21	22	23	24	25	1
12 Phālguna....	9779	29.336	86	0.258	19 Mar. (78)	1 Sun.	53	7	21	15	3 Mar. (62)	6 Fri.	140	.420	48	945	233 3720
					20 Mar. (79)	3 Tues.	8	39	3	27	21 Feb. (53)	4 Wed.	281	.843	263	828	205 3721
					19 Mar. (79)	4 Wed.	24	10	9	40	11 Mar. (71)	3 Tues.	297	.891	297	764	256 3722
9 Mārgasīrsha	9921	29.764	229	0.686	19 Mar. (78)	5 Thur.	39	41	15	52	28 Feb. (59)	0 Sat.	222	.666	173	611	226 3723
					19 Mar. (78)	6 Fri.	55	12	22	5	19 Mar. (78)	6 Fri.	308	.624	208	547	277 3724
					20 Mar. (79)	1 Sun.	10	44	4	17	8 Mar. (67)	3 Tues.	310	.930	83	394	246 3725
5 Śrīvatsa.....	9757	29.270	64	0.192	19 Mar. (79)	2 Mon.	26	15	10	30	25 Feb. (56)	0 Sat.	240	.720	9959	242	215 3726
					19 Mar. (78)	3 Tues.	41	46	16	42	15 Mar. (74)	6 Fri.	260	.780	9994	178	267 3727
					19 Mar. (78)	4 Wed.	57	17	22	55	4 Mar. (63)	3 Tues.	31	.093	9869	25	236 3728
2 Vaiśākha....	9900	29.699	207	0.691	20 Mar. (79)	6 Fri.	12	49	5	7	22 Feb. (53)	1 Sun.	149	.447	84	908	208 3729
					19 Mar. (79)	0 Sat.	28	20	11	20	12 Mar. (72)	0 Sat.	142	.426	118	844	259 3730
10 Pāncha	9735	29.205	42	0.127	19 Mar. (78)	1 Sun.	43	51	17	32	1 Mar. (60)	4 Wed.	4	.012	9994	691	228 3731
					19 Mar. (78)	2 Mon.	59	22	23	45	19 Feb. (50)	2 Mon.	287	.861	208	575	200 3732
					20 Mar. (79)	4 Wed.	14	54	5	57	9 Mar. (68)	0 Sat.	66	.198	9904	475	249 3733
7 Āśvinī.....	9878	29.633	185	0.555	19 Mar. (79)	5 Thur.	30	25	12	10	26 Feb. (57)	4 Wed.	47	.141	9780	322	218 3734
					19 Mar. (78)	6 Fri.	45	56	18	22	16 Mar. (75)	3 Tues.	95	.285	9815	258	269 3735
					20 Mar. (79)	1 Sun.	1	27	0	35	6 Mar. (65)	1 Sun.	278	.834	29	142	241 3736
3 Jyeshtha....	9713	29.139	20	0.061	20 Mar. (79)	2 Mon.	16	59	6	47	23 Feb. (54)	5 Thur.	37	.111	9905	989	210 3737
					19 Mar. (79)	3 Tues.	32	30	13	0	13 Mar. (73)	4 Wed.	16	.048	9940	925	262 3738
12 Phālguna....	9856	29.568	163	0.490	19 Mar. (78)	4 Wed.	48	1	19	12	3 Mar. (62)	2 Mon.	163	.489	154	808	234 3739
					20 Mar. (79)	6 Fri.	3	32	1	25	20 Feb. (51)	6 Fri.	57	.171	30	655	203 3740
					20 Mar. (79)	0 Sat.	19	4	7	37	11 Mar. (70)	5 Thur.	128	.384	64	591	254 3741
9 Mārgasīrsha	9999	29.996	306	0.918	19 Mar. (79)	1 Sun.	34	35	13	50	28 Feb. (59)	2 Mon.	134	.402	9940	439	223 3742
					19 Mar. (78)	2 Mon.	50	6	20	2	18 Mar. (77)	1 Sun.	215	.645	9975	374	274 3743
					20 Mar. (79)	4 Wed.	5	37	2	15	7 Mar. (66)	5 Thur.	127	.381	9850	222	244 3744
5 Śrīvatsa.....	9834	29.502	141	0.424	20 Mar. (79)	5 Thur.	21	9	8	27	25 Feb. (56)	3 Tues.	292	.876	65	105	216 3745
					19 Mar. (79)	6 Fri.	36	40	14	40	15 Mar. (75)	2 Mon.	275	.825	99	41	267 3746
					19 Mar. (78)	0 Sat.	52	11	20	52	4 Mar. (63)	6 Fri.	24	.072	9975	888	236 3747
2 Vaiśākha....	9977	29.930	284	0.853	20 Mar. (79)	2 Mon.	7	42	3	5	22 Feb. (53)	4 Wed.	192	.576	189	772	205 3748
					20 Mar. (79)	3 Tues.	23	14	9	17	13 Mar. (72)	3 Tues.	227	.681	224	708	259 3749
10 Pāncha	9812	29.437	120	0.359	19 Mar. (79)	4 Wed.	38	45	15	30	1 Mar. (61)	0 Sat.	192	.576	100	555	228 3750
					19 Mar. (78)	5 Thur.	54	16	21	42	20 Mar. (79)	6 Fri.	285	.855	134	491	280 3751

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Śaka.	Chaitrādi.	Vikrama.	Meṣāḍī (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		True.			
							(Southern.)	Bṛihaspati cycle (Northern) current at Meṣha saṅkrānti.	Name of month.	Lunation parts. (८)	Time of the preceding saṅkrānti expressed in Tithis.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
3752	573	708	57	—	650-51 41 Plavanga						
3753	574	709	58	—	651-52 42 Kilaṣa	5 Śrāvana	9604	28.812	168	0.504	
3754	575	710	59	—	*652-53 43 Saumya						
3755	576	711	60	—	653-54 44 Sādhāraṇa ¹⁾						
3756	577	712	61	—	654-55 46 Paridhāvin	4 Āshādha	9871	29.613	722	2.166	
3757	578	713	62	—	655-56 47 Pramādin						
3758	579	714	63	—	*656-57 48 Āmnanda						
3759	580	715	64	—	657-58 49 Rākṣasa	2 Vaiśākha	9725	29.175	127	0.381	
3760	581	716	65	—	658-59 50 Anula						
3761	582	717	66	—	659-60 51 Piṅgala	6 Bhādrapada	9638	28.914	104	0.312	
3762	583	718	67	—	*660-61 52 Kālayukta						
3763	584	719	68	—	661-62 53 Siddhārthīn						
3764	585	720	69	—	662-63 54 Raudra	4 Ashādha	9415	28.245	238	0.714	
3765	586	721	70	—	663-64 55 Durmatī						
3766	587	722	71	—	*664-65 56 Dundubhi						
3767	588	723	72	—	665-66 57 Rudhiroḍgārīn	3 Jyeshtha	9615	28.845	290	0.870	
3768	589	724	73	—	666-67 58 Raktākṣha						
3769	590	725	74	—	667-68 59 Kroḍhāna	8 Kārttika	9959	29.877	132	0.396	
3770	591	726	75	—	*668-69 60 Kshaya						
3771	592	727	76	—	669-70 1 Prabhava						
3772	593	728	77	—	670-71 2 Viñhava	5 Śrāvana	9746	29.238	365	1.095	
3773	594	729	78	—	671-72 3 Śukla						
3774	595	730	79	—	*672-73 4 Piromoda						
3775	596	731	80	—	673-74 5 Prajūpti	4 Āshādha	9833	29.499	706	2.118	
3776	597	732	81	—	674-75 6 Aṅgiras						
3777	598	733	82	—	675-76 7 Śrīmukha						
3778	599	734	83	—	*676-77 8 Bhāva	2 Vaiśākha	9915	29.745	303	0.909	
3779	600	735	84	—	677-78 9 Yuvan						
3780	601	736	85	—	678-79 10 Dhāṭri	6 Bhādrapada	9831	29.493	246	0.738	
3781	602	737	86	—	679-80 11 Āvara						
3782	603	738	87	—	*680-81 12 Bahudhānya						
3783	604	739	88	—	681-82 13 Pramāthin	4 Āshādha	9373	28.119	248	0.744	
3784	605	740	89	—	682-83 14 Vikrama						

¹⁾ Virodhakrit, No. 45, was suppressed.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE													Kali.	
Name of month:	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st.)									Kali.		
	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in	Day and Month A. D.	(Time of the Meha saṅkrānti.)				Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.										
				Week day.	By the Ārya Siddhānta.		Gh. Pa.			Moon's Age.	Tithis elapsed.	σ.	β.	γ.	α.	β.	γ.			
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1				
7 Āśvina	9955 29.865	262	0.787	20 Mar. (79)	0 Sat.	9 47	3 55	9 Mar. (68)	3 Tues.	267	801	10	338	249	3752					
				20 Mar. (79)	1 Sun.	25 19	10 7	26 Feb. (57)	0 Sat.	155	465	9886	186	218	3753					
				19 Mar. (79)	2 Mon.	40 50	16 20	16 Mar. (76)	6 Fri.	157	471	9920	122	269	3754					
				19 Mar. (78)	3 Tues.	56 21	22 32	6 Mar. (65)	4 Wed.	279	837	135	5	241	3755					
3 Jyeshtha	9790 29.371	98	0.293	20 Mar. (79)	5 Thur.	11 52	4 45	23 Feb. (54)	1 Sun.	40	120	10	852	211	3756					
				20 Mar. (79)	6 Fri.	27 24	10 57	14 Mar. (73)	0 Sat.	49	147	45	788	262	3757					
12 Phalgunā	9933 29.800	241	0.722	19 Mar. (79)	0 Sat.	42 55	17 10	3 Mar. (63)	5 Thur.	275	825	259	672	234	3758					
				19 Mar. (78)	1 Sun.	58 26	23 22	20 Feb. (51)	2 Mon.	261	783	135	519	203	3759					
				20 Mar. (79)	3 Tues.	13 57	5 35	10 Mar. (69)	0 Sat.	40	120	9831	419	252	3760					
8 Kārttika	9769 29.306	76	0.228	20 Mar. (79)	4 Wed.	29 29	11 47	28 Feb. (59)	5 Thur.	319	957	46	302	223	3761					
				19 Mar. (79)	5 Thur.	45 0	18 0	17 Mar. (77)	3 Tues.	16	048	9742	202	272	3762					
				20 Mar. (79)	0 Sat.	0 31	0 12	7 Mar. (66)	1 Sun.	167	501	9956	85	244	3763					
5 Śeṣvava	9911 29.734	219	0.656	20 Mar. (79)	1 Sun.	16 2	6 25	25 Feb. (56)	6 Fri.	284	852	170	969	216	3764					
				20 Mar. (79)	2 Mon.	31 34	12 37	16 Mar. (75)	5 Thur.	266	793	205	905	267	3765					
				19 Mar. (79)	3 Tues.	47 5	18 50	4 Mar. (64)	2 Mon.	81	243	81	752	236	3766					
1 Chaitra	9747 29.240	54	0.162	20 Mar. (79)	5 Thur.	2 36	1 2	21 Feb. (52)	6 Fri.	16	048	9956	599	205	3767					
				20 Mar. (79)	6 Fri.	18 7	7 15	12 Mar. (71)	5 Thur.	101	303	9991	535	257	3768					
10 Pāncha	9890 29.669	197	0.591	20 Mar. (79)	0 Sat.	33 39	13 27	1 Mar. (60)	2 Mon.	102	306	9867	382	226	3769					
				19 Mar. (79)	1 Sun.	49 10	19 40	19 Mar. (79)	1 Sun.	170	510	9901	318	277	3770					
				20 Mar. (79)	3 Tues.	4 41	1 52	8 Mar. (67)	5 Thur.	38	114	9777	166	246	3771					
6 Bhādrapada	9725 29.175	32	0.097	20 Mar. (79)	4 Wed.	20 12	8 5	26 Feb. (57)	3 Tues.	175	525	9991	49	218	3772					
				20 Mar. (79)	5 Thur.	35 44	14 17	17 Mar. (76)	2 Mon.	152	456	26	985	270	3773					
				19 Mar. (79)	6 Fri.	51 15	20 30	6 Mar. (66)	0 Sat.	277	831	240	869	242	3774					
3 Jyeshtha	9868 29.603	175	0.525	20 Mar. (79)	1 Sun.	6 46	2 42	23 Feb. (54)	4 Wed.	121	363	116	716	211	3775					
				20 Mar. (79)	2 Mon.	22 17	8 55	14 Mar. (73)	3 Tues.	177	531	151	652	262	3776					
11 Māgha	9703 29.109	10	0.031	20 Mar. (79)	3 Tues.	37 49	15 7	3 Mar. (63)	0 Sat.	168	504	27	499	281	3777					
				19 Mar. (79)	4 Wed.	53 20	21 20	20 Feb. (51)	4 Wed.	160	480	9902	346	200	3778					
				20 Mar. (79)	5 Fri.	8 51	3 32	10 Mar. (60)	3 Tues.	214	642	9937	283	252	3779					
8 Kārttika	9846 29.538	153	0.460	20 Mar. (79)	0 Sat.	24 22	9 45	27 Feb. (58)	0 Sat.	56	168	9813	130	221	3780					
				20 Mar. (79)	1 Sun.	39 54	15 57	18 Mar. (77)	6 Fri.	43	129	9847	65	272	3781					
5 Śeṣvava	9989 29.966	296	0.888	20 Mar. (79)	4 Wed.	10 56	4 22	25 Feb. (56)	2 Mon.	295	885	276	832	216	3782					
				20 Mar. (79)	5 Thur.	26 27	10 35	16 Mar. (75)	1 Sun.	311	933	310	769	267	3783					

TABLE I.

Lamination-parts = 10,000ths of a circle. A tithi = $\frac{1}{360}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitriddi. Vikram.	Meshridi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						(Southern.)	Brihaspati cycle (Northern) current at Mesha mâskratî.		Time of the preceding mâskratî expressed in Tithi.	Time of the succeeding mâskratî expressed in Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12
3785	606	741	90	—	683- 84	15 Vrisha.						
3786	607	742	91	—	*684- 85	16 Chitrabhânu.	3 Jyeṣṭha.	9770	29.310	358	1.074	
3787	608	743	92	—	685- 86	17 Śabâhu.						
3788	609	744	93	—	686- 87	18 Târaṇa.	8 Kārtika.	9994	29.982	116	0.348	
3789	610	745	94	—	687- 88	19 Pârthiva.						
3790	611	746	95	—	*688- 89	20 Vyasya.						
3791	612	747	96	—	689- 90	21 Sarvajit.	5 Śrâvâga.	9787	29.361	510	1.530	
3792	613	748	97	—	690- 91	22 Sarvadâhînî.						
3793	614	749	98	—	691- 92	23 Virodhîn.						
3794	615	750	99	—	*692- 93	24 Vikrîta.	4 Āśâdha.	9859	29.577	666	1.998	
3795	616	751	100	—	693- 94	25 Kharâ.						
3796	617	752	101	—	694- 95	26 Nandana.						
3797	618	753	102	—	695- 96	27 Vijaya.	1 Chaitra.	9748	29.244	48	0.144	
3798	619	754	103	—	*696- 97	28 Jasya.						
3799	620	755	104	—	697- 98	29 Mâṁmatha.	5 Śrîvâga.	9816	27.948	3	0.009	
3800	621	756	105	—	698- 99	30 Durmukha.						
3801	622	757	106	—	699-700	31 Hemalamba.						
3802	623	758	107	—	*700- 1	32 Vilambâ.	4 Āśâdha.	9872	28.116	209	0.627	
3803	624	759	108	—	701- 2	33 Vîkñîna.						
3804	625	760	109	—	702- 3	34 Śârvâri.						
3805	626	761	110	—	703- 4	35 Plava.	3 Jyeṣṭha.	9969	29.907	515	1.545	
3806	627	762	111	—	*704- 5	36 Śâbhakriti.						
3807	628	763	112	—	705- 6	37 Sôkhâna.	7 Asvina.	9901	29.703	131	0.393	
3808	629	764	113	—	706- 7	38 Krodhîn.						
3809	630	765	114	—	707- 8	39 Viśvâsana.						
3810	631	766	115	—	*708- 9	40 Parâbhabava.	5 Śrîvâga.	9755	29.265	554	1.662	
3811	632	767	116	—	709- 10	41 Plavañiga.						
3812	633	768	117	—	710- 11	42 Kîlaṅka.						
3813	634	769	118	—	711- 12	43 Saumya.	4 Āśâdha.	9987	29.961	685	2.055	
3814	635	770	119	—	*712- 13	44 Śâdhâraṇa.						
3815	636	771	120	—	713- 14	45 Virodhâkhyâtî.						
3816	637	772	121	—	714- 15	46 Paridhâvin.	1 Chaitra.	9723	29.169	80	0.240	
3817	638	773	122	—	715- 16	47 Prasâdhiṇî.						

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE												
Mean.				Solar year				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)											
Name of month.	Time of the preceding sankranti expressed in		Time of the succeeding sankranti expressed in		Day and Month A. D.	(Time of the Meaha sankranti)		Day and Month A. D.	Week day.		At Sunrise on meridian of Ujjain.		Kali.						
	Lunati parts (t.)	Tithis	Lunati parts (t.)	Tithis		Week day.	By the Ārya Siddhānta.				Moon's Age.								
						Gh. Pa	H. M.				Lunati parts elapsed (t.)	Tithis elapsed	a.	b.	c.				
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
1 Chaitra	9824	29.472	131	0.394	20 Mar. (79)	6 Fri.	41 59	16 47	5 Mar. (64)	5 Thur.	233 .699	186	616	236	3785				
10 Pausa	9967	29.900	274	0.823	20 Mar. (79)	0 Sat.	57 30	23 0	22 Feb. (53)	2 Mon.	236 .708	62	463	206	3786				
6 Bhādrapada	9802	29.407	110	0.329	20 Mar. (79)	2 Mon.	13 1	5 12	12 Mar. (71)	1 Sun.	321 .963	97	399	257	3787				
3 Jyeṣṭha	9945	29.835	252	0.737	20 Mar. (80)	4 Wed.	44 4	17 37	20 Mar. (79)	4 Wed.	276 .828	7	182	277	3789				
11 Māgha	9780	29.341	88	0.263	20 Mar. (79)	0 Sat.	15 6	6 2	26 Feb. (57)	6 Fri.	165 .495	97	913	219	3791				
8 Kārtika	9923	29.769	231	0.691	20 Mar. (79)	1 Sun.	30 37	12 15	17 Mar. (76)	3 Thur.	158 .474	132	849	270	3792				
4 Āśadha	9759	29.276	66	0.198	20 Mar. (80)	2 Mon.	46 9	18 27	6 Mar. (65)	2 Mon.	15 .045	7	696	239	3793				
1 Čaitra	9901	29.704	209	0.626	20 Mar. (79)	3 Tues.	17 11	6 52	13 Mar. (72)	5 Thur.	77 .231	9918	479	259	3795				
9 Mārgasīrsha	9737	29.210	44	0.132	20 Mar. (79)	0 Sat.	48 14	19 17	20 Feb. (51)	0 Sat.	287 .861	8	210	201	3797				
6 Bhādrapada	9879	29.638	187	0.561	20 Mar. (80)	3 Tues.	19 16	7 42	27 Feb. (58)	3 Tues.	53 .159	9918	993	221	3799				
2 Vaiśākha	9715	29.145	22	0.067	20 Mar. (79)	4 Wed.	34 47	13 55	18 Mar. (77)	2 Mon.	32 .096	9953	929	272	3800				
11 Māgha	9858	29.573	165	0.495	20 Mar. (79)	5 Thur.	50 19	20 7	8 Mar. (67)	0 Sat.	178 .534	167	812	244	3801				
1 Chaitra	9901	29.704	209	0.626	20 Mar. (79)	6 Fri.	5 50	2 20	25 Feb. (56)	4 Wed.	67 .201	43	660	213	3803				
9 Mārgasīrsha	9737	29.210	44	0.132	20 Mar. (79)	1 Sun.	21 21	8 32	15 Mar. (74)	3 Tues.	130 .417	78	596	265	3803				
6 Bhādrapada	9879	29.638	187	0.561	20 Mar. (80)	2 Mon.	36 52	14 45	4 Mar. (63)	0 Sat.	141 .423	9953	443	234	3804				
2 Vaiśākha	9715	29.145	22	0.067	20 Mar. (79)	3 Tues.	10 0	4 0	27 Feb. (58)	2 Mon.	206 .618	203	776	219	3810				
11 Māgha	9858	29.573	165	0.495	20 Mar. (79)	4 Wed.	25 31	10 12	17 Mar. (76)	1 Sun.	241 .723	237	713	270	3811				
2 Vaiśākha	9715	29.145	22	0.067	20 Mar. (79)	5 Thur.	41 2	16 25	6 Mar. (65)	3 Thur.	201 .603	113	560	239	3812				
1 Chaitra	9901	29.704	209	0.626	20 Mar. (79)	6 Fri.	56 34	22 37	23 Feb. (54)	2 Mon.	209 .627	9989	407	208	3813				
9 Mārgasīrsha	9737	29.210	44	0.132	20 Mar. (79)	1 Sun.	12 5	4 50	13 Mar. (73)	1 Sun.	280 .840	28	343	260	3814				
6 Bhādrapada	9879	29.638	187	0.561	20 Mar. (80)	2 Mon.	27 36	11 2	2 Mar. (61)	5 Thur.	169 .507	9899	190	229	3815				
2 Vaiśākha	9715	29.145	22	0.067	20 Mar. (79)	3 Tues.	43 7	17 15	20 Feb. (51)	3 Tues.	318 .954	113	73	201	3816				
11 Māgha	9858	29.573	165	0.495	20 Mar. (79)	4 Wed.	58 39	23 27	11 Mar. (70)	2 Mon.	296 .888	148	9	252	3817				

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.							
Kali.	Saka.	Chaitra, Vihrama.	Makha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Bṛihaspati cycle (Northern) current at Mesha saṅkrānti.	Name of month.	True.					
						(Southern.)				Lunation parts (L)	Time of the preceding saṅkrānti expressed in Tithi.	Lunation parts (L)	Time of the succeeding saṅkrānti expressed in Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12			
3818	639	774	123	—	*716-17	48 Ananda	—	5 Śravas	9801	27.903	83	0.249			
3819	640	775	124	—	717-18	49 Bākshas	—								
3820	641	776	125	—	718-19	50 Anala	—								
3821	642	777	126	—	719-20	51 Pingala	—	4 Āśādha	9466	28.398	201	0.603			
3822	643	778	127	—	*720-21	52 Kālayukta	—								
3823	644	779	128	—	721-22	53 Siddhārtin	—								
3824	645	780	129	—	722-23	54 Raudra	—	2 Vaiśākha	9611	28.833	118	0.354			
3825	646	781	130	—	723-24	55 Durmati	—								
3826	647	782	131	—	*724-25	56 Dandabhi	—	6 Bhādrapada	9600	28.800	90	0.270			
3827	648	783	132	—	725-26	57 Rudhradgārin	—								
3828	649	784	133	—	726-27	58 Raktāksha	—								
3829	650	785	134	—	727-28	59 Krodhana	—	5 Śārasva	9728	29.184	522	1.566			
3830	651	786	135	—	*728-29	60 Kshaya	—								
3831	652	787	136	—	729-30	1 Prabhava	—								
3832	653	788	137	—	730-31	2 Vibhava	—	3 Jyeshtha	9610	28.830	178	0.534			
3833	654	789	138	—	731-32	3 Śukla	—								
3834	655	790	139	—	*732-33	4 Pramoda	—								
3835	656	791	140	—	733-34	5 Prajāpati	—	1 Chaitra	9690	29.070	44	0.132			
3836	657	792	141	—	734-35	6 Angiras	—								
3837	658	793	142	—	735-36	7 Śrinukha	—	5 Śāvapa	9261	27.783	68	0.204			
3838	659	794	143	—	*736-37	8 Bhāva	—								
3839	660	795	144	—	737-38	9 Yuvan	—								
3840	661	796	145	—	738-39	10 Dhātri ¹	—	4 Āśādha	9643	28.929	288	0.864			
3841	662	797	146	—	739-40	12 Bahudhānya	—								
3842	663	798	147	—	*740-41	13 Pṛamāthīn	—								
3843	664	799	148	—	741-42	14 Vikramas	—	2 Vaiśākha	9590	28.770	172	0.516			
3844	665	800	149	—	742-43	15 Viśāka	—								
3845	666	801	150	—	743-44	16 Chitracālā	—	6 Bhādrapada	9612	28.830	194	0.582			
3846	667	802	151	—	*744-45	17 Subhāna	—								
3847	668	803	152	—	745-46	18 Tāraṇa	—								
3848	669	804	153	—	746-47	19 Pārthīva	—	5 Śārasva	9780	29.340	492	1.476			
3849	670	805	154	—	747-48	20 Vyasya	—								
3850	671	806	155	—	*748-49	21 Sarvajit	—								

¹ Year No. 11, was suppressed.

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Mean.						Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st.)								
Name of month.	Time of the preceding sākṛti expressed in		Time of the succeeding sākṛti expressed in		Day and Month A. D.	(Time of the Meha sākṛti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Kali.				
	Lunation parts. (<i>t</i>)	Tithi.	Lunation parts. (<i>t</i>)	Tithi.		Day	By the Ārya Siddhānta.	Week day.			Moon's Age.	Month parts elapsed. (<i>t</i>)	Tithi					
						A. D.	Gh. Pa	H. M.										
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
7 Āśvina...	9693	29.079	0	0.001	20 Mar. (80)	6 Fri.	14 10	5 40	28 Feb. (59)	6 Fri.	55 165	24	857	221	3818			
			*		20 Mar. (79)	0 Sat.	29 41	11 52	18 Mar. (77)	5 Thur.	63 189	58	792	273	3819			
					20 Mar. (79)	1 Sun.	45 12	18 5	8 Mar. (67)	3 Tues.	287 861	273	676	245	3820			
4 Āshādha...	9836	29.507	143	0.430	21 Mar. (80)	3 Tues.	6 44	0 17	25 Feb. (56)	0 Sat.	269 807	148	523	214	3821			
					20 Mar. (80)	4 Wed.	16 15	6 30	14 Mar. (74)	5 Thur.	51 153	9845	423	262	3822			
					20 Mar. (79)	5 Thur.	31 46	12 42	4 Mar. (63)	3 Tues.	330 990	59	306	234	3823			
1 Chaitra...	9979	29.936	286	0.858	20 Mar. (79)	6 Fri.	47 17	18 55	21 Feb. (52)	0 Sat.	193 570	9985	154	203	3824			
					21 Mar. (80)	1 Sun.	2 49	1 7	12 Mar. (71)	6 Fri.	184 552	9969	90	255	3825			
9 Mārgasīrsha...	9814	29.442	121	0.364	20 Mar. (80)	2 Mon.	18 20	7 20	1 Mar. (61)	4 Wed.	300 900	184	973	227	3826			
					20 Mar. (79)	3 Tues.	33 51	13 32	20 Mar. (79)	3 Tues.	283 849	218	909	278	3827			
					20 Mar. (79)	4 Wed.	49 22	19 45	9 Mar. (65)	0 Sat.	94 282	94	756	247	3828			
6 Bhādrapadha...	9957	29.870	264	0.792	21 Mar. (80)	6 Fri.	4 54	1 57	26 Feb. (57)	4 Wed.	26 078	9970	603	216	3829			
					20 Mar. (80)	0 Sat.	20 25	8 10	16 Mar. (76)	3 Tues.	100 327	4	540	267	3830			
					20 Mar. (79)	1 Sun.	35 56	14 22	5 Mar. (64)	0 Sat.	112 336	9880	387	237	3831			
2 Vaiśākha...	9792	29.376	100	0.299	20 Mar. (79)	2 Mon.	51 27	20 35	22 Feb. (53)	4 Wed.	37 111	9756	234	206	3832			
					21 Mar. (80)	4 Wed.	6 59	2 47	13 Mar. (72)	3 Tues.	53 159	9790	170	257	3833			
11 Māgha...	9935	29.805	242	0.727	20 Mar. (80)	5 Thur.	22 30	9 0	2 Mar. (62)	1 Sun.	192 576	5	84	229	3834			
					20 Mar. (79)	6 Fri.	38 1	15 12	20 Feb. (51)	6 Fri.	308 924	219	937	201	3835			
					20 Mar. (79)	0 Sat.	53 32	21 25	11 Mar. (70)	5 Thur.	294 882	254	873	252	3836			
7 Āśvina...	9770	29.311	78	0.233	21 Mar. (80)	2 Mon.	9 4	3 37	28 Feb. (59)	2 Mon.	133 399	129	720	222	3837			
					20 Mar. (80)	3 Tues.	24 35	9 50	18 Mar. (78)	1 Sun.	188 564	164	656	279	3838			
					20 Mar. (79)	4 Wed.	40 6	16 2	7 Mar. (66)	5 Thur.	177 531	40	503	242	3839			
4 Āshādha...	9913	29.739	220	0.661	20 Mar. (79)	5 Thur.	55 37	22 15	24 Feb. (55)	2 Mon.	170 510	9915	351	211	3840			
					21 Mar. (80)	0 Sat.	11 9	4 27	15 Mar. (74)	1 Sun.	226 678	9950	286	262	3841			
12 Phālguna...	9749	29.246	56	0.168	20 Mar. (80)	1 Sun.	26 40	10 40	3 Mar. (63)	5 Thur.	70 210	9826	134	232	3842			
					20 Mar. (79)	2 Mon.	42 11	16 52	21 Feb. (52)	3 Tues.	198 594	40	17	204	3843			
					20 Mar. (79)	3 Tues.	57 42	23 5	12 Mar. (71)	2 Mon.	174 522	75	953	255	3844			
9 Mārgasīrsha...	9891	29.674	199	0.596	21 Mar. (80)	3 Thur.	13 14	5 17	2 Mar. (61)	0 Sat.	309 927	289	837	227	3845			
					20 Mar. (80)	4 Fri.	28 45	11 30	20 Mar. (80)	6 Fri.	327 981	324	773	278	3846			
5 Śrīvapa...	9727	29.180	34	0.102	20 Mar. (79)	1 Sun.	59 47	23 55	26 Feb. (57)	0 Sat.	245 735	75	467	216	3848			
					21 Mar. (80)	3 Tues.	15 19	6 7	17 Mar. (76)	6 Fri.	331 993	110	403	268	3849			
					20 Mar. (80)	4 Wed.	30 50	12 20	5 Mar. (65)	3 Tues.	265 795	9983	250	237	3850			

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Śaka.	Chaitrādi.	Vikram.	Mukhi (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	Trads.		Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in
							(Southern.)	Bṛihaspatti cycle (Northern) current at Meṣha saṅkrānti.		Lunation parts. (l.)	Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12	
3851	672	807	156	—	749-50	22 Sarvadharin.....	3 Jyeshtha.....	9697	29.091	353	1.059		
3852	673	808	157	—	750-51	23 Virodhin.....							
3853	674	809	158	—	751-52	24 Vikrita.....							
3854	675	810	159	—	*752-53	25 Khara.....	1 Chaitra.....	9723	29.169	22	0.066		
3855	676	811	160	—	753-54	26 Nandana.....							
3856	677	812	161	—	754-55	27 Vijaya.....	5 Śrāvagna.....	9283	27.849	29	0.087		
3857	678	813	162	—	755-56	28 Jaya.....							
3858	679	814	163	—	*756-57	29 Maṇmatha.....							
3859	680	815	164	—	757-58	30 Durmukha.....	4 Āśādha.....	9835	29.505	463	1.389		
3860	681	816	165	—	758-59	31 Hemalamba.....							
3861	682	817	166	—	759-60	32 Vilambha.....							
3862	683	818	167	—	*760-61	33 Viśākha.....	2 Vaiśākha.....	9554	28.662	142	0.426		
3863	684	819	168	—	761-62	34 Śārvari.....							
3864	685	820	169	—	762-63	35 Plava.....	6 Bhādrapada.....	9570	28.710	199	0.597		
3865	686	821	170	—	763-64	36 Śubhakṛit.....							
3866	687	822	171	—	*764-65	37 Śobhana.....							
3867	688	823	172	—	765-66	38 Krodhīn.....	5 Śrāvagna.....	9929	29.787	543	1.629		
3868	689	824	173	—	766-67	39 Viśvāsas.....							
3869	690	825	174	—	767-68	40 Parābhava.....							
3870	691	826	175	—	*768-69	41 Plavaṅga.....	3 Jyeshtha.....	9691	29.073	440	1.320		
3871	692	827	176	—	769-70	42 Kīlaka.....							
3872	693	828	177	—	770-71	43 Saṁmya.....	7 Āśvinī.....	9740	29.220	88	0.264		
3873	694	829	178	—	771-72	44 Śādhāraṇa.....	10 Pañcha (Ksh.)	115	0.345	9964	29.892		
3874	695	830	179	—	*772-73	45 Virodhakṛit.....							
3875	696	831	180	—	773-74	46 Paridhāvin.....	5 Śrāvagna.....	9404	28.212	48	0.144		
3876	697	832	181	—	774-75	47 Pramādhiṇ.....							
3877	698	833	182	—	775-76	48 Ānanda.....							
3878	699	834	183	—	*776-77	49 Rākṣasas.....	4 Āśādha.....	9955	29.865	655	1.965		
3879	700	835	184	—	777-78	50 Anula.....							
3880	701	836	185	—	778-79	51 Pingala.....							
3881	702	837	186	—	779-80	52 Kāliyukta.....	2 Vaiśākha.....	9584	28.752	111	0.333		
3882	703	838	187	—	*780-81	53 Siddhārthī.....							

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE													
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)				Kali.						
	Time of the preceding sāṅkrānti expressed in Lunation parts. (L.)	Tithis.	Time of the succeeding sāṅkrānti expressed in Lunation parts. (L.)	Tithis.	Day and Month A. D.	(Time of the Meha sāṅkrānti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.								
						Week day.	By the Ārya Siddhānta.					Lunat. parts elapsed. (L.)	Tithis elapsed.	a.	b.	c.			
							Gh. Pa.	H. M.											
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
2 Vaiśākha	9869	29.608	177	0.530	20 Mar. (79)	5 Thur.	46	21	18	32	22 Feb. (53)	0 Sat.	84	.252	9861	97	206	3851	
					21 Mar. (80)	0 Sat.	1	52	0	45	13 Mar. (72)	6 Fri.	66	.198	9896	34	257	3852	
10 Pausha	9705	29.115	12	0.037	21 Mar. (80)	1 Sun.	17	24	6	57	3 Mar. (62)	4 Wed.	181	.543	111	917	220	3853	
					20 Mar. (80)	2 Mon.	32	55	13	10	20 Feb. (51)	1 Sun.	5	-11	-102	9986	764	198	3854
7 Āśvina	9848	29.543	155	0.465	21 Mar. (80)	5 Thur.	3	57	1	35	28 Feb. (59)	5 Thur.	305	.915	235	584	222	3855	
					21 Mar. (80)	6 Fri.	19	29	7	47	18 Mar. (77)	3 Tues.	86	.258	9931	483	270	3857	
					20 Mar. (80)	0 Sat.	35	0	14	0	6 Mar. (66)	0 Sat.	70	.210	9807	331	239	3858	
4 Ashāḍha	9990	29.971	298	0.893	20 Mar. (79)	1 Sun.	50	31	20	12	24 Feb. (55)	5 Thur.	299	.897	21	214	211	3859	
					21 Mar. (80)	3 Tues.	6	2	2	25	15 Mar. (74)	4 Wed.	309	.927	56	150	263	3860	
12 Phālguna	9826	29.477	183	0.399	21 Mar. (80)	4 Wed.	21	34	8	37	4 Mar. (63)	1 Sun.	68	.204	9931	997	232	3861	
					20 Mar. (80)	5 Thur.	37	5	14	50	22 Feb. (53)	6 Fri.	194	.582	146	881	204	3862	
					20 Mar. (79)	6 Fri.	52	36	21	2	12 Mar. (71)	5 Thur.	192	.576	180	817	255	3863	
9 Mārgasārsha	9969	29.906	276	0.828	21 Mar. (80)	1 Sun.	8	7	3	15	1 Mar. (60)	2 Mon.	77	.231	56	664	224	3864	
					21 Mar. (80)	2 Mon.	23	39	9	27	20 Mar. (79)	1 Sun.	148	.444	91	600	276	3865	
					20 Mar. (80)	3 Tues.	39	10	15	40	8 Mar. (68)	5 Thur.	152	.456	9966	447	245	3866	
5 Śrīvāna	9804	29.412	111	0.334	20 Mar. (79)	4 Wed.	54	41	21	52	25 Feb. (56)	2 Mon.	119	.357	9842	294	214	3867	
					21 Mar. (80)	6 Fri.	10	12	4	5	16 Mar. (75)	1 Sun.	156	.468	9877	231	265	3868	
					21 Mar. (80)	0 Sat.	25	44	10	17	6 Mar. (65)	6 Fri.	323	.969	91	114	237	3869	
2 Vaiśākha	9947	29.840	254	0.762	20 Mar. (80)	1 Sun.	41	15	16	30	23 Feb. (54)	3 Tues.	75	.225	9967	961	206	3870	
					20 Mar. (79)	2 Mon.	56	46	22	42	13 Mar. (72)	2 Mon.	56	.168	1	897	258	3871	
10 Pausha	9782	29.346	89	0.268	21 Mar. (80)	4 Wed.	12	17	4	55	3 Mar. (62)	0 Sat.	219	.657	216	781	230	3872	
					21 Mar. (80)	5 Thur.	27	49	11	7	20 Feb. (51)	4 Wed.	134	.402	92	628	199	3873	
					20 Mar. (80)	6 Fri.	43	20	17	20	10 Mar. (70)	3 Tues.	211	.633	126	564	250	3874	
7 Āśvina	9925	29.775	232	0.697	20 Mar. (79)	0 Sat.	58	51	23	32	27 Feb. (58)	0 Sat.	217	.651	2	411	219	3875	
					21 Mar. (80)	2 Mon.	14	22	5	45	18 Mar. (77)	6 Fri.	292	.876	37	347	271	3876	
					21 Mar. (80)	3 Tues.	29	54	11	57	7 Mar. (66)	3 Tues.	183	.549	9912	194	240	3877	
3 Jyeshtha	9760	29.281	68	0.203	20 Mar. (80)	4 Wed.	45	23	18	10	24 Feb. (55)	0 Sat.	218	.939	161	14	263	3878	
					21 Mar. (80)	6 Fri.	0	56	0	22	15 Mar. (74)	0 Sat.	313	.939	161	14	263	3879	
12 Phālguna	9903	29.709	210	0.631	21 Mar. (80)	0 Sat.	16	27	6	35	4 Mar. (63)	4 Wed.	70	.210	37	861	232	3880	
					21 Mar. (80)	1 Sun.	31	59	12	47	22 Feb. (53)	2 Mon.	254	.762	251	744	204	3881	
					20 Mar. (80)	2 Mon.	47	30	19	0	12 Mar. (72)	1 Sun.	299	.897	286	680	255	3882	

◎ See Text, Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A titih = $\frac{1}{120}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Śaka.	Chitradoli. Vikrama.	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		True.				
						(Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.	Name of month.	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in		
1	2	3	3a	4	5	6	7	8	9	10	11	12
3883	704	839	188	—	781- 82 54 Raudra.....	6 Bhādrapada..	9563	28.689	158	0.474	
3884	705	840	189	—	782- 83 55 Durmati.....						
3885	706	841	190	—	783- 84 56 Dundubhi.....						
3886	707	842	191	—	*784- 85 57 Radhīrodgārīn.....	4 Āshādha ..	9457	28.371	127	0.381	
3887	708	843	192	—	785- 86 58 Raktāksha.....						
3888	709	844	193	—	786- 87 59 Krodhana.....						
3889	710	845	194	—	787- 88 60 Kshaya.....	3 Jyeshtha..	9647	28.941	434	1.302	
3890	711	846	195	—	*788- 89 1 Prabhava.....						
3891	712	847	196	—	789- 90 2 Vibhava.....	7 Āśvina..	9703	29.109	98	0.294	
3892	713	848	197	—	790- 91 3 Śukla.....						
3893	714	849	198	—	791- 92 4 Pramoda.....						
3894	715	850	199	—	*792- 93 5 Prajāpti.....	5 Śrāvanya..	9591	28.773	165	0.495	
3895	716	851	200	—	793- 94 6 Āngiras.....						
3896	717	852	201	—	794- 95 7 Śrimukha.....						
3897	718	853	202	—	795- 96 8 Bhāva.....	4 Āshādha ..	9976	29.928	792	2.376	
3898	719	854	203	—	*796- 97 9 Yavan.....						
3899	720	855	204	—	797- 98 10 Dhātri.....						
3900	721	856	205	—	798- 99 11 Īśvara.....	2 Vaiśākha..	9715	29.145	152	0.456	
3901	722	857	206	—	799-800 12 Bahudhānya.....						
3902	723	858	207	—	*800- 1 13 Pramāthin	6 Bhādrapada..	9648	28.944	155	0.465	
3903	724	859	208	—	801- 2 14 Vikrama.....						
3904	725	860	209	—	802- 3 15 Vṛisha.....		*				
3905	726	861	210	—	803- 4 16 Chitrabhaṇa.....	4 Āshādha ..	9510	28.530	282	0.846	
3906	727	862	211	—	*804- 5 17 Subhānu.....						
3907	728	863	212	—	805- 6 18 Tāraṇa.....						
3908	729	864	213	—	806- 7 19 Pārthiva.....	3 Jyeshtha..	9660	28.980	392	1.176	
3909	730	865	214	—	807- 8 20 Vyāya.....						
3910	731	866	215	—	*808- 9 21 Sarvajit.....	7 Āśvina..	9680	29.040	58	0.174	
3911	732	867	216	—	809- 10 22 Sarvadhārin						
3912	733	868	217	—	810- 11 23 Virodhin.....						
3913	734	869	218	—	811- 12 24 Vīkrita.....	5 Śrāvanya..	9772	29.316	355	1.065	
3914	735	870	219	—	*812- 13 25 Khara.....						
3915	736	871	220	—	813- 14 26 Nandana.....						

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)									
	Time of the preceding sankranti expressed in		Time of the succeeding sankranti expressed in		Day and Month A. D.	(Time of the Mesha sankranti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.	Kali.						
	Lunat. parts (.)	Tithis	Lunat. parts (.)	Tithis		By the Ārya Siddhānta.	Gh. Pa.	H. M.										
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
8 Kārttika...	9738	29.215	46	0.137	21 Mar. (80)	4 Wed.	3	1	1 Mar. (60)	5 Thur.	278	.834	162	528	225	3883		
	21 Mar. (80)	5 Thur.	18	32	7 25	19 Mar. (78)	3 Tues.	60	.180	9858	427	273	3884	
	21 Mar. (80)	6 Fri.	34	4	13 37	8 Mar. (67)	0 Sat.	11	.033	9733	274	242	3885	
5 Śrāvana...	9881	29.644	189	0.566	20 Mar. (80)	0 Sat.	49	35	19 50	26 Feb. (57)	5 Thur.	207	.621	9948	158	214	3886	
	21 Mar. (80)	2 Mon.	5	6	2 2	16 Mar. (75)	4 Wed.	200	.600	9982	94	266	3887	
	21 Mar. (80)	3 Tues.	20	37	8 15	6 Mar. (65)	2 Mon.	317	.951	197	978	237	3888	
1 Chaitra...	9717	29.150	24	0.072	21 Mar. (80)	4 Wed.	36	9	14 27	23 Feb. (54)	6 Fri.	89	.267	72	825	207	3889	
	20 Mar. (80)	5 Thur.	51	40	20 40	13 Mar. (73)	5 Thur.	107	.321	107	761	258	3890	
10 Pausa...	9859	29.578	167	0.500	21 Mar. (80)	0 Sat.	7	11	2 52	2 Mar. (61)	2 Mon.	35	.105	9983	608	227	3891	
	21 Mar. (80)	1 Sun.	22	42	9 5	21 Mar. (80)	1 Sun.	119	.357	17	544	278	3892	
	21 Mar. (80)	2 Mon.	38	14	15 17	10 Mar. (69)	5 Thur.	122	.366	9803	391	247	3893	
6 Bhādrapada..	9695	29.084	2	0.007	20 Mar. (80)	3 Tues.	53	45	21 30	27 Feb. (58)	2 Mon.	50	.150	9709	238	217	3894	
	21 Mar. (80)	3 Thur.	9	16	3 42	17 Mar. (76)	1 Sun.	68	.204	9804	174	268	3895	
	21 Mar. (80)	6 Fri.	24	47	9 55	7 Mar. (66)	6 Fri.	208	.624	18	58	240	3896	
3 Jyeshtha...	9838	29.513	145	0.435	21 Mar. (80)	0 Sat.	40	19	16 7	25 Feb. (56)	4 Wed.	323	.969	232	941	212	3897	
	20 Mar. (80)	1 Sun.	55	50	22 20	15 Mar. (75)	3 Tues.	309	.927	267	877	283	3898	
12 Phālguna...	9980	29.941	288	0.863	21 Mar. (80)	3 Tues.	11	21	4 32	4 Mar. (63)	0 Sat.	145	.435	143	724	232	3899	
	21 Mar. (80)	4 Wed.	26	52	10 45	21 Feb. (52)	4 Wed.	99	.297	18	572	202	3900	
	21 Mar. (80)	5 Thur.	42	24	16 57	12 Mar. (71)	3 Tues.	186	.558	53	508	258	3901	
8 Kārttika...	9816	29.447	123	0.369	20 Mar. (80)	6 Fri.	57	55	23 10	29 Feb. (60)	0 Sat.	181	.543	9929	355	222	3902	
.....	21 Mar. (80)	1 Sun.	13	26	5 22	19 Mar. (78)	6 Fri.	239	.717	9963	291	273	3903	
	21 Mar. (80)	2 Mon.	28	57	11 35	8 Mar. (67)	3 Tues.	88	.264	9839	138	243	3904	
5 Śrāvana...	9959	29.576	266	0.798	21 Mar. (80)	3 Tues.	44	29	17 47	26 Feb. (57)	1 Sun.	214	.642	53	21	214	3905	
	21 Mar. (81)	5 Thur.	0	0	0 0	16 Mar. (76)	0 Sat.	191	.573	88	958	266	3906	
	21 Mar. (80)	6 Fri.	15	31	6 12	6 Mar. (65)	5 Thur.	324	.972	302	841	238	3907	
1 Chaitra...	9794	29.382	101	0.304	21 Mar. (80)	0 Sat.	31	2	12 25	23 Feb. (54)	2 Mon.	191	.573	178	688	207	3908	
	21 Mar. (80)	1 Sun.	46	34	18 37	14 Mar. (78)	1 Sun.	255	.765	213	624	258	3909	
10 Pausa...	9937	29.810	244	0.732	21 Mar. (81)	3 Tues.	2	5	0 50	3 Mar. (62)	5 Thur.	252	.756	88	472	227	3910	
	21 Mar. (80)	4 Wed.	17	36	7 2	20 Mar. (79)	3 Tues.	26	.078	9784	371	276	3911	
	21 Mar. (80)	5 Thur.	33	7	13 15	10 Mar. (69)	1 Sun.	279	.837	9999	255	248	3912	
6 Bhādrapada..	9772	29.316	79	0.238	21 Mar. (80)	6 Fri.	48	39	19 27	27 Feb. (58)	5 Thur.	100	.300	9875	102	217	3913	
	21 Mar. (81)	1 Sun.	4	10	1 40	17 Mar. (77)	4 Wed.	82	.246	9909	38	268	3914	
	21 Mar. (80)	2 Mon.	19	41	7 52	7 Mar. (66)	2 Mon.	197	.591	124	921	240	3915	

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{100}$ th of the moon's synodic revolution.

Kali.	Saka.	I. CONCURRENT YEAR.				II. ADDED LUNAR MONTHS.						
		Chaitrādi, Vikram.	Meshdī (Solar) Year in Bengal.	Samvatsara.		True.						
				Kollam.	A. D.	(Southern.)	Bṛihaspati cycle (Northern) current at Mesha sankrānti.	Name of month.	Lunation parts. (t.)	Time of the preceding sankrānti expressed in Tithi.	Time of the succeeding sankrānti expressed in Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
3916	737	872	221	—	814-15	27 Vijaya.....	4 Āshādha.....	9935	29.805	807	2.421	
3917	738	873	222	—	815-16	28 Jaya.....						
3918	739	874	223	—	*816-17	29 Maṇmatha.....						
3919	740	875	224	—	817-18	30 Durmukha.....	2 Vaiśākha.....	9910	29.730	296	0.888	
3920	741	876	225	—	818-19	31 Hemalamba.....						
3921	742	877	226	—	819-20	32 Vilambha.....	6 Bhādrapada.....	9821	29.463	251	0.753	
3922	743	878	227	—	*820-21	33 Viśākha.....						
3923	744	879	228	—	821-22	34 Śārvārin.....						
3924	745	880	229	—	822-23	35 Piava.....	4 Āshādha.....	9482	28.446	340	1.020	
3925	746	881	230	—	823-24	36 Śubhakrit ¹⁾						
3926	747	882	231	—	*824-25	38 Krodhin.....						
3927	748	883	232	0- 1	825-26	39 Viśvāvasu.....	3 Jyeshṭha.....	9773	29.319	403	1.209	
3928	749	884	233	1- 2	826-27	40 Parāhhava.....						
3929	750	885	234	2- 3	827-28	41 Plavāṅga.....	7 Āśvina.....	9740	29.220	51	0.153	
3930	751	886	235	3- 4	*828-29	42 Kīlaka.....						
3931	752	887	236	4- 5	829-30	43 Saumya.....						
3932	753	888	237	5- 6	830-31	44 Śādhāraṇa.....	5 Śrāvava.....	9865	29.595	533	1.599	
3933	754	889	238	6- 7	831-32	45 Virodhakrit.....						
3934	755	890	239	7- 8	*832-33	46 Paridhāvin.....						
3935	756	891	240	8- 9	833-34	47 Pramādin.....	4 Āshādha.....	9920	29.760	770	2.310	
3936	757	892	241	9-10	834-35	48 Ānanda.....						
3937	758	893	242	10-11	835-36	49 Rākṣasa.....						
3938	759	894	243	11-12	*836-37	50 Anala.....	1 Chaitra.....	9817	29.451	81	0.243	
3939	760	895	244	12-13	837-38	51 Pingala.....						
3940	761	896	245	13-14	838-39	52 Kālasyukta.....	5 Śeṣava.....	9377	28.181	13	0.039	
3941	762	897	246	14-15	839-40	53 Siddhārthīn.....						
3942	763	898	247	15-16	*840-41	54 Raudra.....						
3943	764	899	248	16-17	841-42	55 Durmati.....	4 Āshādha.....	9449	28.347	316	0.948	
3944	765	900	249	17-18	842-43	56 Dundubhi.....						
3945	766	901	250	18-19	843-44	57 Rudhirodgārīn.....						
3946	767	902	251	19-20	*844-45	58 Raktāksha.....	3 Jyeshṭha.....	9956	29.868	513	1.539	
3947	768	903	252	20-21	845-46	59 Krodhānna.....						

¹⁾ Śobhana, No. 37, was suppressed.

TABLE I.

(Col. 23) $a =$ Distance of moon from sun. (Col. 24) $b =$ moon's mean anomaly. (Col. 25) $c =$ sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)					III. COMMENCEMENT OF THE													
Name of month.	Mean.				Solar year.					Luni-Solar year. (Civil day of Chaitra Śukla 1st)								
	Lunation parts. (c)	Titthi.	Lunation parts. (c)	Titthi.	Day and Month A. D.	(Time of the Meshasākrānti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.	Kali.						
						Week day.	By the Ārya Siddhānta.							Lunat. parts elapsd. (c)	Moon's Age.	g.	h.	c.
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
3 Jyeshtha	9915	29.745	222	0.667	21 Mar. (80)	3 Tues.	35	12	14	5 24 Feb. (55)	6 Fri.	2	.006	9999	769	210	3916	
					21 Mar. (80)	4 Wed.	50	44	20	17 15 Mar. (74)	5 Thur.	40	.120	34	704	261	3917	
11 Māgha	9750	29.251	58	0.173	21 Mar. (81)	6 Fri.	6	15	2	30 3 Mar. (63)	2 Mon.	3	.009	9909	552	230	3918	
					21 Mar. (80)	0 Sat.	21	46	8	42 21 Feb. (52)	0 Sat.	323	.969	124	435	202	3919	
8 Kārttika	9893	29.679	200	0.601	21 Mar. (80)	2 Mon.	52	49	21	7 1 Mar. (60)	3 Tues.	312	.936	34	218	222	3921	
					21 Mar. (81)	4 Wed.	8	20	3	20 19 Mar. (79)	2 Mon.	324	.972	69	154	274	3922	
					21 Mar. (80)	5 Thur.	23	51	9	32 8 Mar. (67)	6 Fri.	87	.261	9945	2	243	3923	
4 Āśāḍjha	9728	29.185	36	0.107	21 Mar. (80)	6 Fri.	39	22	15	45 26 Feb. (57)	4 Wed.	208	.624	159	885	215	3924	
					21 Mar. (80)	0 Sat.	54	54	21	57 17 Mar. (76)	3 Tues.	206	.618	194	821	266	3925	
					21 Mar. (81)	2 Mon.	10	25	4	10 5 Mar. (65)	0 Sat.	87	.261	69	668	235	3926	
1 Chaitra	9871	29.614	179	0.536	21 Mar. (80)	3 Tues.	25	56	10	22 22 Feb. (53)	4 Wed.	76	.228	9945	515	204	3927	
					21 Mar. (80)	4 Wed.	41	27	16	35 13 Mar. (72)	3 Tues.	162	.486	9980	452	256	3928	
9 Mārgasirsha	9707	29.120	14	0.042	21 Mar. (80)	5 Thur.	56	59	22	47 2 Mar. (61)	0 Sat.	131	.393	9855	299	225	3929	
					21 Mar. (81)	0 Sat.	12	30	5	0 20 Mar. (80)	6 Fri.	171	.513	9890	235	276	3930	
					21 Mar. (80)	1 Sun.	28	1	11	12 9 Mar. (68)	3 Tues.	○—	—	9766	82	245	3931	
6 Bhādrapada	9849	29.548	157	0.470	21 Mar. (80)	2 Mon.	43	32	17	25 27 Feb. (58)	1 Sun.	91	.273	9980	965	217	3932	
					21 Mar. (80)	3 Tues.	59	4	23	37 18 Mar. (77)	0 Sat.	73	.219	15	901	269	3933	
					21 Mar. (81)	5 Thur.	14	35	5	50 7 Mar. (67)	5 Thur.	232	.696	229	785	240	3934	
3 Jyeshtha	9992	29.976	299	0.898	21 Mar. (80)	6 Fri.	30	6	12	2 24 Feb. (55)	2 Mon.	144	.432	105	632	210	3935	
					21 Mar. (80)	0 Sat.	45	37	18	15 15 Mar. (74)	1 Sun.	221	.663	139	568	261	3936	
11 Māgha	9828	29.483	135	0.405	22 Mar. (81)	2 Mon.	1	9	0	27 4 Mar. (63)	5 Thur.	226	.678	15	415	230	3937	
					21 Mar. (81)	3 Tues.	16	40	6	40 21 Feb. (52)	2 Mon.	174	.522	9891	263	199	3938	
					21 Mar. (80)	4 Wed.	32	11	12	52 11 Mar. (70)	1 Sun.	199	.597	9926	198	251	3939	
8 Kārttika	9970	29.911	278	0.833	21 Mar. (80)	5 Thur.	47	42	19	5 28 Feb. (59)	5 Thur.	○—	—	9801	46	220	3940	
					22 Mar. (81)	0 Sat.	3	14	1	17 20 Mar. (79)	5 Thur.	330	.990	174	18	274	3941	
					21 Mar. (81)	1 Sun.	18	45	7	30 8 Mar. (68)	2 Mon.	86	.268	50	865	243	3942	
4 Āśāḍjha	9806	29.417	113	0.339	21 Mar. (80)	2 Mon.	34	16	13	42 26 Feb. (57)	0 Sat.	267	.801	265	749	215	3943	
					21 Mar. (80)	3 Tues.	49	47	19	55 17 Mar. (76)	6 Fri.	311	.933	299	685	266	3944	
					22 Mar. (81)	5 Thur.	5	19	2	7 6 Mar. (65)	3 Tues.	286	.858	175	532	235	3945	
1 Chaitra	9948	29.845	256	0.787	21 Mar. (81)	6 Fri.	20	50	8	20 23 Feb. (54)	0 Sat.	289	.867	51	379	205	3946	
					21 Mar. (80)	0 Sat.	36	21	14	32 12 Mar. (71)	5 Thur.	24	.072	9747	279	253	3947	

○ See Text. Art. 101 above, para. 2.

TABLE I.

Lumination-parts = 10,000ths of a circle. A tilki = $\frac{1}{10}$ th of the moon's syzygetic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitreedi, Vikramia.	MeshaL (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
							(Southern.)		Brihaspati cycle (Northern) current at Mesha sankranti.	Latitude parts (f.).	Tithi.	Latitude parts (f.).
1	2	3	3a	4	5	6	7	8	9	10	11	12
3948	769	904	253	21-22	846-47	60 Kshaya	7 Āśvina	9894	29.682	136	0.408
3949	770	905	254	22-23	847-48	1 Prabhava					
3950	771	906	255	23-24	*848-49	2 Viñhava					
3951	772	907	256	24-25	849-50	3 Śukla	5 Śrīvāsa	9882	29.586	630	1.890
3952	773	908	257	25-26	850-51	4 Pramoda					
3953	774	909	258	26-27	851-52	5 Prajāpati					
3954	775	910	259	27-28	*852-53	6 Angirasa	4 Āśādha	9996	29.988	750	2.250
3955	776	911	260	28-29	853-54	7 Śrīmakha					
3956	777	912	261	29-30	854-55	8 Bhāva					
3957	778	913	262	30-31	855-56	9 Yuvarāga	1 Chaitra	9827	29.481	162	0.486
3958	779	914	263	31-32	*856-57	10 Dhātri					
3959	780	915	264	32-33	857-58	11 Iṣvara	5 Śrīvāsa	9406	29.218	142	0.426
3960	781	916	265	33-34	858-59	12 Bahndhūnya					
3961	782	917	266	34-35	859-60	13 Pramāthin					
3962	783	918	267	35-36	*860-61	14 Vikrama	4 Āśādha	9491	28.473	281	0.848
3963	784	919	268	36-37	861-62	15 Vṛisha					
3964	785	920	269	37-38	862-63	16 Chitrabhaṇḍu					
3965	786	921	270	38-39	863-64	17 Sobhāna	2 Vaishākhā	9079	29.037	140	0.420
3966	787	922	271	39-40	*864-65	18 Tīrṇan					
3967	788	923	272	40-41	865-66	19 Pārthiva	6 Bhādrapadha	9642	28.926	92	0.276
3968	789	924	273	41-42	866-67	20 Vyāsa					
3969	790	925	274	42-43	867-68	21 Sarvajit					
3970	791	926	275	43-44	*868-69	22 Sarvadhārin	5 Śeṣvāga	9821	29.463	630	1.890
3971	792	927	276	44-45	869-70	23 Virodhin					
3972	793	928	277	45-46	870-71	24 Vikrita					
3973	794	929	278	46-47	871-72	25 Kharo	3 Jyeshtha	9616	28.848	163	0.489
3974	795	930	279	47-48	*872-73	26 Nandana					
3975	796	931	280	48-49	873-74	27 Vijaya					
3976	797	932	281	49-50	874-75	28 Jaya	1 Chaitra	9786	29.358	151	0.453
3977	798	933	282	50-51	875-76	29 Mānmatha					
3978	799	934	283	51-52	*876-77	30 Dēvānakha	5 Śeṣvāga	9365	28.095	170	0.510
3979	800	935	284	52-53	877-78	31 Hemalamba					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE													
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Šukla 1st.)										At Sunrise on meridian of Ujjain.	
	Lunation parts. (४)	Tithi.	Lunation parts. (४)	Tithi.	Day and Month A. D.	(Time of the Meha saṅkrānti.)			Day and Month A. D.	Week day.			Moon's Age.			Kali.				
						Week day.	By the Ārya Siddhānta.	Gh. Pa. H. M.					Lunar parts elapsed. (४)	Tithi elapsed.	a	b	c			
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1				
9 Mārgaśīrsha.	9784	29.352	91	0.274	21 Mar. (80) 1 Sun.	31 52	20 45	2 Mar. (61) 3 Tues.	220 .660	9961	162	225	3948							
					22 Mar. (81) 3 Tues.	7 24	2 57	21 Mar. (80) 2 Mon.	218 .654	9996	98	276	3949							
					21 Mar. (81) 4 Wed.	22 55	9 10	9 Mar. (69) 6 Fri.	208 .648	9871	946	246	3950							
6 Bhadrapadā.	9927	29.780	234	0.702	21 Mar. (80) 5 Thur.	38 26	15 22	27 Feb. (58) 4 Wed.	104 .312	86	829	217	3951							
					21 Mar. (80) 6 Fri.	53 57	21 35	18 Mar. (77) 3 Tues.	120 .360	120	765	269	3952							
					22 Mar. (81) 1 Sun.	9 29	3 47	7 Mar. (66) 0 Sat.	45 .135	9996	612	238	3953							
3 Vaiśākha.	9762	29.286	69	0.208	21 Mar. (81) 2 Mon.	25 0	19 0	0 24 Feb. (55) 4 Wed.	49 .147	9872	459	207	3954							
					21 Mar. (80) 3 Tues.	40 31	16 12	14 Mar. (73) 3 Tues.	135 .405	9900	395	258	3955							
11 Māgha.	9905	29.714	212	0.637	21 Mar. (80) 4 Wed.	56 2	22 25	3 Mar. (62) 0 Sat.	63 .189	9783	243	228	3956							
					22 Mar. (81) 5 Thur.	11 34	4 37	21 Feb. (52) 5 Thur.	239 .717	9996	126	200	3957							
					21 Mar. (81) 0 Sat.	27 5	10 50	11 Mar. (71) 4 Wed.	225 .675	31	62	251	3958							
7 Āśvina.	9740	29.7221	48	0.143	21 Mar. (80) 1 Sun.	42 36	17 2	28 Feb. (59) 1 Sun.	208 .648	9907	909	220	3959							
					31 Mar. (80) 2 Mon.	58 7	23 15	20 Mar. (79) 1 Sun.	325 .975	280	882	274	3960							
					22 Mar. (81) 4 Wed.	13 39	5 27	9 Mar. (68) 5 Thur.	157 .471	156	729	243	3961							
4 Āshāḍha.	9883	29.649	190	0.571	21 Mar. (81) 5 Thur.	29 10	11 40	26 Feb. (57) 2 Mon.	108 .324	31	576	212	3962							
					21 Mar. (80) 6 Fri.	44 41	17 52	16 Mar. (75) 1 Sun.	196 .588	66	512	264	3963							
12 Phālguna.	9718	29.153	26	0.077	22 Mar. (81) 1 Sun.	0 12	0 5	5 Mar. (64) 5 Thur.	191 .573	9942	859	233	3964							
					22 Mar. (81) 2 Mon.	15 44	6 17	22 Feb. (53) 2 Mon.	96 .288	9818	206	202	3965							
					21 Mar. (81) 3 Tues.	31 15	12 30	12 Mar. (72) 1 Sun.	101 .303	9852	142	253	3966							
9 Mārgaśīrsha.	9861	29.583	169	0.506	21 Mar. (80) 4 Wed.	46 46	18 42	3 Mar. (61) 6 Fri.	229 .687	67	26	225	3967							
					22 Mar. (81) 5 Thur.	9 17	0 55	21 Mar. (80) 5 Thur.	209 .627	101	962	277	3968							
					22 Mar. (81) 0 Sat.	17 49	7 7	10 Mar. (69) 2 Mon.	208 .648	9977	809	246	3969							
5 Śeṣvara.	9697	29.090	4	0.012	21 Mar. (81) 1 Sun.	33 20	13 20	28 Feb. (59) 0 Sat.	202 .606	191	693	218	3970							
					21 Mar. (80) 2 Mon.	48 51	19 32	18 Mar. (77) 6 Fri.	266 .798	226	628	269	3971							
					22 Mar. (81) 4 Wed.	4 22	1 45	7 Mar. (66) 3 Tues.	263 .789	102	476	238	3972							
2 Vaiśākha.	9839	29.518	147	0.440	22 Mar. (81) 5 Thur.	19 54	7 57	24 Feb. (55) 0 Sat.	245 .735	9977	323	207	3973							
					21 Mar. (81) 6 Fri.	35 25	14 10	14 Mar. (74) 6 Fri.	292 .876	12	259	259	3974							
					22 Mar. (81) 0 Sat.	50 56	20 22	3 Mar. (62) 3 Tues.	116 .348	9888	106	228	3975							
11 Māgha.	9982	29.946	289	0.868	21 Mar. (80) 1 Sun.	21 59	8 47	12 Mar. (71) 0 Sat.	236 .708	102	990	200	3976							
					22 Mar. (81) 2 Mon.	6 27	2 35	21 Feb. (52) 1 Sun.	213 .639	187	926	251	3977							
7 Āśvina.	9818	29.453	125	0.375	21 Mar. (81) 4 Wed.	37 30	15 0	29 Feb. (60) 4 Wed.	15 .045	12	773	220	3978							
					21 Mar. (80) 5 Thur.	53 1	21 12	19 Mar. (78) 3 Tues.	53 .159	47	709	272	3979							

TABLE I.

Iasion-parts = 10,000ths of a circle. A titiki = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Oshadhi-tati. Vikrami. Mesha-tali (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.				
					(Southern.)	Bṛihaspati cycle (Northern) current at Mesha sankranti.		Lation parts. (.)	Time of the preceding sankranti expressed in Titiki.	Time of the succeeding sankranti expressed in Titiki.		
1	2	3	3a	4	5	6	7	8	9	10	11	12
3980	801	936	285	53-54	878- 79 32 Vilambī						
3981	802	937	286	54-55	879- 80 33 Vikkrī	4 Āshādha	9633	28.899	316	0.948	
3982	803	938	287	55-56	*880- 81 34 Sārvāri						
3983	804	939	288	56-57	881- 82 35 Plava						
3984	805	940	289	57-58	882- 83 36 Śubhakrit	2 Vaiśākha	9694	29.082	241	0.723	
3985	806	941	290	58-59	883- 84 37 Śohhana						
3986	807	942	291	59-60	*884- 85 38 Krodhin	6 Bhādrapada	9702	29.106	243	0.729	
3987	808	943	292	60-61	885- 86 39 Viśvāsa						
3988	809	944	293	61-62	886- 87 40 Parabhava						
3989	810	945	294	62-63	887- 88 41 Plavāṅga	5 Śrāvana	9825	29.475	*588	1.764	
3990	811	946	295	63-64	*888- 89 42 Klāka						
3991	812	947	296	64-65	889- 90 43 Saumya						
3992	813	948	297	65-66	890- 91 44 Śādhīraṇya	3 Jyeshtha	9753	29.259	359	1.077	
3993	814	949	298	66-67	891- 92 45 Virodhakrit						
3994	815	950	299	67-68	*892- 93 46 Paridhāvi	8 Kārttika	9974	29.922	8	0.024	
3995	816	951	300	68-69	893- 94 47 Pramādiū		9 Mṛgasyā (Kākā)	8	0.024	9912 29.736	
3996	817	952	301	69-70	894- 95 48 Ānanda	1 Chaitra	9780	29.340	111	0.333	
3997	818	953	302	70-71	895- 96 49 Rākṣasā						
3998	819	954	303	71-72	*896- 97 50 Anāla	5 Śrāvana	9347	28.041	132	0.396	
3999	820	955	304	72-73	897- 98 51 Pīngala						
4000	821	956	305	73-74	898- 99 52 Kālayukta	4 Āshādha	9820	29.487	452	1.356	
4001	822	957	306	74-75	899-900 53 Siddhārthī						
4002	823	958	307	75-76	*900- 1 54 Raundra						
4003	824	959	308	76-77	901- 2 55 Durmatī	2 Vaiśākha	9654	28.962	250	0.750	
4004	825	960	309	77-78	902- 3 56 Dundubbi						
4005	826	961	310	78-79	903- 4 57 Rudhrīrodgārī	6 Bhādrapada	9671	29.013	292	0.876	
4006	827	962	311	79-80	*904- 5 58 Raktīkāshā						
4007	828	963	312	80-81	905- 6 59 Krodhāna						
4008	829	964	313	81-82	906- 7 60 Kshayā	5 Śrāvana	9930	29.790	591	1.773	
4009	830	965	314	82-83	907- 8 1 Prabhava						
4010	831	966	315	83-84	*908- 9 2 Viśhava !)						

1) Sukla, No. 3, was suppressed in the north, but by southern reckoning there has been no suppression since this date.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE												Kali.					
Name of month.	Mean.				Solar year				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								At Sunrise on meridian of Ujjain.	Moon's Age.	Lunat. parts elapsed. (ω)	Tithis elapsed.	a .	b .	c .	
	Lunation parts. (ω)	Tithis	Lunation parts. (ω)	Tithis	Day and Month A. D.	(Time of the Meha saṅkrānti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.	Moon's Age.	Lunat. parts elapsed. (ω)	Tithis elapsed.	a .	b .	c .							
						Week day.	Gh. Pa.	H. M.																
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1								
4 Āshādha	9960	29.881	268	0.803	23 Mar. (81)	0 Sat.	8 32	3 25	8 Mar. (67)	0 Sat.	14 .042	9923	556	241	3980									
12 Phālguna	9796	29.387	103	0.309	22 Mar. (81)	1 Sun.	24 4	9 37	26 Feb. (57)	5 Thur.	332 .996	137	439	212	3981									
9 Mārgaśīrsha	9938	29.815	246	0.737	21 Mar. (81)	2 Mon.	39 35	15 50	15 Mar. (75)	3 Tues.	91 .273	9833	339	261	3982									
5 Śrāvana	9774	29.322	81	0.244	22 Mar. (81)	3 Tues.	55 6	22 2	5 Mar. (64)	1 Sun.	325 .975	47	223	233	3983									
2 Vaiśākha	9917	29.750	234	0.672	21 Mar. (81)	4 Wed.	26 9	10 27	13 Mar. (73)	4 Wed.	103 .309	9938	6	254	3985									
10 Pausha	9752	29.256	59	0.178	21 Mar. (81)	5 Thur.	41 40	16 40	2 Mar. (62)	2 Mon.	223 .669	172	890	226	3986									
7 Āsvina	9895	29.684	202	0.606	22 Mar. (81)	6 Fri.	57 11	22 52	21 Mar. (80)	1 Sun.	224 .672	207	825	277	3987									
3 Jyādhītha	9730	29.191	38	0.113	22 Mar. (81)	7 Sat.	12 42	5 5	10 Mar. (69)	5 Thur.	99 .297	83	673	246	3988									
12 Phālguna	9873	29.619	180	0.541	21 Mar. (81)	8 Sun.	28 14	11 17	27 Feb. (58)	2 Mon.	82 .246	9958	520	215	3989									
8 Kārttika	9708	29.125	16	0.047	22 Mar. (81)	9 Mon.	43 45	17 30	17 Mar. (77)	1 Sun.	172 .516	9993	456	266	3990									
5 Śrāvana	9851	29.553	158	0.475	22 Mar. (81)	10 Tues.	59 16	23 42	6 Mar. (65)	5 Thur.	141 .423	9869	303	236	3991									
2 Vaiśākha	9917	29.750	234	0.672	22 Mar. (81)	11 Wed.	30 19	12 7	14 Mar. (73)	1 Sun.	○ - - - -	9744	150	205	3992									
10 Pausha	9752	29.256	59	0.178	21 Mar. (81)	12 Thu.	45 50	18 20	3 Mar. (63)	6 Fri.	7 .021	9993	970	228	3994									
7 Āsvina	9895	29.684	202	0.606	22 Mar. (81)	13 Fri.	1 31	0 33	21 Feb. (52)	4 Wed.	239 .717	208	853	200	3995									
3 Jyādhītha	9730	29.191	38	0.113	22 Mar. (81)	14 Sat.	16 52	6 45	12 Mar. (71)	3 Tues.	246 .738	242	789	251	3996									
12 Phālguna	9873	29.619	180	0.541	21 Mar. (81)	15 Sun.	32 24	12 57	1 Mar. (60)	0 Sat.	153 .459	118	636	220	3997									
8 Kārttika	9708	29.125	16	0.047	22 Mar. (81)	16 Mon.	47 55	19 10	19 Mar. (79)	6 Fri.	230 .690	153	572	272	3998									
5 Śrāvana	9851	29.553	158	0.475	22 Mar. (81)	17 Tues.	3 26	1 22	8 Mar. (67)	3 Tues.	238 .714	28	420	241	3999									
2 Vaiśākha	9917	29.750	234	0.672	22 Mar. (81)	18 Wed.	18 57	7 35	25 Feb. (56)	0 Sat.	285 .855	9904	267	210	4000									
10 Pausha	9752	29.256	59	0.178	21 Mar. (81)	19 Thu.	34 29	13 47	16 Mar. (75)	6 Fri.	213 .639	9939	203	261	4001									
7 Āsvina	9895	29.684	202	0.606	22 Mar. (81)	20 Fri.	50 0	20 0	4 Mar. (64)	3 Tues.	○ - - - -	9814	50	231	4002									
3 Jyādhītha	9730	29.191	38	0.113	22 Mar. (81)	21 Sat.	5 31	2 12	22 Feb. (53)	1 Sun.	114 .342	29	933	202	4003									
12 Phālguna	9873	29.619	180	0.541	21 Mar. (81)	22 Mon.	21 2	8 25	13 Mar. (72)	0 Sat.	101 .303	63	870	254	4004									
8 Kārttika	9708	29.125	16	0.047	22 Mar. (81)	23 Tues.	36 34	14 37	3 Mar. (62)	5 Thur.	278 .834	278	753	226	4005									
5 Śrāvana	9851	29.553	158	0.475	22 Mar. (81)	24 Wed.	52 5	20 50	21 Mar. (81)	4 Wed.	324 .972	312	689	277	4006									
2 Vaiśākha	9917	29.750	234	0.672	22 Mar. (81)	25 Fri.	7 36	3 2	10 Mar. (69)	1 Sun.	298 .894	188	536	246	4007									
10 Pausha	9752	29.256	59	0.178	21 Mar. (81)	26 Sat.	23 7	9 15	27 Feb. (58)	5 Thur.	299 .897	64	383	215	4008									
7 Āsvina	9895	29.684	202	0.606	22 Mar. (81)	27 Sun.	38 39	15 27	17 Mar. (76)	3 Tues.	36 .108	9760	283	264	4009									
3 Jyādhītha	9730	29.191	38	0.113	22 Mar. (81)	28 Mon.	54 10	21 40	6 Mar. (66)	1 Sun.	235 .705	9974	167	236	4010									

© See Test. Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra Vikrama.	Makaradi (Solar) Year in Benigal.	Kollam.	A. D.	Sunyasa.		Name of month.	True.				
						Brihaspati cycle (Northern)	Luni-Solar cycle (Southern)		Time of the preceding sankranti expressed in Lunation parts. (l.)	Time of the succeeding sankranti expressed in Lunation parts. (l.)	Tithi.	Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4011	832	967	316	84- 85	909-10	3 Śakia.....	4 Pramoda 1)....	3 Jyeshtha.....	9788	29.364	496	1.488	
4012	833	968	317	85- 86	910-11	4 Pramoda.....	5 Prajāpati.....	
4013	834	969	318	86- 87	911-12	5 Prajāpati.....	6 Āngiras.....	7 Āśvina.....	9818	29.454	131	0.393	
4014	835	970	319	87- 88	*912-13	6 Āngiras.....	7 Śrimukha.....	1 Chaitra.....	9855	29.595	125	0.375	
4015	836	971	320	88- 89	913-14	7 Śrimukha.....	8 Bhāva.....	
4016	837	972	321	89- 90	914-15	8 Bhāva.....	9 Yuvan.....	5 Srīvatsa.....	9416	28.348	112	0.336	
4017	838	973	322	90- 91	915-16	9 Yuvan.....	10 Dhātṛi.....	
4018	839	974	323	91- 92	*916-17	10 Dhātṛi.....	11 Īvara.....	
4019	840	975	324	92- 93	917-18	11 Īvara.....	12 Bahudhānya.....	4 Āśādha.....	9967	29.901	646	1.938	
4020	841	976	325	93- 94	918-19	12 Bahudhānya.....	13 Pramāthīn.....	
4021	842	977	326	94- 95	919-20	13 Pramāthīn.....	14 Vikrama.....	
4022	843	978	327	95- 96	*920-21	14 Vikrama.....	15 Vṛiśa.....	2 Vaiśākha.....	9842	28.926	206	0.618	
4023	844	979	328	96- 97	921-22	15 Vṛiśa.....	16 Chitrabhānu.....	
4024	845	980	329	97- 98	922-23	16 Chitrabhānu.....	17 Subhānu.....	6 Bhādrapada.....	9643	28.929	266	0.798	
4025	846	981	330	98- 99	923-24	17 Subhānu.....	18 Tātra.....	
4026	847	982	331	99-100	*924-25	18 Tātra.....	19 Pārthīva.....	
4027	848	983	332	100- 1	925-26	19 Pārthīva.....	20 Vyasya.....	4 Āśādha.....	9480	28.440	113	0.339	
4028	849	984	333	101- 2	926-27	20 Vyasya.....	21 Sarvajit.....	
4029	850	985	334	102- 3	927-28	21 Sarvajit.....	22 Sarvadhārin.....	
4030	851	986	335	103- 4	*928-29	22 Sarvadhārin.....	23 Viśodhin.....	3 Jyeshtha.....	9753	29.259	530	1.590	
4031	852	987	336	104- 5	929-30	23 Viśodhin.....	24 Vīkrīta.....	
4032	853	988	337	105- 6	930-31	24 Vīkrīta.....	25 Khara.....	7 Āśvina.....	9813	29.439	192	0.576	
4033	854	989	338	106- 7	931-32	25 Khara.....	26 Naudana.....	
4034	855	990	339	107- 8	*932-33	26 Naudana.....	27 Vijaya.....	
4035	856	991	340	108- 9	933-34	27 Vijaya.....	28 Jaya.....	5 Sātyava.....	9579	28.737	180	0.540	
4036	857	992	341	109- 10	934-35	28 Jaya.....	29 Maṇmatha.....	
4037	858	993	342	110- 11	935-36	29 Maṇmatha.....	30 Durmukha.....	
4038	859	994	343	111- 12	*936-37	30 Durmukha.....	31 Hemalamba.....	3 Jyeshtha.....	9302	27.906	37	0.111	
4039	860	995	344	112- 13	937-38	31 Hemalamba.....	32 Vilambha.....	
4040	861	996	345	113- 14	938-39	32 Vilambha.....	33 Vīkrīta.....	
4041	862	997	346	114- 15	939-40	33 Vīkrīta.....	34 Sārvāri.....	2 Vaiśākha.....	9734	29.172	204	0.612	
4042	863	998	347	115- 16	*940-41	34 Sārvāri.....	35 Plava.....	

1) See note 1, last page.

TABLE I.

(Col. 23) $a =$ Distance of moon from sun. (Col. 24) $b =$ moon's mean anomaly. (Col. 25) $c =$ sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								Kali.		
	Time of the preceding sākṛti expressed in		Time of the succeeding sākṛti expressed in		Day and Month A. D.	(Time of the Meṣa sākṛti.)			Day and Month A. D.	Week day.	Luni-Solar year. (Civil day of Chaitra Śukla 1st.)	At Sunrise on meridian of Ujjain.				Moon's Age.	a.	b.	c.
	Lunation parts (L.)	Tithi.	Lunation parts (L.)	Tithi.		Week day.	By the Ārya Siddhānta.	Gh. Pa. H. M.				Lunat. parts elapsed. (L.)	Tithis elapsed.				
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
2 Vaiśākha....	9994	29.982	301	0.904	22 Mar. (81)	4 Wed.	9 41	3 52	23 Feb. (54)	5 Thur.	4 .012	9850	14	205	4011				
					22 Mar. (81)	5 Thur.	25 13	10 5	14 Mar. (73)	4 Wed.	○—19—	—.007	9885	950	256	4012			
10 Pauṣa....	9829	29.488	137	0.410	22 Mar. (81)	6 Fri.	40 44	16 17	4 Mar. (63)	2 Mon.	117 .351	99	833	228	4013				
					21 Mar. (81)	0 Sat.	56 15	22 30	22 Feb. (53)	0 Sat.	319 .957	313	717	200	4014				
					22 Mar. (81)	2 Mon.	11 46	4 42	11 Mar. (70)	5 Thur.	56 .168	9	616	249	4015				
7 Āśvina....	9972	29.916	279	0.838	22 Mar. (81)	3 Tues.	27 17	10 55	28 Feb. (59)	2 Mon.	57 .171	9885	464	218	4016				
					22 Mar. (81)	4 Wed.	42 49	17 7	19 Mar. (78)	1 Sun.	144 .432	9920	400	269	4017				
					21 Mar. (81)	5 Thur.	58 20	23 20	7 Mar. (67)	5 Thur.	75 .225	9795	247	238	4018				
3 Jyeshtha....	9807	29.422	115	0.344	22 Mar. (81)	0 Sat.	13 51	5 32	25 Feb. (56)	3 Tues.	254 .762	10	130	210	4019				
					22 Mar. (81)	1 Sun.	29 22	11 45	16 Mar. (75)	2 Mon.	242 .726	44	66	262	4020				
12 Phālguna....	9950	29.851	258	0.773	22 Mar. (81)	2 Mon.	44 54	17 57	5 Mar. (64)	6 Fri.	○—18—	—.007	9920	914	231	4021			
					22 Mar. (82)	4 Wed.	0 25	0 10	23 Feb. (54)	4 Wed.	143 .429	184	797	203	4022				
					22 Mar. (81)	5 Thur.	15 56	6 22	18 Mar. (73)	3 Tues.	171 .513	169	733	254	4023				
8 Kārttika....	9786	29.357	93	0.279	22 Mar. (81)	6 Fri.	31 27	12 35	2 Mar. (61)	0 Sat.	118 .354	45	580	223	4024				
					22 Mar. (81)	0 Sat.	46 59	18 47	21 Mar. (80)	6 Fri.	205 .615	79	516	275	4025				
					22 Mar. (82)	2 Mon.	2 30	1 0	9 Mar. (69)	3 Tues.	201 .603	9955	364	244	4026				
5 Śrīvaga....	9928	20.785	236	0.707	22 Mar. (81)	3 Tues.	18 1	7 12	26 Feb. (57)	0 Sat.	109 .327	9831	211	213	4027				
					22 Mar. (81)	4 Wed.	33 32	13 25	17 Mar. (76)	6 Fri.	116 .348	9865	147	264	4028				
					22 Mar. (81)	5 Thur.	49 4	19 37	7 Mar. (66)	4 Wed.	246 .738	80	30	236	4029				
1 Chaitra....	9764	29.291	71	0.213	22 Mar. (82)	0 Sat.	4 35	1 50	24 Feb. (55)	1 Sun.	○—4—	—.007	9955	877	205	4030			
					22 Mar. (81)	1 Sun.	20 6	8 2	14 Mar. (73)	0 Sat.	2 .006	9990	813	257	4031				
10 Pauṣa....	9907	29.720	214	0.642	22 Mar. (81)	2 Mon.	35 37	14 15	4 Mar. (63)	5 Thur.	212 .636	204	697	228	4032				
					22 Mar. (81)	3 Tues.	51 9	20 27	23 Mar. (82)	4 Wed.	276 .828	239	633	280	4033				
					22 Mar. (82)	5 Thur.	6 40	2 40	11 Mar. (71)	1 Sun.	272 .816	115	480	249	4034				
6 Bhādrapadā....	9742	29.226	49	0.148	22 Mar. (81)	6 Fri.	22 11	8 52	28 Feb. (59)	5 Thur.	256 .768	9991	327	218	4035				
					22 Mar. (81)	0 Sat.	37 42	15 5	19 Mar. (78)	4 Wed.	305 .915	25	263	269	4036				
					22 Mar. (81)	1 Sun.	53 14	21 17	8 Mar. (67)	1 Sun.	131 .393	9901	110	239	4037				
3 Jyeshtha....	9885	29.654	192	0.576	22 Mar. (82)	3 Tues.	8 45	3 30	26 Feb. (57)	6 Fri.	252 .756	115	994	211	4038				
					22 Mar. (81)	4 Wed.	24 16	9 42	16 Mar. (75)	5 Thur.	231 .693	150	930	262	4039				
11 Magha....	9720	29.160	28	0.083	22 Mar. (81)	5 Thur.	39 47	15 55	5 Mar. (64)	2 Mon.	26 .084	26	777	231	4040				
					22 Mar. (81)	6 Fri.	55 19	22 7	23 Feb. (54)	0 Sat.	264 .792	240	661	203	4041				
					22 Mar. (82)	1 Sun.	10 50	4 20	12 Mar. (72)	5 Thur.	23 .069	9936	560	252	4042				

○ See Text. Art. 101 above, para. 2.

TABLE I.

Innovation-parts = 10,000ths of a circle. A tithi = 1/10th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.							
Kali.	Saka.	Chaitra Vikram.	Makha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month	Tras.			Time of the preceding saukranti expressed in Innovation parts (I.)	Time of the succeeding saukranti expressed in Innovation parts (I.)	Tithi.
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saukranti.		Tithi.	Tras.	Tithi.			
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4043	864	999	348	116-17	941-42	35 Piava.....	36 Śubhakrit.....	6 Bhādrapada.....	9677	29.031	233	0.699		
4044	865	1000	349	117-18	942-43	36 Subhakrit.....	37 Śobhana.....							
4045	866	1001	350	118-19	943-44	37 Śobhana.....	38 Krodhīn.....							
4046	867	1002	351	119-20	*944-45	38 Krodhīn.....	39 Viśvānān.....	4 Āśādha.....	9581	28.743	298	0.894		
4047	868	1003	352	120-21	945-46	39 Viśvānān.....	40 Parābhava.....							
4048	869	1004	353	121-22	946-47	40 Parābhava.....	41 Piavaṅga.....							
4049	870	1005	354	122-23	947-48	41 Piavaṅga.....	42 Klaka.....	3 Jyeshtha.....	9727	29.181	495	1.485		
4050	871	1006	355	123-24	*948-49	42 Klaka.....	43 Samyna.....							
4051	872	1007	356	124-25	949-50	43 Samyna.....	44 Sādhāraṇa.....	7 Āśvina.....	9768	29.304	167	0.501		
4052	873	1008	357	125-26	950-51	44 Sādhāraṇa.....	45 Virodhakrit.....							
4053	874	1009	358	126-27	951-52	45 Virodhakrit.....	46 Paridhāvin.....							
4054	875	1010	359	127-28	*952-53	46 Paridhāvi.....	47 Pramādin.....	5 Scīvaya.....	9773	29.319	340	1.020		
4055	876	1011	360	128-29	953-54	47 Pramādin.....	48 Ānanda.....							
4056	877	1012	361	129-30	954-55	48 Ānanda.....	49 Rākṣasa.....							
4057	878	1013	362	130-31	955-56	49 Rākṣasa.....	50 Anala.....	3 Jyeshtha.....	9260	27.780	42	0.126		
4058	879	1014	363	131-32	*956-57	50 Anala.....	51 Piṅgala.....							
4059	880	1015	364	132-33	957-58	51 Piṅgala.....	52 Kālayukta.....							
4060	881	1016	365	133-34	958-59	52 Kālayukta.....	53 Siddhārthīn.....	2 Vaisākha.....	9804	29.682	298	0.894		
4061	882	1017	366	134-35	959-60	53 Siddhārthīn.....	54 Raundra.....							
4062	883	1018	367	135-36	*960-61	54 Raundra.....	55 Durmati.....	6 Bhādrapada.....	9809	29.427	274	0.822		
4063	884	1019	368	136-37	961-62	55 Durmati.....	56 Dundubhi.....							
4064	885	1020	369	137-38	962-63	56 Dundubhi.....	57 Radhīrodgīrin.....							
4065	886	1021	370	138-39	963-64	57 Radhīrodgīrin.....	58 Rakṭikāsh.....	4 Āśādha.....	9588	28.764	411	1.233		
4066	887	1022	371	139-40	*964-65	58 Rakṭikāsh.....	59 Krodhāna.....							
4067	888	1023	372	140-41	965-66	59 Krodhāna.....	60 Kshaya.....							
4068	889	1024	373	141-42	966-67	60 Kshaya.....	1 Prabhava.....	3 Jyeshtha.....	9786	29.355	472	1.416		
4069	890	1025	374	142-43	967-68	1 Prabhava.....	2 Vibhava.....	4 Pramoda.....						
4070	891	1026	375	143-44	*968-69	2 Vibhava.....	3 Śukla.....	7 Āśvina.....	9783	29.349	131	0.393		
4071	892	1027	376	144-45	969-70	3 Śukla.....	4 Pramoda.....							
4072	893	1028	377	145-46	970-71	4 Pramoda.....	5 Prajāpati.....							
4073	894	1029	378	146-47	971-72	5 Prajāpati.....	6 Āṅgira.....	5 Śrāvana.....	9916	29.748	537	1.611		
4074	895	1030	379	147-48	*972-73	6 Āṅgira.....	7 Śrīmukha.....	8 Bhāva.....						
4075	896	1031	380	148-49	973-74	7 Śrīmukha.....	8 Bhāva.....							

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS <i>(continued.)</i>							III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Sukla 1st.)									Kali.	
	Lunation parts. (A.)	Tithis.	Lunation parts. (A.)	Tithis.	Day and Month A. D.	(Time of the Maha sankranti.)			Day and Month A. D.	Week day.	Lunat. parts elapsed. (A.)	At Sunrise on meridian of Ujjain.			a.	b.	c.		
						Week day.	By the Arya Siddhanta.	Gh. Pa H. M.											
8	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
8 Kārttika	9863	29.589	170	0.511	22 Mar. (81)	2 Mon.	26	21	10 32	1 Mar. (60)	2 Mon.	30	.090	9812	408	223	4043		
					22 Mar. (81)	3 Tues.	41	52	16 45	20 Mar. (79)	1 Sun.	104	.312	9846	344	272	4044		
					22 Mar. (81)	4 Wed.	57	24	22 57	9 Mar. (68)	5 Thur.	○ - - - - -	9722	191	241	4045			
4 Āshādha	9698	29.095	6	0.017	22 Mar. (82)	6 Fri.	12	55	5 10	27 Feb. (58)	3 Tues.	142	.426	9936	74	213	4046		
					22 Mar. (81)	0 Sat.	28	26	11 22	17 Mar. (76)	2 Mon.	120	.360	9971	10	264	4047		
					22 Mar. (81)	1 Sun.	43	57	17 35	7 Mar. (66)	0 Sat.	238	.714	185	804	236	4048		
1 Chaitra	9841	29.523	148	0.445	22 Mar. (81)	2 Mon.	59	29	28 47	24 Feb. (55)	4 Wed.	63	.189	61	741	206	4049		
					22 Mar. (82)	4 Wed.	15	0	6 0	14 Mar. (74)	3 Tues.	110	.330	96	677	237	4050		
10 Pāncha	9984	29.953	291	0.874	22 Mar. (81)	5 Thur.	30	31	12 12	3 Mar. (62)	0 Sat.	90	.270	9971	524	226	4051		
					22 Mar. (81)	6 Fri.	46	2	18 25	22 Mar. (81)	6 Fri.	182	.546	6	460	277	4052		
					23 Mar. (82)	1 Sun.	1	34	0 37	11 Mar. (70)	3 Tues.	158	.459	9882	307	247	4053		
6 Bhādrapadha	9819	29.458	127	0.380	22 Mar. (82)	2 Mon.	17	5	6 30	28 Feb. (59)	0 Sat.	14	.042	9758	155	215	4054		
					22 Mar. (81)	3 Tues.	32	36	13 2	18 Mar. (77)	6 Fri.	7	.021	9792	91	267	4055		
					22 Mar. (81)	4 Wed.	48	7	19 15	8 Mar. (67)	4 Wed.	125	.375	7	974	239	4056		
3 Jyāeshtha	9962	29.386	269	0.808	23 Mar. (82)	6 Fri.	3	39	1 27	26 Feb. (57)	2 Mon.	254	.762	221	858	211	4057		
					22 Mar. (82)	0 Sat.	19	10	7 40	16 Mar. (70)	1 Sun.	260	.780	255	794	262	4058		
11 Māgha	9797	29.392	105	0.314	22 Mar. (81)	1 Sun.	34	41	13 52	5 Mar. (64)	5 Thur.	163	.489	131	641	231	4059		
					22 Mar. (81)	2 Mon.	50	12	20 5	22 Feb. (53)	2 Mon.	161	.483	7	488	200	4060		
					23 Mar. (82)	4 Wed.	5	44	2 17	18 Mar. (72)	1 Sun.	247	.741	42	424	252	4061		
8 Kārttika	9940	29.821	248	0.743	22 Mar. (82)	5 Thur.	21	15	8 30	1 Mar. (61)	5 Thur.	197	.391	9917	271	221	4062		
					22 Mar. (81)	6 Fri.	36	46	14 42	20 Mar. (79)	4 Wed.	227	.681	9952	207	272	4063		
					22 Mar. (81)	0 Sat.	52	17	20 55	9 Mar. (68)	1 Sun.	16	.048	9828	54	242	4064		
4 Āshādha	9778	29.327	80	0.249	23 Mar. (82)	2 Mon.	7	49	3 7	27 Feb. (58)	6 Fri.	130	.390	42	938	213	4065		
					22 Mar. (82)	3 Tues.	23	20	9 20	17 Mar. (77)	5 Thur.	117	.351	77	874	265	4066		
					22 Mar. (81)	4 Wed.	38	51	15 32	7 Mar. (66)	3 Tues.	291	.873	291	757	237	4067		
1 Chaitra	9918	29.755	226	0.677	22 Mar. (81)	5 Thur.	54	22	21 45	24 Feb. (55)	0 Sat.	223	.669	167	605	206	4068		
					23 Mar. (82)	0 Sat.	9	54	3 57	15 Mar. (74)	6 Fri.	305	.915	201	541	257	4069		
9 Mārgasīrsha	9754	29.261	61	0.183	22 Mar. (82)	1 Sun.	25	25	10 10	3 Mar. (63)	3 Tues.	308	.924	77	388	226	4070		
					22 Mar. (81)	2 Mon.	40	56	16 22	21 Mar. (80)	1 Sun.	49	.147	9773	287	275	4071		
					22 Mar. (81)	3 Tues.	56	27	22 35	11 Mar. (70)	6 Fri.	250	.750	9987	171	247	4072		
6 Bhādrapadha	9897	29.690	204	0.612	23 Mar. (82)	5 Thur.	11	59	4 47	28 Feb. (59)	3 Tues.	20	.060	9853	18	216	4073		
					22 Mar. (82)	6 Fri.	27	30	11 0	18 Mar. (78)	2 Mon.	○ - - - - -	9898	954	267	4074			
					22 Mar. (81)	0 Sat.	43	1	17 12	8 Mar. (67)	0 Sat.	133	.399	112	838	239	4075		

○ See Text. Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Śaka.	Chaitrīdoli, Vikrama	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.				
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Lunation parts. (L.)	Tithi.	Lunation parts. (L.)	Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4076	807	1032	381	149-50	974-	75	8 Bhāva.....	9 Yuvan.....	3 Jyeshtha.....	9287	27.861	5	0.015
4077	806	1033	382	150-51	975-	76	9 Yuvan.....	10 Dhātṛi.....
4078	809	1034	383	151-52	*976-	77	10 Dhātṛi.....	11 Īvara.....
4079	900	1035	384	152-53	977-	78	11 Īvara.....	12 Bahudhānya.....	1 Chaitra.....	9862	29.580	91	0.273
4080	901	1036	385	153-54	978-	79	12 Babudhānya.....	13 Pramāthīn.....
4081	902	1037	386	154-55	979-	80	13 Pramāthīn.....	14 Vikrama.....	5 Śākava.....	9411	28.233	4	0.012
4082	903	1038	387	155-56	*980-	81	14 Vikrama.....	15 Vrisha.....
4083	904	1039	388	156-57	981-	82	15 Vrisha.....	16 Chitrabhaṇu.....
4084	905	1040	389	157-58	982-	83	16 Chitrabhaṇu.....	17 Subhānu.....	4 Āśādha.....	9545	28.635	421	1.263
4085	906	1041	390	158-59	983-	84	17 Subhānu.....	18 Tātra.....
4086	907	1042	391	159-60	*984-	85	18 Tātra.....	19 Pārthīva.....
4087	908	1043	392	160-61	985-	86	19 Pārthīva.....	20 Vyaya.....	3 Jyeshtha.....	9944	29.832	529	1.587
4088	909	1044	393	161-62	986-	87	20 Vyaya.....	21 Sarvajit.....
4089	910	1045	394	162-63	987-	88	21 Sarvajit.....	22 Sarvadhaṇīn.....	7 Āśvina.....	9892	29.676	165	0.495
4090	911	1046	395	163-64	*988-	89	22 Sarvadhaṇīn.....	23 Virodhīn.....
4091	912	1047	396	164-65	989-	90	23 Virodhīn.....	24 Vikṛita.....
4092	913	1048	397	165-66	990-	91	24 Vikṛita.....	25 Kharṣa.....	5 Śākava.....	9960	29.880	679	2.037
4093	914	1049	398	166-67	991-	92	25 Kharṣa.....	26 Nandana.....
4094	915	1050	399	167-68	*992-	93	26 Nandana.....	27 Vijaya.....
4095	916	1051	400	168-69	993-	94	27 Vijaya.....	28 Jayu.....	3 Jyeshtha.....	9414	28.242	30	0.090
4096	917	1052	401	169-70	994-	95	28 Jayu.....	29 Maṇmatha ¹⁾
4097	918	1053	402	170-71	995-	96	29 Maṇmatha ¹⁾	31 Hemalamba.....
4098	919	1054	403	171-72	*996-	97	30 Durmukha.....	32 Vilambī.....	1 Chaitra.....	9918	29.754	219	0.657
4099	920	1055	404	172-73	997-	98	31 Hemalamba.....	33 Vīkārīn.....
4100	921	1056	405	173-74	998-	99	32 Vilambī.....	34 Śārvāri.....	5 Śākava.....	9488	28.464	172	0.516
4101	922	1057	406	174-75	999-	1000	33 Vīkārīn.....	35 Plava.....
4102	923	1058	407	175-76	*1000-	1	34 Śārvāri.....	36 Śubhakṛit.....
4103	924	1059	408	176-77	1001-	2	35 Plava.....	37 Śobhana.....	4 Āśādha.....	9545	28.635	379	1.137
4104	925	1060	409	177-78	1002-	3	36 Śubhakṛit.....	38 Kroḍhīn.....
4105	926	1061	410	178-79	1003-	4	37 Śobhana.....	39 Viśvāsa.....
4106	927	1062	411	179-80	*1004-	5	38 Kroḍhīn.....	40 Parābhava.....	2 Vaśākha.....	9717	29.151	139	0.417
4107	928	1063	412	180-81	1005-	6	39 Viśvāsa.....	41 Plavaṅga.....

¹⁾ Durmukha, No. 30, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Shukla 1st.)									
	Lunation parts. (L.)	Tithi.	Lunation parts. (L.)	Tithi.	Day and Month A. D.	(Time of the Mesha saṅkrānti.)				Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Kali.			
						Week day.	By the Ārya Siddhānta.		Gh. Pa			Lunat. parts elapsed. (%)	Tithi elapsed.	a.	b.	c.		
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
2 Vaiśākha.	9732	29.196	39	0.118	23 Mar. (81)	1 Sun.	58	32	23	25 Feb. (56)	4 Wed.	2	006	9988	685	208	4076	
					23 Mar. (82)	3 Tues.	14	4	5	37 16 Mar. (75)	3 Tues.	65	195	22	621	260	4077	
11 Māgha.	9875	29.624	182	0.546	22 Mar. (82)	4 Wed.	29	35	11	50 4 Mar. (64)	0 Sat.	66	198	9898	468	229	4078	
					22 Mar. (81)	5 Thur.	45	6	18	2 21 Feb. (52)	4 Wed.	46	188	9774	315	198	4079	
7 Āśvin.	9710	29.130	17	0.052	23 Mar. (82)	1 Sun.	16	9	6	27 2 Mar. (51)	1 Sun.	269	807	23	135	221	4081	
					22 Mar. (82)	2 Mon.	31	40	12	40 20 Mar. (80)	0 Sat.	258	774	57	71	273	4082	
4 Āshādha.	9853	29.559	160	0.481	23 Mar. (82)	3 Tues.	47	11	18	52 9 Mar. (68)	4 Wed.	4	016	9033	918	242	4083	
					23 Mar. (82)	6 Fri.	18	14	7	17 18 Mar. (77)	1 Sun.	182	546	182	737	265	4085	
					22 Mar. (82)	0 Sat.	33	45	13	30 6 Mar. (65)	5 Thur.	127	381	58	585	234	4086	
1 Chaitra.	9996	29.987	303	0.909	22 Mar. (81)	1 Sun.	49	16	19	42 23 Feb. (54)	2 Mon.	136	408	9934	452	203	4087	
					23 Mar. (82)	3 Tues.	4	47	1	55 14 Mar. (73)	1 Sun.	211	633	9968	365	255	4088	
9 Mārgasīrsha.	9831	29.493	138	0.415	23 Mar. (82)	4 Wed.	20	19	8	7 4 Mar. (63)	6 Fri.	277	831	183	251	226	4089	
					22 Mar. (82)	5 Thur.	35	50	14	20 21 Mar. (81)	4 Wed.	132	396	9879	151	275	4090	
					22 Mar. (81)	6 Fri.	51	21	20	32 11 Mar. (70)	2 Mon.	263	789	93	34	247	4091	
6 Bhādrapada.	9974	29.921	281	0.844	23 Mar. (82)	1 Sun.	6	52	2	45 28 Feb. (59)	6 Fri.	15	045	9969	882	216	4092	
					23 Mar. (82)	2 Mon.	23	24	8	57 19 Mar. (78)	5 Thur.	16	048	3	818	267	4093	
					22 Mar. (82)	3 Tues.	37	55	15	10 8 Mar. (68)	3 Tues.	224	672	218	701	239	4094	
2 Vaiśākha.	9809	29.428	117	0.350	22 Mar. (81)	4 Wed.	53	26	21	22 25 Feb. (56)	0 Sat.	193	579	93	548	209	4095	
					23 Mar. (82)	6 Fri.	8	57	3	35 16 Mar. (75)	6 Fri.	282	846	128	484	260	4096	
11 Māgha.	9952	29.856	259	0.778	23 Mar. (82)	0 Sat.	24	29	9	47 5 Mar. (64)	3 Tues.	268	804	4	332	229	4097	
					22 Mar. (82)	1 Sun.	40	0	16	0 22 Feb. (53)	0 Sat.	149	447	9879	179	198	4098	
					22 Mar. (81)	2 Mon.	55	31	22	12 12 Mar. (71)	6 Fri.	147	441	9914	115	250	4099	
7 Āśvin.	9787	29.362	95	0.284	23 Mar. (82)	4 Wed.	11	2	4	25 2 Mar. (61)	4 Wed.	267	801	125	998	221	4100	
					23 Mar. (82)	5 Thur.	26	34	10	37 21 Mar. (80)	3 Tues.	246	738	163	934	273	4101	
4 Āshādha.	9930	29.790	238	0.713	22 Mar. (81)	6 Fri.	42	5	16	50 9 Mar. (69)	0 Sat.	42	126	39	782	242	4102	
					23 Mar. (82)	2 Mon.	13	7	5	15 17 Mar. (76)	3 Tues.	33	099	9949	565	262	4103	
12 Phālguna.	9766	29.297	73	0.219	23 Mar. (82)	3 Tues.	28	39	11	27 6 Mar. (65)	0 Sat.	39	117	9825	412	231	4105	
					22 Mar. (82)	4 Wed.	44	10	17	40 24 Feb. (55)	5 Thur.	316	948	39	295	203	4106	
					22 Mar. (81)	5 Thur.	59	41	23	52 13 Mar. (72)	3 Tues.	6	018	9735	195	252	4107	

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.							
Kali.	Śaka.	Chaitra.	Vikram.	Makhalī (Solar) Year in Regn.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in
							Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Meha saṅkrānti.		Luni.	Tithi.	Lunation parts (l.)	Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4108	929	1064	413	181- 82	1006- 7	40 Paribhava	42 Kīlaka	6 Bhādrapada	9657	28,971	80	0,240		
4109	930	1065	414	182- 83	1007- 8	41 Piavāṅga	43 Saumya							
4110	931	1066	415	183- 84	*1008- 9	42 Kīlaka	44 Sādhanā							
4111	932	1067	416	184- 85	1009-10	43 Saumya	45 Virodhakrit	5 Śrāvaga	9924	29,772	725	2,175		
4112	933	1068	417	185- 86	1010-11	44 Sādhanā	46 Paridhāvin							
4113	934	1069	418	186- 87	1011-12	45 Virodhakrit	47 Pramādin							
4114	935	1070	419	187- 88	*1012-13	46 Paridhāvin	48 Ānanda	3 Jyeshtha	9606	28,818	155	0,465		
4115	936	1071	420	188- 89	1013-14	47 Pramādin	49 Rākṣasa							
4116	937	1072	421	189- 90	1014-15	48 Ananda	50 Anala							
4117	938	1073	422	190- 91	1015-16	49 Rākṣasa	51 Pingala	1 Chaitra	9896	29,688	251	0,758		
4118	939	1074	423	191- 92	*1016-17	50 Anala	52 Kālasyukta							
4119	940	1075	424	192- 93	1017-18	51 Pingala	53 Siddhārthīn	5 Śrāvaga	9474	28,422	253	0,739		
4120	941	1076	425	193- 94	1018-19	52 Kālasyukta	54 Randra							
4121	942	1077	426	194- 95	1019-20	53 Siddhārthīn	55 Durmati							
4122	943	1078	427	195- 96	*1020-21	54 Randra	56 Dundubhi	4 Āśādhīṣa	9635	28,903	373	1,119		
4123	944	1079	428	196- 97	1021-22	55 Durmati	57 Rudhīrodgārīn							
4124	945	1080	429	197- 98	1022-23	56 Dundubhi	58 Raktikāshā							
4125	946	1081	430	198- 99	1023-24	57 Rudhīrodgārīn	59 Kroḍhana	2 Vaiśākha	9783	29,349	288	0,584		
4126	947	1082	431	199-200	*1024-25	58 Raktikāshā	60 Kshaya							
4127	948	1083	432	200- 1	1025-26	59 Kroḍhana	1 Prabhava	6 Bhādrapada	9770	29,310	263	0,789		
4128	949	1084	433	201- 2	1026-27	60 Kshaya	2 Vibhava							
4129	950	1085	434	202- 3	1027-28	1 Prabhava	3 Śukla							
4130	951	1086	435	203- 4	*1028-29	2 Vibhava	4 Pramoda	5 Śrāvaga	9898	29,694	693	2,079		
4131	952	1087	436	204- 5	1029-30	3 Śukla	5 Prajāpati							
4132	953	1088	437	205- 6	1030-31	4 Pramoda	6 Aśvina							
4133	954	1089	438	206- 7	1031-32	5 Prajāpati	7 Śrīmukha	3 Jyeshtha	9781	29,343	347	1,041		
4134	955	1090	439	207- 8	*1032-33	6 Aśvina	8 Bhāva							
4135	956	1091	440	208- 9	1033-34	7 Śrīmukha	9 Yuvan							
4136	957	1092	441	209- 10	1034-35	8 Bhāva	10 Dhātri	1 Chaitra	9859	29,577	215	0,645		
4137	958	1093	442	210- 11	1035-36	9 Yuvan	11 Āvara							
4138	959	1094	443	211- 12	*1036-37	10 Dhātri	12 Bahudhānya	5 Śrāvaga	9438	28,314	241	0,723		
4139	960	1095	444	212- 13	1037-38	11 Āvara	13 Pramāthīn							

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)									
	Lunation parts. (t)	Tithi.	Lunation parts. (t)	Tithi.	Day and Month A. D.	(Time of the Mesha śūkranti.)				Day and Month A. D.	Week day.	Moon's Age.	At Sunrise on meridian of Ujjain.			Kali.		
						Week day.	By the Ārya Siddhānta.		Gh. Pa.				Lun. part. elapsed. (t)	Tithi elapsed.	a .	b .	c .	
8a	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
9 Mārgaśīrsha...	9908	29.725	216	0.647	23 Mar. (82)	0 Sat.	15	12	6	5	3 Mar. (62)	1 Sun.	158	.474	9950	79	224	4108
					23 Mar. (82)	1 Sun.	30	44	12	17	22 Mar. (81)	0 Sat.	137	.411	9984	14	275	4109
					22 Mar. (82)	2 Mon.	46	15	18	30	11 Mar. (71)	5 Thur.	255	.765	199	898	247	4110
5 Śrīvatsa...	9744	29.231	51	0.153	23 Mar. (82)	4 Wed.	1	46	0	42	28 Feb. (59)	2 Mon.	75	.227	74	745	216	4111
					23 Mar. (82)	5 Thur.	17	17	6	55	19 Mar. (78)	1 Sun.	122	.366	109	681	268	4112
					23 Mar. (82)	6 Fri.	32	49	13	7	8 Mar. (67)	5 Thur.	101	.303	9985	528	237	4113
2 Vaiśākha...	9886	29.659	194	0.582	22 Mar. (82)	0 Sat.	48	20	19	20	25 Feb. (56)	2 Mon.	100	.300	9986	376	206	4114
					23 Mar. (82)	2 Mon.	3	51	1	32	15 Mar. (74)	1 Sun.	165	.495	9895	312	257	4115
10 Pūṣa...	9722	29.166	29	0.088	23 Mar. (82)	3 Tues.	19	22	7	45	4 Mar. (63)	5 Thur.	28	.084	9771	159	226	4116
					23 Mar. (82)	4 Wed.	34	54	13	57	22 Feb. (53)	3 Tues.	165	.495	9985	42	198	4117
					22 Mar. (82)	5 Thur.	50	25	20	10	12 Mar. (72)	2 Mon.	140	.420	20	978	250	4118
7 Āśvina...	9865	29.594	172	0.516	23 Mar. (82)	0 Sat.	5	56	2	22	2 Mar. (61)	0 Sat.	268	.804	234	862	221	4119
					23 Mar. (82)	1 Sun.	21	27	8	35	21 Mar. (80)	6 Fri.	275	.825	269	798	273	4120
					23 Mar. (82)	2 Mon.	36	59	14	47	10 Mar. (69)	3 Tues.	174	.522	144	645	242	4121
3 Jyeshtha...	9700	29.100	7	0.022	22 Mar. (82)	3 Tues.	52	30	21	0	27 Feb. (58)	0 Sat.	168	.504	20	492	211	4122
					23 Mar. (82)	5 Thur.	8	1	3	12	17 Mar. (76)	6 Fri.	257	.771	55	428	262	4123
12 Phālguna...	9843	29.329	150	0.451	23 Mar. (82)	6 Fri.	23	32	9	25	6 Mar. (65)	3 Tues.	208	.624	9980	276	232	4124
					23 Mar. (82)	0 Sat.	39	4	15	37	23 Feb. (54)	0 Sat.	47	.141	9806	123	201	4125
					22 Mar. (82)	1 Sun.	54	35	21	50	13 Mar. (78)	6 Fri.	32	.096	9841	59	252	4126
9 Mārgaśīrsha...	9986	29.957	293	0.879	23 Mar. (82)	3 Tues.	10	6	4	2	3 Mar. (62)	4 Wed.	146	.438	55	942	224	4127
					23 Mar. (82)	4 Wed.	25	37	10	15	22 Mar. (81)	3 Tues.	183	.399	90	878	275	4128
					23 Mar. (82)	5 Thur.	41	9	16	27	12 Mar. (71)	1 Sun.	304	.912	304	762	247	4129
5 Śrīvatsa...	9821	29.463	128	0.385	22 Mar. (82)	6 Fri.	56	40	22	40	29 Feb. (60)	5 Thur.	232	.696	180	609	217	4130
					23 Mar. (82)	1 Sun.	12	11	4	52	19 Mar. (78)	4 Wed.	316	.948	215	545	268	4131
					23 Mar. (82)	2 Mon.	27	42	11	5	8 Mar. (67)	1 Sun.	319	.957	90	392	237	4132
2 Vaiśākha...	9964	29.891	271	0.818	23 Mar. (82)	3 Tues.	43	14	17	17	25 Feb. (56)	5 Thur.	248	.744	9966	239	206	4133
					22 Mar. (82)	4 Wed.	58	45	23	30	15 Mar. (75)	4 Wed.	266	.798	1	175	258	4134
10 Pāncha...	9799	29.398	107	0.320	23 Mar. (82)	6 Fri.	14	16	5	42	4 Mar. (63)	1 Sun.	36	.108	9876	22	227	4135
					23 Mar. (82)	0 Sat.	29	47	11	55	22 Feb. (53)	6 Fri.	156	.468	91	906	199	4136
					23 Mar. (82)	1 Sun.	45	19	18	7	13 Mar. (72)	5 Thur.	148	.444	125	842	250	4137
7 Āśvina...	9942	29.826	249	0.748	23 Mar. (82)	3 Tues.	0	30	0	20	1 Mar. (61)	2 Mon.	12	.036	1	689	219	4138
					23 Mar. (82)	4 Wed.	16	21	6	32	20 Mar. (79)	1 Sun.	77	.231	36	625	270	4139

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitraidi, Vikrami.	Monthali (Solar) year in Bengal.	Kollam.	A. D.	Samvatasa.		Name of month.	True.				
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		Lunation parts. (l.)	Time of the preceding sankranti expressed in Tithi.	Lunation parts. (l.)	Time of the succeeding sankranti expressed in Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4140	961	1096	445	213- 14	1038-39	12 Bahudhānya	14 Vikrama						
4141	962	1097	446	214- 15	1039-40	13 Pramāthin	15 Vṛisha	4 Āshādha	9811	29.433	606	1.818	
4142	963	1098	447	215- 16	*1040-41	14 Vikrama	16 Chitrabhbāhu						
4143	964	1099	448	216- 17	1041-42	15 Vṛisha	17 Subhānu						
4144	965	1100	449	217- 18	1042-43	16 Chitrabhbāhu	18 Tārṣa	2 Vaiśākha	9763	29.289	343	1.029	
4145	966	1101	450	218- 19	1043-44	17 Subhānu	19 Pārthiva						
4146	967	1102	451	219- 20	*1044-45	18 Tārṣa	20 Vyasa	6 Bhūdrapada	9785	29.355	465	1.395	
4147	968	1103	452	220- 21	1045-46	19 Pārthiva	21 Sarvajit						
4148	969	1104	453	221- 22	1046-47	20 Vyasa	22 Sarvadhārin						
4149	970	1105	454	222- 23	1047-48	21 Sarvajit	23 Virodhin	5 Śrīvana	9285	27.864	666	1.998	
4150	971	1106	455	223- 24	*1048-49	22 Sarvadhārin	24 Vikrita						
4151	972	1107	456	224- 25	1049-50	23 Virodhin	25 Khara						
4152	973	1108	457	225- 26	1050-51	24 Vikrita	26 Nandana	3 Jyeshtha	9367	29.601	522	1.566	
4153	974	1109	458	226- 27	1051-52	25 Khara	27 Vijaya						
4154	975	1110	459	227- 28	*1052-53	26 Nandana	28 Jaya	7 Āśvina	9874	29.622	147	0.441	
								10 Pañcha (Ksh.)	93	0.279	9938	29.814	
4155	976	1111	460	228- 29	1053-54	27 Vijaya	29 Maumatha	1 Chaitra	9896	29.688	193	0.579	
4156	977	1112	461	229- 30	1054-55	28 Jaya	30 Durmukha						
4157	978	1113	462	230- 31	1055-56	29 Maumatha	31 Hemalamba	5 Śrīvara	9452	28.356	200	0.600	
4158	979	1114	463	231- 32	*1056-57	30 Durmukha	32 Vilambha						
4159	980	1115	464	232- 33	1057-58	31 Hemalamba	33 Vikārin						
4160	981	1116	465	233- 34	1058-59	32 Vilambha	34 Śārvati	3 Jyeshtha	9382	28.146	5	0.015	
4161	982	1117	466	234- 35	1059-60	33 Vikārin	35 Plava						
4162	983	1118	467	235- 36	*1060-61	34 Śārvati	36 Śubhakrit						
4163	984	1119	468	236- 37	1061-62	35 Plava	37 Śobhana	2 Vaiśākha	9726	29.178	316	0.948	
4164	985	1120	469	237- 38	1062-63	36 Śubhakrit	38 Krodhīn						
4165	986	1121	470	238- 39	1063-64	37 Śobhana	39 Viśvāsya	6 Bhūdrapada	9743	29.229	370	1.110	
4166	987	1122	471	239- 40	*1064-65	38 Krodhīn	40 Parābhava						
4167	988	1123	472	240- 41	1065-66	39 Viśvāsya	41 Plavagni						
4168	989	1124	473	241- 42	1066-67	40 Parābhava	42 Kiliaka	4 Āshādha	9475	28.425	97	0.291	
4169	990	1125	474	242- 43	1067-68	41 Plavāṅga	43 Saumya						
4170	991	1126	475	243- 44	*1068-69	42 Kiliaka	44 Sādhārṇa						

TABLE I.

(Col. 23) $a =$ Distance of moon from sun. (Col. 24) $b =$ moon's mean anomaly. (Col. 25) $c =$ sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)							III. COMMENCEMENT OF THE												
Name of month.	Mean.				Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)									Kali.	
	Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in	Day and Month A. D.	(Time of the Meha sankranti)				Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Moon's Age.	Week day.	Lunar parts elapsed. (t_1)	Tithi elapsed.	a.	b.	c.
				Day	Month	Year	Century			Day	Month	Year							
Sa	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1			
3 Jyeshtha	9777	29.332	85	0.254	23 Mar. (82)	5 Thur.	31	52	12	45	9 Mar. (85)	5 Thur.	74	222	9911	474	240	4140	
					23 Mar. (82)	6 Fri.	47	24	18	57	26 Feb. (57)	2 Mon.	56	168	9787	320	209	4141	
					23 Mar. (83)	1 Sun.	2	55	1	10	16 Mar. (76)	1 Sun.	102	306	9822	256	260	4142	
12 Phālguna	9920	29.760	227	0.682	23 Mar. (82)	2 Mon.	18	26	7	22	6 Mar. (65)	6 Fri.	283	849	36	139	232	4143	
					23 Mar. (82)	3 Tues.	33	57	13	35	23 Feb. (54)	3 Tues.	42	126	9912	986	201	4144	
					23 Mar. (82)	4 Wed.	49	29	19	47	14 Mar. (73)	2 Mon.	20	060	9946	922	252	4145	
8 Kārttika	9756	29.267	63	0.189	23 Mar. (83)	6 Fri.	5	0	2	0	3 Mar. (63)	0 Sat.	171	518	161	506	224	4146	
					23 Mar. (82)	0 Sat.	20	31	8	12	22 Mar. (81)	6 Fri.	195	585	195	742	276	4147	
					23 Mar. (82)	1 Sun.	36	2	14	25	11 Mar. (70)	3 Tues.	137	411	71	589	245	4148	
5 Śrāvaga	9898	29.695	206	0.617	23 Mar. (82)	2 Mon.	51	34	20	37	28 Feb. (59)	0 Sat.	144	432	9947	436	214	4149	
					23 Mar. (83)	4 Wed.	7	5	2	50	18 Mar. (78)	6 Fri.	222	656	9981	372	265	4150	
					23 Mar. (82)	5 Thur.	22	36	9	2	7 Mar. (66)	3 Tues.	134	402	9857	219	235	4151	
1 Chaitra	9734	29.201	41	0.123	23 Mar. (82)	6 Fri.	38	7	15	25	25 Feb. (56)	1 Sun.	298	894	71	103	206	4152	
					23 Mar. (82)	0 Sat.	53	39	21	27	16 Mar. (75)	0 Sat.	280	540	106	39	258	4153	
10 Pausha	9876	29.629	184	0.551	23 Mar. (83)	2 Mon.	9	10	3	40	4 Mar. (64)	4 Wed.	30	090	9982	886	227	4154	
					23 Mar. (82)	3 Tues.	24	41	9	52	22 Feb. (53)	2 Mon.	200	600	196	769	199	4155	
					23 Mar. (82)	4 Wed.	40	12	16	5	13 Mar. (72)	1 Sun.	236	708	231	705	250	4156	
6 Bhādrapada	9712	29.186	19	0.058	23 Mar. (82)	5 Thur.	55	44	22	17	2 Mar. (61)	5 Thur.	202	606	107	533	219	4157	
					23 Mar. (83)	0 Sat.	11	15	4	30	20 Mar. (80)	4 Wed.	291	873	141	489	271	4158	
					23 Mar. (82)	1 Sun.	26	46	10	42	9 Mar. (68)	1 Sun.	277	831	17	336	240	4159	
3 Jyeshtha	9855	29.564	162	0.486	23 Mar. (82)	2 Mon.	42	17	16	55	26 Feb. (57)	5 Thur.	162	486	9892	183	209	4160	
					23 Mar. (82)	3 Tues.	57	49	28	7	17 Mar. (76)	4 Wed.	162	486	9927	119	260	4161	
12 Phālguna	9997	29.992	305	0.914	23 Mar. (83)	5 Thur.	13	20	5	20	6 Mar. (66)	2 Mon.	285	855	142	3	232	4162	
					23 Mar. (82)	6 Fri.	28	51	11	32	23 Feb. (54)	6 Fri.	47	141	17	850	201	4163	
					23 Mar. (82)	0 Sat.	44	22	17	45	14 Mar. (73)	3 Thur.	56	168	52	786	253	4164	
8 Kārttika	9833	29.498	140	0.420	23 Mar. (82)	1 Sun.	59	54	23	57	4 Mar. (63)	3 Tues.	285	855	266	669	225	4165	
					23 Mar. (83)	3 Tues.	15	25	6	10	21 Mar. (81)	1 Sun.	43	129	9962	569	273	4166	
					23 Mar. (82)	4 Wed.	30	56	12	22	10 Mar. (69)	5 Thur.	49	147	9838	416	242	4167	
5 Śrāvaga	9976	29.927	283	0.849	23 Mar. (82)	5 Thur.	46	27	18	35	28 Feb. (59)	3 Tues.	327	981	52	300	214	4168	
					24 Mar. (83)	0 Sat.	1	59	0	47	18 Mar. (77)	1 Sun.	21	068	9748	199	263	4169	
					23 Mar. (83)	1 Sun.	17	30	7	0	7 Mar. (67)	6 Fri.	173	519	9965	83	235	4170	

THE INDIAN CALENDAR

TABLE L

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Śaka.	Chaitrañdi, Vikrami Makhañdi (Solar) Year in Bengal.	Kollam.	A. D.	Sunvatsara.		Name of month.	True.		Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in		
					Luni-Solar cycle. (Southern.)	Bṛihaspitī cycle (Northern) current at Meṣa sankranti.		Lunation parts.	Tithis.	Lunation parts. (l.)	Tithis.		
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4171	992	1127	476	244-45	1069- 70	43 Śunmya....	45 Virodhakriti	3 Jyeshtha.....	9864	29,502	612	1,836	
4172	993	1128	477	245-46	1070- 71	44 Śādhañra.....	46 Paridhāvin.....	
4173	994	1129	478	246-47	1071- 72	45 Virodhakriti	47 Praṇādin.....	7 Āśvina.....	9901	29,703	258	0,774	
4174	995	1130	479	247-48	*1072- 73	46 Paridhāvin.....	48 Ānanda.....	
4175	996	1131	480	248-49	1073- 74	47 Praṇādin.....	49 Rākṣasa.....	
4176	997	1132	481	249-50	1074- 75	48 Ānanda.....	50 Anala.....	5 Srāvana.....	9571	28,713	217	0,651	
4177	998	1133	482	250-51	1075- 76	49 Rākṣasa.....	51 Piṅgala.....	
4178	999	1134	483	251-52	*1076- 77	50 Anala.....	52 Kālasyukta.....	
4179	1000	1135	484	252-53	1077- 78	51 Piṅgala.....	53 Siddhārthīn.....	3 Jyeshtha.....	9404	28,212	125	0,375	
4180	1001	1136	485	253-54	1078- 79	52 Kālasyukta.....	54 Raṇḍra.....	
4181	1002	1137	486	254-55	1079- 80	53 Siddhārthīn.....	55 Durmatī ¹⁾	
4182	1003	1138	487	255-56	*1080- 81	54 Raṇḍra.....	56 Rudhrañgīrīn.....	2 Vaiśākha.....	9756	29,268	281	0,843	
4183	1004	1139	488	256-57	1081- 82	55 Durmatī.....	58 Raktikāsha.....	
4184	1005	1140	489	257-58	1082- 83	56 Dundubhi.....	59 Kroñhāna.....	6 Bhādrapsada.....	9733	29,199	320	0,987	
4185	1006	1141	490	258-59	1083- 84	57 Rndhiroñgīrīn.....	60 Kahaya.....	
4186	1007	1142	491	259-60	*1084- 85	58 Raktikāsha.....	1 Prabhava.....	
4187	1008	1143	492	260-61	1085- 86	59 Kroñhāna.....	2 Viñhava.....	4 Āśādžha.....	9629	28,887	282	0,846	
4188	1009	1144	493	261-62	1086- 87	60 Kshaya.....	3 Śakīn.....	
4189	1010	1145	494	262-63	1087- 88	1 Prabhava.....	4 Pramoda.....	
4190	1011	1146	495	263-64	*1088- 89	2 Viñhava.....	5 Prajñatī.....	3 Jyeshtha.....	9819	29,437	605	1,815	
4191	1012	1147	496	264-65	1089- 90	3 Śukla.....	6 Añgras.....	
4192	1013	1148	497	265-66	1090- 91	4 Pramoda.....	7 Śrimukha.....	7 Āśvina.....	9875	29,625	271	0,813	
4193	1014	1149	498	266-67	1091- 92	5 Prajñatī.....	8 Bhāva.....	
4194	1015	1150	499	267-68	*1092- 93	6 Añgras.....	9 Yuvan.....	
4195	1016	1151	500	268-69	1093- 94	7 Śrimukha.....	10 Dhātri.....	5 Srāvana.....	9763	29,289	336	1,008	
4196	1017	1152	501	269-70	1094- 95	8 Bhāva.....	11 Iñvara.....	
4197	1018	1153	502	270-71	1095- 96	9 Yuvan.....	12 Bahudhīnya.....	
4198	1019	1154	503	271-72	*1096- 97	10 Dhātri.....	13 Praṇādin.....	3 Jyeshtha.....	9863	28,089	147	0,441	
4199	1020	1155	504	272-73	1097- 98	11 Iñvara.....	14 Vikrama.....	
4200	1021	1156	505	273-74	1098- 99	12 Bahudhīnya.....	15 Vyasha.....	
4201	1022	1157	506	274-75	1099-100	13 Praṇādin.....	16 Chitrabhaṇu.....	2 Vaiśākha.....	9855	29,655	323	0,969	
4202	1023	1158	507	275-76	*1100- 1	14 Vikrama.....	17 Śubhānu.....	

¹⁾ Dundubhi, No. 56, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

II. ADDED LUNAR MONTHS (continued.)						III. COMMENCEMENT OF THE												
						Solar year.				Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								
Name of month.	Mean.		Day and Month A. D.	(Time of the Meha saṅkrānti.)			Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Kali.						
	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in		Week day.	By the Ārya Siddhānta.				Moon's Age.	a	b	c						
	Lunation parts. (I.)	Tithis.		A. D.	Gh.	Pa			Lunar parts elapsed. (I.)	Tithis elapsed.								
Sn	9a	10a	11a	12a	13	14	15	17	19	20	21	22	23	24	25	1		
1 Chaitra.	9811	29.433	118	0.355	23 Mar. (82)	2 Mon.	33	1	13	12	25 Feb. (56)	4 Wed.	289	867	177	966	207	4171
					23 Mar. (82)	3 Tues.	48	32	19	25	16 Mar. (75)	3 Tues.	271	813	212	902	258	4172
10 Pañcha.	9954	29.861	261	0.783	24 Mar. (83)	5 Thur.	4	4	1	37	5 Mar. (64)	0 Sat.	87	261	87	749	227	4173
					23 Mar. (83)	6 Fri.	19	35	7	50	23 Mar. (83)	6 Fri.	134	402	122	686	278	4174
6 Bhādrapada.	9789	29.367	97	0.290	23 Mar. (82)	1 Sun.	50	37	20	15	1 Mar. (60)	0 Sat.	111	333	9874	380	217	4176
					24 Mar. (83)	3 Tues.	6	9	2	27	29 Mar. (79)	6 Fri.	176	528	9908	316	268	4177
					23 Mar. (83)	4 Wed.	21	40	8	40	8 Mar. (68)	3 Tues.	44	132	9784	165	237	4178
3 Jyeshtha.	9932	29.796	239	0.718	23 Mar. (82)	5 Thur.	37	11	14	52	26 Feb. (57)	1 Sun.	181	543	9998	47	209	4179
					23 Mar. (82)	6 Fri.	52	42	21	5	17 Mar. (76)	0 Sat.	158	474	33	963	260	4180
11 Māgha.	9767	29.302	75	0.224	24 Mar. (83)	1 Sun.	8	14	3	17	7 Mar. (66)	5 Thur.	288	849	247	866	232	4181
					23 Mar. (83)	2 Mon.	23	45	9	30	24 Feb. (55)	2 Mon.	130	390	123	713	202	4182
					23 Mar. (82)	3 Tues.	39	16	15	42	14 Mar. (78)	1 Sun.	186	558	158	649	253	4183
8 Kārttika.	9910	29.730	317	0.652	23 Mar. (82)	4 Wed.	54	47	21	55	3 Mar. (62)	5 Thur.	177	531	33	497	222	4184
					24 Mar. (83)	6 Fri.	10	19	4	7	22 Mar. (81)	4 Wed.	266	798	68	432	273	4185
					23 Mar. (83)	0 Sat.	25	50	10	20	10 Mar. (70)	1 Sun.	221	663	9944	280	243	4186
* Āśadha.	9745	29.236	53	0.159	23 Mar. (82)	1 Sun.	41	21	16	32	27 Feb. (58)	5 Thur.	61	183	9819	127	212	4187
					23 Mar. (82)	2 Mon.	56	52	22	45	18 Mar. (77)	4 Wed.	48	144	9854	63	263	4188
					24 Mar. (83)	4 Wed.	12	24	4	57	8 Mar. (67)	2 Mon.	161	483	68	946	235	4189
1 Chaitra.	9888	29.665	196	0.587	23 Mar. (83)	5 Thur.	27	55	11	10	26 Feb. (57)	0 Sat.	302	906	283	830	207	4190
					23 Mar. (82)	6 Fri.	43	26	17	22	16 Mar. (75)	6 Fri.	318	954	317	766	258	4191
9 Mārgaśīrsha.	9724	29.171	31	0.093	23 Mar. (82)	0 Sat.	58	57	23	35	5 Mar. (64)	3 Tues.	241	723	193	613	227	4192
					24 Mar. (83)	2 Mon.	14	20	5	47	23 Mar. (82)	1 Sun.	18	054	9889	513	276	4193
					23 Mar. (83)	3 Tues.	30	0	13	0	12 Mar. (72)	6 Fri.	328	984	103	396	248	4194
6 Bhādrapada.	9866	29.599	174	0.521	23 Mar. (82)	4 Wed.	45	31	18	12	1 Mar. (60)	3 Tues.	260	780	9979	243	217	4195
					24 Mar. (83)	6 Fri.	1	2	0	25	29 Mar. (79)	2 Mon.	281	843	14	180	268	4196
					24 Mar. (83)	0 Sat.	16	34	6	37	9 Mar. (68)	6 Fri.	52	155	9889	27	237	4197
2 Vaiśākha.	9702	29.105	9	0.028	23 Mar. (83)	1 Sun.	32	5	12	50	27 Feb. (58)	4 Wed.	171	513	104	910	209	4198
					23 Mar. (82)	2 Mon.	47	36	19	2	17 Mar. (76)	3 Tues.	163	482	138	846	261	4199
11 Māgha.	9845	29.534	152	0.456	24 Mar. (83)	4 Wed.	3	7	1	15	6 Mar. (65)	0 Sat.	23	069	14	693	230	4200
					24 Mar. (83)	5 Thur.	18	39	7	27	24 Feb. (55)	5 Thur.	306	918	229	577	202	4201
					23 Mar. (83)	6 Fri.	34	10	13	40	13 Mar. (73)	3 Tues.	85	255	9923	477	250	4202

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitrīdi. Vikrami.	Mehudi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	Tras.			
						Luni-Solar cycle. (Northern)	Brihaspati cycle (Southern) current at Mesha saṅkrānti.		Time of the preceding saṅkrānti expressed in Lunation parts. (l.)	Time of the succeeding saṅkrānti expressed in Lunation parts. (l.)	Tithis.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
4203	1024	1159	506	276- 77	1101- 2	15 Vṛiṣha.....	18 Tāraṇa.....	6 Bhādrapada.....	9818	29.454	328	0.984
4204	1025	1160	509	277- 78	1102- 3	16 Chitrabhaṇḍa.....	19 Pārthiva.....					
4205	1026	1161	510	278- 79	1103- 4	17 Suḥhāṇu.....	20 Vyaya.....					
4206	1027	1162	511	279- 80	*1104- 5	18 Tāraṇa.....	21 Sarṣajit.....	4 Āśādha.....	9677	29.031	453	1.359
4207	1028	1163	512	280- 81	1105- 6	19 Pārthiva.....	22 Sarvadhārin.....					
4208	1029	1164	513	281- 82	1106- 7	20 Vyaya.....	23 Virodhīn.....					
4209	1030	1165	514	282- 83	1107- 8	21 Sarṣajit.....	24 Viṣkṛita.....	3 Jyeṣṭha.....	9830	29.490	563	1.689
4210	1031	1166	515	283- 84	*1108- 9	22 Sarvadhārin.....	25 Khara.....					
4211	1032	1167	516	284- 85	1109-10	23 Virodhīn.....	26 Nandana.....	7 Āśvina.....	9852	29.556	230	0.690
4212	1033	1168	517	285- 86	1110-11	24 Viṣkṛita.....	27 Viṣṭya.....					
4213	1034	1169	518	286- 87	1111-12	25 Khara.....	28 Jaye.....					
4214	1035	1170	519	287- 88	*1112-13	26 Nandana.....	29 Maṇmatha.....	5 Śrāvana.....	9941	29.823	524	1.572
4215	1036	1171	520	288- 89	1113-14	27 Viṣṭya.....	30 Durmukha.....					
4216	1037	1172	521	289- 90	1114-15	28 Jaye.....	31 Hemalambā.....					
4217	1038	1173	522	290- 91	1115-16	29 Maṇmatha.....	32 Viṣambā.....	3 Jyeṣṭha.....	9849	28.047	107	0.321
4218	1039	1174	523	291- 92	*1116-17	30 Durmukha.....	33 Viṣkṛitīn.....					
4219	1040	1175	524	292- 93	1117-18	31 Hemalambā.....	34 Śārvāri.....					
4220	1041	1176	525	293- 94	1118-19	32 Viṣambā.....	35 Plava.....	1 Chaitra.....	9876	29.628	78	0.234
4221	1042	1177	526	294- 95	1119-20	33 Viṣkṛitīn.....	36 Śubhakṛitī.....					
4222	1043	1178	527	295- 96	*1120-21	34 Śārvāri.....	37 Śobhāna.....	6 Bhādrapada.....	9990	29.970	421	1.263
4223	1044	1179	528	296- 97	1121-22	35 Plava.....	38 Kroḍhīn.....					
4224	1045	1180	529	297- 98	1122-23	36 Śubhakṛitī.....	39 Viśeṣānam.....					
4225	1046	1181	530	298- 99	1123-24	37 Śobhāna.....	40 Parūbhava.....	4 Āśādha.....	9655	28.965	512	1.536
4226	1047	1182	531	299-300	*1124-25	38 Kroḍhīn.....	41 Plavaṅga.....					
4227	1048	1183	532	300- 1	1125-26	39 Viśvāvassu.....	42 Kliaka.....					
4228	1049	1184	533	301- 2	1126-27	40 Parūbhava.....	43 Saumya.....	3 Jyeṣṭha.....	9939	29.817	575	1.725
4229	1050	1185	534	302- 3	1127-28	41 Plavaṅga.....	44 Sādhāraṇa.....					
4230	1051	1186	535	303- 4	*1128-29	42 Kliaka.....	45 Virodhakṛitī.....	7 Āśvina.....	9910	29.780	223	0.669
4231	1052	1187	536	304- 5	1129-30	43 Saumya.....	46 Paridhāvin.....					
4232	1053	1188	537	305- 6	1130-31	44 Sādhāraṇa.....	47 Praṇādin.....					
4233	1054	1189	538	306- 7	1131-32	45 Virodhakṛitī.....	48 Āṇanda.....	4 Āśādha.....	9201	27.603	37	0.111
4234	1055	1190	539	307- 8	*1132-33	46 Paridhāvin.....	49 Rākṣas.....					
4235	1056	1191	540	308- 9	1133-34	47 Praṇādin.....	50 Anasā.....					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Šukla 1st.)										Kali.				
Day and Month. A. D.	(Time of the Meha sankranti.)									Day and Month. A. D.	Week day.	At Sunrise on meridian of Ujjain.								Kali.				
	By the Ārya Siddhānta.				By the Sūrya Siddhānta.							Moon's Age									Kali.			
	Week day.	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.			Lunar parts elapsed ($\frac{1}{4}$)	Tithi elapsed	a.	b.	c.								
13	14	15	16	17	18	15a	16a	17a	18	19	20	21	22	23	24	25	1	2	3	4				
23 Mar. (82)	0 Sat....	49	41	19	52	52	27	20	59	2 Mar. (61)..	0 Sat....	66	198	9800	324	220	4203							
24 Mar. (83)	1 Mon....	5	12	2	5	7	58	3	11	21 Mar. (80)..	6 Fri....	115	345	9835	260	271	4204							
24 Mar. (83)	2 Tues....	20	44	8	17	23	30	9	24	11 Mar. (70)..	4 Wed....	298	894	49	143	243	4205							
23 Mar. (83)	3 Wed....	36	15	14	30	39	1	15	36	28 Feb. (59)..	1 Sun....	59	177	9925	991	212	4206							
23 Mar. (82)	4 Thur....	51	46	20	42	54	33	21	49	18 Mar. (77)..	0 Sat....	38	114	9960	927	263	4207							
24 Mar. (83)	5 Sat....	7	17	2	55	10	4	4	2	8 Mar. (67)..	5 Thur...	184	552	174	810	235	4208							
24 Mar. (83)	1 Sun....	22	49	9	7	25	36	10	14	25 Feb. (56)..	2 Mon...	77	231	50	657	204	4209							
23 Mar. (83)	2 Mon....	38	20	15	20	41	7	18	27	15 Mar. (75)..	1 Sun....	146	438	84	593	256	4210							
23 Mar. (82)	3 Tues....	53	51	21	32	56	39	22	39	4 Mar. (63)..	5 Thur...	152	456	9960	440	225	4211							
24 Mar. (83)	4 Thur....	9	22	3	45	12	10	4	52	23 Mar. (82)..	4 Wed....	234	702	9995	376	276	4212							
24 Mar. (83)	6 Fri....	24	54	9	57	27	42	11	5	12 Mar. (71)..	1 Sun....	148	444	9870	224	245	4213							
23 Mar. (83)	0 Sat....	40	25	16	10	43	13	17	17	1 Mar. (61)..	6 Fri....	314	942	85	107	217	4214							
23 Mar. (82)	1 Sun....	55	56	22	22	58	45	23	30	20 Mar. (79)..	5 Thur...	297	891	119	43	269	4215							
24 Mar. (83)	3 Tues....	11	27	4	35	14	16	5	43	9 Mar. (68)..	2 Mon...	45	135	9995	890	238	4216							
24 Mar. (83)	4 Wed...	26	59	10	47	29	48	11	55	27 Feb. (58)..	0 Sat....	214	642	210	774	210	4217							
23 Mar. (83)	5 Thur....	42	30	17	0	45	19	18	8	17 Mar. (77)..	6 Fri....	248	744	244	710	261	4218							
23 Mar. (82)	6 Fri....	58	1	23	12	40	51	40	20	6 Mar. (65)..	3 Tues...	210	630	120	557	230	4219							
24 Mar. (83)	1 Sun....	13	32	5	25	16	22	6	33	23 Feb. (54)..	0 Sat....	218	654	9995	404	199	4220							
24 Mar. (83)	2 Mon...	29	4	11	37	31	54	12	46	14 Mar. (73)..	6 Fri....	288	864	30	340	231	4221							
23 Mar. (83)	3 Tues....	44	35	17	50	47	25	18	58	2 Mar. (62)..	3 Tues...	176	528	9906	187	220	4222							
24 Mar. (83)	5 Thur....	0	6	0	2	2	57	1	11	21 Mar. (80)..	2 Mon...	179	537	9941	123	271	4223							
24 Mar. (83)	6 Fri....	15	37	6	15	18	29	7	23	31 Mar. (70)..	0 Sat....	301	903	155	7	243	4224							
24 Mar. (83)	0 Sat....	31	9	12	27	34	0	13	36	28 Feb. (59)..	4 Wed...	62	186	31	854	212	4225							
23 Mar. (83)	1 Sun....	46	40	18	40	49	32	19	49	18 Mar. (78)..	3 Tues...	69	207	65	790	264	4226							
24 Mar. (83)	3 Tues....	2	11	0	52	5	3	2	1	8 Mar. (67)..	1 Sun....	206	888	280	674	235	4227							
24 Mar. (83)	4 Wed...	17	42	7	5	20	35	8	14	25 Feb. (58)..	5 Thur...	279	887	155	531	205	4228							
24 Mar. (83)	5 Thur....	33	14	13	17	36	6	14	26	15 Mar. (74)..	3 Tues...	59	177	9851	420	233	4229							
23 Mar. (83)	6 Fri....	48	45	19	30	51	38	20	39	3 Mar. (63)..	0 Sat....	7	021	9727	268	222	4230							
24 Mar. (83)	1 Sun....	4	16	1	42	7	9	2	52	22 Mar. (81)..	6 Fri....	36	108	9762	204	274	4231							
24 Mar. (83)	2 Mon...	19	47	7	55	22	41	9	4	12 Mar. (71)..	4 Wed...	189	567	9976	87	246	4232							
24 Mar. (83)	3 Tues....	35	19	14	7	38	12	15	17	2 Mar. (61)..	2 Mon...	306	918	190	971	218	4233							
23 Mar. (83)	4 Wed...	50	50	20	20	53	44	21	30	20 Mar. (80)..	1 Sun....	288	864	225	907	269	4234							
24 Mar. (83)	6 Fri....	6	21	2	32	9	15	3	42	9 Mar. (68)..	5 Thur...	101	303	101	754	238	4235							

† Wherever these marks occur the day of the month and week-day in cols 13, 14 should, for Surya Siddhānta calculations, be advanced by 1. Thus in A.D. 1117-18 the Meha sankranti date by the Surya Siddhānta is March 24th, (0) Saturday.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tilhi = 1/100th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.								
Kali.	Saka.	Chaitra&di, Vikrama.	Mashadi (Solar) year in Bengal.	Kaliam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding sankranti expressed in Lunation parts (.)	Tilhi.	Time of the succeeding sankranti expressed in Lunation parts (.)	Tilhi.
							Luni-Solar cycle. (Southern.)								
1	2	3	3a	4	5	6	7	8	9	10	11	12			
4236	1057	1192	541	309-10	1134-35	48 Ananda.....	51 Piṅgala.....	3 Jyeshtha.....	9422	28.266	92	0.276			
4237	1058	1193	542	310-11	1135-36	49 Rikhaṣa.....	52 Kālayukta.....								
4238	1059	1194	543	311-12	*1136-37	50 Anala.....	53 Siddhārthī.....								
4239	1060	1195	544	312-13	1137-38	51 Piṅgala.....	54 Raudra.....	1 Chaitra.....	9987	29.961	212	0.636			
4240	1061	1196	545	313-14	1138-39	52 Kālayukta.....	55 Durmati.....								
4241	1062	1197	546	314-15	1139-40	53 Sidhārthī.....	56 Dandahhi.....	5 Śrīvapa.....	9547	28.641	182	0.546			
4242	1063	1198	547	315-16	*1140-41	54 Raudra.....	57 Radhīroḍgārīn.....								
4243	1064	1199	548	316-17	1141-42	55 Durmati.....	58 Raktikāsha.....								
4244	1065	1200	549	317-18	1142-43	56 Dandubhi.....	59 Krodhana.....	4 Āśādжа.....	9623	28.869	490	1.470			
4245	1066	1201	550	318-19	1143-44	57 Radhīroḍgārīn.....	60 Kāshya.....								
4246	1067	1202	551	319-20	*1144-45	58 Raktikāsha.....	1 Prabhava.....								
4247	1068	1203	552	320-21	1145-46	59 Krodhana.....	2 Vibhava.....	2 Vaiśākha.....	9733	29.199	136	0.408			
4248	1069	1204	553	321-22	1146-47	60 Kṛṣṇa.....	3 Śukla.....								
4249	1070	1205	554	322-23	1147-48	1 Prabhava.....	4 Prameṣa.....	6 Bhādrapada.....	9653	28.959	65	0.195			
4250	1071	1206	555	323-24	*1148-49	2 Vibhava.....	5 Prajāpati.....								
4251	1072	1207	556	324-25	1149-50	3 Śukla.....	6 Āṅgas.....								
4252	1073	1208	557	325-26	1150-51	4 Prameṣa.....	7 Śrīmukha.....	4 Āśādja.....	9160	27.480	35	0.165			
4253	1074	1209	558	326-27	1151-52	5 Prajāpati.....	8 Bhāva.....								
4254	1075	1210	559	327-28	*1152-53	6 Āṅgas.....	9 Yuvan.....								
4255	1076	1211	560	328-29	1153-54	7 Śrīmukha.....	10 Dhātri.....	3 Jyeshtha.....	9591	28.773	169	0.507			
4256	1077	1212	561	329-30	1154-55	8 Bhāva.....	11 Īvara.....								
4257	1078	1213	562	330-31	1155-56	9 Yuvan.....	12 Bahudhānya.....	12 Phālguna.....	9851	29.553	0	0.001			
4258	1079	1214	563	331-32	*1156-57	10 Dhātri.....	13 Pramāthīn.....								
4259	1080	1215	564	332-33	1157-58	11 Īvara.....	14 Vikrama.....								
4260	1081	1216	565	333-34	1158-59	12 Bahudhānya.....	15 Vṛiṣha.....	5 Śrīvapa.....	9578	28.734	314	0.942			
4261	1082	1217	566	334-35	1159-60	13 Pramāthīn.....	16 Chitrabhaṇī.....								
4262	1083	1218	567	335-36	*1160-61	14 Vikrama.....	17 Subhāṇī.....								
4263	1084	1219	568	336-37	1161-62	15 Vṛiṣha.....	18 Tāraṇa.....	4 Āśādja.....	9664	28.992	455	1.365			
4264	1085	1220	569	337-38	1162-63	16 Chitrabhaṇī.....	19 Pārthīva.....								
4265	1086	1221	570	338-39	1163-64	17 Subhāṇī.....	20 Vyāya.....								
4266	1087	1222	571	339-40	*1164-65	18 Tāraṇa.....	21 Sarvajit b.....	2 Vaiśākha.....	9849	29.547	310	0.930			
4267	1088	1223	572	340-41	1165-66	19 Pārthīva.....	22 Virodhīn.....								
4268	1089	1224	573	341-42	1166-67	20 Vyāya.....	24 Vīkrīta.....	6 Bhādrapada.....	9813	29.439	261	0.783			

1) Sarvadhārin, No. 22, was suppressed in the north.

TABLE I

(Col. 23) $a =$ Distance of moon from sun. (Col. 24) $b =$ moon's mean anomaly. (Col. 25) $c =$ sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.						Luni-Solar year. (Civil day of Chaitra Śukla 1st.)											
Day and Month. A. D.	(Time of the Mēsha sākranti.)						Day and Month. A. D.	Week day.	Week day.	At Sunrise on meridian of Ujjain.			Kali.				
	By the Ārya Siddhānta			By the Sūrya Siddhānta.						Moon's Age.							
	Week day.	Gh.	Pa.	H.	M.	Week day.	Gh.	Pa.	H.	M.	Parts elapsed. (%)	Tithis elapsed					
13	14	15	16	17	18	19	20	21	22	23	24	25	1				
24 Mar. (83)	0 Sat....	21	52	8	45	24	47	9	55	26 Feb. (57)..	2 Mon....	34	.102	9976	601	207	4236
24 Mar. (83)	1 Sun....	37	24	14	37	40	18	16	7	17 Mar. (76)..	1 Sun....	119	.357	11	537	258	4237
23 Mar. (83)	2 Mon....	52	55	21	10	55	50	22	20	5 Mar. (65)..	5 Thur...	121	.363	9887	384	228	4238
24 Mar. (83)	4 Wed...	8	26	3	22	11	21	4	33	22 Feb. (53)..	2 Mon....	45	.135	9763	232	197	4239
24 Mar. (83)	5 Thur...	23	57	9	35	26	53	10	45	13 Mar. (72)..	1 Sun....	59	.177	9797	168	248	4240
24 Mar. (83)	6 Fri....	39	29	15	47	42	24	16	58	3 Mar. (62)..	6 Fri....	198	.594	12	51	220	4241
23 Mar. (83)	0 Sat....	55	0	22	0	57	56	23	10	21 Mar. (81)..	5 Thur...	174	.522	46	987	271	4242
24 Mar. (83)	2 Mon....	10	31	4	12	13	27	5	23	11 Mar. (70)..	3 Tues...	299	.897	261	870	243	4243
24 Mar. (83)	3 Tues...	26	2	10	25	28	59	11	36	28 Feb. (59)..	0 Sat....	141	.423	136	718	212	4244
24 Mar. (83)	4 Wed...	41	34	16	37	44	31	17	48	19 Mar. (78)..	6 Fri....	198	.589	171	654	264	4245
23 Mar. (83)	5 Thur...	57	5	22	50	+0	2	+0	1	7 Mar. (67)..	3 Tues...	186	.558	47	501	233	4246
24 Mar. (83)	0 Sat....	12	36	5	2	15	34	6	13	24 Feb. (55)..	0 Sat....	179	.537	9922	348	202	4247
24 Mar. (83)	1 Sun....	28	7	11	15	31	5	12	26	15 Mar. (74)..	6 Pri....	234	.702	9957	294	253	4248
24 Mar. (83)	2 Mon....	43	39	17	27	46	37	18	39	4 Mar. (63)..	3 Tues...	77	.231	9833	131	223	4249
23 Mar. (83)	3 Tues...	59	10	23	40	+2	8	+0	51	22 Mar. (82)..	2 Mon....	65	.195	9867	67	274	4250
24 Mar. (83)	5 Thur...	14	41	5	52	17	40	7	4	12 Mar. (71)..	0 Sat....	179	.537	82	951	246	4251
24 Mar. (83)	6 Fri....	30	12	12	5	33	11	13	16	2 Mar. (61)..	5 Thur...	316	.948	296	834	218	4252
24 Mar. (83)	0 Sat....	45	44	18	17	48	43	19	29	21 Mar. (80)..	4 Wed...	332	.996	331	770	269	4253
24 Mar. (84)	2 Mon....	1	15	0	30	4	14	1	42	9 Mar. (69)..	1 Sun....	251	.753	206	618	238	4254
24 Mar. (83)	3 Tues...	16	46	6	42	19	46	7	54	26 Feb. (57)..	5 Thur...	255	.765	82	465	207	4255
24 Mar. (83)	4 Wed...	32	17	12	55	35	17	14	7	16 Mar. (75)..	3 Tues...	23	.069	9778	364	256	4256
24 Mar. (83)	5 Thur...	47	49	19	7	50	49	20	20	6 Mar. (65)..	1 Sun....	272	.816	9992	248	228	4257
24 Mar. (84)	0 Sat....	3	20	1	20	6	20	2	32	24 Mar. (84)..	0 Sat....	296	.888	27	184	279	4258
24 Mar. (83)	1 Sun....	18	51	7	32	21	52	8	45	13 Mar. (72)..	4 Wed...	70	.210	9903	31	248	4259
24 Mar. (83)	2 Mon....	34	22	13	45	37	23	14	57	3 Mar. (62)..	2 Mon....	186	.558	117	915	220	4260
24 Mar. (83)	3 Tues...	49	54	19	57	52	55	21	10	22 Mar. (81)..	1 Sun....	179	.537	152	851	273	4261
24 Mar. (84)	5 Thur...	5	25	2	10	8	26	3	23	10 Mar. (70)..	5 Thur...	36	.108	28	698	341	4262
24 Mar. (83)	6 Fri....	20	56	8	22	23	58	9	33	27 Feb. (58)..	2 Mon....	6	.018	9903	545	210	4263
24 Mar. (83)	0 Sat....	36	27	14	35	39	29	15	48	18 Mar. (77)..	1 Sun....	95	.285	9938	481	261	4264
24 Mar. (83)	1 Sun....	51	59	20	47	55	1	22	0	7 Mar. (66)..	5 Thur...	78	.234	9814	328	230	4265
24 Mar. (84)	3 Tues...	7	30	3	0	10	33	4	18	25 Feb. (56)..	3 Tues...	307	.921	28	212	202	4266
24 Mar. (83)	4 Wed...	23	1	9	12	26	4	10	26	15 Mar. (74)..	2 Mon....	315	.945	63	148	254	4267
24 Mar. (83)	5 Thur...	38	32	15	25	41	36	16	38	4 Mar. (63)..	6 Fri....	74	.222	9938	995	223	4268

† See footnote p. lxxii above.

TABLE I.

Lunation-parts = $10,000/64$ of a circle. A tithi = $1/16$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra Vikrama Mesha (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding sankranti expressed in Lunation parts, (l.)	Time of the succeeding sankranti expressed in Lunation parts, (l.)	Tithis.
					Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		9	10	11			
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4267	1090	1225	374	342-43	1167-68	21 Sarvajit.....	25 Kharo.....	
4270	1091	1226	375	343-44	*1168-69	22 Sarvalhārin.....	26 Nandana.....	
4271	1092	1227	376	344-45	1169-70	23 Virodhin.....	27 Vijaya.....	5 Śrāvaka.....	9993	29.979	803	2.409	
4272	1093	1228	377	345-46	1170-71	24 Vikrita.....	28 Jaya.....	
4273	1094	1229	378	346-47	1171-72	25 Khara.....	29 Maṇmatha.....	
4274	1095	1230	379	347-48	*1172-73	26 Nandas.....	30 Durvankha.....	3 Jyeshtha.....	9787	29.381	334	1.002	
4275	1096	1231	380	348-49	1173-74	27 Vijaya.....	31 Hemalambha.....	
4276	1097	1232	381	349-50	1174-75	28 Jaya.....	32 Vilambha.....	
4277	1098	1233	382	350-51	1175-76	29 Maṇmatha.....	33 Viśkrīta.....	1 Chaitra.....	9959	29.877	324	0.972	
4278	1099	1234	383	351-52	*1176-77	30 Durvankha.....	34 Sārvāri.....	
4279	1100	1235	384	352-53	1177-78	31 Hemaśāṁha.....	35 Piava.....	5 Śrāvaka.....	9338	28.614	342	1.026	
4280	1101	1236	385	353-54	1178-79	32 Vilambha.....	36 Śubhakṛita.....	
4281	1102	1237	386	354-55	1179-80	33 Viśkrīta.....	37 Śobhana.....	
4282	1103	1238	387	355-56	*1180-81	34 Sārvāri.....	38 Kroḍhīn.....	4 Āśāḍhāka.....	9802	29.406	487	1.461	
4283	1104	1239	388	356-57	1181-82	35 Piava.....	39 Viśvāsa.....	
4284	1105	1240	389	357-58	1182-83	36 Śubhakṛita.....	40 Parībhava.....	
4285	1106	1241	390	358-59	1183-84	37 Śobhana.....	41 Piavanga.....	2 Vaśākha.....	9866	29.598	414	1.242	
4286	1107	1242	391	359-60	*1184-85	38 Kroḍhīn.....	42 Kliaka.....	
4287	1108	1243	392	360-61	1185-86	39 Viśvāsa.....	43 Saumya.....	6 Bhādrapada.....	9875	29.625	414	1.242	
4288	1109	1244	393	361-62	1186-87	40 Parībhava.....	44 Śādharapa.....	
4289	1110	1245	394	362-63	1187-88	41 Piavanga.....	45 Virodhakṛita.....	
4290	1111	1246	395	363-64	*1188-89	42 Kliaka.....	46 Parīdhāvin.....	5 Śrāvaka.....	9997	29.991	760	2.280	
4291	1112	1247	396	364-65	1189-90	43 Saumya.....	47 Pramādin.....	
4292	1113	1248	397	365-66	1190-91	44 Śādharapa.....	48 Ānanda.....	
4293	1114	1249	398	366-67	1191-92	45 Virodhakṛita.....	49 Rākṣasa.....	3 Jyeshtha.....	9924	29.772	530	1.590	
4294	1115	1250	399	367-68	*1192-93	46 Parīdhāvin.....	50 Anala.....	
4295	1116	1251	400	368-69	1193-94	47 Pramādin.....	51 Piāgala.....	7 Āśvina.....	9906	29.718	145	0.435	
4296	1117	1252	401	369-70	1194-95	48 Anūda.....	52 Kālayukta.....	10 Pañcha (Asht.)	82	0.246	9941	29.823	
4297	1118	1253	402	370-71	1195-96	49 Rākṣasa.....	53 Siddhārthīn.....	1 Chaitra.....	9951	29.853	282	0.846	
4298	1119	1254	403	371-72	*1196-97	50 Anula.....	54 Raundra.....	5 Śrāvaka.....	9518	28.554	314	0.942	
4299	1120	1255	404	372-73	1197-98	51 Piāgala.....	55 Durmati.....	
4300	1121	1256	405	373-74	1198-99	52 Kālayukta.....	56 Dundubhi.....	

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.								Luni-Solar year. (Civil day of Chaitra Šukla 1st.)										Kali.		
Day and Month. A. D.	(Time of the Mesha ſāṅkrāti.)							Day and Month. A. D.	Week day.	At Sunrise on meridian of Ujjain.								Kali.		
	Week day.	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Moon's Age.				Lunar parts elapsed. (1/12)								Kali.		
		Gh.	Pa.	H.	M.													Kali.		
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1	2	3	4	5			
24 Mar. (83)..	6 Fri....	54	6	21	37	57	7	22	51	23 Mar. (82)..	5 Thur...	54	.162	9973	931	274	4269			
24 Mar. (84)..	1 Sun....	9	35	3	50	12	39	5	8	12 Mar. (72)..	3 Tues...	198	.594	187	814	246	4270			
24 Mar. (83)..	2 Mon....	25	6	10	2	28	10	11	16	1 Mar. (60)..	0 Sat....	85	.255	63	662	215	4271			
24 Mar. (83)..	3 Tues...	40	37	16	15	43	42	17	29	20 Mar. (79)..	6 Fri....	157	.471	98	598	267	4272			
24 Mar. (83)..	4 Wed...	56	9	22	27	59	13	23	41	9 Mar. (65)..	3 Tues...	161	.488	9973	445	236	4273			
24 Mar. (84)..	6 Fri....	11	40	4	40	14	45	5	54	26 Feb. (57)..	0 Sat....	127	.381	9849	292	205	4274			
24 Mar. (83)..	0 Sat....	27	11	10	52	30	16	12	6	16 Mar. (75)..	6 Fri....	163	.489	9884	228	256	4275			
24 Mar. (83)..	1 Sun....	42	42	17	5	45	48	18	19	6 Mar. (65)..	4 Wed...	329	.987	98	112	288	4276			
24 Mar. (83)..	2 Mon....	58	14	23	17	+1	19	+0	32	23 Feb. (54)..	1 Sun....	81	.243	0974	959	197	4277			
24 Mar. (84)..	4 Wed...	13	45	5	30	16	51	6	44	13 Mar. (73)..	0 Sat....	61	.183	8	895	249	4278			
24 Mar. (83)..	5 Thur...	29	16	11	42	32	22	12	57	3 Mar. (63)..	5 Thur...	227	.681	223	778	221	4279			
24 Mar. (83)..	6 Fri....	44	47	17	53	47	54	19	10	22 Mar. (81)..	4 Wed...	261	.783	257	714	272	4280			
25 Mar. (84)..	1 Sun....	0	19	0	7	3	25	1	22	11 Mar. (70)..	1 Sun....	220	.660	133	561	241	4281			
24 Mar. (84)..	2 Mon....	15	50	6	20	18	57	7	35	28 Feb. (59)..	5 Thur...	227	.681	9	409	210	4282			
24 Mar. (83)..	3 Tues...	31	21	12	32	34	28	13	47	18 Mar. (77)..	4 Wed...	299	.897	43	345	262	4283			
24 Mar. (83)..	4 Wed...	46	52	18	45	50	0	2	0	7 Mar. (66)..	1 Sun....	190	.570	9919	192	231	4284			
25 Mar. (84)..	6 Fri....	2	24	0	57	5	31	2	13	24 Feb. (55)..	5 Thur...	0-28-000	0795	39	200	4285				
24 Mar. (84)..	0 Sat....	17	55	7	10	21	3	8	25	15 Mar. (75)..	5 Thur...	318	.954	168	11	254	4286			
24 Mar. (83)..	1 Sun....	33	26	13	22	36	35	14	38	4 Mar. (63)..	2 Mon....	76	.228	44	858	223	4287			
24 Mar. (83)..	2 Mon....	48	57	19	35	52	6	20	50	23 Mar. (82)..	1 Sun....	84	.252	79	795	274	4288			
25 Mar. (84)..	4 Wed...	4	29	1	47	7	38	3	3	13 Mar. (72)..	6 Fri....	307	.921	293	678	246	4289			
24 Mar. (84)..	5 Thur...	20	0	8	0	23	9	9	16	1 Mar. (61)..	3 Tues...	289	.867	169	525	215	4290			
24 Mar. (83)..	6 Fri....	35	31	14	12	38	41	15	28	19 Mar. (78)..	1 Sun....	69	.207	9865	425	264	4291			
24 Mar. (83)..	0 Sat....	51	2	20	25	54	12	21	41	8 Mar. (67)..	5 Thur...	19	.057	9740	272	233	4292			
25 Mar. (84)..	2 Mon....	6	34	2	37	9	44	3	53	26 Feb. (57)..	3 Tues...	213	.630	9955	156	205	4293			
24 Mar. (84)..	3 Tues...	22	5	8	50	25	15	10	6	16 Mar. (76)..	2 Mon....	206	.618	9989	92	256	4294			
24 Mar. (83)..	4 Wed...	37	36	15	2	40	47	16	19	6 Mar. (65)..	0 Sat....	322	.966	204	975	238	4295			
24 Mar. (83)..	5 Thur...	53	7	21	15	56	18	22	31	23 Feb. (54)..	4 Wed...	96	.288	79	822	198	4296			
25 Mar. (84)..	0 Sat....	8	39	3	27	11	50	4	44	14 Mar. (73)..	3 Tues...	114	.342	114	758	249	4297			
24 Mar. (84)..	1 Sun....	24	10	9	40	27	21	10	57	2 Mar. (62)..	0 Sat....	44	.132	9990	606	218	4298			
24 Mar. (83)..	2 Mon....	39	41	15	52	42	53	17	9	21 Mar. (80)..	6 Fri....	128	.384	24	541	289	4299			
24 Mar. (83)..	3 Tues...	55	12	22	5	58	24	23	22	10 Mar. (69)..	3 Tues...	131	.393	9900	389	239	4300			

† See footnote p. lvi above.

© See Text, Art. 101 above, para. 2

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = *part* of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali	Saka	Chaitra; Vikram Month	(Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current st. Meha saṅkrānti.		Time of the preceding saṅkrānti expressed in Lunation parts. (C)	Tithis.	Time of the succeeding saṅkrānti expressed in Lunation parts. (C)	Tithis.
1	2	3	3a	4	5	6	7	8	9	10	11	12
4301	1122	1257	606	374- 75	1199-200	53 Siddhārthī ..	57 Rudhirodgīrī ..	4 Āshādha ..	9999	29,997	623	1,869
4302	1123	1258	607	375- 76	*1200- 1	54 Rāmīra ..	58 Raktākṣa
4303	1124	1259	608	376- 77	1201- 2	55 Durmatī ..	59 Krodhāna
4304	1125	1260	609	377- 78	1202- 3	56 Dundubhī ..	60 Kāhaya ..	2 Vaiśākha ..	9826	29,478	422	1,266
4305	1126	1261	610	378- 79	1203- 4	57 Rudhirodgīrī ..	1 Prabhava
4306	1127	1262	611	379- 80	*1204- 5	58 Raktākṣa ..	2 Vibhava ..	6 Bhādrapada ..	9854	29,562	466	1,398
4307	1128	1263	612	380- 81	1205- 6	59 Krodhāna ..	3 Śukla
4308	1129	1264	613	381- 82	1206- 7	60 Kāhaya ..	4 Pramoda
4309	1130	1265	614	382- 83	1207- 8	1 Prabhava ..	5 Prajāpatī ..	4 Āshādha ..	9462	28,386	100	0,300
4310	1131	1266	615	383- 84	*1208- 9	2 Vibhava ..	6 Āngirās
4311	1132	1267	616	384- 85	1209- 10	3 Śukla ..	7 Śrīmukha
4312	1133	1268	617	385- 86	1210- 11	4 Pramoda ..	8 Bhāva ..	3 Jyeshtha ..	9960	29,880	667	2,001
4313	1134	1269	618	386- 87	1211- 12	5 Prajāpatī ..	9 Yuvān
4314	1135	1270	619	387- 88	*1212- 13	6 Āngirās ..	10 Dhātri ..	7 Āśvina ..	9991	29,973	304	0,912
4315	1136	1271	620	388- 89	1213- 14	7 Śrīmukha ..	11 Īśvara
4316	1137	1272	621	389- 90	1214- 15	8 Bhāva ..	12 Bahudhānya
4317	1138	1273	622	390- 91	1215- 16	9 Yuvān ..	13 Pramāthīn ..	5 Śrīvāga ..	9588	28,764	284	0,852
4318	1139	1274	623	391- 92	*1216- 17	10 Dhātri ..	14 Vikrama
4319	1140	1275	624	392- 93	1217- 18	11 Īśvara ..	15 Vṛiṣha
4320	1141	1276	625	393- 94	1218- 19	12 Bahudhānya ..	16 Chitrabhbāṇ ..	3 Jyeshtha ..	9500	28,500	162	0,486
4321	1142	1277	626	394- 95	1219- 20	13 Pramāthīn ..	17 Sabhāṇ
4322	1143	1278	627	395- 96	*1220- 21	14 Vikrama ..	18 Tāraṇa
4323	1144	1279	628	396- 97	1221- 22	15 Vṛiṣha ..	19 Pārthīva ..	2 Vaiśākha ..	9816	29,448	380	1,140
4324	1145	1280	629	397- 98	1222- 23	16 Chitrabhbāṇ ..	20 Vyāya
4325	1146	1281	630	398- 99	1223- 24	17 Sabhāṇ ..	21 Sarvajīt ..	6 Bhādrapada ..	9814	29,442	435	1,305
4326	1147	1282	631	399-400	*1224- 25	18 Tāraṇa ..	22 Sarvadhbāṇ
4327	1148	1283	632	400- 1	1225- 26	19 Pārthīva ..	23 Virodhīn
4328	1149	1284	633	401- 2	1226- 27	20 Vyāya ..	24 Vīkyāta ..	4 Āshādha ..	9648	28,944	281	0,843
4329	1150	1285	634	402- 3	1227- 28	21 Sarvajīt ..	25 Khara
4330	1151	1286	635	403- 4	*1228- 29	22 Sarvadhbāṇ ..	26 Nandama
4331	1152	1287	636	404- 5	1229- 30	23 Virodhīn ..	27 Vijaya ..	3 Jyeshtha ..	9925	29,775	705	2,115
4332	1153	1288	637	405- 6	1230- 31	24 Vīkyāta ..	28 Juva
4333	1154	1289	638	406- 7	1231- 32	25 Khara ..	29 Maṇmatha ..	7 Āśvina ..	9984	29,952	364	1,092

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year. (Time of the Mesha sankranti.)						Day and Month A. D.	Week day.	Luni-Solar year. (Civil day of Chaitra Śakla 1st.)						Kali.	
	By the Ārya Siddhānta.			By the Sūrya Siddhānta.					Moon's Age.	At Sunrise on meridian of Ujjain.						
	Week day.	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.	Lunar parts elapsed (A)	Uttis elapsed.	a .	b .	c .		
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1			
25 Mar. (84)	5 Thur...	10	44	4	17	13	56	5	34	27 Feb. (58)..	0 Sat....	58	.174	9776	236	2084301
24 Mar. (84)	6 Fri....	26	15	10	30	29	27	11	47	17 Mar. (77)..	6 Fri....	74	.222	9810	172	2594302
24 Mar. (83)	0 Sat....	41	46	16	42	44	59	18	0	7 Mar. (66)..	4 Wed....	213	.639	25	55	2314303
24 Mar. (83)	1 Sun....	57	17	22	55	+0	30	+0	12	25 Feb. (56)..	2 Mon....	329	.987	230	939	2034304
25 Mar. (84)	3 Tues...	12	49	5	7	16	2	6	25	16 Mar. (75)..	1 Sun....	315	.945	274	875	2544305
24 Mar. (84)	4 Wed...	28	20	11	20	31	33	12	37	4 Mar. (64)..	5 Thur...	153	.459	149	722	2234306
24 Mar. (83)	5 Thur...	43	51	17	32	47	5	18	50	23 Mar. (82)..	4 Wed....	205	.615	184	658	2754307
24 Mar. (83)	6 Fri....	59	22	23	45	+2	36	+1	3	12 Mar. (71)..	1 Sun....	196	.588	60	505	2444308
25 Mar. (84)	1 Sun....	14	54	5	57	18	8	7	15	1 Mar. (60)..	5 Thur...	189	.567	9935	352	2134309
24 Mar. (84)	2 Mon...	30	25	12	10	33	40	13	28	19 Mar. (79)..	4 Wed....	246	.738	9970	288	2644310
24 Mar. (83)	3 Tues...	45	56	18	22	49	10	19	40	8 Mar. (67)..	1 Sun....	92	.276	9846	136	2334311
25 Mar. (84)	5 Thur...	1	27	0	35	4	43	1	53	26 Feb. (57)..	6 Fri....	220	.660	60	19	2054312
25 Mar. (84)	6 Fri....	16	59	6	47	20	14	8	6	17 Mar. (76)..	5 Thur...	195	.583	95	955	2574313
24 Mar. (84)	0 Sat....	32	30	13	0	35	46	14	18	6 Mar. (66)..	3 Tues....	330	.990	309	839	2284314
24 Mar. (84)	1 Sun....	48	1	19	12	51	17	20	31	24 Mar. (83)..	1 Sun....	6	.018	5	738	2774315
24 Mar. (83)	3 Tues...	5	32	1	25	6	49	2	43	14 Mar. (73)..	6 Fri....	263	.789	220	622	2494316
25 Mar. (84)	4 Wed...	19	4	7	37	23	20	8	56	3 Mar. (62)..	3 Tues...	260	.780	95	469	2184317
24 Mar. (84)	5 Thur...	34	35	13	50	37	52	15	9	20 Mar. (80)..	1 Sun....	34	.102	9791	369	2674318
24 Mar. (83)	6 Fri....	50	6	20	2	53	23	21	21	10 Mar. (69)..	6 Fri....	286	.858	6	252	2394319
25 Mar. (84)	1 Sun....	5	37	2	15	8	55	3	34	27 Feb. (58)..	3 Tues...	100	.318	9851	99	2084320
25 Mar. (84)	2 Mon...	21	9	8	27	24	26	9	46	18 Mar. (77)..	2 Mon....	86	.258	9910	35	2594321
24 Mar. (84)	3 Tues...	36	40	14	40	39	58	15	59	7 Mar. (67)..	0 Sat....	201	.603	130	919	2314322
24 Mar. (83)	4 Wed...	52	11	20	52	55	29	22	12	24 Feb. (55)..	4 Wed....	10	.030	6	766	2004323
25 Mar. (84)	6 Fri....	7	42	3	5	11	1	4	24	15 Mar. (74)..	3 Tues...	47	.141	41	702	2524324
25 Mar. (84)	0 Sat....	23	14	9	17	26	32	10	37	4 Mar. (63)..	0 Sat....	14	.042	9916	549	2214325
24 Mar. (84)	1 Sun....	38	45	15	30	42	4	16	50	22 Mar. (82)..	6 Fri....	104	.312	9951	485	2724326
24 Mar. (83)	2 Mon...	54	16	21	42	57	35	23	2	11 Mar. (70)..	3 Tues...	89	.267	9827	332	2414327
25 Mar. (84)	4 Wed...	9	47	3	55	13	7	5	15	1 Mar. (60)..	1 Sun....	320	.960	41	216	2134328
25 Mar. (84)	5 Thur...	25	19	10	7	28	38	11	27	20 Mar. (79)..	0 Sat....	330	.990	76	152	2644329
24 Mar. (84)	6 Fri....	40	50	16	20	44	10	17	40	8 Mar. (68)..	4 Wed....	91	.273	9951	999	2844330
24 Mar. (83)	0 Sat....	56	21	22	32	59	42	23	53	26 Feb. (57)..	2 Mon....	214	.642	166	888	2054331
25 Mar. (84)	2 Mon...	11	52	4	45	15	13	6	5	17 Mar. (76)..	1 Sun....	213	.639	200	819	2574332
25 Mar. (84)	3 Tues...	27	24	10	57	30	45	12	18	6 Mar. (65)..	5 Thur...	95	.285	76	666	2264333

† See footnote p. liii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra-S. Vikramana.	Makhi (Solar) year in Bengal.	Kallam.	A. D.	Samvatsara.		True.				
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Meha sankranti.	Name of month.	Lunation parts. (t)	Tithi.	Lunation parts. (t)	Tithi.
1	2	3	3a	4	5	6	7	8	9	10	11	12
4334	1155	1290	639	407- 8	*1232-33	26 Nandana.....	30 Durmukha.....					
4335	1156	1291	640	408- 9	1233-34	27 Vijaya.....	31 Hemalumba.....					
4336	1157	1292	641	409-10	1234-35	28 Jaya.....	32 Vilambha.....	5 Śrāvaka.....	9748	29.235	349	1.047
4337	1158	1293	642	410-11	1235-36	29 Maṇmatha.....	33 Vikārin.....					
4338	1159	1294	643	411-12	*1236-37	30 Durmukha.....	34 Sārvāri.....					
4339	1160	1295	644	412-13	1237-38	31 Hemalumba.....	35 Piava.....	3 Jyeshtha.....	9473	28.419	237	0.711
4340	1161	1296	645	413-14	1238-39	32 Vilambha.....	36 Śubhakrit.....					
4341	1162	1297	646	414-15	1239-40	33 Vikārin.....	37 Śobhana.....					
4342	1163	1298	647	415-16	*1240-41	34 Sārvāri.....	38 Krodhīn.....	2 Vaiśākha.....	9892	29.676	377	1.131
4343	1164	1299	648	416-17	1241-42	35 Piava.....	39 Viśvārasu.....					
4344	1165	1300	649	417-18	1242-43	36 Śubhakrit.....	40 Parikhava.....	6 Bhādrapada.....	9848	29.544	406	1.215
4345	1166	1301	650	418-19	1243-44	37 Śobhana.....	41 Piavāṅga.....					
4346	1167	1302	651	419-20	*1244-45	38 Krodhīn.....	42 Klika.....					
4347	1168	1303	652	420-21	1245-46	39 Viśvārasu.....	43 Saumya.....	4 Āśāṅga.....	9755	29.265	471	1.413
4348	1169	1304	653	421-22	1246-47	40 Parikhava.....	44 Śādharāna.....					
4349	1170	1305	654	422-23	1247-48	41 Piavāṅga.....	45 Virodhakrit.....					
4350	1171	1306	655	423-24	*1248-49	42 Klika.....	46 Paridhāvin.....	3 Jyeshtha.....	9900	29.700	670	2.010
4351	1172	1307	656	424-25	1249-50	43 Saumya.....	47 Pramādin.....					
4352	1173	1308	657	425-26	1250-51	44 Śādharāna.....	48 Ananda ¹⁾	7 Asvina.....	9943	29.829	342	1.026
4353	1174	1309	658	426-27	1251-52	45 Virodhakrit.....	50 Anala.....					
4354	1175	1310	659	427-28	*1252-53	46 Paridhāvin.....	51 Piṅgala.....					
4355	1176	1311	660	428-29	1253-54	47 Pramādin.....	52 Kliayukta.....	5 Śrāvaka.....	9945	29.835	510	1.530
4356	1177	1312	661	429-30	1254-55	48 Ānanda.....	53 Siddhārthīn.....					
4357	1178	1313	662	430-31	1255-56	49 Rākshasa.....	54 Raudra.....					
4358	1179	1314	663	431-32	*1256-57	50 Anala.....	55 Durmati.....	3 Jyeshtha.....	9434	28.302	218	0.654
4359	1180	1315	664	432-33	1257-58	51 Piṅgala.....	56 Dundubhi.....					
4360	1181	1316	665	433-34	1258-59	52 Kliayukta.....	57 Rudhirodgar.....	8 Kṛittika.....	9886	29.658	51	0.153
4361	1182	1317	666	434-35	1259-60	53 Siddhārthīn.....	58 Raktikāḥ.....	10 Pañcas (Kāśa).....	35	0.105	9930	29.790
4362	1183	1318	667	435-36	*1260-61	54 Raudra.....	59 Krodhāna.....	1 Chaitra.....	9876	29.628	65	0.195
4363	1184	1319	668	436-37	1261-62	55 Durmati.....	60 Kāshas.....	1 Prāhhava.....				
4364	1185	1320	669	437-38	1262-63	56 Dundubhi.....		6 Bhādrapada.....	9981	29.943	447	1.341
4365	1186	1321	670	438-39	1263-64	57 Rudhirodgar.....	2 Vibhava.....					

¹⁾ Rākshasa, No. 49, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.							Luni-Solar year. (Civil day of Chaitra Šukla 1st.)							Kali-			
Day and Month A. D.	(Time of the Meha saṅkrānti.)						Day and Month A. D.	Week day. A. D.	At Sunrise on meridian of Ujjain.								
	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Moon's Age.												
	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.	Lunar parts elapsed, (४)	Within elapsing,							
13	14	15	17		15a	17a		19		20	21	22	23	24	25	1	
24 Mar. (84)	4 Wed...	42	55	17	10	46	16	18	30	24 Mar. (84) ..	4 Wed...	168	504	111	602	277	4334
24 Mar. (83)	5 Thur...	58	26	23	22	+1	48	+0	43	13 Mar. (72) ..	1 Sun....	172	516	9987	449	246	4335
25 Mar. (84)	0 Sat....	13	57	5	35	17	19	6	56	2 Mar. (61) ..	5 Thur...	137	411	9862	296	216	4336
25 Mar. (84)	1 Sun....	29	29	11	47	32	51	13	8	21 Mar. (80) ..	4 Wed...	176	528	9897	232	267	4337
24 Mar. (84)	2 Mon....	45	0	18	0	48	22	19	21	9 Mar. (69) ..	1 Sun....	○—19—..n;	9773	80	236	4338	
25 Mar. (84)	4 Wed...	0	31	0	12	3	54	1	33	27 Feb. (58) ..	6 Fri....	97	291	9987	963	208	4339
25 Mar. (84)	5 Thur...	16	2	6	25	19	25	7	46	18 Mar. (77) ..	5 Thur...	78	234	32	899	259	4340
25 Mar. (84)	6 Fri....	31	34	12	37	34	57	13	59	8 Mar. (67) ..	3 Tues...	239	717	236	782	231	4341
24 Mar. (84)	0 Sat....	47	5	18	50	50	28	20	11	25 Feb. (56) ..	0 Sat....	153	459	112	630	200	4342
25 Mar. (84)	2 Mon....	2	36	1	2	6	0	2	24	15 Mar. (74) ..	6 Fri....	229	687	146	566	252	4343
25 Mar. (84)	3 Tues...	18	7	7	15	21	31	8	37	4 Mar. (63) ..	3 Tues...	236	708	22	413	221	4344
25 Mar. (84)	4 Wed....	33	39	13	27	37	3	14	49	23 Mar. (82) ..	2 Mon....	311	933	57	349	272	4345
24 Mar. (84)	5 Thur...	49	10	19	40	52	34	21	2	11 Mar. (71) ..	6 Fri....	204	612	9932	196	241	4346
25 Mar. (84)	0 Sat....	4	41	1	52	8	6	3	14	28 Feb. (59) ..	3 Tues...	○—12—..n;	9808	43	211	4347	
25 Mar. (84)	1 Sun....	20	32	8	5	23	37	9	27	19 Mar. (78) ..	2 Mon....	○—30—..n;	9843	979	262	4348	
25 Mar. (84)	2 Mon....	35	44	14	17	39	9	15	40	9 Mar. (68) ..	0 Sat....	91	273	57	863	234	4349
24 Mar. (84)	3 Tues...	51	15	20	39	34	40	21	52	27 Feb. (58) ..	5 Thur...	273	819	271	746	206	4350
25 Mar. (84)	5 Thur...	6	46	2	42	10	12	4	5	17 Mar. (76) ..	4 Wed...	318	954	306	682	257	4351
25 Mar. (84)	6 Fri....	22	17	8	55	25	44	10	17	6 Mar. (65) ..	1 Sun....	296	888	182	530	226	4352
25 Mar. (84)	0 Sat....	37	49	15	7	41	15	16	30	24 Mar. (83) ..	6 Fri....	79	237	9878	429	275	4353
24 Mar. (84)	1 Sun....	53	20	21	20	56	47	22	43	12 Mar. (72) ..	3 Tues...	32	096	9754	276	244	4354
25 Mar. (84)	3 Tues...	8	51	3	32	12	18	4	55	2 Mar. (61) ..	1 Sun....	227	681	9968	160	216	4355
25 Mar. (84)	4 Wed....	24	22	9	45	27	50	11	8	21 Mar. (80) ..	0 Sat....	233	699	3	96	267	4356
25 Mar. (84)	5 Thur...	39	54	15	57	43	21	17	20	10 Mar. (69) ..	4 Wed...	○—21—..n;	9878	943	236	4357	
24 Mar. (84)	6 Fri....	55	25	22	10	58	53	23	33	28 Feb. (59) ..	2 Mon....	111	333	93	827	208	4358
25 Mar. (84)	1 Sun....	10	56	4	22	14	24	5	46	18 Mar. (77) ..	1 Sun....	127	381	127	763	260	4359
25 Mar. (84)	2 Mon....	26	27	10	35	29	56	11	58	7 Mar. (66) ..	5 Thur...	53	159	3	610	229	4360
25 Mar. (84)	3 Tues...	41	59	16	47	45	27	18	11	24 Feb. (55) ..	2 Mon....	50	150	9879	457	198	4361
24 Mar. (84)	4 Wed....	57	30	23	0	+0	59	+0	24	14 Mar. (74) ..	1 Sun....	141	428	9913	393	249	4362
25 Mar. (84)	6 Fri....	13	1	5	12	16	30	6	36	3 Mar. (62) ..	5 Thur...	70	210	9789	240	218	4363
25 Mar. (84)	0 Sat....	28	32	11	25	32	2	12	49	22 Mar. (81) ..	4 Wed...	89	287	9824	176	270	4364
25 Mar. (84)	1 Sun....	44	4	17	37	47	33	19	1	12 Mar. (71) ..	2 Mon....	230	690	38	60	242	4365

† See footnote p. lxxiii above.

○ See Text Art. 101, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ part of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra Vikrama	Mesha (Solar) year in Bengal	Kollam.	A. D.	Samvatsara.		Name of month	True.				
						Luni-Solar cycle. (Southern.)	Bṛihaspatti cycle (Northern) current at Meṣa saṅkrānti.		Lunation parts.	Tithi.	Lunation parts.	Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4366	1187	1322	671	439-40	*1264-65	58 Raktākṣa	3 Śukla	4 Ashādha	9759	29.277	582	1.746	
4367	1188	1323	672	440-41	1265-66	59 Kṛodhāṇa	4 Pramoda	
4368	1189	1324	673	441-42	1266-67	60 Kshaya	5 Prajāpati	
4369	1190	1325	674	442-43	1267-68	1 Prabhava	6 Āśigra	3 Jyeṣṭha	9958	29.874	643	1.929	
4370	1191	1326	675	443-44	*1268-69	2 Viśava	7 Śrīmukha	
4371	1192	1327	676	444-45	1269-70	3 Śukla	8 Bhādra	7 Āśvina	9954	29.862	306	0.918	
4372	1193	1328	677	445-46	1270-71	4 Pramoda	9 Yuvā	
4373	1194	1329	678	446-47	1271-72	5 Prajāpati	10 Dhātri	
4374	1195	1330	679	447-48	*1272-73	6 Āśigra	11 Īvara	4 Āshādha	9301	27.903	88	0.264	
4375	1196	1331	680	448-49	1273-74	7 Śrīmukha	12 Bahudhānya	
4376	1197	1332	681	449-50	1274-75	8 Bhāva	13 Pramāthīn	
4377	1198	1333	682	450-51	1275-76	9 Yavā	14 Vikrama	3 Jyeṣṭha	9460	28.380	167	0.501	
4378	1199	1334	683	451-52	*1276-77	10 Dhātri	15 Vṛiṣha	
4379	1200	1335	684	452-53	1277-78	11 īvara	16 Chitrabhaṇu	8 Kṛittika	9846	29.538	25	0.075	
4380	1201	1336	685	453-54	1278-79	12 Bahudhānya	17 Subhāṇu	10 Pausa (Kāsh)	45	0.135	9982	29.946	
4381	1202	1337	686	454-55	1279-80	13 Pramāthīn	18 Tāraṇa	12 Phālguna	9955	29.865	32	0.096	
4382	1203	1338	687	455-56	*1280-81	14 Vikrama	19 Pārthīva	5 Śrīvāga	9580	28.740	174	0.522	
4383	1204	1339	688	456-57	1281-82	15 Vṛiṣha	20 Vyāya	
4384	1205	1340	689	457-58	1282-83	16 Chitrabhaṇu	21 Sarvajit	
4385	1206	1341	690	458-59	1283-84	17 Subhāṇu	22 Sarvadhārin	4 Āshādha	9721	29.163	595	1.785	
4386	1207	1342	691	459-60	*1284-85	18 Tāraṇa	23 Virodhīn	
4387	1208	1343	692	460-61	1285-86	19 Pārthīva	24 Vikṛita	
4388	1209	1344	693	461-62	1286-87	20 Vyāya	25 Khara	2 Vaisākha	9730	29.190	113	0.339	
4389	1210	1345	694	462-63	1287-88	21 Sarvajit	26 Nandana	
4390	1211	1346	695	463-64	*1288-89	22 Sarvadhārin	27 Vijaya	6 Bhādrapada	9640	28.920	63	0.189	
4391	1212	1347	696	464-65	1289-90	23 Virodhīn	28 Jaya	
4392	1213	1348	697	465-66	1290-91	24 Vikṛita	29 Maṇmatha	
4393	1214	1349	698	466-67	1291-92	25 Khara	30 Durmukha	4 Āshādha	9266	27.798	133	0.399	
4394	1215	1350	699	467-68	*1292-93	26 Nandana	31 Hemalamba	
4395	1216	1351	700	468-69	1293-94	27 Vijaya	32 Vilambha	3 Jyeṣṭha	9584	28.752	202	0.606	
4396	1217	1352	701	469-70	1294-95	28 Jayā	33 Vikṛita	

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year. (Time of the Mesha sankranti.)						Day and Month A. D.	Week day.	Luni-Solar year. (Civil day of Chaitra Śakla 1st.)						Kali.		
	Week day.	By the Ārya Siddhānta.		By the Sūrya Siddhānta.					Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.		Moon's Age.	a .	b .	c .	
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.		Lunar parts clipped.	Tithi clipped.					
13	14	15	17	15a	17a		19		20	21	22	23	24	25	1		
24 Mar. (84)	2 Mon....	59	35	23	50	+8	5	+1	14	29 Feb. (60)..	6 Fri....	○-21	-56	9914	907	211	4366
25 Mar. (84)	4 Wed...	15	6	6	2	18	36	7	27	20 Mar. (79)..	6 Fri....	330	.990	287	879	265	4367
25 Mar. (84)	5 Thur...	30	37	12	15	34	8	13	39	9 Mar. (68)..	3 Tues...	165	.495	163	726	234	4368
25 Mar. (84)	6 Fri....	46	9	18	27	49	39	19	52	26 Feb. (57)..	0 Sat... ..	118	.354	38	574	203	4369
25 Mar. (85)	1 Sun....	1	40	0	40	5	11	2	4	16 Mar. (70)..	6 Fri....	204	.612	73	510	255	4370
25 Mar. (84)	2 Mon...	17	11	6	52	20	42	8	17	5 Mar. (64)..	3 Tues...	200	.600	9949	357	224	4371
25 Mar. (84)	3 Tues...	32	42	13	5	36	14	14	30	24 Mar. (83)..	2 Mon...	259	.777	9983	293	275	4372
25 Mar. (84)	4 Wed...	48	14	19	17	51	46	20	42	13 Mar. (72)..	6 Fri....	107	.321	9859	140	244	4373
25 Mar. (85)	6 Fri....	3	45	1	30	7	17	2	55	2 Mar. (62)..	4 Wed...	235	.705	73	23	216	4374
25 Mar. (84)	0 Sat....	19	16	7	42	22	49	9	7	21 Mar. (50)..	3 Tues...	212	.636	108	959	267	4375
25 Mar. (84)	1 Sun....	34	47	13	55	38	20	15	20	10 Mar. (69)..	0 Sat... ..	○-7	-51	9984	807	237	4376
25 Mar. (84)	2 Mon...	50	19	20	7	53	52	21	33	28 Feb. (59)..	5 Thur...	210	.630	198	690	208	4377
25 Mar. (85)	4 Wed...	5	50	2	20	9	23	3	45	18 Mar. (78)..	4 Wed...	273	.819	233	626	260	4378
25 Mar. (84)	5 Thur...	21	21	8	32	24	55	9	58	7 Mar. (66)..	1 Sun... ..	212	.636	109	473	229	4379
25 Mar. (84)	6 Fri....	36	52	14	45	40	26	16	19	25 Mar. (84)	6 Fri....	45	.135	9804	373	278	4380
25 Mar. (84)	0 Sat....	52	24	20	57	55	58	22	23	15 Mar. (74)..	4 Wed...	299	.897	19	257	249	4381
25 Mar. (85)	2 Mon...	7	55	3	10	11	29	4	36	3 Mar. (63)..	1 Sun... ..	121	.363	9894	104	219	4382
25 Mar. (84)	3 Tues...	23	26	9	22	27	1	10	48	22 Mar. (81)..	0 Sat... ..	104	.312	9929	40	270	4383
25 Mar. (84)	4 Wed...	38	57	15	35	42	32	17	1	12 Mar. (71)..	5 Thur...	217	.651	143	923	242	4384
25 Mar. (84)	5 Thur...	54	29	21	47	58	4	23	14	1 Mar. (60)..	2 Mon... ..	22	.066	19	770	211	4385
25 Mar. (85)	0 Sat....	10	0	4	0	13	35	5	26	19 Mar. (79)..	1 Sun... ..	59	.177	54	706	263	4386
25 Mar. (84)	1 Sun....	25	31	10	12	29	7	11	39	8 Mar. (67)..	5 Thur...	22	.066	9930	554	232	4387
25 Mar. (84)	2 Mon...	41	2	16	25	44	38	17	51	25 Feb. (56)..	2 Mon... ..	31	.093	9805	401	201	4388
25 Mar. (84)	3 Tues...	56	34	22	37	+0	10	+0	4	16 Mar. (75)..	1 Sun... ..	100	.300	9840	337	252	4389
25 Mar. (85)	5 Thur...	12	5	4	50	15	41	6	17	5 Mar. (63)..	6 Fri....	332	.996	54	220	224	4390
25 Mar. (84)	6 Fri....	27	36	11	2	31	13	12	29	23 Mar. (82)..	4 Wed...	○-14	-54	9750	120	273	4391
25 Mar. (84)	0 Sat....	43	7	17	15	46	44	18	42	13 Mar. (72)..	2 Mon... ..	109	.327	9965	4	244	4392
25 Mar. (84)	1 Sun....	58	39	23	27	+2	16	+0	54	3 Mar. (62)..	0 Sat... ..	228	.684	179	887	216	4393
25 Mar. (85)	3 Tues...	14	10	5	40	17	48	7	7	21 Mar. (81)..	6 Fri....	228	.684	214	823	268	4394
25 Mar. (84)	4 Wed...	29	41	11	52	33	19	13	20	10 Mar. (69)..	3 Tues...	106	.318	89	670	237	4395
25 Mar. (84)	5 Thur...	45	12	18	5	48	51	19	32	27 Feb. (58)..	0 Sat... ..	91	.273	9965	517	206	4396

† See footnote p. lxxii above.

○ See Text Art. 101, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitrudi, Vikrama.	Mehadi (Solar) year in Bengal.	Kollam.	A. D.	Sunyutsara.		Name of month.	True.			
							Brihaspati cycle (Northern) current at Meha sākrānti. (Southern.)		Lunation parts. (L)	Tithi	Lunation parts. (L)	
1	2	3	3a	4	5	6	7	8	9	10	11	12
4397	1218	1853	702	470-71	1295- 96	29 Maṇmatha....	34 Śārvati....	9 Mārgaśīrsha....	29.973	1	0.002	
4398	1219	1854	703	471-72	*1296- 97	30 Durmukha....	35 Piava....	10 Pañcha (Keś.)....	0.003	9954	29.863	
4399	1220	1855	704	472-73	1297- 98	31 Hemalamba....	36 Śubhakrit....	12 Phālguna....	9964	29.892	91 0.273	
4400	1221	1856	705	473-74	1298- 99	32 Vilambha....	37 Śobhāna....	3 Śrāvapa....	9661	28.983	344 1.032	
4401	1222	1857	706	474-75	1299-300	33 Viśhrīn....	38 Kroḍhin....	4 Āśādha....	9715	29.145	554 1.662	
4402	1223	1858	707	475-76	*1300- 1	34 Śārvati....	39 Viśvāvasu....	5 Vaiśākha....	9889	29.667	310 0.930	
4403	1224	1859	708	476-77	1301- 2	35 Piava....	40 Parābhava....	6 Bhādrapada....	9827	29.481	250 0.750	
4404	1225	1860	709	477-78	1302- 3	36 Śubhakrit....	41 Piavanga....	7 Āśādha....	9239	27.717	101 0.303	
4405	1226	1861	710	478-79	1303- 4	37 Śobhāna....	42 Kṛlaka....	8 Kārttika....	9950	29.850	31 0.093	
4406	1227	1862	711	479-80	*1304- 5	38 Kroḍhin....	43 Saumya....	9 Mārgaśīrsha (Keś.)....	31	0.093		
4407	1228	1863	712	480-81	1305- 6	39 Viśvāvasu....	44 Śiddhāraṇa....	12 Phālguna....	9917	29.751	67 0.201	
4408	1229	1864	713	481-82	1306- 7	40 Parābhava....	45 Virodhakrit....	3 Vaiśākha....	9889	29.667	310 0.930	
4409	1230	1865	714	482-83	1307- 8	41 Piavanga....	46 Paridhāvīa....	4 Āśādha....	9827	29.481	250 0.750	
4410	1231	1866	715	483-84	*1308- 9	42 Kṛlaka....	47 Pramādin....	5 Bhādrapada....	9239	27.717	101 0.303	
4411	1232	1867	716	484-85	1309- 10	43 Saumya....	48 Ānanda....	6 Kārttika....	9950	29.850	31 0.093	
4412	1233	1868	717	485-86	1310- 11	44 Śiddhāraṇa....	49 Rākṣashā....	7 Mārgaśīrsha (Keś.)....	31	0.093		
4413	1234	1869	718	486-87	1311- 12	45 Virodhakrit....	50 Ānanda....	12 Phālguna....	9917	29.751	67 0.201	
4414	1235	1870	719	487-88	*1312- 13	46 Paridhāvīa....	51 Piṅgala....	3 Jyeṣṭha....	9776	29.328	328 0.984	
4415	1236	1871	720	488-89	1313- 14	47 Pramādin....	52 Kālāyukta....	4 Āśādha....	9800	29.400	547 1.641	
4416	1237	1872	721	489-90	1314- 15	48 Ānanda....	53 Śiddhārthīn....	5 Bhādrapada....	9648	28.944	425 1.375	
4417	1238	1873	722	490-91	1315- 16	49 Rākṣasa....	54 Rāndra....	6 Kārttika....	9950	29.850	31 0.093	
4418	1239	1874	723	491-92	*1316- 17	50 Anala....	55 Durmati....	7 Mārgaśīrsha (Keś.)....	31	0.093		
4419	1240	1875	724	492-93	1317- 18	51 Piṅgala....	56 Duṇḍabhi....	12 Phālguna....	9917	29.751	67 0.201	
4420	1241	1876	725	493-94	1318- 19	52 Kālāyukta....	57 Radhīroḍgīrīn....	3 Śrāvapa....	9648	28.944	425 1.375	
4421	1242	1877	726	494-95	1319- 20	53 Śiddhārthīn....	58 Rektāksha....	4 Āśādha....	9800	29.400	547 1.641	
4422	1243	1878	727	495-96	*1320- 21	54 Rāndra....	59 Kroḍhana....	5 Bhādrapada....	9648	28.944	425 1.375	
4423	1244	1879	728	496-97	1321- 22	55 Durmati....	60 Kāshaya....	6 Kārttika....	9950	29.850	31 0.093	
4424	1245	1880	729	497-98	1322- 23	56 Duṇḍabhi....	1 Prahīvaya....	7 Mārgaśīrsha (Keś.)....	31	0.093		
4425	1246	1881	730	498-99	1323- 24	57 Rudhīroḍgīrīn....	2 Vibhava....	12 Phālguna....	9917	29.751	67 0.201	

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year. (Time of the Meshā sākṛti.)						Luni-Solar year. (Civil day of Chaitra Śukla 1st.)						Kali					
Day and Month A. D.	Week day.	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.		<i>a</i>	<i>b</i>	<i>c</i>					
		Gh.	Pa.	H.	M.			Lunar Part elaps'd. (३)	Tithis elaps'd.								
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1				
26 Mar. (85) ..	0 Sat....	0	44	0	17	4	22	1	45	18 Mar. (77) ..	6 Fri....	181	543	0	453	257	4397
25 Mar. (85) ..	1 Sun....	16	15	6	30	19	54	7	57	6 Mar. (68) ..	3 Tues....	148	444	9875	301	226	4398
25 Mar. (84) ..	2 Mon...	31	46	12	42	35	25	14	10	25 Mar. (84) ..	2 Mon....	191	573	9910	237	278	4399
25 Mar. (84) ..	3 Tues...	47	17	18	55	50	57	20	23	14 Mar. (73) ..	6 Fri....	○—	—,00	9786	84	247	4400
26 Mar. (85) ..	5 Thur...	2	49	1	7	6	28	2	35	4 Mar. (63) ..	4 Wed...	112	336	0	967	219	4401
25 Mar. (85) ..	6 Fri....	18	20	7	20	22	0	8	48	22 Mar. (82) ..	3 Tues....	95	285	35	903	270	4402
25 Mar. (84) ..	0 Sat....	33	51	18	32	37	31	15	0	12 Mar. (71) ..	1 Sun....	253	759	249	787	242	4403
25 Mar. (84) ..	1 Sun....	49	22	19	45	53	3	21	13	1 Mar. (60) ..	5 Thur...	163	489	125	634	211	4404
26 Mar. (85) ..	3 Tues....	4	54	1	57	8	34	3	26	20 Mar. (79) ..	4 Wed....	239	717	159	570	263	4405
25 Mar. (85) ..	4 Wed...	20	25	8	10	24	6	9	38	8 Mar. (68) ..	1 Sun....	245	733	35	417	232	4406
25 Mar. (84) ..	5 Thur...	35	56	14	22	39	37	15	51	25 Feb. (56) ..	5 Thur...	194	582	9911	264	201	4407
25 Mar. (84) ..	6 Fri....	51	27	20	35	55	9	22	4	16 Mar. (75) ..	4 Wed...	219	657	9946	200	252	4408
26 Mar. (85) ..	1 Sun....	6	59	2	47	10	40	4	16	5 Mar. (64) ..	1 Sun....	4	,012	9821	48	221	4409
25 Mar. (85) ..	2 Mon...	22	30	9	0	26	12	10	29	23 Mar. (83) ..	0 Sat....	○—	—,00	9856	984	273	4410
25 Mar. (84) ..	3 Tues...	38	1	15	12	41	43	16	41	13 Mar. (72) ..	5 Thur...	106	,318	70	867	245	4411
25 Mar. (84) ..	4 Wed...	53	32	21	25	57	15	22	54	3 Mar. (62) ..	3 Tues....	280	,858	285	751	217	4412
26 Mar. (85) ..	6 Fri....	9	4	3	37	12	46	5	7	21 Mar. (80) ..	1 Sun....	8	,024	9981	650	285	4413
25 Mar. (85) ..	0 Sat....	24	35	9	50	28	18	11	19	10 Mar. (79) ..	6 Fri....	305	915	195	534	237	4414
25 Mar. (84) ..	1 Sun....	40	6	16	2	43	49	17	32	27 Feb. (58) ..	3 Tues....	308	,924	71	381	206	4415
25 Mar. (84) ..	2 Mon...	55	37	22	15	59	21	23	44	17 Mar. (76) ..	1 Sun....	42	,126	9767	281	255	4416
25 Mar. (85) ..	4 Wed....	11	9	4	27	14	53	5	57	7 Mar. (66) ..	6 Fri....	242	,726	9981	164	227	4417
25 Mar. (85) ..	5 Thur...	26	40	10	40	30	24	12	10	25 Mar. (83) ..	5 Thur...	240	,730	16	100	278	4418
25 Mar. (84) ..	6 Fri....	42	11	16	52	45	56	18	23	14 Mar. (73) ..	2 Mon....	○—	—,00	9891	947	247	4419
25 Mar. (84) ..	0 Sat....	57	42	23	5	41	27	10	35	4 Mar. (63) ..	0 Sat....	124	,372	106	831	219	4420
26 Mar. (85) ..	2 Mon...	13	14	5	17	16	59	6	47	23 Mar. (82) ..	6 Fri....	141	,423	140	767	270	4421
25 Mar. (85) ..	3 Tues...	28	45	11	30	32	30	13	0	11 Mar. (71) ..	3 Tues....	64	,192	16	614	240	4422
25 Mar. (84) ..	4 Wed...	44	16	17	42	48	2	19	13	28 Feb. (59) ..	0 Sat....	68	,204	9892	461	209	4423
25 Mar. (84) ..	5 Thur...	59	47	23	55	33	33	11	25	19 Mar. (78) ..	6 Fri....	131	,453	9926	397	260	4424
25 Mar. (85) ..	0 Sat....	15	19	6	7	19	5	7	38	8 Mar. (67) ..	3 Tues....	82	,246	9802	244	229	4425

† See footnote p. lxxii above.

○ See Text. Art. 101, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitrīdoli, Vikraman.	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatshara.		Name of month.	True.			
						Brihaspati cycle (Northern.)	Luni-Solar cycle. (Southern.)		Time of the preceding saṅkrānti expressed in Lunation parts. (l.)	Tithi.	Time of the succeeding saṅkrānti expressed in Lunation parts. (l.)	Tithi.
1	2	3	3a	4	5	6	7	8	9	10	11	12
4426	1247	1382	731	499-500	*1324-25	58 Raktāksha.....	3 Śukla.....	2 Vaiśākha.....	9956	29,868	461	1,383
4427	1248	1383	732	500- 1	1325-26	59 Krodhana.....	4 Pramoda.....
4428	1249	1384	733	501- 2	1326-27	60 Kshaya.....	5 Prajāpati.....	6 Bhādrapada.....	9942	29,826	433	1,299
4429	1250	1385	734	502- 3	1327-28	1 Prabhava.....	6 Āngirasa.....
4430	1251	1386	735	503- 4	*1328-29	2 Vibhava.....	7 Śrimukha.....
4431	1252	1387	736	504- 5	1329-30	3 Śukla.....	8 Bhāva.....	4 Ashādha.....	9297	27,891	74	0,222
4432	1253	1388	737	505- 6	1330-31	4 Pramoda.....	9 Yuvan.....
4433	1254	1389	738	506- 7	1331-32	5 Prajāpati.....	10 Dhātrī.....
4434	1255	1390	739	507- 8	*1332-33	6 Āngirasa.....	11 Īśvara.....	3 Jyeshtha.....	9950	29,850	515	1,545
4435	1256	1391	740	508- 9	1333-34	7 Śrimukha.....	12 Bahudhānya.....
4436	1257	1392	741	509- 10	1334-35	8 Bhāva.....	13 Pramāthin.....	7 Āśvina.....	9909	29,727	130	0,390
4437	1258	1393	742	510- 11	1335-36	9 Yuvan.....	14 Vikrama ¹⁾	10 Pausa (Ksh.).....	9	0,027	9942	29,826
4438	1259	1394	743	511- 12	*1336-37	10 Dhātrī.....	16 Chitrabhaṇu.....	12 Phālguna.....	9915	29,745	33	0,099
4439	1260	1395	744	512- 13	1337-38	11 Īśvara.....	17 Subhānu.....	5 Śrīvapa.....	9609	28,827	415	1,245
4440	1261	1396	745	513- 14	1338-39	12 Bahudhānya.....	18 Tārāga.....
4441	1262	1397	746	514- 15	1339-40	13 Pramāthin.....	19 Pārthiva.....
4442	1263	1398	747	515- 16	*1340-41	14 Vikrama.....	20 Vyāya.....	4 Ashādha.....	9982	29,946	627	1,881
4443	1264	1399	748	516- 17	1341-42	15 Vṛiṣha.....	21 Sarvajit.....
4444	1265	1400	749	517- 18	1342-43	16 Chitrabhaṇu.....	22 Sarvadhārin.....
4445	1266	1401	750	518- 19	1343-44	17 Subhānu.....	23 Virodhin.....	2 Vaiśākha.....	9934	29,802	514	1,542
4446	1267	1402	751	519- 20	*1344-45	18 Tārāga.....	24 Vikrita.....
4447	1268	1403	752	520- 21	1345-46	19 Pārthiva.....	25 Khara.....	6 Bhādrapada.....	9057	29,871	538	1,614
4448	1269	1404	753	521- 22	1346-47	20 Vyāya.....	26 Nandana.....
4449	1270	1405	754	522- 23	1347-48	21 Sarvajit.....	27 Vijaya.....
4450	1271	1406	755	523- 24	*1348-49	22 Sarvadhārin.....	28 Jayas.....	4 Ashādha.....	9448	28,344	121	0,368
4451	1272	1407	756	524- 25	1349-50	23 Virodhin.....	29 Maṇmatha.....
4452	1273	1408	757	525- 26	1350-51	24 Vikrita.....	30 Darmukha.....
4453	1274	1409	758	526- 27	1351-52	25 Khara.....	31 Hemalamba.....	2 Vaiśākha.....	9471	28,413	40	0,120
4454	1275	1410	759	527- 28	*1352-53	26 Nandana.....	32 Vilambha.....	6 Bhādrapada.....	9495	28,485	47	0,141
4455	1276	1411	760	528- 29	1353-54	27 Vijaya.....	33 Vikārin.....
4456	1277	1412	761	529- 30	1354-55	28 Jays.....	34 Sārvāri.....

¹⁾ Vṛiṣha, No. 15, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year.							Luni-Solar year. (Civil day of Chaitra Śakla 1st.)							Kali.	
	Week day.	(Time of the Mesha saṅkranti.)						Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			a .	b .	c .	
		By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Lunar path elapsed. (t)	Tithis elapsed.									
13	14	15	17	15a	17a			19	20	21	22	23	24	25	1	
25 Mar. (85)..	1 Sun....	30 50	12 20	34 36	13 50	26 Feb. (57)..	1 Sun....	260 .780	16 128	201 4426						
25 Mar. (84)..	2 Mon....	46 21	18 32	50 8	20 3	16 Mar. (75)..	0 Sat....	246 .738	51 64	252 4427						
26 Mar. (85)..	4 Wed....	1 52	0 45	5 39	2 16	5 Mar. (64)..	4 Wed....	○ -4 -... -... 9927	911 222	4428						
26 Mar. (85)..	5 Thur...	17 24	6 57	21 11	8 28	24 Mar. (83)..	3 Tues...	○ -12 -... -... 9962	847 273	4429						
25 Mar. (85)..	6 Fri....	32 55	13 10	36 42	14 41	13 Mar. (73)..	1 Sun....	177 .531	176 731	245 4430						
25 Mar. (84)..	0 Sat....	48 26	19 22	52 14	20 54	2 Mar. (61)..	5 Thur...	128 .384	52 578	214 4431						
26 Mar. (85)..	2 Mon....	3 57	1 35	7 45	3 6	21 Mar. (80)..	4 Wed....	213 .639	86 514	265 4432						
26 Mar. (85)..	3 Tues...	19 29	7 47	23 17	9 19	10 Mar. (69)..	1 Sun....	209 .627	9962 361	235 4433						
25 Mar. (85)..	4 Wed....	35 0	14 0	38 48	15 31	27 Feb. (58)..	5 Thur...	116 .348	9838 208	204 4434						
25 Mar. (84)..	5 Thur...	50 31	20 12	54 20	21 44	17 Mar. (76)..	4 Wed....	122 .366	9872 144	255 4435						
26 Mar. (85)..	0 Sat....	6 2	2 25	9 51	3 57	7 Mar. (66)..	2 Mon....	251 .753	87 28	227 4436						
26 Mar. (85)..	1 Sun....	21 34	8 37	25 23	10 9	26 Mar. (85)..	1 Sun....	231 .693	121 964	278 4437						
25 Mar. (85)..	2 Mon....	37 5	14 50	40 55	16 22	14 Mar. (74)..	5 Thur...	7 .021	9997 811	247 4438						
25 Mar. (84)..	3 Tues...	52 36	21 2	56 26	22 34	4 Mar. (63)..	3 Tues...	221 .663	211 694	219 4439						
26 Mar. (85)..	5 Thur...	8 7	3 15	11 58	4 47	23 Mar. (82)..	2 Mon....	284 .852	246 630	271 4440						
26 Mar. (85)..	6 Fri....	23 39	9 27	27 29	11 0	12 Mar. (71)..	6 Fri....	282 .846	122 478	240 4441						
25 Mar. (85)..	0 Sat....	39 10	15 40	43 1	17 12	29 Feb. (60)..	3 Tues...	264 .792	9997 325	209 4442						
25 Mar. (84)..	1 Sun....	54 41	21 52	58 32	23 25	19 Mar. (78)..	2 Mon....	312 .936	32 261	260 4443						
26 Mar. (85)..	3 Tues...	10 12	4 5	14 4	5 37	8 Mar. (67)..	6 Fri....	137 .411	9908 109	230 4444						
26 Mar. (85)..	4 Wed...	25 44	10 17	29 35	11 50	26 Feb. (57)..	4 Wed....	258 .774	122 992	201 4445						
25 Mar. (85)..	5 Thur...	41 15	16 30	45 7	18 3	16 Mar. (76)..	3 Tues...	235 .705	157 928	253 4446						
25 Mar. (84)..	6 Fri....	56 46	22 42	+0 38	+0 15	5 Mar. (64)..	0 Sat....	35 .105	32 775	222 4447						
26 Mar. (85)..	1 Sun....	12 17	4 55	16 10	6 28	24 Mar. (83)..	6 Fri....	71 .213	67 711	273 4448						
26 Mar. (85)..	2 Mon....	27 49	11 7	31 41	12 41	13 Mar. (72)..	3 Tues...	33 .099	9943 558	242 4449						
25 Mar. (85)..	3 Tues...	43 20	17 20	47 13	18 53	1 Mar. (61)..	0 Sat....	39 .117	9818 405	212 4450						
25 Mar. (84)..	4 Wed....	58 51	23 32	+2 44	+1 6	20 Mar. (79)..	6 Fri....	111 .333	9853 341	268 4451						
26 Mar. (85)..	6 Fri....	14 22	5 45	18 16	7 18	9 Mar. (68)..	3 Tues...	○ -2 -... -... 9729	188 232	4452						
26 Mar. (85)..	0 Sat....	29 54	11 57	33 47	13 31	27 Feb. (58)..	1 Sun....	148 .444	9943 72	204 4453						
25 Mar. (85)..	1 Sun....	45 25	18 10	49 19	19 44	17 Mar. (77)..	0 Sat....	125 .375	9978 8	255 4454						
26 Mar. (85)..	3 Tues...	0 56	0 22	4 50	1 56	7 Mar. (66)..	5 Thur...	243 .729	192 891	227 4455						
26 Mar. (85)..	4 Wed...	16 27	6 35	20 22	8 9	26 Mar. (85)..	4 Wed....	244 .732	227 827	279 4456						

† See footnote p. lxxii above.

○ See Text. Art. 101 above, para. 2.

TABLE I.

Illumination-parts = 10,000ths of a circle. A tilki = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Śakn.	Chaitrīdi- Vikrama.	Mesha (Solar) year in Bengal.	Kollam,	A. D.	Samvatsara.		Name of month.	True.			
							Luni-Solar cycle. (Southern.)		Latitude paria. (t_r)	Tithi.	Latitude paria. (t_s)	Tithi.
1	2	3	3a	4	5	6	7	8	9	10	11	12
4457	1278	1413	762	530-31	1355-56	29 Maṇmatha...	35 Plava...					
4458	1279	1414	763	531-32	*1356-57	30 Durmukha...	36 Śubhakṛit...	5 Śrīvāṇa...	9624	28.872	374	1.122
4459	1280	1415	764	532-33	1357-58	31 Hemalamba...	37 Śobhana...					
4460	1281	1416	765	533-34	1358-59	32 Vilambha...	38 Kroḍhin...					
4461	1282	1417	766	534-35	1359-60	33 Viśākha...	39 Viśvāsa...	3 Jyeṣṭha...	9556	28.668	174	0.522
4462	1283	1418	767	535-36	*1360-61	34 Śārvari...	40 Parībhava...					
4463	1284	1419	768	536-37	1361-62	35 Plava...	41 Plavaṅga...					
4464	1285	1420	769	537-38	1362-63	36 Śuhakṛit...	42 Kīlaka...	2 Vaiśākha...	9898	29.694	490	1.470
4465	1286	1421	770	538-39	1363-64	37 Śobhana...	43 Saumya...					
4466	1287	1422	771	539-40	*1364-65	38 Kroḍhin...	44 Sādharmaṇa...	6 Bhādrapada...	9918	29.754	544	1.632
4467	1288	1423	772	540-41	1365-66	39 Viśvāsa...	45 Virodhakṛit...					
4468	1289	1424	773	541-42	1366-67	40 Parībhava...	46 Paridhāvin...					
4469	1290	1425	774	542-43	1367-68	41 Plavaṅga...	47 Pramādin...	4 Āśāḍjhā...	9647	28.941	268	0.804
4470	1291	1426	775	543-44	*1368-69	42 Kīlaka...	48 Ānanda...					
4471	1292	1427	776	544-45	1369-70	43 Saumya...	49 Rākṣhosa...					
4472	1293	1428	777	545-46	1370-71	44 Sādharmaṇa...	50 Anala...	2 Vaiśākha...	9438	28.314	36	0.108
4473	1294	1429	778	546-47	1371-72	45 Virodhakṛit...	51 Piṅgala...					
4474	1295	1430	779	547-48	*1372-73	46 Paridhāvin...	52 Kālayukta...	6 Bhādrapada...	9464	28.392	83	0.249
4475	1296	1431	780	548-49	1373-74	47 Pramādin...	53 Siddhārthīn...					
4476	1297	1432	781	549-50	1374-75	48 Ānanda...	54 Raudra...					
4477	1298	1433	782	550-51	1375-76	49 Rākṣhosa...	55 Durmatī...	5 Śrīvāṇa...	9743	29.229	389	1.167
4478	1299	1434	783	551-52	*1376-77	50 Anala...	56 Dundubhi...					
4479	1300	1435	784	552-53	1377-78	51 Piṅgala...	57 Rudhirodgārīn...					
4480	1301	1436	785	553-54	1378-79	52 Kālayukta...	58 Raktākha...	3 Jyeṣṭha...	9577	28.731	296	0.888
4481	1302	1437	786	554-55	1379-80	53 Siddhārthīn...	59 Kroḍhana...					
4482	1303	1438	787	555-56	*1380-81	54 Raudra...	60 Kshayā...	8 Kārttika...	9937	29.811	15	0.045
4483	1304	1439	788	556-57	1381-82	55 Durmatī...	1 Prabhava...	9 Mṛgauś (Ksh.)	15	0.045	9927	29.781
4484	1305	1440	789	557-58	1382-83	56 Dundubhi...	2 Vibhava...	2 Vaiśākha...	9927	29.781	455	1.365
4485	1306	1441	790	558-59	1383-84	57 Rudhirodgārīn...	3 Śūla...	6 Bhādrapada...	9906	29.718	500	1.500
4486	1307	1442	791	559-60	*1384-85	58 Raktākha...	4 Pramoda...					
4487	1308	1443	792	560-61	1385-86	59 Kroḍhana...	5 Prajāpati...					
4488	1309	1444	793	561-62	1386-87	60 Kshaya...	6 Aṅgira...	4 Āśāḍjhā...	9799	29.397	427	1.281

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.								Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								Kali.					
Day and Month A. D.	(Time of the Mesha saṅkrānti.)							Day and Month A. D.	Week day. A. D.	At Sunrise on meridian of Ujjain.				a.	b.	c.	Kali.				
	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Moon's Age.					Lunar parts elapsed. (t)	Tithis elapsed.						Kali.				
	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.									Kali.				
13	14	15	17		15a	17a			19		20	21	22	23	24	25	1				
26 Mar. (85)..	5 Thur...	31	59	12	47	35	53	14	21	15 Mar. (74)..	1 Sun....	118	.354	103	674	248	4457				
25 Mar. (85)..	6 Fri....	47	30	19	0	51	25	20	34	3 Mar. (63)..	5 Thur...	99	.297	9978	522	217	4458				
26 Mar. (85)..	1 Sun....	3	1	1	12	6	57	2	47	22 Mar. (81)..	4 Wed...	180	.540	13	458	268	4459				
26 Mar. (85)..	2 Mon...	18	32	7	25	22	28	8	59	11 Mar. (70)..	1 Sun ...	161	.483	9889	305	237	4460				
26 Mar. (85)..	3 Tues...	34	4	13	37	38	0	15	12	28 Feb. (59)..	5 Thur...	20	.060	9764	152	207	4461				
25 Mar. (85)..	4 Wed...	49	35	19	50	53	31	21	24	18 Mar. (78)..	4 Wed...	13	.039	9799	88	258	4462				
26 Mar. (85)..	6 Fri....	5	6	2	2	9	3	3	37	8 Mar. (67)..	2 Mon...	139	.417	13	972	230	4463				
26 Mar. (85)..	0 Sat....	20	37	8	15	24	34	9	50	26 Feb. (37)..	0 Sat....	260	.780	228	855	202	4464				
26 Mar. (85)..	1 Sun....	36	9	14	27	40	6	16	2	17 Mar. (76)..	6 Fri....	266	.798	262	791	253	4465				
25 Mar. (85)..	2 Mon...	51	40	20	40	55	37	22	15	5 Mar. (65)..	3 Tues...	173	.519	138	638	222	4466				
26 Mar. (85)..	4 Wed...	7	11	2	52	11	9	4	27	24 Mar. (83)..	2 Mon...	250	.750	173	574	273	4467				
26 Mar. (85)..	5 Thur...	22	42	9	5	26	40	10	40	13 Mar. (72)..	6 Fri....	254	.762	48	422	243	4468				
26 Mar. (85)..	6 Fri....	38	14	15	17	42	12	16	53	2 Mar. (61)..	3 Tues...	205	.615	9924	269	212	4469				
25 Mar. (85)..	0 Sat....	53	45	21	30	57	43	23	5	20 Mar. (80)..	2 Mon...	233	.699	9959	205	263	4470				
26 Mar. (85)..	2 Mon...	9	16	3	42	13	15	5	18	9 Mar. (68)..	6 Fri....	21	.063	9835	52	232	4471				
26 Mar. (85)..	3 Tues...	24	47	9	55	28	46	11	31	27 Feb. (58)..	4 Wed...	137	.411	49	936	204	4472				
26 Mar. (85)..	4 Wed...	40	19	16	7	44	18	17	43	18 Mar. (77)..	3 Tues...	122	.366	83	871	256	4473				
25 Mar. (85)..	5 Thur...	55	50	22	20	59	49	23	56	7 Mar. (67)..	1 Sun....	298	.894	298	755	227	4474				
26 Mar. (85)..	0 Sat....	11	21	4	32	15	21	6	8	25 Mar. (84)..	6 Fri....	20	.060	9994	655	276	4475				
26 Mar. (85)..	1 Sun....	26	52	10	45	30	52	12	21	15 Mar. (74)..	4 Wed...	313	.945	208	538	248	4476				
26 Mar. (85)..	2 Mon...	42	24	16	57	46	24	18	34	4 Mar. (63)..	1 Sun....	318	.954	84	385	217	4477				
25 Mar. (85)..	3 Tues...	57	55	23	10	+1	55	+0	46	21 Mar. (81)..	6 Fri....	57	.171	9780	285	266	4478				
26 Mar. (85)..	5 Thur...	13	26	5	22	17	27	6	59	11 Mar. (70)..	4 Wed...	250	.768	9994	168	238	4479				
26 Mar. (85)..	6 Fri....	28	57	11	35	32	59	13	11	28 Feb. (59)..	1 Sun....	26	.078	9870	16	207	4480				
26 Mar. (85)..	0 Sat....	44	29	17	47	48	30	19	24	19 Mar. (78)..	0 Sat....	3	.009	9905	952	258	4481				
26 Mar. (86)..	2 Mon...	0	0	0	0	4	2	1	37	8 Mar. (68)..	5 Thur...	188	.414	119	835	230	4482				
26 Mar. (85)..	3 Tues...	15	31	6	12	19	33	7	49	25 Feb. (56)..	2 Mon...	10	.030	9995	682	199	4483				
26 Mar. (85)..	4 Wed...	31	2	12	25	35	5	14	2	16 Mar. (75)..	1 Sun....	74	.222	29	618	250	4484				
26 Mar. (85)..	5 Thur...	46	34	18	37	50	36	20	14	5 Mar. (64)..	5 Thur...	77	.231	9905	466	220	4485				
26 Mar. (86)..	0 Sat....	2	5	0	50	6	8	2	27	23 Mar. (83)..	4 Wed...	161	.483	9940	402	271	4486				
26 Mar. (85)..	1 Sun....	17	36	7	2	21	39	8	40	12 Mar. (71)..	1 Sun....	95	.285	9815	249	240	4487				
26 Mar. (85)..	2 Mon...	33	7	13	15	37	11	14	52	2 Mar. (61)..	6 Fri....	275	.825	30	132	212	4488				

† See footnote p. lxxii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitrakali Vikrami. Mehduli (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.				Lunation parts. (t.)	Time of the preceding saṅkrānti expressed in
					Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Lunation parts. (t.)	Tithi.	Lunation parts. (t.)	Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4489	1310	1445	794	562-63	1387- 88	1 Prabhavas...	7 Śeṣmukha...						
4490	1311	1446	795	563-64	*1388- 89	2 Vikhava...	8 Bhāva...						
4491	1312	1447	796	564-65	1389- 90	3 Śukla...	9 Yuvan...	3 Jyeshtha...	9991	29.973	879	2.637	
4492	1313	1448	797	565-66	1390- 91	4 Pramoda...	10 Dhātri...						
4493	1314	1449	798	566-67	1391- 92	5 Prajāpati...	11 Īvara...	6 Bhādrapada...	9433	28.299	48	0.144	
4494	1315	1450	799	567-68	*1392- 93	6 Āugīra...	12 Bahudhānya...						
4495	1316	1451	800	568-69	1393- 94	7 Śeṣmukha...	13 Pramāthin...						
4496	1317	1452	801	569-70	1394- 95	8 Bhāva...	14 Vikrama...	5 Śrīvana...	9932	29.796	501	1.503	
4497	1318	1453	802	570-71	1395- 96	9 Yuvan...	15 Vrisha...						
4498	1319	1454	803	571-72	*1396- 97	10 Dhātri...	16 Chitrabhaṇu...						
4499	1320	1455	804	572-73	1397- 98	11 Īvara...	17 Subhānu...	3 Jyeshtha...	9538	28.614	327	0.981	
4500	1321	1456	805	573-74	1398- 99	12 Bahudhānya...	18 Tāraṇa...						
4501	1322	1457	806	574-75	1399-400	13 Pramāthin...	19 Pārthiva...	8 Kārttika...	9981	29.943	121	0.363	
				*				10 Pañcha (Ksh.)	80	0.240	9950	29.850	
4502	1323	1458	807	575-76	*1400- 1	14 Vikrama...	20 Vyaya...	1 Chaitra...	9862	29.586	56	0.168	
4503	1324	1459	808	576-77	1401- 2	15 Vrisha...	21 Sarvajit...						
4504	1325	1460	809	577-78	1402- 3	16 Chitrabhaṇu...	22 Sarvadhārin...	6 Bhādrapada...	9989	29.967	499	1.497	
4505	1326	1461	810	578-79	1403- 4	17 Subhānu...	23 Virodhin...						
4506	1327	1462	811	579-80	*1404- 5	18 Tāraṇa...	24 Vikṛita...						
4507	1328	1463	812	580-81	1405- 6	19 Pārthiva...	25 Khara...	4 Āśādha...	9855	29.565	625	1.875	
4508	1329	1464	813	581-82	1406- 7	20 Vyaya...	26 Nandana...						
4509	1330	1465	814	582-83	1407- 8	21 Sarvajit...	27 Vijaya...						
4510	1331	1466	815	583-84	*1408- 9	22 Sarvadhārin...	28 Jayā...	2 Vaiśākha...	9535	28.605	1	0.003	
4511	1332	1467	816	584-85	1409- 10	23 Virodhin...	29 Maṇmatha...						
4512	1333	1468	817	585-86	1410- 11	24 Vikṛita...	30 Durmukha...	6 Bhādrapada...	9483	28.449	23	0.069	
4513	1334	1469	818	586-87	1411- 12	25 Khara...	31 Hemalamba...						
4514	1335	1470	819	587-88	*1412- 13	26 Nandana...	32 Vilambha...						
4515	1336	1471	820	588-89	1413- 14	27 Vijaya...	33 Vikṛin...	4 Āśādha...	9380	28.140	112	0.336	
4516	1337	1472	821	589-90	1414- 15	28 Jaya...	34 Sārvāri...						
4517	1338	1473	822	590-91	1415- 16	29 Maṇmatha...	35 Plava...						
4518	1339	1474	823	591-92	*1416- 17	30 Durmukha...	36 Śubhakṛit...	3 Jyeshtha...	9536	28.608	282	0.846	
4519	1340	1475	824	592-93	1417- 18	31 Hemalamba...	37 Śobhana...						
4520	1341	1476	825	593-94	1418- 19	32 Vilambha...	38 Krodhin...	8 Kārttika...	9951	29.853	130	0.390	

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month. A. D.	Solar year.						Luni-Solar year. (Civil day of Chaitra Śukla 1st.)						Kali.			
	(Time of the Mesha sankranti.)						Day and Month. A. D.	Week day.	At Sunrise on meridian of Ujjain.							
	By the Ārya Siddhānta.		By the Sūrya Siddhānta.						Moon's Age.							
	Week day.	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.							
13	14	15	17	15a	17a		19	20	21	22	23	24	25	1		
26 Mar. (85)..	3 Tues...	48	39	19	27	52	42	21	5	21 Mar. (80)..	5 Thur...	262	786	64	68	263 4489
26 Mar. (86)..	5 Thur...	4	10	1	40	8	14	3	17	9 Mar. (69)..	2 Mon....	9	.027	9940	916	232 4490
26 Mar. (85)..	6 Fri...	19	41	7	52	23	45	9	30	27 Feb. (58)..	0 Sat....	164	.492	154	799	204 4491
26 Mar. * (85)..	0 Sat....	35	12	14	5	39	17	15	43	18 Mar. (77)..	6 Fri....	190	.570	189	735	256 4492
26 Mar. (85)..	1 Sun....	50	44	20	17	54	48	21	55	7 Mar. (66)..	3 Tues....	136	.408	65	582	225 4493
26 Mar. (86)..	3 Tues...	6	15	2	30	10	20	4	8	25 Mar. (85)..	2 Mon....	224	.672	99	518	276 4494
26 Mar. (85)..	4 Wed...	21	46	8	42	25	51	10	21	14 Mar. (73)..	6 Fri....	220	.660	9975	365	245 4495
26 Mar. (85)..	5 Thur...	37	17	14	55	41	23	16	33	3 Mar. (62)..	3 Tues....	129	.387	9851	213	215 4496
26 Mar. (85)..	6 Fri....	52	49	21	7	56	54	22	46	22 Mar. (81)..	2 Mon....	138	.414	9886	149	266 4497
26 Mar. (86)..	1 Sun....	8	20	3	20	12	26	4	58	11 Mar. (71)..	0 Sat....	268	.804	100	32	238 4498
26 Mar. (85)..	2 Mon....	23	51	9	32	27	57	11	11	28 Feb. (59)..	4 Wed....	21	.068	9976	879	207 4499
26 Mar. (85)..	3 Tues...	39	22	15	45	43	29	17	24	19 Mar. (78)..	3 Tues....	21	.063	10	815	258 4500
26 Mar. (85)..	4 Wed...	54	54	21	57	59	1	23	36	9 Mar. (68)..	1 Sun....	231	.693	224	699	230 4501
26 Mar. (86)..	6 Fri....	10	25	4	10	14	32	5	49	26 Feb. (57)..	5 Thur...	203	.609	100	546	199 4502
26 Mar. (85)..	0 Sat....	25	56	10	22	30	4	12	1	16 Mar. (75)..	4 Wed....	291	.873	135	482	251 4503
26 Mar. (85)..	1 Sun....	41	27	16	35	45	35	18	14	5 Mar. (64)..	1 Sun....	275	.825	11	329	220 4504
26 Mar. (85)..	2 Mon....	56	59	22	47	+1	7	+0	27	24 Mar. (83)..	0 Sat....	325	.973	45	265	271 4505
26 Mar. (86)..	4 Wed....	12	30	5	0	16	38	6	39	12 Mar. (72)..	4 Wed....	152	.456	9921	112	240 4506
26 Mar. (85)..	5 Thur...	28	1	11	12	32	10	12	52	2 Mar. (61)..	2 Mon....	273	.819	135	996	212 4507
26 Mar. (85)..	6 Fri....	43	32	17	25	47	41	19	4	21 Mar. (80)..	1 Sun....	252	.756	170	932	264 4508
26 Mar. (85)..	0 Sat....	59	4	23	37	+3	13	+1	17	10 Mar. (69)..	5 Thur...	49	.147	46	779	233 4509
26 Mar. (86)..	2 Mon....	14	35	5	50	18	44	7	30	28 Feb. (59)..	3 Tues....	285	.855	260	663	205 4510
26 Mar. (85)..	3 Tues...	30	6	12	2	34	16	13	42	17 Mar. (76)..	1 Sun....	42	.126	9956	562	253 4511
26 Mar. (85)..	4 Wed....	45	37	18	15	49	47	19	55	6 Mar. (65)..	5 Thur...	45	.144	9832	410	222 4512
27 Mar. (86)..	6 Fri....	1	9	0	27	5	19	2	8	25 Mar. (84)..	4 Wed....	122	.386	9866	345	274 4513
26 Mar. (86)..	0 Sat....	16	40	6	40	20	50	8	20	13 Mar. (73)..	1 Sun....	13	.039	9742	193	243 4514
26 Mar. (85)..	1 Sun....	32	11	12	52	36	22	14	33	3 Mar. (62)..	6 Fri....	163	.489	9956	76	215 4515
26 Mar. (85)..	2 Mon....	47	42	19	5	51	53	20	45	22 Mar. (81)..	5 Thur...	142	.426	9991	12	266 4516
27 Mar. (86)..	4 Wed....	3	14	1	17	7	25	2	58	12 Mar. (71)..	3 Tues....	259	.777	205	896	238 4517
26 Mar. (86)..	5 Thur...	18	45	7	30	22	56	9	11	29 Feb. (60)..	0 Sat....	83	.249	81	743	207 4518
26 Mar. (85)..	6 Fri....	34	16	13	42	38	28	15	23	19 Mar. (78)..	6 Fri....	129	.387	116	679	259 4519
26 Mar. (85)..	0 Sat....	49	47	19	55	53	59	21	36	8 Mar. (67)..	3 Tues....	109	.327	9992	526	228 4520

† See footnote p. lliii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitrādi, Vikramā	Mehdi (Solar) year in Bengal.	Kollam.	A. D.	Samavatasa.		Name of month.	True.			
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Time of the preceding saṅkrānti expressed in Lunation parts. (-)	Tithi.	Time of the succeeding saṅkrānti expressed in Lunation parts. (+)	Tithi.
1	2	3	3a	4	5	6	7	8	9	10	11	12
4521	1342	1477	826	594- 95	1419-20	33 Vikhrin.....	39 Viśvāvasu.....					
4522	1343	1478	827	595- 96	*1420-21	34 Śārvari.....	40 Parībhava ¹⁾					
4523	1344	1479	828	596- 97	1421-22	35 Plava.....	42 Kliaka.....	5 Śrāvava.....	9592	28.776	162	0.486
4524	1345	1480	829	597- 98	1422-23	36 Śabhaṅkṛit.....	43 Saumya.....					
4525	1346	1481	830	598- 99	1423-24	37 Śobhana.....	44 Śādhāraṇa.....					
4526	1347	1482	831	599-600	*1424-25	38 Kroḍhin.....	45 Virodhaṅkṛit.....	4 Åshādha.....	9829	29.487	686	2.058
4527	1348	1483	832	600- 1	1425-26	39 Viśvāvasu.....	46 Parīdhāvin.....					
4528	1349	1484	833	601- 2	1426-27	40 Parībhava.....	47 Pramādin.....					
4529	1350	1485	834	602- 3	1427-28	41 Plavaṅga.....	48 Ånanda.....	2 Vaiśākha.....	9715	29.145	111	0.333
4530	1351	1486	835	603- 4	*1428-29	42 Kliaka.....	49 Rākṣasa.....					
4531	1352	1487	836	604- 5	1429-30	43 Saumya.....	50 Anala.....	6 Bhādrapada.....	9629	28.887	81	0.243
4532	1353	1488	837	605- 6	1430-31	44 Śādhāraṇa.....	51 Piṅgala.....					
4533	1354	1489	838	606- 7	1431-32	45 Virodhaṅkṛit.....	52 Kālayukta.....					
4534	1355	1490	839	607- 8	*1432-33	46 Parīdhāvin.....	53 Siddhārthīn.....	4 Åshādha.....	9374	28.122	173	0.519
4535	1356	1491	840	608- 9	1433-34	47 Pramādin.....	54 Raudra.....					
4536	1357	1492	841	609- 10	1434-35	48 Ånanda.....	55 Durmati.....					
4537	1358	1493	842	610- 11	1435-36	49 Rākṣasa.....	56 Dundubhi.....	3 Jyeshtha.....	9596	28.788	264	0.792
4538	1359	1494	843	611- 12	*1436-37	50 Anala.....	57 Rudhirodgārīn.....					
4539	1360	1495	844	612- 13	1437-38	51 Piṅgala.....	58 Raktākha.....	8 Kārtika.....	9922	29.766	90	0.270
4540	1361	1496	845	613- 14	1438-39	52 Kālayukta.....	59 Kroḍhana.....					
4541	1362	1497	846	614- 15	1439-40	53 Siddhārthīn.....	60 Kshaya.....					
4542	1363	1498	847	615- 16	*1440-41	54 Rasdra.....	1 Prabhava.....	5 Śrāvava.....	9721	29.163	855	1.065
4543	1364	1499	848	616- 17	1441-42	55 Durmati.....	2 Vibhava.....					
4544	1365	1500	849	617- 18	1442-43	56 Dundubhi.....	3 Śukla.....					
4545	1366	1501	850	618- 19	1443-44	57 Rudhirodgārīn.....	4 Pramoda.....	4 Åshādha.....	9795	29.385	684	1.992
4546	1367	1502	851	619- 20	*1444-45	58 Raktākha.....	5 Prajāpati.....					
4547	1368	1503	852	620- 21	1445-46	59 Kroḍhana.....	6 Āugīra.....					
4548	1369	1504	853	621- 22	1446-47	60 Kshaya.....	7 Śrimukha.....	2 Vaiśākha.....	9904	29.712	297	0.891
4549	1370	1505	854	622- 23	1447-48	1 Prabhava.....	8 Bhāva.....					
4550	1371	1506	855	623- 24	*1448-49	2 Vibhava.....	9 Yuva.....	6 Bhādrapada.....	9825	29.475	236	0.708
4551	1372	1507	856	624- 25	1449-50	3 Śukla.....	10 Dhātṛi.....					
4552	1373	1508	857	625- 26	1450-51	4 Pramoda.....	11 Iṣvara.....					
4553	1374	1509	858	626- 27	1451-52	5 Prajāpati.....	12 Bahudhānya.....	4 Åshādha.....	9332	27.996	209	0.627

1) Plavaṅga No. 41 was suppressed in the North.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month. A. D.	Solar year.						Luni-Solar year. (Civil day of Chaitra Šukla 1st.)						Kali.			
	(Time of the Meha sankranti.)						Day and Month. A. D.	Week day.	At Sunrise on meridian of Ujjain.							
	By the Ārya Siddhānta.		By the Sūrya Siddhānta.						Moon's Age.							
	Week day.	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.	Lunar parts elapsed (%)	Tithi closed	α.	β.	γ.		
13	14	15	17	15a	17a		19		20	21	22	23	24	25	1	
27 Mar. (86)..	2 Mon...	5	19	2	7	9	31	3	48	27 Mar. (86)..	2 Mon...	200	.600	26	462	279 4521
26 Mar. (86)..	3 Tues...	20	50	8	20	25	2	10	1	15 Mar. (75)..	6 Fri....	172	.516	9902	309	248 4522
26 Mar. (85)..	4 Wed...	36	21	14	32	40	34	16	14	4 Mar. (63)..	3 Tues...	35	.105	9778	156	217 4523
26 Mar. (85)..	5 Thur...	51	52	20	45	56	6	22	26	23 Mar. (82)..	2 Mon...	29	.087	9812	92	269 4524
27 Mar. (86)..	0 Sat....	7	24	2	57	11	37	4	39	13 Mar. (72)..	0 Sat....	146	.438	27	976	241 4525
26 Mar. (86)..	1 Sun....	22	55	9	10	27	9	10	51	2 Mar. (62)..	5 Thur...	275	.825	241	860	213 4526
26 Mar. (85)..	2 Mon....	38	26	15	22	42	40	17	4	21 Mar. (80)..	4 Wed...	282	.846	276	795	264 4527
26 Mar. (85)..	3 Tues...	53	57	21	35	58	12	23	17	10 Mar. (69)..	1 Sun....	182	.546	151	643	238 4528
27 Mar. (86)..	5 Thur...	9	29	3	47	13	43	5	29	27 Feb. (58)..	5 Thur...	179	.537	27	490	202 4529
26 Mar. (86)..	6 Fri....	25	0	10	0	29	15	11	42	17 Mar. (77)..	4 Wed...	265	.795	62	426	253 4530
26 Mar. (85)..	0 Sat....	40	31	16	12	44	46	17	54	6 Mar. (65)..	1 Sun....	216	.648	9937	273	223 4531
26 Mar. (85)..	1 Sun....	56	2	22	25	+0	18	+0	7	25 Mar. (84)..	0 Sat....	248	.744	9972	209	274 4532
27 Mar. (86)..	3 Tues...	11	34	4	37	15	49	6	20	14 Mar. (73)..	4 Wed...	37	.111	9848	56	243 4533
26 Mar. (86)..	4 Wed...	27	5	10	50	31	21	12	32	3 Mar. (63)..	2 Mon...	151	.453	62	940	215 4534
26 Mar. (85)..	5 Thur...	42	36	17	2	46	52	18	45	22 Mar. (81)..	1 Sun....	139	.417	97	876	266 4535
26 Mar. (85)..	6 Fri....	58	7	23	15	+2	24	+0	57	12 Mar. (71)..	6 Fri....	311	.933	311	759	238 4536
27 Mar. (86)..	1 Sun....	13	39	5	27	17	55	7	10	1 Mar. (60)..	3 Tues...	242	.726	187	606	207 4537
26 Mar. (86)..	2 Mon....	29	10	11	40	33	27	13	23	19 Mar. (79)..	2 Mon...	324	.972	221	542	259 4538
26 Mar. (85)..	3 Tues...	44	41	17	52	48	58	19	35	8 Mar. (67)..	6 Fri....	327	.981	97	390	228 4539
27 Mar. (86)..	5 Thur...	0	12	0	5	4	30	1	48	26 Mar. (85)..	4 Wed...	70	.210	9793	289	276 4540
27 Mar. (86)..	6 Fri....	15	44	6	17	20	1	8	1	16 Mar. (75)..	2 Mon...	272	.816	8	173	248 4541
26 Mar. (86)..	0 Sat....	31	15	12	30	35	33	14	13	4 Mar. (64)..	6 Fri....	42	.126	9883	20	218 4542
26 Mar. (85)..	1 Sun....	46	46	18	42	51	4	20	26	23 Mar. (82)..	5 Thur...	19	.057	9918	956	269 4543
27 Mar. (86)..	3 Tues...	2	17	0	55	6	36	2	58	13 Mar. (72)..	3 Tues...	154	.462	132	840	241 4544
27 Mar. (86)..	4 Wed...	17	49	7	7	22	8	8	51	2 Mar. (61)..	0 Sat....	21	.063	8	687	210 4545
26 Mar. (86)..	5 Thur...	33	20	13	20	37	39	15	4	20 Mar. (80)..	6 Fri....	85	.255	43	623	261 4546
26 Mar. (85)..	6 Fri....	48	51	19	32	53	11	21	16	9 Mar. (68)..	3 Tues...	84	.252	9918	470	230 4547
27 Mar. (86)..	1 Sun....	4	23	1	45	8	42	3	29	26 Feb. (57)..	0 Sat....	65	.195	9794	317	200 4548
27 Mar. (86)..	2 Mon....	19	54	7	57	24	14	9	41	17 Mar. (76)..	6 Fri....	109	.327	9829	253	251 4549
26 Mar. (86)..	3 Tues...	35	25	14	10	39	45	15	54	6 Mar. (66)..	4 Wed...	290	.870	43	187	223 4550
26 Mar. (85)..	4 Wed...	50	56	20	22	55	17	22	7	25 Mar. (84)..	3 Tues...	280	.840	78	73	274 4551
27 Mar. (86)..	6 Fri....	6	27	2	35	10	48	4	19	14 Mar. (73)..	0 Sat....	25	.075	9953	920	243 4552
27 Mar. (86)..	0 Sat....	21	59	8	47	26	20	10	32	4 Mar. (63)..	5 Thur...	177	.531	168	803	215 4553

† See footnote p. lxxii above.

TABLE I.

Lunar parts = 10,000ths of a circle. A tithi = 1/10th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitrīdi- Vikrama.	Meħħidi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Time of the preceding saṅkrānti expressed in Lunation parts. (l.)	Time of the succeeding saṅkrānti expressed in Lunation parts. (l.)	Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
4554	1375	1510	859	627-28	*1452-53	6 Āugirśa.....	13 Pramāthin.....					
4555	1376	1511	860	628-29	1453-54	7 Śrimukha.....	14 Vikrama.....					
4556	1377	1512	861	629-30	1454-55	8 Bhāva.....	15 Vṛisha.....	3 Jyeshtha.....	9764	29.293	338	1.014
4557	1378	1513	862	630-31	1455-56	9 Yuvan.....	16 Chitrabhānu.....					
4558	1379	1514	863	631-32	*1456-57	10 Dhātṛi.....	17 Subhānu.....	8 Kārttika.....	9971	29.913	84	0.252
4559	1380	1515	864	632-33	1457-58	11 Īśvara.....	18 Tārpa.....					
4560	1381	1516	865	633-34	1458-59	12 Bahudhānyā.....	19 Pārthiva.....					
4561	1382	1517	866	634-35	1459-60	13 Pramāthin.....	20 Vyaya.....	5 Śrāvaga.....	9750	29.250	485	1.455
4562	1383	1518	867	635-36	*1460-61	14 Vikrama.....	21 Sarvajit.....					
4563	1384	1519	868	636-37	1461-62	15 Vṛisha.....	22 Sarvadhbāru.....					
4564	1385	1520	869	637-38	1462-63	16 Chitrabhānu.....	23 Virodhīn.....	4 Āshādha.....	9836	29.508	626	1.878
4565	1386	1521	870	638-39	1463-64	17 Subhānu.....	24 Vikṛita.....					
4566	1387	1522	871	639-40	*1464-65	18 Tārpa.....	25 Khara.....					
4567	1388	1523	872	640-41	1465-66	19 Pārthiva.....	26 Nandana.....	1 Chaitra.....	9712	29.136	21	0.063
4568	1389	1524	873	641-42	1466-67	20 Vyaya.....	27 Vijaya.....					
4569	1390	1525	874	642-43	1467-68	21 Sarvajit.....	28 Jaya.....	6 Bhādrapada.....	9983	29.949	433	1.299
4570	1391	1526	875	643-44	*1468-69	22 Sarvadhbāru.....	29 Maṇmatha.....					
4571	1392	1527	876	644-45	1469-70	23 Virodhīn.....	30 Durmukha.....					
4572	1393	1528	877	645-46	1470-71	24 Vikṛita.....	31 Hemalamba.....	4 Āshādha.....	9342	28.026	164	0.492
4573	1394	1529	878	646-47	1471-72	25 Khara.....	32 Vilambā.....					
4574	1395	1530	879	647-48	*1472-73	26 Nandana.....	33 Vikṛīn.....					
4575	1396	1531	880	648-49	1473-74	27 Vijaya.....	34 Sārvāri.....	3 Jyeshtha.....	9959	29.877	507	1.521
4576	1397	1532	881	649-50	1474-75	28 Jaya.....	35 Plava.....					
4577	1398	1533	882	650-51	1475-76	29 Maṇmatha.....	36 Subhakṛit.....	7 Āśvina.....	9902	29.706	121	0.363
								11 Māgħa (Kāk)	16	0.048	9990	29.970
								12 Phālguna.....	9990	29.970	131	0.393
4578	1399	1534	883	651-52	*1476-77	30 Durmukha.....	37 Śobhana.....					
4579	1400	1535	884	652-53	1477-78	31 Hemalamba.....	38 Kroḍhin.....					
4580	1401	1536	885	653-54	1478-79	32 Vilambā.....	39 Viśvāṣu.....	5 Śrāvaga.....	9712	29.136	516	1.548
4581	1402	1537	886	654-55	1479-80	33 Vikṛīn.....	40 Paribhava.....					
4582	1403	1538	887	655-56	*1480-81	34 Sārvāri.....	41 Plavaṅga.....					
4583	1404	1539	888	656-57	1481-82	35 Plava.....	42 Kīlaka.....	4 Āshādha.....	9974	29.922	661	1.983
4584	1405	1540	889	657-58	1482-83	36 Subhakṛit.....	43 Samanya.....					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Śukla 1st.)							Kali.
Day and Month A. D.	(Time of the Mesha saṅkrānti.)									Day and Month A. D.	Week day. A. D.	Moon's Age.	At Sunrise on meridian of Ujjain.				Kali.
	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Week day.		a.		b.		c.		Lunar parts elapsed. (4)	Tithis elapsed.			
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1				
26 Mar. (86)..	1 Sun....	37	30	15	0	41	51	16	44	22 Mar. (82)..	4 Wed....	202	.606	202	739	267	4554
26 Mar. (86)..	2 Mon....	53	1	21	12	57	23	22	57	11 Mar. (70)..	1 Sun....	146	.488	78	586	236	4555
27 Mar. (86)..	4 Wed....	8	32	3	25	12	54	5	10	28 Feb. (59)..	5 Thur....	154	.462	9954	434	205	4556
27 Mar. (86)..	5 Thur....	24	4	9	37	28	26	11	22	19 Mar. (78)..	4 Wed....	230	.690	9988	370	256	4557
26 Mar. (86)..	6 Fri....	39	35	15	50	43	57	17	35	7 Mar. (67)..	1 Sun....	142	.426	9864	217	225	4558
26 Mar. (85)..	0 Sat....	55	6	22	2	59	29	23	48	26 Mar. (85)..	0 Sat....	155	.465	9899	153	277	4559
27 Mar. (86)..	2 Mon....	10	37	4	15	15	0	6	0	16 Mar. (75)..	5 Thur....	284	.852	113	36	249	4560
27 Mar. (86)..	3 Tues....	26	9	10	27	30	32	12	13	5 Mar. (64)..	2 Mon....	36	.108	9989	884	218	4561
26 Mar. (86)..	4 Wed....	41	40	16	40	46	3	18	25	23 Mar. (83)..	1 Sun....	36	.108	23	820	269	4562
26 Mar. (85)..	5 Thur....	57	11	22	52	+1	35	+0	38	13 Mar. (72)..	6 Fri....	244	.782	238	703	241	4563
27 Mar. (86)..	0 Sat....	12	42	5	5	17	6	6	51	2 Mar. (61)..	3 Tues....	212	.636	114	550	210	4564
27 Mar. (86)..	1 Sun....	28	14	11	17	32	38	13	3	21 Mar. (80)..	2 Mon....	301	.903	148	486	262	4565
26 Mar. (86)..	2 Mon....	43	45	17	30	48	10	19	16	9 Mar. (69)..	6 Fri....	285	.855	24	334	231	4566
26 Mar. (85)..	3 Tues....	59	16	23	42	+3	41	+1	28	26 Feb. (57)..	3 Tues....	170	.510	9900	181	200	4567
27 Mar. (86)..	5 Thur....	14	47	5	55	19	13	7	41	17 Mar. (76)..	2 Mon....	168	.504	9934	117	251	4568
27 Mar. (86)..	6 Fri....	30	19	12	7	34	44	13	54	7 Mar. (66)..	0 Sat....	290	.870	149	0	223	4569
26 Mar. (86)..	0 Sat....	45	50	18	20	50	16	20	6	25 Mar. (85)..	6 Fri....	268	.804	183	936	274	4570
27 Mar. (86)..	2 Mon....	1	21	0	32	5	47	2	19	14 Mar. (73)..	3 Tues....	62	.186	59	783	244	4571
27 Mar. (86)..	3 Tues....	16	52	6	45	21	19	8	31	4 Mar. (63)..	1 Sun....	293	.879	273	667	216	4572
27 Mar. (86)..	4 Wed....	32	24	12	57	36	50	14	44	22 Mar. (81)..	6 Fri....	51	.153	9969	567	264	4573
26 Mar. (86)..	5 Thur....	47	55	19	10	52	22	20	57	10 Mar. (70)..	3 Tues....	57	.171	9845	414	233	4574
27 Mar. (86)..	0 Sat....	3	26	1	22	7	53	3	9	27 Feb. (58)..	0 Sat....	4	.012	9731	261	203	4575
27 Mar. (86)..	1 Sun....	18	57	7	35	23	25	9	22	18 Mar. (77)..	6 Fri....	27	.081	9755	197	254	4576
27 Mar. (86)..	2 Mon....	34	29	13	47	38	56	15	35	8 Mar. (67)..	4 Wed....	178	.534	9970	80	226	4577
26 Mar. (86)..	3 Tues....	50	0	20	0	54	28	21	47	26 Mar. (86)..	3 Tues....	160	.480	4	17	277	4578
27 Mar. (86)..	5 Thur....	5	31	2	12	9	59	4	0	16 Mar. (75)..	1 Sun....	276	.828	219	900	249	4579
27 Mar. (86)..	6 Fri....	21	2	8	25	25	31	10	12	5 Mar. (64)..	5 Thur....	95	.285	94	747	218	4580
27 Mar. (86)..	0 Sat....	36	34	14	37	41	2	16	25	24 Mar. (83)..	4 Wed....	141	.423	129	683	269	4581
26 Mar. (86)..	1 Sun....	52	5	20	50	56	34	22	38	12 Mar. (72)..	1 Sun....	118	.354	5	531	239	4582
27 Mar. (86)..	3 Tues....	7	36	3	2	12	5	4	50	1 Mar. (60)..	5 Thur....	119	.357	9880	378	208	4583
27 Mar. (86)..	4 Wed....	23	7	9	15	27	37	11	3	20 Mar. (79)..	4 Wed....	184	.552	9915	314	259	4584

† See footnote p. liii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.							
Kali.	Śaka.	Chaitrādi. Vikrama.	Medhudi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.						
						Luni-Solar cycle. (Southern.)	Bṛihaspatti cycle (Northern) current at Meṣha saṅkrānti.		Lunation parts. (U.)	Tithi.	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in			
1	2	3	3a	4	5	6	7	8	9	10	11	12			
4585	1406	1541	890	658-59	1483- 84	37 Śobhana.....	44 Sādharma.....								
4586	1407	1542	891	659-60	*1484- 85	38 Krodhin.....	45 Virodhakṛit.....	1 Chaitra.....	9679	29.037	41	0.123			
4587	1408	1543	892	660-61	1485- 86	39 Viśvāsa.....	46 Paridhāvin.....								
4588	1409	1544	893	661-62	1486- 87	40 Parībhava.....	47 Pramādin.....	5 Śrāvana.....	9259	27.777	48	0.144			
4589	1410	1545	894	662-63	1487- 88	41 Piṇḍaga.....	48 Ānanda.....								
4590	1411	1546	895	663-64	*1488- 89	42 Klaka.....	49 Rākshasa.....								
4591	1412	1547	896	664-65	1489- 90	43 Saumya.....	50 Anala.....	4 Åśādha.....	9451	28.353	170	0.310			
4592	1413	1548	897	665-66	1490- 91	44 Sādharma.....	51 Piṅgala.....								
4593	1414	1549	898	666-67	1491- 92	45 Virodhakṛit.....	52 Kālayukta.....								
4594	1415	1550	899	667-68	*1492- 93	46 Paridhāvin.....	53 Siddhārthī.....	2 Vaiśākha.....	9575	28.725	94	0.282			
4595	1416	1551	900	668-69	1493- 94	47 Pramādin.....	54 Raudra.....								
4596	1417	1552	901	669-70	1494- 95	48 Ānanda.....	55 Durmati.....	6 Bhādrapada.....	9569	28.707	75	0.225			
4597	1418	1553	902	670-71	1495- 96	49 Rākshasa.....	56 Dundubhi.....								
4598	1419	1554	903	671-72	*1496- 97	50 Anala.....	57 Rudhirodgṛīn.....								
4599	1420	1555	904	672-73	1497- 98	51 Piṅgala.....	58 Raktākṣa.....	5 Śrāvana.....	9689	29.067	478	1.434			
4600	1421	1556	905	673-74	1498- 99	52 Kālayukta.....	59 Krodhāna.....								
4601	1422	1557	906	674-75	1499-500	53 Siddhārthī.....	60 Kahaya.....								
4602	1423	1558	907	675-76	*1500- 1	54 Randra.....	1 Prabhava.....	3 Jyeṣṭha.....	9590	28.770	167	0.501			
4603	1424	1559	908	676-77	1501- 2	55 Durmati.....	2 Viṣkava.....								
4604	1425	1560	909	677-78	1502- 3	56 Dundubhi.....	3 Śukla.....								
4605	1426	1561	910	678-79	1503- 4	57 Rudhirodgṛīn.....	4 Pramoda.....	1 Chaitra.....	9653	28.959	4	0.012			
4606	1427	1562	911	679-80	*1504- 5	58 Raktākṣa.....	5 Prajāpati.....								
4607	1428	1563	912	680-81	1505- 6	59 Krodhāna.....	6 Āṅgira.....	5 Śrāvana.....	9225	27.675	28	0.084			
4608	1429	1564	913	681-82	1506- 7	60 Kshaya.....	7 Śrīmukha.....								
4609	1430	1565	914	682-83	1507- 8	1 Prabhava.....	8 Bhāva.....								
4610	1431	1566	915	683-84	*1508- 9	2 Vibhava.....	9 Yuvan.....	4 Åśādha.....	9630	28.890	269	0.807			
4611	1432	1567	916	684-85	1509- 10	3 Śukla.....	10 Dhātṛi.....								
4612	1433	1568	917	685-86	1510- 11	4 Pramoda.....	11 Īśvara.....								
4613	1434	1569	918	686-87	1511- 12	5 Prajāpati.....	12 Bahudhānya.....	2 Vaiśākha.....	9551	28.653	137	0.411			
4614	1435	1570	919	687-88	*1512- 13	6 Āṅgira.....	13 Pramāthin.....								
4615	1436	1571	920	688-89	1513- 14	7 Śrīmukha.....	14 Viṣkava.....	6 Bhādrapada.....	9574	28.722	145	0.435			
4616	1437	1572	921	689-90	1514- 15	8 Bhāva.....	15 Vṛiṣha ¹⁾								
4617	1438	1573	922	690-91	1515- 16	9 Yuvan.....	17 Subhāna.....								

¹⁾ Chitrābhāna, No. 16, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year. (Time of the Mesha sankranti.)										Luni-Solar year. (Civil day of Chaitra Śukla 1st.)										Kali.
Day and Month A. D.	Week day,	By the Ārya Siddhānta,					By the Sūrya Siddhānta,					Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.						
		Gh.	Pa.	H.	M.		Gh.	Pa.	H.	M.				Moon's Age.	Lunar parts elapsed (t)	Tithis elapsed.	a.	b.	c.	
13	14	15	16	17		15a	16	17	18	19	20	19	20	21	22	23	24	25	1	
27 Mar. (86)..	5 Thur...	38	39	15	27	43	8	17	15	9 Mar. (68)..	1 Sun....	49	147	9791	161	228	4585			
26 Mar. (86)..	6 Fri....	54	10	21	40	58	40	23	28	27 Feb. (58)..	6 Fri....	187	.561	5	44	200	4586			
27 Mar. (86)..	1 Sun....	9	41	3	52	14	12	5	41	17 Mar. (76)..	5 Thur...	162	.486	40	980	251	4587			
27 Mar. (86)..	2 Mon...	25	12	10	5	29	43	11	53	7 Mar. (66)..	3 Tues...	289	.867	254	864	223	4588			
27 Mar. (86)..	3 Tues...	40	44	16	17	45	15	18	6	26 Mar. (85)..	2 Mon...	296	.888	289	800	275	4589			
26 Mar. (86)..	4 Wed...	56	15	22	30	+0	46	+0	18	14 Mar. (74)..	6 Fri....	194	.582	165	647	244	4590			
27 Mar. (86)..	5 Fri....	11	46	4	42	16	18	6	31	3 Mar. (62)..	3 Tues...	187	.561	40	494	213	4591			
27 Mar. (86)..	0 Sat....	27	17	10	55	31	49	12	44	22 Mar. (81)..	2 Mon...	275	.825	75	430	264	4592			
27 Mar. (86)..	1 Sun....	42	49	17	7	47	21	18	56	11 Mar. (70)..	6 Fri....	229	.687	9951	277	234	4593			
26 Mar. (86)..	2 Mon...	58	20	23	20	+2	52	+1	9	28 Feb. (59)..	3 Tues...	68	.204	9826	125	203	4594			
27 Mar. (86)..	4 Wed...	13	51	5	32	18	24	7	21	18 Mar. (77)..	2 Mon...	54	.162	9861	61	254	4595			
27 Mar. (86)..	5 Thur...	29	22	11	45	33	55	13	34	8 Mar. (67)..	0 Sat....	166	.498	75	944	226	4596			
27 Mar. (86)..	6 Fri....	44	54	17	57	49	27	19	47	27 Mar. (86)..	6 Fri....	155	.465	110	880	277	4597			
27 Mar. (86)..	1 Sun....	0	25	0	10	4	58	1	59	16 Mar. (76)..	4 Wed...	324	.972	324	764	249	4598			
27 Mar. (86)..	2 Mon...	15	56	6	22	20	30	8	12	5 Mar. (64)..	1 Sun....	250	.730	200	611	218	4599			
27 Mar. (86)..	3 Tues...	31	27	12	35	36	1	14	25	23 Mar. (82)..	6 Fri....	26	.078	9896	511	267	4600			
27 Mar. (86)..	4 Wed...	46	59	18	47	51	33	20	37	12 Mar. (71)..	3 Tues...	21	.063	9772	358	236	4601			
27 Mar. (87)..	6 Fri....	2	30	1	0	7	4	2	50	1 Mar. (61)..	1 Sun....	268	.804	9986	241	208	4602			
27 Mar. (86)..	0 Sat....	18	1	7	12	22	36	9	2	20 Mar. (79)..	0 Sat....	288	.864	21	181	259	4603			
27 Mar. (86)..	1 Sun....	33	32	13	25	38	7	15	15	9 Mar. (68)..	4 Wed....	61	.183	9896	29	228	4604			
27 Mar. (86)..	2 Mon...	49	4	19	37	53	39	21	28	27 Feb. (58)..	2 Mon...	180	.540	111	912	200	4605			
27 Mar. (87)..	4 Wed...	4	35	1	50	9	10	3	40	17 Mar. (77)..	1 Sun....	171	.513	145	848	252	4606			
27 Mar. (86)..	5 Thur...	20	6	8	2	24	42	9	53	6 Mar. (65)..	5 Thur...	31	.093	21	695	221	4607			
27 Mar. (86)..	6 Fri....	35	37	14	15	40	18	16	5	25 Mar. (84)..	4 Wed....	93	.279	56	631	272	4608			
27 Mar. (86)..	0 Sat....	51	9	20	27	55	45	22	18	14 Mar. (73)..	1 Sun....	90	.270	9931	479	241	4609			
27 Mar. (87)..	2 Mon...	6	40	2	40	11	17	4	31	2 Mar. (62)..	5 Thur...	74	.222	9807	326	210	4610			
27 Mar. (86)..	3 Tues...	22	11	8	52	26	48	10	43	21 Mar. (80)..	4 Wed....	122	.360	9842	262	262	4611			
27 Mar. (86)..	4 Wed...	37	42	15	5	42	20	16	56	11 Mar. (70)..	2 Mon...	307	.921	56	145	234	4612			
27 Mar. (86)..	5 Thur...	53	14	21	17	57	51	23	8	28 Feb. (59)..	6 Fri....	68	.204	9932	992	203	4613			
27 Mar. (87)..	0 Sat....	8	45	3	30	13	23	5	21	18 Mar. (78)..	5 Thur...	45	.135	9967	928	254	4614			
27 Mar. (86)..	1 Sun....	24	16	9	42	28	54	11	34	8 Mar. (67)..	3 Tues...	192	.576	181	812	226	4615			
27 Mar. (86)..	2 Mon...	39	47	15	55	44	26	17	46	27 Mar. (86)..	2 Mon...	217	.651	216	748	277	4616			
27 Mar. (86)..	3 Tues...	55	19	22	7	59	57	23	59	16 Mar. (75)..	6 Fri....	152	.456	91	595	247	4617			

† See footnote p. liii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{120}$ th of the moon's synodic revolution.

Kali.	Saka.	Chaitrakali. Vikramia Mashali (Solar) year in Bengal.	I. CONCURRENT YEAR.					II. ADDED LUNAR MONTHS.						
			Kollam.	A. D.	Samvatasa.		Name of month.	True.			Time of the preceding sunkranti expressed in Lunation parts (L.)	Tithi.	Time of the succeeding sunkranti expressed in Lunation parts (L.)	Tithi.
					Luni-Solar cycle. (Northern)	Brihaspati cycle (Southern) current at Meha sunkranti.		Lunation parts (L.)	Tithi.					
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4618	1439	1574	923	691- 92	*1516-17	10 Dhātri.....	18 Tāraṇa.....	5 Śrīvatsa.....	9756	29.268	458	1.374		
4619	1440	1575	924	692- 93	1517-18	11 Āśvina.....	19 Pārthiva.....							
4620	1441	1576	925	693- 94	1518-19	12 Bahūdhānya.....	20 Vyāya.....							
4621	1442	1577	926	694- 95	1519-20	13 Pramāthīn.....	21 Sarvajit.....	3 Jyeṣṭha.....	9665	28.995	334	1.002		
4622	1443	1578	927	695- 96	*1520-21	14 Vikrama.....	22 Sarvadhārin.....							
4623	1444	1579	928	696- 97	1521-22	15 Vṛiṣaba.....	23 Virodhīn.....	8 Kārttika.....	9961	29.883	12	0.036		
4624	1445	1580	929	697- 98	1522-23	16 Chitrabhaṇu.....	24 Vīryita.....	9 Mārgaśī (Ksh.)	12	0.036	9911	29.733		
4625	1446	1581	930	698- 99	1523-24	17 Subhānu.....	25 Khara.....	2 Vaiśākha.....	9989	29.967	558	1.674		
4626	1447	1582	931	699-700	*1524-25	18 Tāraṇa.....	26 Nandana.....	6 Bhādrapada.....	9992	29.978	616	1.848		
4627	1448	1583	932	700- 1	1525-26	19 Pārthiva.....	27 Vijaya.....							
4628	1449	1584	933	701- 2	1526-27	20 Vyāya.....	28 Jaya.....							
4629	1450	1585	934	702- 3	1527-28	21 Sarvajit.....	29 Maṇmatha.....	4 Āśāḍja.....	9818	29.454	450	1.350		
4630	1451	1586	935	703- 4	*1528-29	22 Sarvadhārin.....	30 Durmukha.....							
4631	1452	1587	936	704- 5	1529-30	23 Virodhīn.....	31 Hemalamba.....							
4632	1453	1588	937	705- 6	1530-31	24 Vīryita.....	32 Vilambī.....	2 Vaiśākha.....	9517	28.551	103	0.309		
4633	1454	1589	938	706- 7	1531-32	25 Khara.....	33 Vīkāriṇ.....							
4634	1455	1590	939	707- 8	*1532-33	26 Nandana.....	34 Sārvāri.....	6 Bhādrapada.....	9532	28.596	249	0.747		
4635	1456	1591	940	708- 9	1533-34	27 Vijaya.....	35 Plava.....							
4636	1457	1592	941	709- 10	1534-35	28 Jaya.....	36 Śubhakṛit.....							
4637	1458	1593	942	710- 11	1535-36	29 Maṇmatha.....	37 Sobhana.....	5 Śrīvatsa.....	9916	29.748	519	1.557		
4638	1459	1594	943	711- 12	*1536-37	30 Durmukha.....	38 Kroḍhīn.....							
4639	1460	1595	944	712- 13	1537-38	31 Hemalamba.....	39 Viśvāvaṇi.....							
4640	1461	1596	945	713- 14	1538-39	32 Vilambī.....	40 Parībhava.....	3 Jyeṣṭha.....	9649	28.947	408	1.224		
4641	1462	1597	946	714- 15	1539-40	33 Vīkāriṇ.....	41 Plavaṅga.....							
4642	1463	1598	947	715- 16	*1540-41	34 Sārvāri.....	42 Kliaka.....	7 Āśvina.....	9704	29.112	60	0.180		
4643	1464	1599	948	716- 17	1541-42	35 Plava.....	43 Saunya.....	10 Pauṣa (Ksh.)	96	0.288	9948	29.844		
4644	1465	1600	949	717- 18	1542-43	36 Śubhakṛit.....	44 Sādhaṛayā.....	1 Chaitra.....	9847	29.541	65	0.195		
4645	1466	1601	950	718- 19	1543-44	37 Sobhana.....	45 Virodhakṛit.....	5 Śrīvatsa.....	9348	28.044	18	0.054		
4646	1467	1602	951	719- 20	*1544-45	38 Kroḍhīn.....	46 Parīdhāvin.....							
4647	1468	1603	952	720- 21	1545-46	39 Viśvāvaṇi.....	47 Pramādin.....							
4648	1469	1604	953	721- 22	1546-47	40 Parībhava.....	48 Ānanda.....	4 Āśāḍja.....	9927	29.781	637	1.911		

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year. (Time of the Mesha sākṛti.)							Luni-Solar year. (Civil day of Chaitra Śukla 1st.)							Kali.		
Day and Month A. D.	Week day.	By the Ārya Siddhānta.			By the Surya Siddhānta.			Day and Month A. D.	Week day.	Moon's Age.	At Sunrise on meridian of Ujjain.			Kali.		
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.	Lunar parts elapsed. ($\frac{1}{4}$)	Tithi elapsed.	a .	b .	c .		
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1			
27 Mar. (87)..	5 Thur...	10	50	4	20	15	29	6	11	4 Mar. (64)..	3 Tues...	158	474	9967	442	216 4618
27 Mar. (86)..	6 Fri....	26	21	10	32	31	0	12	24	23 Mar. (82)..	2 Mon...	239	717	2	378	267 4619
27 Mar. (86)..	0 Sat....	41	52	16	45	46	32	18	37	12 Mar. (71)..	6 Fri....	155	465	9877	226	236 4620
27 Mar. (86)..	1 Sun...	57	24	22	57	+2	3	+0	49	2 Mar. (61)..	4 Wed....	323	969	92	109	208 4621
27 Mar. (87)..	3 Tues...	12	55	5	10	17	35	7	2	20 Mar. (80)..	3 Tues...	306	918	126	45	259 4622
27 Mar. (86)..	4 Wed....	28	26	11	22	33	6	13	15	9 Mar. (68)..	0 Sat....	53	159	2	802	229 4623
27 Mar. (86)..	5 Thur...	43	57	17	35	48	38	19	27	27 Feb. (58)..	5 Thur...	221	663	216	776	201 4624
27 Mar. (86)..	6 Fri....	59	29	23	47	+4	9	+1	40	18 Mar. (77)..	4 Wed....	255	765	251	712	252 4625
27 Mar. (87)..	1 Sun....	15	0	6	0	19	41	7	52	6 Mar. (66)..	1 Sun....	217	651	127	559	221 4626
27 Mar. (86)..	2 Mon....	30	31	12	12	35	12	14	5	25 Mar. (84)..	0 Sat....	306	918	161	495	272 4627
27 Mar. (86)..	3 Tues...	46	2	18	25	50	44	20	18	14 Mar. (73)..	4 Wed....	294	882	37	342	241 4628
28 Mar. (87)..	5 Thur...	1	34	0	37	*6	15	2	30	3 Mar. (62)..	1 Sun....	185	555	9913	189	211 4629
27 Mar. (87)..	6 Fri....	17	5	6	50	21	47	8	43	21 Mar. (81)..	0 Sat....	187	561	9947	125	262 4630
27 Mar. (86)..	0 Sat....	32	36	13	2	37	19	14	55	11 Mar. (70)..	5 Thur...	310	930	162	9	234 4631
27 Mar. (86)..	1 Sun....	48	7	19	15	52	50	21	8	28 Feb. (59)..	2 Mon....	70	210	37	856	203 4632
28 Mar. (87)..	3 Tues...	3	39	1	27	8	22	3	21	19 Mar. (78)..	1 Sun....	77	231	72	792	254 4633
27 Mar. (87)..	4 Wed....	19	10	7	40	23	53	9	33	8 Mar. (68)..	6 Fri....	301	903	286	675	226 4634
27 Mar. (86)..	5 Thur...	34	41	13	52	39	25	15	46	26 Mar. (85)..	4 Wed....	58	174	9982	575	275 4635
27 Mar. (86)..	6 Fri....	50	12	20	5	54	56	21	58	15 Mar. (74)..	1 Sun....	64	192	9858	422	244 4636
28 Mar. (87)..	1 Sun....	5	44	2	17	10	28	4	11	4 Mar. (63)..	5 Thur...	15	045	9734	270	213 4637
27 Mar. (87)..	2 Mon....	21	15	8	30	25	59	10	24	22 Mar. (82)..	4 Wed....	44	132	9769	206	265 4638
27 Mar. (86)..	3 Tues...	36	46	14	42	41	31	16	36	12 Mar. (71)..	2 Mon....	197	591	9983	89	236 4639
27 Mar. (86)..	4 Wed....	52	17	20	55	57	2	22	49	2 Mar. (61)..	0 Sat....	315	945	197	973	208 4640
28 Mar. (87)..	6 Fri....	7	49	3	7	12	34	5	2	21 Mar. (80)..	6 Fri....	296	888	232	909	260 4641
27 Mar. (87)..	0 Sat....	23	20	9	20	28	5	11	14	9 Mar. (69)..	3 Tues...	108	324	108	756	220 4642
27 Mar. (86)..	1 Sun....	38	51	15	32	43	37	17	27	26 Feb. (57)..	0 Sat....	41	123	9983	603	198 4643
27 Mar. (86)..	2 Mon....	54	22	21	45	59	8	23	39	17 Mar. (76)..	6 Fri....	124	372	18	539	249 4644
28 Mar. (87)..	4 Wed....	9	54	3	57	14	40	5	52	6 Mar. (65)..	3 Tues...	127	381	9894	386	218 4645
27 Mar. (87)..	5 Thur...	25	25	10	10	30	11	12	5	24 Mar. (84)..	2 Mon....	194	582	9928	322	270 4646
27 Mar. (86)..	6 Fri....	40	56	16	22	45	43	18	17	13 Mar. (72)..	6 Fri....	67	201	9804	169	239 4647
27 Mar. (86)..	0 Sat....	56	27	22	35	+1	14	0	30	3 Mar. (62)..	4 Wed....	206	618	18	53	211 4648

† See footnote p. liii above.

TABLE I.

Lunar-parts = 10,000ths of a circle. A tilki = $\frac{1}{100}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chitriddi, Vikrama. Mehiddi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.			True.				
					Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.	Name of month.	Time of the preceding sankranti expressed in Lunation parts. (L)	Time of the succeeding sankranti expressed in Lunation parts. (L)			
1	2	3	3a	4	5	6	7	8	9	10	11	12
4649	1470	1605	954	722-23	1547-48	41 Plavasga.....	49 Rākshasa.....					
4650	1471	1606	955	723-24	*1548-49	42 Klinka.....	50 Anala.....					
4651	1472	1607	956	724-25	1549-50	43 Saumya.....	51 Piṅgala.....	2 Vaiśākha.....	9559	28.677	75	0.225
4652	1473	1608	957	725-26	1550-51	44 Śālīhāraṇa.....	52 Kālayukta.....					
4653	1474	1609	958	726-27	1551-52	45 Virodhakṛit.....	53 Śiddhārthī.....	6 Bhādrapada.....	9558	28.599	121	0.363
4654	1475	1610	959	727-28	*1552-53	46 Paridhāvin.....	54 Raudra.....					
4655	1476	1611	960	728-29	1553-54	47 Pramodīn.....	55 Durmatī.....					
4656	1477	1612	961	729-30	1554-55	48 Ānanda.....	56 Dundubhi.....	4 Āśādžha.....	9485	28.805	115	0.345
4657	1478	1613	962	730-31	1555-56	49 Rākshasa.....	57 Rudhirodgarīn.....					
4658	1479	1614	963	731-32	*1556-57	50 Anala.....	58 Raktākha.....					
4659	1480	1615	964	732-33	1557-58	51 Piṅgala.....	59 Kroḍhāna.....	3 Jyeṣṭha.....	9611	28.833	394	1.182
4660	1481	1616	965	733-34	1558-59	52 Kālayukta.....	60 Kshaya.....					
4661	1482	1617	966	734-35	1559-60	53 Śiddhārthī.....	1 Prabhava.....	7 Āśvina.....	9864	29.592	63	0.189
4662	1483	1618	967	735-36	*1560-61	54 Raudra.....	2 Viśhava.....					
4663	1484	1619	968	736-37	1561-62	55 Durmatī.....	3 Śukla.....					
4664	1485	1620	969	737-38	1562-63	56 Dundubhi.....	4 Pramoda.....	5 Śrāvana.....	9580	28.740	147	0.441
4665	1486	1621	970	738-39	1563-64	57 Rudhirodgarīn.....	5 Prajāpati.....					
4666	1487	1622	971	739-40	*1564-65	58 Raktākha.....	6 Āngira.....					
4667	1488	1623	972	740-41	1565-66	59 Kroḍhāna.....	7 Śrīmukha.....	4 Āśādžha.....	9938	29.814	753	2.239
4668	1489	1624	973	741-42	1566-67	60 Kshaya.....	8 Bhāva.....					
4669	1490	1625	974	742-43	1567-68	1 Prabhava.....	9 Yuvān.....					
4670	1491	1626	975	743-44	*1568-69	2 Viśhava.....	10 Dhātri.....	2 Vaiśākha.....	9671	29.013	129	0.387
4671	1492	1627	976	744-45	1569-70	3 Śukla.....	11 Āśvara.....					
4672	1493	1628	977	745-46	1570-71	4 Pramoda.....	12 Bahudhānya.....	6 Bhādrapada.....	9628	28.884	126	0.378
4673	1494	1629	978	746-47	1571-72	5 Prajāpati.....	13 Pramūthīn.....					
4674	1495	1630	979	747-48	*1572-73	6 Āngira.....	14 Vikrama.....					
4675	1496	1631	980	748-49	1573-74	7 Śeṣmukha.....	15 Viśha.....	4 Āśādžha.....	9477	28.431	258	0.773
4676	1497	1632	981	749-50	1574-75	8 Bhāva.....	16 Chitrābhāṇī.....					
4677	1498	1633	982	750-51	1575-76	9 Yuvān.....	17 Subhāṇī.....					
4678	1499	1634	983	751-52	*1576-77	10 Dhātri.....	18 Tārnā.....	3 Jyeṣṭha.....	9631	28.893	352	1.056
4679	1500	1635	984	752-53	1577-78	11 Iṣvara.....	19 Pārthīva.....					
4680	1501	1636	985	753-54	1578-79	12 Bahudhānya.....	20 Vyāya.....	7 Āśvina.....	9643	28.935	19	0.057
4681	1502	1637	986	754-55	1579-80	13 Pramūthīn.....	21 Sarvajit.....					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.								Luni-Solar year. (Civil day of Chaitra Śukla 1st.)								Kali.
Day and Month A. D.	(Time of the Mēsha snākr̄nti.)								Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.				Kali.	
	Week day.	By the Ārya Siddhānta.		By the Sūrya Siddhānta.		Moon's Age.	Lunar parts elapsed (c.)	Tithi elapsed								
13	14	15	17	15a	17a			19	20	21	22	23	24	25	1	
28 Mar. (87)..	2 Mon....	11	59	4	47	16	46	6	42	22 Mar. (81)..	8 Tues....	188	549	53	989	262 4649
27 Mar. (87)..	3 Tues....	27	30	11	0	32	17	12	55	11 Mar. (71)..	1 Sun....	306	918	267	872	234 4650
27 Mar. (86)..	4 Wed....	43	1	17	12	47	49	19	8	28 Feb. (59)..	5 Thur...,	149	447	143	720	203 4651
27 Mar. (86)..	5 Thur...	58	32	23	25	+3	21	+1	20	19 Mar. (78)..	4 Wed....	202	606	178	656	255 4652
28 Mar. (87)..	0 Sat....	14	4	5	37	18	52	7	33	8 Mar. (67)..	1 Sun....	191	573	53	503	224 4653
27 Mar. (87)..	1 Sun....	29	35	11	50	34	24	13	45	26 Mar. (86)..	0 Sat....	281	843	88	439	275 4654
27 Mar. (86)..	2 Mon....	45	6	18	2	49	55	19	58	15 Mar. (74)..	4 Wed....	240	720	9964	286	244 4655
28 Mar. (87)..	4 Wed....	0	37	0	15	5	27	2	11	4 Mar. (63)..	1 Sun....	86	258	9840	133	214 4656
28 Mar. (87)..	5 Thur...	16	9	6	27	20	58	8	23	23 Mar. (82)..	0 Sat....	73	219	9874	69	265 4657
27 Mar. (87)..	6 Fri....	31	40	12	40	36	30	14	36	12 Mar. (72)..	5 Thur...	188	564	89	953	237 4658
27 Mar. (86)..	0 Sat....	47	11	18	52	52	1	20	48	2 Mar. (61)..	3 Tues....	325	975	303	836	209 4659
28 Mar. (87)..	2 Mon....	2	42	1	5	7	33	3	1	20 Mar. (79)..	1 Sun....	○ -1 -	9999	9999	736	257 4660
28 Mar. (87)..	3 Tues....	18	14	7	17	23	4	9	14	10 Mar. (69)..	6 Fri....	258	774	213	619	229 4661
27 Mar. (87)..	4 Wed....	33	45	13	30	38	36	15	26	27 Mar. (87)..	4 Wed....	33	099	9909	519	278 4662
27 Mar. (86)..	5 Thur...	49	16	19	42	54	7	21	39	16 Mar. (78)..	1 Sun....	29	087	9785	366	247 4663
28 Mar. (87)..	0 Sat....	4	47	1	55	9	39	3	52	6 Mar. (65)..	6 Fri....	280	840	9999	260	219 4664
28 Mar. (87)..	1 Sun....	20	19	8	7	25	10	10	4	25 Mar. (84)..	5 Thur...	303	909	34	186	270 4665
27 Mar. (87)..	2 Mon....	35	50	14	20	40	42	16	17	13 Mar. (73)..	2 Mon....	79	237	9910	83	239 4666
27 Mar. (86)..	3 Tues...	51	21	20	32	56	13	22	29	3 Mar. (62)..	0 Sat....	196	588	124	917	211 4667
28 Mar. (87)..	5 Thur...	6	52	2	45	11	45	4	42	22 Mar. (81)..	6 Fri....	287	861	159	852	282 4668
28 Mar. (87)..	6 Fri....	22	24	8	57	27	16	10	55	11 Mar. (70)..	3 Tues....	41	123	34	700	232 4669
27 Mar. (87)..	0 Sat....	37	55	15	10	42	48	17	7	28 Feb. (59)..	0 Sat....	12	036	9910	547	201 4670
27 Mar. (86)..	1 Sun....	33	26	21	22	58	19	23	20	18 Mar. (77)..	6 Fri....	101	303	9945	483	252 4671
28 Mar. (87)..	3 Tues....	8	57	3	35	13	51	5	32	7 Mar. (66)..	3 Tues....	84	252	9820	830	221 4672
28 Mar. (87)..	4 Wed....	24	29	9	47	29	23	11	45	26 Mar. (85)..	2 Mon....	134	402	9855	266	273 4673
27 Mar. (87)..	5 Thur...	40	0	16	0	44	54	17	58	15 Mar. (75)..	0 Sat....	322	966	69	150	245 4674
27 Mar. (86)..	6 Fri....	55	31	22	12	+0	26	+0	10	4 Mar. (63)..	4 Wed....	84	252	9945	997	214 4675
28 Mar. (87)..	1 Sun....	11	2	4	25	15	37	6	23	23 Mar. (82)..	3 Tues....	62	180	9980	933	265 4676
28 Mar. (87)..	2 Mon....	26	34	10	37	31	29	12	35	13 Mar. (72)..	1 Sun....	206	618	194	816	237 4677
27 Mar. (87)..	3 Tues...	42	5	16	50	47	0	18	48	1 Mar. (61)..	5 Thur...	92	276	70	664	206 4678
27 Mar. (86)..	4 Wed....	57	36	23	2	+2	32	+1	1	20 Mar. (79)..	4 Wed....	162	486	105	600	257 4679
28 Mar. (87)..	6 Fri....	13	7	5	15	18	3	7	13	9 Mar. (68)..	1 Sun....	166	408	9980	447	227 4680
28 Mar. (87)..	0 Sat....	28	39	11	27	33	35	13	26	28 Mar. (87)..	0 Sat....	250	750	15	883	278 4681

† See footnote p. lvi above.

○ See Text, Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{20}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitrīdi, Vikrami.	Metaphil. (Solar) year in Bengal.	Kollam.	A. D.	Samvatāra.		Name of month.	True.				
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Lunation parts (/)	Tithi	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in	
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4682	1503	1638	987	755-56	*1580- 81	14 Vikrama.	22 Sarvadhārin.						
4683	1504	1639	988	756-57	1581- 82	15 Vṛishā.	23 Virodhīn.	5 Śravāna.	9732	29.256	347	1.041	
4684	1505	1640	989	757-58	1582- 83	16 Chitrābhīṣā.	24 Vikṛita.						
4685	1506	1641	990	758-59	1583- 84	17 Śobhāna.	25 Khara.						
4686	1507	1642	991	759-60	*1584- 85	18 Tāraṇa.	26 Nandana.	4 Āśāḍīha.	9894	29.682	772	2.316	
4687	1508	1643	992	760-61	1585- 86	19 Parthīva.	27 Vijaya.						
4688	1509	1644	993	761-62	1586- 87	20 Vyāya.	28 Jaya.						
4689	1510	1645	994	762-63	1587- 88	21 Saṃrajit.	29 Maṇmatha.	2 Vaisthīka.	9894	29.682	280	0.840	
4690	1511	1646	995	763-64	*1588- 89	22 Sarvadhārin.	30 Durmukha.						
4691	1512	1647	996	764-65	1589- 90	23 Virodhīn.	31 Hemalambā.	6 Bhādrapada.	9806	29.418	233	0.699	
4692	1513	1648	997	765-66	1590- 91	24 Vikṛita.	32 Vilambha.						
4693	1514	1649	998	766-67	1591- 92	25 Khara.	33 Vikārīna.						
4694	1515	1650	999	767-68	*1592- 93	26 Nandana.	34 Saṃvara.	4 Āśāḍīha.	9443	28.329	307	0.921	
4695	1516	1651	1000	768-69	1593- 94	27 Vijaya.	35 Plava.						
4696	1517	1652	1001	769-70	1594- 95	28 Jaya.	36 Saṃbhakrit.						
4697	1518	1653	1002	770-71	1595- 96	29 Maṇmatha.	37 Śobhāna.	8 Jyeshtha.	9733	29.259	373	1.125	
4698	1519	1654	1003	771-72	*1596- 97	30 Durmukha.	38 Kroḍīhin.						
4699	1520	1655	1004	772-73	1597- 98	31 Hemalambā.	39 Viśvāsas.	7 Āśvina.	9728	29.184	21	0.063	
4700	1521	1656	1005	773-74	1598- 99	32 Vilambha.	40 Pañcikha.						
4701	1522	1657	1006	774-75	1599-600	33 Vikārīna.	41 Plavanga.						
4702	1523	1658	1007	775-76	*1600- 1	34 Saṃvara.	42 Kīlaka 1.	5 Śravāna.	9934	29.802	515	1.545	
4703	1524	1659	1008	776-77	1601- 2	35 Plava.	44 Saṅdhāraṇa.						
4704	1525	1660	1009	777-78	1602- 3	36 Saṃbhakrit.	45 Virodhakrit.						
4705	1526	1661	1010	778-79	1603- 4	37 Śobhāna.	46 Pañcikha.	4 Āśāḍīha.	9907	29.721	731	2.193	
4706	1527	1662	1011	779-80	*1604- 5	38 Kroḍīhin.	47 Praṇāśa.						
4707	1528	1663	1012	780-81	1605- 6	39 Viśvāsas.	48 Ānanda.						
4708	1529	1664	1013	781-82	1606- 7	40 Pañcikha.	49 Rākṣasā.	1 Chaitra.	9789	29.367	60	0.180	
4709	1530	1665	1014	782-83	1607- 8	41 Plavanga.	50 Amala.						
4710	1531	1666	1015	783-84	*1608- 9	42 Kīlaka.	51 Piṅgala.	6 Bhādrapada.	9997	29.991	415	1.245	
4711	1532	1667	1016	784-85	1609- 10	43 Saṃuya.	52 Kīlāyukta.						
4712	1533	1668	1017	785-86	1610- 11	44 Saṅdhāraṇa.	53 Siddhārthīna.						
4713	1534	1669	1018	786-87	1611- 12	45 Virodhakrit.	54 Rañdra.	4 Āśāḍīha.	9417	28.231	287	0.861	
4714	1535	1670	1019	787-88	*1612- 13	46 Pañcikha.	55 Durmati.						

i) Saṃuya, No. 43, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year. (Time of the Mesha sankranti.)						Day and Month A. D.	Luni-Solar year. (Civil day of Chaitra Śukla 1st.)						Kali		
	Week day.	By the Ārya Siddhānta.			By the Sūrya Siddhānta.			Week day.	Moon's Age.	At Sunrise on meridian of Ujjain.						
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.	lunat. parts elaps'd. ($\frac{1}{4}$)	Tithi elaps'd.	a	b	c		
13	14	15	17	15a	17a		19	20	21	22	23	24	25	1		
27 Mar. (87)..	1 Sun....	44	10	17	40	49	6	19	38	16 Mar. (76)..	4 Wed....	169	.507	9890	230	247 4682
27 Mar. (86)..	2 Mon....	59	41	23	52	44	38	41	51	5 Mar. (64)..	1 Sun....	0-27	.988	9760	77	216 4683
28 Mar. (87)..	4 Wed....	15	12	6	5	20	9	8	4	25 Mar. (84)..	1 Sun....	322	.966	139	49	270 4684
28 Mar. (87)..	5 Thur...	30	44	12	17	35	41	14	16	14 Mar. (73)..	5 Thur...	70	.210	15	897	239 4685
27 Mar. (87)..	6 Fri....	46	15	18	30	51	12	20	29	3 Mar. (63)..	3 Tues...	235	.705	230	780	211 4686
28 Mar. (87)..	1 Sun....	1	46	0	42	6	44	2	42	22 Mar. (81)..	2 Mon....	267	.801	264	716	263 4687
28 Mar. (87)..	2 Mon....	17	17	6	55	22	15	8	54	11 Mar. (70)..	6 Fri....	226	.678	140	563	232 4688
28 Mar. (87)..	3 Tues...	32	49	13	7	37	47	15	7	28 Feb. (59)..	3 Tues...	233	.699	16	411	201 4689
27 Mar. (87)..	4 Wed....	48	20	19	20	53	18	21	19	18 Mar. (78)..	2 Mon....	305	.915	50	347	252 4690
28 Mar. (87)..	5 Fri....	3	51	1	32	8	50	3	32	7 Mar. (66)..	6 Fri....	195	.594	9026	194	222 4691
28 Mar. (87)..	0 Sat....	19	22	7	45	24	21	9	45	26 Mar. (85)..	5 Thur...	203	.809	9961	130	273 4692
28 Mar. (87)..	1 Sun....	34	54	13	57	39	53	15	57	16 Mar. (75)..	3 Tues...	327	.981	175	13	245 4693
27 Mar. (87)..	2 Mon....	50	25	20	10	55	25	22	10	4 Mar. (64)..	0 Sat....	85	.255	51	860	214 4694
28 Mar. (87)..	4 Wed....	5	56	2	22	10	56	4	22	23 Mar. (62)..	6 Fri....	91	.273	85	796	265 4695
28 Mar. (87)..	5 Thur...	21	27	8	35	26	28	10	35	13 Mar. (72)..	4 Wed....	313	.939	300	680	287 4696
28 Mar. (87)..	6 Fri....	36	59	14	47	41	59	16	48	2 Mar. (61)..	1 Sun....	293	.879	175	527	296 4697
27 Mar. (87)..	0 Sat....	52	30	21	0	57	31	23	0	19 Mar. (79)..	6 Fri....	75	.119	9871	427	255 4698
28 Mar. (87)..	2 Mon....	8	1	3	12	13	2	5	13	8 Mar. (67)..	3 Tues...	26	.078	9747	274	224 4699
28 Mar. (87)..	3 Tues...	23	32	9	25	28	34	11	25	27 Mar. (86)..	2 Mon....	59	.177	9782	210	275 4700
28 Mar. (87)..	4 Wed....	39	4	15	37	44	5	17	38	17 Mar. (76)..	0 Sat....	214	.642	9996	94	247 4701
27 Mar. (87)..	5 Thur...	54	35	21	50	59	37	23	51	6 Mar. (66)..	5 Thur...	331	.993	210	977	219 4702
28 Mar. (87)..	0 Sat....	10	6	4	2	15	8	6	3	25 Mar. (84)..	4 Wed....	312	.936	245	913	271 4703
28 Mar. (87)..	1 Sun....	25	37	10	15	30	40	12	16	14 Mar. (73)..	1 Sun....	121	.363	121	760	240 4704
28 Mar. (87)..	2 Mon....	41	9	16	27	46	11	18	29	3 Mar. (62)..	5 Thur...	51	.153	9997	607	200 4705
27 Mar. (87)..	3 Tues...	56	40	22	40	41	43	40	41	21 Mar. (81)..	4 Wed....	133	.399	31	543	260 4706
28 Mar. (87)..	5 Thur...	12	11	4	52	17	14	6	54	10 Mar. (69)..	1 Sun....	136	.408	9907	391	229 4707
28 Mar. (87)..	6 Fri....	27	42	11	5	32	46	13	6	27 Feb. (58)..	5 Thur...	66	.198	9783	238	199 4708
28 Mar. (87)..	0 Sat....	43	14	17	17	48	17	19	19	18 Mar. (77)..	4 Wed....	82	.246	9817	174	250 4709
27 Mar. (87)..	1 Sun....	58	45	23	30	43	49	41	32	7 Mar. (67)..	2 Mon....	225	.669	32	57	222 4710
28 Mar. (87)..	3 Tues...	14	16	5	42	19	20	7	44	26 Mar. (85)..	1 Sun....	200	.600	66	993	273 4711
28 Mar. (87)..	4 Wed....	29	47	11	55	34	52	13	57	16 Mar. (75)..	6 Fri....	323	.969	281	877	245 4712
28 Mar. (87)..	5 Thur...	45	19	18	7	50	23	20	9	5 Mar. (64)..	3 Tues...	160	.480	156	724	214 4713
28 Mar. (87)..	0 Sat....	0	50	0	20	5	55	2	22	23 Mar. (83)..	2 Mon....	213	.639	191	660	265 4714

† See footnote p. lxxii above.

◎ See Text. Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.				
Kali.	Śaka.	Chaitriddi, Vikrama.	Mudholi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						Luni-Solar cycle. (Southern.)	Bṛihapati cycle (Northern) current at Meha saṅkrānti.		Lunation parts. (L.)	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in	
1	2	3	3a	4	5	6	7	8	9	10	11	12
4715	1536	1671	1020	788- 89	1613-14	47 Pramādin . . .	56 Dundubhi . . .					
4716	1537	1672	1021	789- 90	1614-15	48 Ānanda . . .	57 Rudhīrodgārīn	3 Jyeṣṭha . . .	9943	29.829	495	1.485
4717	1538	1673	1022	790- 91	1615-16	49 Rākṣasā . . .	58 Raktākṣa . . .					
4718	1539	1674	1023	791- 92	*1616-17	50 Anala . . .	59 Krodhāna . . .	7 Āśvina . . .	9880	29.640	119	0.337
4719	1540	1675	1024	792- 93	1617-18	51 Piṅgala . . .	60 Kshaya . . .					
4720	1541	1676	1025	793- 94	1618-19	52 Kālayukta . . .	1 Prabhava . . .					
4721	1542	1677	1026	794- 95	1619-20	53 Siddhārthīn . . .	2 Vibhava . . .	5 Śāraṇga . . .	9825	29.475	600	1.800
4722	1543	1678	1027	795- 96	*1620-21	54 Bandra . . .	3 Śekla . . .					
4723	1544	1679	1028	796- 97	1621-22	55 Durmati . . .	4 Pramoda . . .					
4724	1545	1680	1029	797- 98	1622-23	56 Dundubhi . . .	5 Prajāpati . . .	4 Āśādha . . .	9967	29.901	720	2.160
4725	1546	1681	1030	798- 99	1623-24	57 Rudhīrodgārīn	6 Āngirasa . . .					
4726	1547	1682	1031	799-800	*1624-25	58 Raktākṣa . . .	7 Śrimukha . . .					
4727	1548	1683	1032	800- 1	1625-26	59 Krodhāna . . .	8 Bhāva . . .	1 Chaitra . . .	9791	29.373	132	0.396
4728	1549	1684	1033	801- 2	1626-27	60 Kshaya . . .	9 Yuvan . . .					
4729	1550	1685	1034	802- 3	1627-28	1 Prabhava . . .	10 Dhātri . . .	5 Śāraṇava . . .	9368	28.104	116	0.348
4730	1551	1686	1035	803- 4	*1628-29	2 Vibhava . . .	11 Īvara . . .					
4731	1552	1687	1036	804- 5	1629-30	3 Śukla . . .	12 Bahudhānya . . .					
4732	1553	1688	1037	805- 6	1630-31	4 Pramoda . . .	13 Pramāthin . . .	4 Āśādha . . .	9469	28.407	249	0.747
4733	1554	1689	1038	806- 7	1631-32	5 Prajāpati . . .	14 Vikrama . . .					
4734	1555	1690	1039	807- 8	*1632-33	6 Āngirasa . . .	15 Vṛiṣaba . . .					
4735	1556	1691	1040	808- 9	1633-34	7 Śrīmukha . . .	16 Chitrasaṅkha . . .	2 Vaidehī . . .	9651	28.933	123	0.369
4736	1557	1692	1041	809- 10	1634-35	8 Bhāva . . .	17 Suḥśānu . . .					
4737	1558	1693	1042	810- 11	1635-36	9 Yuvan . . .	18 Tāraṇa . . .	6 Bhādrapadī . . .	9620	28.860	77	0.231
4738	1559	1694	1043	811- 12	*1636-37	10 Dhātri . . .	19 Pārthiva . . .					
4739	1560	1695	1044	812- 13	1637-38	11 Īvara . . .	20 Vyuyu . . .					
4740	1561	1696	1045	813- 14	1638-39	12 Bahudhānya . . .	21 Sarvajit . . .	5 Śāraṇava . . .	9805	29.415	593	1.779
4741	1562	1697	1046	814- 15	1639-40	13 Pramāthin . . .	22 Sarvadhārīn					
4742	1563	1698	1047	815- 16	*1640-41	14 Vikrama . . .	23 Viśodhin . . .					
4743	1564	1699	1048	816- 17	1641-42	15 Vṛiṣaba . . .	24 Vīkṛita . . .	3 Jyeṣṭha . . .	9602	28.806	152	0.456
4744	1565	1700	1049	817- 18	1642-43	16 Chitrabhaṇu . . .	25 Khara . . .					
4745	1566	1701	1050	818- 19	1643-44	17 Suḥśānu . . .	26 Nandana . . .					
4746	1567	1702	1051	819- 20	*1644-45	18 Tāraṇa . . .	27 Vijaya . . .	1 Chaitra . . .	9749	29.247	114	0.343
4747	1568	1703	1052	820- 21	1645-46	19 Pārthiva . . .	28 Jayas . . .					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year. (Time of the Mesha sañkranti)						Day and Month A. D.	Week day.	Luni-Solar year. (Civil day of Chaitra Śakla 1st.)						Kali.			
	By the Arya Siddhānta.		By the Sūrya Siddhānta.		Week day.	Luni. parts elapsed. (%)			At Sunrise on meridian of Ujjain.		Moon's Age.	Tithi elapsed.	a.	b.	c.			
	Gh.	Pa.	H.	M.					Gh.	Pa.								
13	14	15	17	15a	17a		19	20	21	22	23	24	25	1				
28 Mar. (87)..	1 Sun....	16	21	6	32	21	26	8	33	12 Mar. (71)..	6 Fri....	201	.603	67	507	235 4715		
28 Mar. (87)..	2 Mon....	31	52	12	45	36	58	14	47	1 Mar. (60)..	3 Tues....	196	.588	9942	354	204 4716		
28 Mar. (87)..	3 Tues....	47	24	18	37	52	30	21	0	20 Mar. (79)..	2 Mon....	253	.759	9977	290	255 4717		
28 Mar. (88)..	5 Thur....	2	55	1	10	8	1	3	12	8 Mar. (68)..	6 Fri....	101	.303	9853	138	224 4718		
28 Mar. (87)..	6 Fri....	18	26	7	22	23	33	9	25	27 Mar. (86)..	5 Thur....	92	.276	9888	74	276 4719		
28 Mar. (87)..	0 Sat....	33	57	13	35	39	4	15	38	17 Mar. (76)..	3 Tues....	204	.612	102	957	248 4720		
28 Mar. (87)..	1 Sun....	49	29	19	47	54	36	21	50	6 Mar. (65)..	0 Sat....	24-11-00	9977	804	217 4721			
28 Mar. (88)..	3 Tues....	5	0	2	0	10	7	4	3	24 Mar. (84)..	6 Fri....	12	.036	12	740	268 4722		
28 Mar. (87)..	4 Wed....	20	31	8	12	25	39	10	15	14 Mar. (73)..	4 Wed....	268	.804	226	624	240 4723		
28 Mar. (87)..	5 Thur....	36	2	14	25	41	10	16	28	3 Mar. (62)..	1 Sun....	269	.807	102	471	209 4724		
28 Mar. (87)..	6 Fri....	51	34	20	37	56	42	22	41	21 Mar. (80)..	6 Fri....	39	.117	9798	371	258 4725		
28 Mar. (88)..	1 Sun....	7	5	2	50	12	13	4	53	19 Mar. (70)..	4 Wed....	292	.876	12	254	230 4726		
28 Mar. (87)..	2 Mon....	22	36	9	2	27	45	11	6	27 Feb. (58)..	1 Sun....	115	.345	9888	101	199 4727		
28 Mar. (87)..	3 Tues....	38	7	15	15	43	16	17	19	18 Mar. (77)..	0 Sat....	95	.285	9923	37	250 4728		
28 Mar. (87)..	4 Wed....	53	39	21	27	58	48	23	31	8 Mar. (67)..	5 Thur....	211	.633	137	921	222 4729		
28 Mar. (88)..	6 Fri....	9	10	3	40	14	19	5	44	26 Mar. (86)..	4 Wed....	203	.009	172	657	273 4730		
28 Mar. (87)..	0 Sat....	24	41	9	52	29	51	11	56	15 Mar. (74)..	1 Sun....	54	.162	48	704	242 4731		
28 Mar. (87)..	1 Sun....	40	12	16	5	45	22	18	9	5 Mar. (64)..	6 Fri....	330	.990	262	588	214 4732		
28 Mar. (87)..	2 Mon....	55	44	22	17	+0	54	+0	22	23 Mar. (82)..	4 Wed....	110	.350	9958	487	263 4733		
28 Mar. (88)..	4 Wed....	11	15	4	30	16	25	6	34	11 Mar. (71)..	1 Sun....	94	.282	9834	335	232 4734		
28 Mar. (87)..	5 Thur....	26	46	10	42	31	57	12	47	1 Mar. (60)..	6 Fri....	328	.984	48	218	204 4735		
28 Mar. (87)..	6 Fri....	42	17	16	55	47	28	18	59	19 Mar. (78)..	4 Wed....	24-11-00	9744	118	253 4736			
28 Mar. (87)..	0 Sat....	57	49	23	7	+3	0	+1	12	9 Mar. (68)..	2 Mon....	100	.300	9958	1	225 4737		
28 Mar. (88)..	2 Mon....	18	20	5	20	18	32	7	25	27 Mar. (87)..	1 Sun....	80	.240	9903	937	276 4738		
28 Mar. (87)..	3 Tues....	28	51	11	32	34	3	18	37	17 Mar. (76)..	6 Fri....	220	.660	207	821	248 4739		
28 Mar. (87)..	4 Wed....	44	22	17	45	49	35	19	50	6 Mar. (65)..	3 Tues....	102	.306	88	668	217 4740		
28 Mar. (87)..	5 Thur....	59	54	23	57	+5	6	+2	2	25 Mar. (84)..	2 Mon....	172	.516	118	604	268 4741		
28 Mar. (88)..	0 Sat....	15	25	6	10	20	38	8	15	13 Mar. (73)..	6 Fri....	176	.528	9923	451	237 4742		
28 Mar. (87)..	1 Sun....	30	56	12	22	36	9	14	28	2 Mar. (61)..	3 Tues....	145	.455	9869	298	207 4743		
28 Mar. (87)..	2 Mon....	46	27	18	35	51	41	20	40	21 Mar. (80)..	3 Mon....	183	.549	9904	234	258 4744		
28 Mar. (88)..	4 Wed....	1	59	0	47	7	12	2	53	10 Mar. (69)..	6 Fri....	24-12-00	9779	82	227 4745			
28 Mar. (88)..	5 Thur....	17	30	7	0	22	44	9	5	28 Feb. (59)..	4 Wed....	107	.321	9904	965	199 4746		
28 Mar. (87)..	6 Fri....	33	1	13	12	38	15	15	18	18 Mar. (77)..	3 Tues....	86	.258	28	901	250 4747		

† See footnote p. liii above.

◎ See Text. Art. 101 above, para. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR							II. ADDED LUNAR MONTHS					
Kali.	Saka.	Chaitrādi, Vikram.	Mehdi (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkrānti.		Lunation parts. (c.)	Time of the preceding saṅkrānti expressed in Tithi.	Time of the successing saṅkrānti expressed in Tithi.	
1	2	3	3a	4	5	6	7	8	9	10	11	12
4748	1569	1704	1053	821-22	1646-47	20 Vyasa.....	29 Maṇmatha.....	5 Śeṣavaṇa.....	9328	27.984	183	0.399
4749	1570	1705	1054	822-23	1647-48	21 Sarvajit.....	30 Durmukha.....					
4750	1571	1706	1055	823-24	*1648-49	22 Sarvadhārin.....	31 Hemalamba.....					
4751	1572	1707	1056	824-25	1649-50	23 Virodhin.....	32 Vilambu.....	4 Āśādha.....	9618	28.854	294	0.882
4752	1573	1708	1057	825-26	1650-51	24 Vikṛita.....	33 Vikṛin.....					
4753	1574	1709	1058	826-27	1651-52	25 Kharā.....	34 Śīrvati.....					
4754	1575	1710	1059	827-28	*1652-53	26 Nandaṁ.....	35 Piava.....	2 Vaiśākha.....	9658	28.974	216	0.648
4755	1576	1711	1060	828-29	1653-54	27 Vyasa.....	36 Śubhakrit.....					
4756	1577	1712	1061	829-30	1654-55	28 Jaya.....	37 Śoḍhana.....	6 Bhādrapada.....	9670	29.010	219	0.657
4757	1578	1713	1062	830-31	1655-56	29 Maṇmatha.....	38 Kroḍhin.....					
4758	1579	1714	1063	831-32	*1656-57	30 Durmukha.....	39 Viśvīvasu.....					
4759	1580	1715	1064	832-33	1657-58	31 Hemalamba.....	40 Parībhava.....	5 Śeṣavaṇa.....	9800	29.400	552	1.656
4760	1581	1716	1065	833-34	1658-59	32 Vilambu.....	41 Piavaṅga.....					
4761	1582	1717	1066	834-35	1659-60	33 Viśākha.....	42 Kīlaka.....					
4762	1583	1718	1067	835-36	*1660-61	34 Śārvari.....	43 Saṁyū.....	3 Jyotiṣṭha.....	9727	29.181	343	1.029
4763	1584	1719	1068	836-37	1661-62	35 Piava.....	44 Śidhikṛṣṇa.....					
4764	1585	1720	1069	837-38	1662-63	36 Śubhakrit.....	45 Virodhakrit.....					
4765	1586	1721	1070	838-39	1663-64	37 Śoḍhana.....	46 Parīdhāvin.....	1 Chaitra.....	9749	29.247	72	0.216
4766	1587	1722	1071	839-40	*1664-65	38 Kroḍhin.....	47 Pramādin.....					
4767	1588	1723	1072	840-41	1665-66	39 Viśvīvasu.....	48 Ānanda.....	5 Śeṣavaṇa.....	9319	27.957	94	0.282
4768	1589	1724	1073	841-42	1666-67	40 Parībhava.....	49 Rākṣasā.....					
4769	1590	1725	1074	842-43	1667-68	41 Piavaṅga.....	50 Anala.....					
4770	1591	1726	1075	843-44	*1668-69	42 Kīlaka.....	51 Piṅgala.....	4 Āśādha.....	9814	29.442	438	1.314
4771	1592	1727	1076	844-45	1669-70	43 Saṁyū.....	52 Kāsiyukta.....					
4772	1593	1728	1077	845-46	1670-71	44 Śidhikṛṣṇa.....	53 Siddhikṛṣṇa.....					
4773	1594	1729	1078	846-47	1671-72	45 Virodhakrit.....	54 Raṇḍra.....	2 Vaiśākha.....	9616	28.848	212	0.636
4774	1595	1730	1079	847-48	*1672-73	46 Parīdhāvin.....	55 Durmati.....					
4775	1596	1731	1080	848-49	1673-74	47 Pramādin.....	56 Dundubhi.....	6 Bhādrapada.....	9641	28.923	262	0.786
4776	1597	1732	1081	849-50	1674-75	48 Ānanda.....	57 Rādhikṛṣṇa.....					
4777	1598	1733	1082	850-51	1675-76	49 Rākṣasā.....	58 Raktikāsh.....					
4778	1599	1734	1083	851-52	*1676-77	50 Anala.....	59 Kroḍhina.....	5 Śeṣavaṇa.....	9913	29.739	563	1.689
4779	1600	1735	1084	852-53	1677-78	51 Piṅgala.....	60 Kṣayā.....					
4780	1601	1736	1085	853-54	1678-79	52 Kāsiyukta.....	1 Prabhava.....					

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Śukla 1st.)										At Sunrise on meridian of Ujjain.													
Day and Month. A. D.	(Time of the Meṣa saṅkrānti.)									Day and Month. A. D.	Week day.	Moon's Age.	Kali.			Lunar parts clipped (1)	Tithi clipped	a .	b .	c .													
	Week day.	By the Ārya Siddhānta.				By the Sūrya Siddhānta.																											
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.																								
13	14	15	16	17	18	15a	16a	17a	18	19	20	21	22	23	24	25	26	27	28	29	1												
28 Mar. (87)..	0 Sat....	48	32	19	25	53	47	21	31	8 Mar. (67)..	1 Sun....	247	741	243	784	222	4748																
29 Mar. (88)..	1 Mon....	4	4	1	37	9	18	3	43	27 Mar. (86)..	0 Sat....	280	840	277	721	273	4749																
28 Mar. (88)..	2 Tues....	19	35	7	50	24	50	9	56	15 Mar. (75)..	4 Wed....	235	705	153	568	243	4750																
28 Mar. (87)..	3 Wed....	35	6	14	2	40	21	16	9	4 Mar. (63)..	1 Sun....	242	726	29	415	212	4751																
28 Mar. (87)..	4 Thur....	50	37	20	15	55	53	22	21	23 Mar. (82)..	0 Sat....	315	945	63	351	263	4752																
29 Mar. (88)..	0 Sat....	6	9	2	27	11	24	4	34	12 Mar. (71)..	4 Wed....	211	633	9939	198	232	4753																
28 Mar. (88)..	1 Sun....	21	40	8	40	26	56	10	46	29 Feb. (60)..	1 Sun....	○—2—.am	9815	45	202	4754																	
28 Mar. (87)..	2 Mon....	37	11	14	52	42	27	16	59	19 Mar. (78)..	0 Sat....	○—22—.am	9850	981	253	4755																	
28 Mar. (87)..	3 Tues....	52	42	21	5	57	59	23	12	9 Mar. (68)..	5 Thur....	100	300	64	865	225	4756																
29 Mar. (88)..	4 Thur....	8	14	3	17	13	30	5	24	28 Mar. (87)..	4 Wed....	107	321	99	801	276	4757																
28 Mar. (88)..	5 Fri....	23	45	9	30	29	2	11	37	16 Mar. (76)..	1 Sun....	2	006	9974	648	245	4758																
28 Mar. (87)..	0 Sat....	39	16	15	42	44	34	17	49	6 Mar. (65)..	6 Fri....	302	906	189	532	217	4759																
28 Mar. (87)..	1 Sun....	54	47	21	55	+0	5	+0	2	24 Mar. (83)..	4 Wed....	84	252	9885	451	266	4760																
29 Mar. (88)..	2 Tues....	10	19	4	7	15	37	6	15	13 Mar. (72)..	1 Sun....	37	112	9760	278	235	4761																
28 Mar. (88)..	3 Wed....	25	50	10	20	31	8	12	27	2 Mar. (62)..	6 Fri....	236	708	9975	162	207	4762																
28 Mar. (87)..	4 Thur....	41	31	16	82	46	40	18	40	21 Mar. (80)..	5 Thur....	230	690	9	98	258	4763																
28 Mar. (87)..	5 Fri....	56	52	22	45	+2	11	+0	52	10 Mar. (69)..	2 Mon....	○—2—.am	9885	945	297	4764																	
29 Mar. (88)..	1 Sat....	12	24	4	57	17	43	7	5	28 Feb. (59)..	0 Sat....	119	357	99	829	199	4765																
28 Mar. (88)..	2 Mon....	27	55	11	10	33	14	13	18	18 Mar. (78)..	6 Fri....	134	402	134	765	251	4766																
28 Mar. (87)..	3 Tues....	43	26	17	22	48	46	19	30	7 Mar. (66)..	3 Tues....	60	180	10	612	220	4767																
28 Mar. (87)..	4 Wed....	58	57	23*	35	+4	17	+1	43	26 Mar. (85)..	2 Mon....	142	426	44	548	271	4768																
29 Mar. (88)..	5 Fri....	14	29	5	47	19	49	7	56	15 Mar. (74)..	6 Fri....	147	441	9920	395	240	4769																
28 Mar. (88)..	0 Sat....	30	0	12	0	35	20	14	8	3 Mar. (63)..	3 Tues....	78	234	9796	242	209	4770																
28 Mar. (87)..	1 Sun....	45	31	18	12	50	52	20	31	22 Mar. (81)..	2 Mon....	97	293	9831	178	261	4771																
29 Mar. (88)..	2 Tues....	1	2	0	25	6	23	2	33	12 Mar. (71)..	0 Sat....	238	714	44	62	233	4772																
29 Mar. (88)..	4 Wed....	16	34	6	37	21	55	8	46	1 Mar. (60)..	4 Wed....	○—12—.am	9921	909	202	4773																	
28 Mar. (88)..	5 Thur....	32	5	12	50	37	26	14	59	19 Mar. (80)..	3 Tues....	○—20—.am	9955	845	253	4774																	
28 Mar. (87)..	6 Fri....	47	36	19	2	52	58	21	11	9 Mar. (68)..	1 Sun....	172	516	170	728	225	4775																
29 Mar. (88)..	1 Sun....	3	7	1	15	8	29	3	24	28 Mar. (87)..	0 Sat....	225	675	204	604	276	4776																
29 Mar. (88)..	2 Mon....	18	39	7	27	24	1	9	36	17 Mar. (76)..	4 Wed....	209	627	80	512	245	4777																
28 Mar. (88)..	3 Tues....	34	10	13	40	39	32	15	49	5 Mar. (65)..	1 Sun....	205	615	9956	359	215	4778																
28 Mar. (87)..	4 Wed....	49	41	19	52	55	4	22	2	24 Mar. (88)..	0 Sat....	265	795	9990	295	266	4779																
29 Mar. (88)..	6 Fri....	5	12	2	5	10	36	4	14	13 Mar. (72)..	4 Wed....	115	345	9866	142	235	4780																

† See footnote p. iii above.

○ See Text, Art. 101 above, pars. 2.

TABLE I.

Lunation-parts = 10,900ths of a circle. A tilhi = $\frac{1}{360}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.										II. ADDED LUNAR MONTHS.				
Kali.	Saka.	Chaitra Vikrama Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.			Name of month.	True.				Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti		Lunation parts. (t.)	Tilhi.	Lunation parts. (t.)	Tilhi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4781	1602	1737	1086	854-55	1679- 80	53 Siddhärthin...	2 Vihava...	3 Jyeshtha...	9755	29.265	470	1.410		
4782	1603	1738	1087	855-56	*1680- 81	54 Raudra....	3 Śukla...							
4783	1604	1739	1088	856-57	1681- 82	55 Darmstī....	4 Pramoda...	7 Āśvina...	9788	29.384	110	0.330		
4784	1605	1740	1089	857-58	1682- 83	56 Dundubhi...	5 Prajāpati...	10 Pañcha (Ksh.)	94	0.282	9936	29.808		
4785	1606	1741	1090	858-59	1683- 84	57 Rudhirodgaria	6 Asigra...	1 Chaitra...	9920	29.760	99	0.297		
4786	1607	1742	1091	859-60	*1684- 85	58 Raktāksha...	7 Śrimukha...	5 Śravaṇa...	9394	28.182	82	0.346		
4787	1608	1743	1092	860-61	1685- 86	59 Krodhama...	8 Bhāva i)							
4788	1609	1744	1093	861-62	1686- 87	60 Kahaya...	10 Dhātri...							
4789	1610	1745	1094	862-63	1687- 88	1 Prabhava...	11 Īvara...	4 Ashādha...	9971	29.913	634	1.902		
4790	1611	1746	1095	863-64	*1688- 89	2 Vihava...	12 Bahudhānya...							
4791	1612	1747	1096	864-65	1689- 90	3 Śukla...	13 Pramāthin...							
4792	1613	1748	1097	865-66	1690- 91	4 Pramoda...	14 Vikrama...	2 Vaiśākha...	9613	28.839	169	0.507		
4793	1614	1749	1098	866-67	1691- 92	5 Prajāpati...	15 Viśāka...							
4794	1615	1750	1099	867-68	*1692- 93	6 Asigra...	16 Chitrabhdhū...	6 Bhidrapada...	9609	28.827	216	0.648		
4795	1616	1751	1100	868-69	1693- 94	7 Śrimukha...	17 Subhānam...							
4796	1617	1752	1101	869-70	1694- 95	8 Bhāva...	18 Tātra...							
4797	1618	1753	1102	870-71	1695- 96	9 Yuvan...	19 Pārthiva...	4 Ashādha...	9459	28.377	99	0.297		
4798	1619	1754	1103	871-72	*1696- 97	10 Dhātri...	20 Vyāya...							
4799	1620	1755	1104	872-73	1697- 98	11 īvara...	21 Sarvajit...							
4800	1621	1756	1105	873-74	1698- 99	12 Bahudhānya...	22 Sarvadhāria...	3 Jyeshtha...	9714	29.142	511	1.533		
4801	1622	1757	1106	874-75	1699-700	13 Pramāthin...	23 Viśodhin...							
4802	1623	1758	1107	875-76	*1700- 1	14 Vikrama...	24 Viśiṣṭa...	7 Āśvina...	9772	29.316	147	0.441		
4803	1624	1759	1108	876-77	1701- 2	15 Viśāka...	25 Khara...							
4804	1625	1760	1109	877-78	1702- 3	16 Chitrabhdhū...	26 Nandana...							
4805	1626	1761	1110	878-79	1703- 4	17 Subhānam...	27 Vyāya...	5 Śravaṇa...	9574	28.722	168	0.504		
4806	1627	1762	1111	879-80	*1704- 5	18 Tātra...	28 Jaya...							
4807	1628	1763	1112	880-81	1705- 6	19 Pārthiva...	29 Maṇmatha...							
4808	1629	1764	1113	881-82	1706- 7	20 Vyāya...	30 Durmukha...	3 Jyeshtha...	9270	27.810	30	0.690		
4809	1630	1765	1114	882-83	1707- 8	21 Sarvajit...	31 Hemalambha...							
4810	1631	1766	1115	883-84	*1708- 9	22 Sarvadhārin...	32 Vilambha...							
4811	1632	1767	1116	884-85	1709- 10	23 Viśodhin...	33 Viśiṣṭa...	2 Vaiśākha...	9706	29.118	187	0.561		

i) Yuvan, No. 9, was suppressed in the north.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

		Solar year.						Luni-Solar year. (Civil day of Chaitra Šukla 1st.)										Kali.		
Day and Month. A. D.	Week day.	(Time of the Mesha sankranti.)						Day and Month. A. D.	Week day.	At Sunrise on meridian of Ujjain.			Moon's Age.	Lunar parts clipped. (८)	Titla clipped.	a .	b .	c .	Kali.	
		By the Ārya Siddhānta.			By the Śivya Siddhānta.															
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.											
13	14	15	16	17		15a	16a	17a		19	20	21	22	23	24	25	1			
29 Mar. (88)..	0 Sat....	20	44	8	17	26	7	10	27	3 Mar. (62)..	2 Mon....	245	.735	80	26	207	4781			
28 Mar. (88)..	1 Sun....	36	15	14	30	41	39	16	39	21 Mar. (81)..	1 Sun....	222	.666	115	962	258	4782			
28 Mar. (87)..	2 Mon....	51	46	20	42	57	10	29	52	10 Mar. (69)..	5 Thur...	1	.003	9991	809	228	4783			
29 Mar. (88)..	4 Wed....	7	17	2	55	12	42	5	5	28 Feb. (50)..	3 Tues...	217	.851	205	694	199	4784			
29 Mar. (88)..	5 Thur....	22	49	9	7	28	13	11	17	19 Mar. (78)..	2 Mon....	279	.837	240	628	251	4785			
28 Mar. (88)..	6 Fri....	38	20	15	20	43	45	17	30	7 Mar. (67)..	6 Fri....	278	.834	115	475	220	4786			
28 Mar. (87)..	0 Sat....	53	51	21	32	59	16	23	42	25 Mar. (84)..	4 Wed....	50	.150	9811	375	269	4787			
29 Mar. (88)..	2 Mon....	9	22	3	45	14	48	5	55	15 Mar. (74)..	2 Mon....	306	.918	26	259	240	4788			
29 Mar. (88)..	3 Tues....	24	54	9	57	30	19	12	8	4 Mar. (63)..	6 Fri....	130	.390	9901	106	210	4789			
28 Mar. (88)..	4 Wed....	40	25	16	10	45	51	18	20	22 Mar. (82)..	5 Thur...	113	.339	9936	42	261	4790			
28 Mar. (87)..	5 Thur....	55	56	22	22	+1	22	+0	33	12 Mar. (71)..	3 Tues...	226	.678	150	925	233	4791			
29 Mar. (88)..	0 Sat....	11	27	4	35	16	54	6	46	1 Mar. (60)..	0 Sat....	31	.093	26	778	202	4792			
29 Mar. (88)..	1 Sun....	26	59	10	47	32	25	12	58	20 Mar. (79)..	6 Fri....	66	.198	61	708	253	4793			
28 Mar. (88)..	2 Mon....	42	30	17	0	47	57	19	11	8 Mar. (68)..	3 Tues...	28	.084	9936	556	222	4794			
25 Mar. (87)..	3 Tues....	58	1	23	12	+3	28	+1	23	27 Mar. (86)..	2 Mon....	118	.354	9971	492	274	4795			
29 Mar. (88)..	5 Thur....	13	32	5	25	19	0	7	36	16 Mar. (75)..	6 Fri....	105	.315	9847	339	243	4796			
29 Mar. (88)..	6 Fri....	29	4	11	37	34	31	13	49	5 Mar. (64)..	3 Tues...	○	-	-	9723	186	212	4797		
28 Mar. (88)..	0 Sat....	44	35	17	50	50	3	20	1	23 Mar. (83)..	2 Mon....	○	-	-	9757	122	263	4798		
29 Mar. (88)..	2 Mon....	0	6	0	2	5	34	2	14	13 Mar. (72)..	0 Sat....	117	.351	9972	6	235	4799			
29 Mar. (88)..	3 Tues....	15	37	6	15	21	6	8	26	3 Mar. (62)..	5 Thur...	237	.711	186	889	207	4800			
29 Mar. (88)..	4 Wed....	31	9	12	27	36	38	14	39	22 Mar. (81)..	4 Wed....	236	.708	221	825	259	4801			
28 Mar. (88)..	5 Thur....	46	40	18	40	52	9	20	52	10 Mar. (70)..	1 Sun....	112	.336	96	672	228	4802			
29 Mar. (88)..	0 Sat....	2	11	0	52	7	41	3	4	29 Mar. (88)..	0 Sat....	183	.549	131	608	279	4803			
29 Mar. (88)..	1 Sun....	17	42	7	5	28	12	9	17	18 Mar. (77)..	4 Wed....	186	.558	7	455	248	4804			
29 Mar. (88)..	2 Mon....	33	14	13	17	38	44	15	29	7 Mar. (66)..	1 Sun....	155	.465	9882	303	217	4805			
28 Mar. (88)..	3 Tues....	48	45	19	30	54	15	21	42	25 Mar. (85)..	0 Sat....	197	.591	9917	239	269	4806			
29 Mar. (88)..	5 Thur....	4	16	1	42	9	47	3	55	14 Mar. (73)..	4 Wed....	5	.015	9793	86	238	4807			
29 Mar. (88)..	6 Fri....	19	47	7	55	25	18	10	7	4 Mar. (63)..	2 Mon....	122	.366	7	969	210	4808			
29 Mar. (88)..	0 Sat....	35	19	14	7	40	50	16	20	23 Mar. (82)..	1 Sun....	103	.309	42	905	261	4809			
28 Mar. (88)..	1 Sun....	50	50	20	20	56	21	22	32	12 Mar. (72)..	6 Fri....	260	.780	256	789	233	4810			
29 Mar. (88)..	3 Tues....	6	21	2	32	11	53	4	45	1 Mar. (60)..	3 Tues...	169	.507	132	636	202	4811			

† See footnote p. iii above.

⊖ See Text. Art. 101 above, para. 2.

TABLE I.

Innuation-parts = 10,000ths of a circle. A tithi = 1/30th of the moon's synodic revolution.

I CONCURRENT YEAR							II ADDED LUNAR MONTHS					
Kali.	Saka.	Chaitra-lah. Vikrami Mehndali (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.				
					Luni-Solar cycle. (Southern.)	Brihaspati cycle. (Northern) current at Mesha saṅkrānti.		Duration parts. (A.)	Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in		
1	2	3	3a	4	5	6	7	8	9	10	11	12
4812	1683	1768	1117	885- 86	1710-11	34 Vikriti.....	34 Śārvari.....					
4813	1684	1769	1118	886- 87	1711-12	25 Kharo.....	35 Plava.....	6 Bhādrapada..	9654	28.962	200	0.600
4814	1685	1770	1119	887- 88	*1712-13	26 Naudana.....	36 Śubhakrit.....					
4815	1686	1771	1120	888- 89	1713-14	27 Vijaya.....	37 Śobhana.....					
4816	1687	1772	1121	889- 90	1714-15	28 Jaya.....	38 Krodhin.....	4 Āśādha..	9900	29.700	283	0.849
4817	1688	1773	1122	890- 91	1715-16	29 Mammatha..	39 Viśvāṣṇu.....					
4818	1689	1774	1123	891- 92	*1716-17	30 Durmukha..	40 Parābhava.....					
4819	1690	1775	1124	892- 93	1717-18	31 Hemalamba..	41 Plavaṅga..	3 Jyeṣṭha..	9695	29.085	457	1.371
4820	1691	1776	1125	893- 94	1718-19	32 Vilambha..	42 Kīlaka.....					
4821	1692	1777	1126	894- 95	1719-20	33 Vikarin.....	43 Saumya.....	7 Āśvina..	9733	29.199	128	0.384
4822	1693	1778	1127	895- 96	*1720-21	34 Śārvari.....	44 Śādhāraṇa.....					
4823	1694	1779	1128	896- 97	1721-22	35 Plava.....	45 Virodhakrit.....					
4824	1695	1780	1129	897- 98	1722-23	36 Śubhakrit.....	46 Paridhāvin..	5 Śrāvapa..	9759	29.277	328	0.984
4825	1696	1781	1130	898- 99	1723-24	37 Śobhana.....	47 Pramādin.....					
4826	1697	1782	1131	899-900	*1724-25	38 Krodhin.....	48 Ānanda.....					
4827	1698	1783	1132	900- 1	1725-26	39 Viśvāṣṇu.....	49 Rākshasa.....	3 Jyeṣṭha..	9224	27.672	4	0.012
4828	1699	1784	1133	901- 2	1726-27	40 Parābhava..	50 Anula.....					
4829	1700	1785	1134	902- 3	1727-28	41 Plavaṅga..	51 Piṅgala.....					
4830	1701	1786	1135	903- 4	*1728-29	42 Kīlaka.....	52 Kālayukta.....	2 Vaiśākha..	9881	29.643	280	0.840
4831	1702	1787	1136	904- 5	1729-30	43 Saumya.....	53 Siddhārthīn.....					
4832	1703	1788	1137	905- 6	1730-31	44 Śādhāraṇa.....	54 Raundra.....	6 Bhādrapada..	9796	29.388	252	0.756
4833	1704	1789	1138	906- 7	1731-32	45 Virodhakrit..	55 Durmati.....					
4834	1705	1790	1139	907- 8	*1732-33	46 Paridhāvin..	56 Dundubhi.....					
4835	1706	1791	1140	908- 9	1733-34	47 Pramādin.....	57 Rudraḥirodgirīn..	4 Āśādha..	9552	28.656	381	1.143
4836	1707	1792	1141	909- 10	1734-35	48 Anunda.....	58 Raktākṣa.....					
4837	1708	1793	1142	910- 11	1735-36	49 Rākshasa.....	59 Krodhana.....					
4838	1709	1794	1143	911- 12	*1736-37	50 Anula.....	60 Kshaya.....	3 Jyeṣṭha..	9763	29.289	458	1.374
4839	1710	1795	1144	912- 13	1737-38	51 Piṅgala.....	1 Prabhava.....					
4840	1711	1796	1145	913- 14	1738-39	52 Kālayukta.....	2 Vibhava.....	7 Āśvina..	9754	29.262	96	0.288
4841	1712	1797	1146	914- 15	1739-40	53 Siddhārthīn..	3 Śukla.....					
4842	1713	1798	1147	915- 16	*1740-41	54 Raundra..	4 Pramoda.....					
4843	1714	1799	1148	916- 17	1741-42	55 Durmati.....	5 Prajāpeti..	5 Śrāvapa..	9892	29.676	523	1.569

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Śukla 1st.)						Kali.			
Day and Month A. D.	(Time of the Mesha saṅkrānti.)									Day and Month A. D.	Week day. A. D.	At Sunrise on meridian of Ujjain.				Kali.			
	By the Ārya Siddhānta.			By the Sūrya Siddhānta.			Moon's Age.					Lunar parts clipped (L)	Tithi clipped	<i>a</i> .	<i>b</i> .	<i>c</i> .			
	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.											
13	14	15	17		15a	17a			19	20	21	22	23	24	25	1			
29 Mar. (88)..	4 Wed....	21	52	8	45	27	24	10	58	20 Mar. (79)..	2 Mon....	244	.732	166	572	254 4812			
29 Mar. (88)..	5 Thur....	37	24	14	57	42	56	17	10	9 Mar. (88)..	6 Fri....	252	.756	42	419	223 4813			
28 Mar. (88)..	6 Fri....	52	55	21	10	58	27	23	23	27 Mar. (87)..	5 Thur...	327	.981	77	355	274 4814			
29 Mar. (88)..	1 Sun....	8	26	3	22	13	59	5	36	16 Mar. (76)..	2 Mon... .	226	.978 9952	203	243 4815				
29 Mar. (88)..	2 Mon....	23	57	9	35	29	30	11	48	5 Mar. (64)..	6 Fri....	14	.042 9828	50	212 4816				
29 Mar. (88)..	3 Tues....	39	29	15	47	45	2	18	1	24 Mar. (83)..	5 Thur... .	○—	—.9863	986	264 4817				
28 Mar. (88)..	4 Wed....	55	0	22	0	+0	33	+0	13	18 Mar. (73)..	3 Tues....	114	.342	77	869	236 4818			
29 Mar. (88)..	6 Fri....	10	31	4	12	16	5	6	26	3 Mar. (62)..	1 Sun....	294	.882	292	753	207 4819			
29 Mar. (88)..	0 Sat....	26	2	10	25	31	36	12	38	21 Mar. (80)..	6 Fri....	13	.039 9967	652	236 4820				
29 Mar. (88)..	1 Sun....	41	34	16	37	47	8	18	51	11 Mar. (70)..	4 Wed....	311	.933	202	536	228 4821			
25 Mar. (88)..	2 Mon....	57	5	22	50	+2	39	+1	4	28 Mar. (88)..	2 Mon....	94	.282 9898	436	276 4822				
29 Mar. (88)..	4 Wed....	12	36	5	2	18	11	7	16	17 Mar. (76)..	6 Fri....	51	.153 9774	283	246 4823				
29 Mar. (88)..	5 Thur...	28	7	11	15	33	43	13	29	7 Mar. (66)..	4 Wed....	250	.750 9985	166	218 4824				
29 Mar. (88)..	6 Fri....	43	39	17	27	49	14	19	42	26 Mar. (85)..	3 Tues....	247	.741	23	102	269 4825			
28 Mar. (88)..	0 Sat....	59	10	23	40	+4	46	+1	54	14 Mar. (74)..	0 Sat....	○—	—.9898	949	238 4826				
29 Mar. (88)..	2 Mon....	14	41	5	52	20	17	8	7	4 Mar. (63)..	5 Thur...	133	.399	113	833	210 4827			
29 Mar. (88)..	3 Tues....	30	12	12	5	35	49	14	19	23 Mar. (82)..	4 Wed....	148	.444	147	769	261 4828			
29 Mar. (88)..	4 Wed....	45	44	18	17	51	20	20	32	12 Mar. (71)..	1 Sun....	69	.207	23	616	230 4829			
29 Mar. (89)..	6 Fri....	1	15	0	30	6	52	2	45	29 Feb. (60)..	5 Thur...	74	.222 9899	463	200 4830				
29 Mar. (88)..	0 Sat....	16	46	6	42	22	23	8	57	19 Mar. (78)..	4 Wed....	158	.474 9933	399	251 4831				
29 Mar. (88)..	1 Sun....	32	17	12	55	37	55	15	10	8 Mar. (67)..	1 Sun....	90	.270 9809	247	220 4832				
29 Mar. (88)..	2 Mon....	47	49	19	7	33	26	21	22	27 Mar. (86)..	0 Sat....	112	.336 9844	183	272 4833				
29 Mar. (89)..	4 Wed....	3	20	1	20	8	58	3	35	16 Mar. (76)..	5 Thur...	255	.765	58	66	243 4834			
29 Mar. (88)..	5 Thur...	18	51	7	32	24	29	9	48	5 Mar. (64)..	2 Mon....	3	.069 9934	913	213 4835				
29 Mar. (88)..	6 Fri....	34	22	13	43	40	1	16	0	24 Mar. (83)..	1 Sun....	○—	—.9968	849	264 4836				
29 Mar. (88)..	0 Sat....	49	54	19	57	55	32	22	13	14 Mar. (73)..	6 Fri....	184	.552	183	733	236 4837			
29 Mar. (89)..	2 Mon....	5	25	2	10	11	4	4	26	2 Mar. (62)..	3 Tues....	134	.402	39	580	203 4838			
29 Mar. (88)..	3 Tues....	20	56	8	22	26	35	10	38	21 Mar. (80)..	2 Mon....	219	.657	93	516	256 4839			
29 Mar. (88)..	4 Wed....	36	27	14	35	42	7	16	51	10 Mar. (69)..	6 Fri....	215	.645	9069	368	225 4840			
29 Mar. (88)..	5 Thur...	51	59	20	47	57	38	23	3	29 Mar. (88)..	5 Thur...	277	.831	3	299	277 4841			
29 Mar. (89)..	0 Sat....	7	30	3	0	13	10	5	16	17 Mar. (77)..	2 Mon....	130	.390 9879	146	246 4842				
29 Mar. (88)..	1 Sun....	23	1	9	12	28	41	11	28	7 Mar. (66)..	0 Sat....	260	.780	93	30	218 4843			

† See footnote p. lxxiii above.

○ See Text. Art. 101 above, pars. 2.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{10}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka.	Chaitra&L. Vikrama.	Makha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.		Time of the preceding sankranti expressed in Lunation parts (.)	Time of the succeeding sankranti expressed in Lunation parts (.)	
						Brihaspati cycle (Northern) current at Medha sankranti.	Luni-Solar cycle. (Southern.)		Lunation parts (.)	Tithi.			
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4844	1665	1800	1149	917-18	1742-43	56 Dundubhi.....	6 Āngiras.....						
4845	1666	1801	1150	918-19	1743-44	57 Rudhirodgīrin	7 Śrīmukha.....						
4846	1667	1802	1151	919-20	*1744-45	58 Raktiiksha.....	8 Bhāva.....	4 Āshādha.....	9969	29,907	889	2,517	
4847	1668	1803	1152	920-21	1745-46	59 Krodhana.....	9 Yuvan.....						
4848	1669	1804	1153	921-22	1746-47	60 Kshaya.....	10 Dhātri.....						
4849	1670	1805	1154	922-23	1747-48	1 Prabhava.....	11 Īvara.....	1 Chaitra.....	9837	29,511	73	0,219	
4850	1671	1806	1155	923-24	*1748-49	2 Vibhava.....	12 Bahudhānya.....						
4851	1672	1807	1156	924-25	1749-50	3 Śūkla.....	13 Pramāthīn.....	6 Bhādrapada.....	9993	29,979	404	1,212	
4852	1673	1808	1157	925-26	1750-51	4 Pramoda.....	14 Vikrama.....						
4853	1674	1809	1158	926-27	1751-52	5 Prajapatī.....	15 Vṛiāha.....						
4854	1675	1810	1159	927-28	*1752-53	6 Āngiras.....	16 Chitrabhbānu.....	4 Āshādha.....	9509	28,527	385	1,155	
4855	1676	1811	1160	928-29	1753-54	7 Śrīmukha.....	17 Subhānu.....						
4856	1677	1812	1161	929-30	1754-55	8 Bhāva.....	18 Tāraṇa.....						
4857	1678	1813	1162	930-31	1755-56	9 Yuvan.....	19 Pārthīva.....	3 Jyeshtha.....	9930	29,790	509	1,327	
4858	1679	1814	1163	931-32	*1756-57	10 Dhātri.....	20 Vyasa.....						
4859	1680	1815	1164	932-33	1757-58	11 Īvara.....	21 Sarvajit.....	7 Āśvina.....	9878	29,634	143	0,429	
4860	1681	1816	1165	933-34	1758-59	12 Bahudhānya.....	22 Sarvadhārin.....						
4861	1682	1817	1166	934-35	1759-60	13 Pramāthīn.....	23 Virodhīn.....						
4862	1683	1818	1167	935-36	*1760-61	14 Vikrama.....	24 Vīkṛita.....	5 Śrāvanya.....	9924	29,772	657	1,971	
4863	1684	1819	1168	936-37	1761-62	15 Vyāsha.....	25 Khara.....						
4864	1685	1820	1169	937-38	1762-63	16 Chitrabhbānu.....	26 Nandana.....						
4865	1686	1821	1170	938-39	1763-64	17 Subhānu.....	27 Vijaya.....	3 Jyeshtha.....	9398	28,194	5	0,015	
4866	1687	1822	1171	939-40	*1764-65	18 Tāraṇa.....	28 Jaya.....						
4867	1688	1823	1172	940-41	1765-66	19 Pārthīva.....	29 Maṇmatha.....						
4868	1689	1824	1173	941-42	1766-67	20 Vyasa.....	30 Durmukha.....	1 Chaitra.....	9880	29,640	194	0,582	
4869	1690	1825	1174	942-43	1767-68	21 Sarvajit.....	31 Hemalamba.....						
4870	1691	1826	1175	943-44	*1768-69	22 Sarvadhārin.....	32 Vilamha.....	5 Śrāvanya.....	9435	28,305	158	0,474	
4871	1692	1827	1176	944-45	1769-70	23 Virodhīn.....	33 Vīkṛīn.....						
4872	1693	1828	1177	945-46	1770-71	24 Vīkṛīta.....	34 Śārvāri.....						
4873	1694	1829	1178	946-47	1771-72	25 Khara.....	35 Plava ¹⁾	4 Āshādha.....	9779	29,837	342	1,026	
4874	1695	1830	1179	947-48	*1772-73	26 Nandana.....	37 Śobhana.....						
4875	1696	1831	1180	948-49	1773-74	27 Vijaya.....	38 Krodhīn.....						

¹⁾ Subhakrit, No. 36, was suppressed in the north.

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Śekhā 1st.)											
Day and Month A. D.	(Time of the Mesha-sankranti.)									Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.									
	Week day.	By the Ārya Siddhānta.				By the Sūrya Siddhānta.						Moon's Age.		Lunar phase (%)	Tithi elapsed	<i>a</i>	<i>b</i>	<i>c</i>	Kali.		
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.												
13	14	15	17	15a	17a	19	20	21	22	23	24	25	1								
29 Mar. (88)...	2 Mon...	38	32	15	25	44	13	17	41	26 Mar. (85)...	6 Fri....	238	714	128	966	269	4844				
29 Mar. (88)...	3 Tues...	54	4	21	37	59	45	23	54	15 Mar. (74)...	3 Tues...	15	045	4	813	238	4845				
29 Mar. (89)...	5 Thur...	9	35	3	50	15	16	6	6	4 Mar. (64)...	1 Sun....	228	684	218	697	210	4846				
29 Mar. (88)...	6 Fri....	25	6	10	2	30	48	12	19	23 Mar. (82)...	0 Sat....	290	870	254	633	262	4847				
29 Mar. (88)...	0 Sat....	40	37	16	15	46	19	18	32	12 Mar. (71)...	4 Wed...	287	861	129	480	231	4848				
29 Mar. (88)...	1 Sun...	56	9	22	27	+1	51	+0	44	1 Mar. (60)...	1 Sun....	271	813	4	327	200	4849				
29 Mar. (89)...	3 Tues...	11	40	4	40	17	22	6	57	19 Mar. (79)...	0 Sat....	319	957	39	263	251	4850				
29 Mar. (88)...	4 Wed...	27	11	10	32	32	54	13	9	8 Mar. (67)...	4 Wed...	146	439	9915	110	220	4851				
29 Mar. (88)...	5 Thur...	42	42	17	5	48	25	19	22	27 Mar. (86)...	3 Tues...	129	387	9949	46	272	4852				
29 Mar. (88)...	6 Fri....	58	14	23	17	+3	57	+1	35	17 Mar. (76)...	1 Sun....	244	732	164	980	244	4853				
29 Mar. (89)...	1 Sun....	13	45	5	30	19	28	7	47	5 Mar. (65)...	5 Thur...	49	129	39	777	213	4854				
9 April (99)X	2 Mon....	29	16	11	42	35	0	14	0	4 April (94)X	4 Wed...	78	234	74	713	264	4855				
9 April (99)...	3 Tues...	44	47	17	55	50	31	20	13	24 Mar. (83)...	1 Sun....	88	114	9950	560	233	4856				
10 April (100)...	5 Thur...	0	19	0	7	6	3	2	25	13 Mar. (72)...	5 Thur...	45	135	9825	407	202	4857				
9 April (100)...	6 Fri....	15	50	6	20	21	34	8	38	31 Mar. (91)...	4 Wed...	117	351	9860	843	254	4858				
9 April (99)...	0 Sat....	31	21	12	32	37	6	14	50	20 Mar. (79)...	1 Sun....	7	021	9786	190	223	4859				
9 April (99)...	1 Sun....	46	52	18	45	52	37	21	3	8 April (98)...	0 Sat....	10	030	9770	126	274	4860				
10 April (100)...	3 Tues...	2	24	0	57	8	9	3	16	29 Mar. (88)...	5 Thur...	134	402	9985	10	246	4861				
9 April (100)...	4 Wed...	17	55	7	10	23	40	9	28	18 Mar. (78)...	3 Tues...	252	756	190	893	218	4862				
9 April (99)...	5 Thur...	33	26	18	22	39	12	15	41	6 April (96)...	2 Mon....	251	753	234	829	269	4863				
9 April (99)...	6 Fri....	48	57	19	35	54	43	21	58	26 Mar. (85)...	6 Fri....	123	369	109	677	239	4864				
10 April (100)...	1 Sun....	4	29	1	47	10	15	4	6	15 Mar. (74)...	3 Tues...	6	018	9985	524	208	4865				
9 April (100)...	2 Mon....	20	0	8	0	25	47	10	19	2 April (95)...	2 Mon....	195	585	20	460	259	4866				
9 April (99)...	3 Tues...	35	31	14	12	41	18	16	31	22 Mar. (81)...	6 Fri....	167	301	9996	307	228	4867				
9 April (99)...	4 Wed...	51	2	20	25	56	50	22	43	11 Mar. (70)...	3 Tues...	29	087	9771	154	197	4868				
10 April (100)...	6 Fri....	6	34	2	37	12	21	4	56	30 Mar. (89)...	2 Mon....	21	063	9806	90	249	4869				
9 April (100)...	0 Sat....	22	5	8	50	27	53	11	9	19 Mar. (79)...	0 Sat....	138	414	20	974	221	4870				
9 April (99)...	1 Sun....	37	36	15	2	43	24	17	22	7 April (97)...	6 Fri....	120	380	55	910	272	4871				
9 April (99)...	2 Mon....	53	7	21	15	58	56	23	34	25 Mar. (87)...	4 Wed...	274	822	269	793	244	4872				
10 April (100)...	4 Wed...	8	39	3	27	14	27	5	47	17 Mar. (76)...	1 Sun....	179	537	145	640	213	4873				
9 April (100)...	5 Thur...	24	10	9	40	29	59	11	59	4 April (95)...	0 Sat....	255	765	180	576	264	4874				
9 April (99)...	6 Fri....	39	41	15	52	45	30	18	12	24 Mar. (83)...	4 Wed...	260	780	55	424	233	4875				

† See footnote p. lxxii above.

X From here (inclusive) forward the dates are New Style.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.								
Kali.	Saka.	Chaitrīdi, Vikram.	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatara.		Name of month.	True.			Lunation parts, (L.)	Tithi.	Lunation parts, (L.)	Tithi.
						Luni-Solar cycle. (Southern.)	Bṛihapati cycle (Northern) current at Meṣha sankranti.		Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in					
1	2	3	3a	4	5	6	7	8	9	10	11	12			
4876	1697	1832	1181	949-50	1774-	75	28 Jaya.....	39 Viśvāsa.....	2 Vaiśākha.....	9696	29.088	124	0.372		
4877	1698	1833	1182	950-51	1775-	76	29 Maṇmatha.....	40 Pañcābhava.....							
4878	1699	1834	1183	951-52	*1776-	77	30 Daṁsuka.....	41 Plavaṅga.....	6 Bhādrapada.....	9612	28.836	67	0.201		
4879	1700	1835	1184	952-53	1777-	78	31 Heṁalamba.....	42 Kīlaka.....							
4880	1701	1836	1185	953-54	1778-	79	32 Viśambha.....	43 Saṁyā.....							
4881	1702	1837	1186	954-55	1779-	80	33 Viśākha.....	44 Śikhāra.....	5 Śrāvapa.....	9972	29.916	600	2.070		
4882	1703	1838	1187	955-56	*1780-	81	34 Śārvāri.....	45 Virodhākya.....							
4883	1704	1839	1188	956-57	1781-	82	35 Plava.....	46 Paridhāvī.....							
4884	1705	1840	1189	957-58	1782-	83	36 Śubhakrit.....	47 Praṇādin.....	3 Jyeṣṭha.....	9593	28.779	142	0.426		
4885	1706	1841	1190	958-59	1783-	84	37 Sohanna.....	48 Ānanda.....							
4886	1707	1842	1191	959-60	*1784-	85	38 Kroḍhin.....	49 Rākṣhāna.....							
4887	1708	1843	1192	960-61	1785-	86	39 Viśvāsa.....	50 Anala.....	1 Chaitra.....	9855	29.565	217	0.651		
4888	1709	1844	1193	961-62	1786-	87	40 Pañcābhava.....	51 Piṅgala.....							
4889	1710	1845	1194	962-63	1787-	88	41 Plavaṅga.....	52 Kālayukta.....	5 Śrāvapa.....	9433	28.299	221	0.663		
4890	1711	1846	1195	963-64	*1788-	89	42 Kīlaka.....	53 Siddhārthīn.....							
4891	1712	1847	1196	964-65	1789-	90	43 Saṁyā.....	54 Raṇḍra.....							
4892	1713	1848	1197	965-66	1790-	91	44 Śikhāra.....	55 Durmati.....	4 Åśādhā.....	9650	28.950	344	1.032		
4893	1714	1849	1198	966-67	1791-	92	45 Virodhākya.....	56 Dundubhi.....							
4894	1715	1850	1199	967-68	*1792-	93	46 Paridhāvī.....	57 Rudhiroḍgārīn.....							
4895	1716	1851	1200	968-69	1793-	94	47 Praṇādin.....	58 Rakīkāha.....	2 Vaiśākha.....	9751	29.253	268	0.804		
4896	1717	1852	1201	969-70	1794-	95	48 Anasū.....	59 Kroḍhana.....							
4897	1718	1853	1202	970-71	1795-	96	49 Bṛikshāna.....	60 Kshaya.....	6 Bhādrapada.....	9743	29.229	244	0.732		
4898	1719	1854	1203	971-72	*1796-	97	50 Anala.....	1 Prabhava.....							
4899	1720	1855	1204	972-73	1797-	98	51 Piṅgala.....	2 Viśhava.....							
4900	1721	1856	1205	973-74	1798-	99	52 Kālayukta.....	3 Šukla.....	5 Śrāvapa.....	9866	29.598	654	1.962		
4901	1722	1857	1206	974-75	1799-	800	53 Siddhārthīn.....	4 Pṛamoda.....							
4902	1723	1858	1207	975-76	1800-	1	54 Raṇḍra.....	5 Prajāpati.....							
4903	1724	1859	1208	976-77	1801-	2	55 Durmati.....	6 Atigira.....	3 Jyeṣṭha.....	9760	29.280	233	0.699		
4904	1725	1860	1209	977-78	1802-	3	56 Dundubhi.....	7 Śrimukha.....							
4905	1726	1861	1210	978-79	1803-	4	57 Rudhiroḍgārīn.....	8 Bhāva.....							
4906	1727	1862	1211	979-80	*1804-	5	58 Bṛikshāna.....	9 Yuvan.....	1 Chaitra.....	9228	27.684	178	0.534		
4907	1728	1863	1212	980-81	1805-	6	59 Kroḍhana.....	10 Dhātri.....							

i. The year 1800 was not a leap-year.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.												Luni-Solar year. (Civil day of Chaitra Śukla 1st.)							Kali.
Day and Month A. D.	(Time of the Meṣha saṅkrānti.)											Duy and Month A. D.	Week day.	At Sunrise on meridian of Ujjain					
	Week day.	By the Ārya Siddhānta.			By the Sūrya Siddhānta.			Moon's Age.						a.	b.	c.			
		Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.					Lunar parts elapsed (A.)	Tithi elapsed				
13	14	15	17	15a	17a			19		20	21	22	23	24	25	1			
9 April (99).	0 Sat....	55	12	22	5	+1	2	+0	25	18 Mar. (72).	1 Sun....	213	639	9931	271	203	4876		
10 April (100).	2 Mon....	10	44	4	17	16	33	6	37	1 April (91).	0 Sat....	241	723	9966	207	254	4877		
9 April (100).	3 Tues....	26	15	10	30	32	5	12	50	20 Mar. (80).	4 Wed....	29	087	9841	54	223	4878		
9 April (99).	4 Wed....	41	46	16	42	47	36	19	3	8 April (98).	3 Tues...	8	024	9876	990	275	4879		
9 April (99).	5 Thur....	57	17	22	55	+3	8	+1	15	29 Mar. (88).	1 Sun....	130	390	90	874	246	4880		
10 April (100).	0 Sat....	12	49	5	7	18	39	7	28	19 Mar. (78).	6 Fri....	306	918	305	757	218	4881		
9 April (100).	1 Sun....	28	20	11	20	34	11	13	40	5 April (96).	4 Wed....	24	072	1	657	267	4882		
9 April (99).	2 Mon....	43	51	17	32	49	42	19	53	25 Mar. (84).	1 Sun....	12	036	9876	504	236	4883		
9 April (99).	3 Tues....	59	22	23	45	+5	14	+2	6	14 Mar. (73).	5 Thur....	8	024	9752	351	205	4884		
10 April (100).	5 Thur....	14	54	5	57	20	45	8	18	2 April (92).	4 Wed....	63	189	9787	287	256	4885		
9 April (100).	6 Fri....	30	25	12	10	36	17	14	31	22 Mar. (82).	2 Mon....	264	792	1	171	228	4886		
9 April (99).	0 Sat....	45	56	18	22	51	49	20	43	11 Mar. (70).	6 Fri....	36	108	9877	18	198	4887		
10 April (100).	2 Mon....	1	27	0	35	7	20	2	56	30 Mar. (89).	5 Thur....	11	033	9911	954	249	4888		
10 April (100).	3 Tues....	16	59	6	47	23	52	9	9	20 Mar. (79).	3 Tues...	148	444	126	837	221	4889		
9 April (100).	4 Wed....	32	30	13	0	38	23	15	21	7 April (98).	2 Mon....	163	489	161	773	272	4890		
9 April (99).	5 Thur....	48	1	19	12	53	55	21	34	27 Mar. (86).	6 Fri....	79	237	36	621	241	4891		
10 April (100).	0 Sat....	3	33	1	25	9	26	8	46	16 Mar. (75).	3 Tues...	82	246	9912	468	211	4892		
10 April (100).	1 Sun....	19	4	7	37	24	58	9	59	4 April (94).	2 Mon....	167	501	9947	404	262	4893		
9 April (100).	2 Mon....	34	35	13	50	40	29	16	12	23 Mar. (83).	6 Fri....	102	306	9822	251	231	4894		
9 April (99).	3 Tues....	50	6	20	2	56	1	22	24	13 Mar. (72).	4 Wed....	284	852	37	184	203	4895		
10 April (100).	5 Thur....	5	37	2	15	11	32	4	37	1 April (91).	3 Tues...	271	813	71	70	254	4896		
10 April (100).	6 Fri....	21	9	8	27	27	4	10	49	21 Mar. (80).	0 Sat....	19	057	9947	918	223	4897		
9 April (100).	0 Sat....	36	40	14	40	42	35	17	2	8 April (99).	6 Fri....	12	036	9982	854	275	4898		
9 April (99).	1 Sun....	52	11	20	52	58	7	23	15	29 Mar. (88).	4 Wed....	196	588	196	737	247	4899		
10 April (100).	3 Tues....	7	42	3	5	13	38	5	27	18 Mar. (77).	1 Sun....	142	426	72	584	216	4900		
10 April (100).	4 Wed....	23	14	9	17	29	10	11	40	6 April (96).	0 Sat....	228	684	106	520	267	4901		
10 April (100).	5 Thur....	38	45	15	30	44	41	17	53	26 Mar. (85).	4 Wed....	225	675	9982	368	236	4902		
10 April (100).	6 Fri....	54	16	21	42	+0	13	+0	5	15 Mar. (74).	1 Sun....	137	411	9858	215	205	4903		
11 April (101).	1 Sun....	9	47	3	55	15	44	6	18	3 April (93).	0 Sat....	146	438	9892	151	257	4904		
11 April (101).	2 Mon....	25	19	10	7	31	16	12	30	24 Mar. (83).	5 Thur....	277	831	107	34	229	4905		
10 April (101).	3 Tues....	40	50	16	20	46	47	18	43	12 Mar. (73).	2 Mon....	30	090	9982	882	198	4906		
10 April (100).	4 Wed....	56	21	22	32	+2	19	+0	55	31 Mar. (90).	1 Sun....	29	087	17	817	249	4907		

† See footnote p. III above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tilha = $\frac{1}{12}$ th part of the moon's synodic revolution.

I. CONCURRENT YEAR.							II. ADDED LUNAR MONTHS.							
Kali.	Saka.	Chaitra-doli, Vikrama.	Mouhuli (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding saṅkrānti expressed in	Time of the succeeding saṅkrānti expressed in	
						Brihaspati cycle (Northern)	Luni-Solar cycle (Southern.)		Lunation parts. (T.)	Tilhas.	Lunation parts. (T.)	Tilhas.		
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4908	1729	1564	1213	981- 82	1806- 7	60 Kshaya.....	11 Īśvara.....	5 Śrāvana.....	9398	28.194	205	0.615		
4909	1730	1565	1214	982- 83	1807- 8	1 Prabhava.....	12 Bahudhānya.....							
4910	1731	1566	1215	983- 84	*1808- 9	2 Vibhava.....	13 Pṛumāthīn.....							
4911	1732	1567	1216	984- 85	1809-10	3 Śākla.....	14 Vikrama.....	4 Āshādha.....	9799	29.397	438	1.314		
4912	1733	1568	1217	985- 86	1810-11	4 Pṛamoda.....	15 Vṛiṣha.....							
4913	1734	1569	1218	986- 87	1811-12	5 Prajāpati.....	16 Chitrabhbānu.....							
4914	1735	1570	1219	987- 88	*1812-13	6 Angira.....	17 Subhīan.....	2 Vaiśākha.....	9726	29.178	308	0.924		
4915	1736	1571	1220	988- 89	1813-14	7 Śrīmukha.....	18 Tārnā.....							
4916	1737	1572	1221	989- 90	1814-15	8 Bhāva.....	19 Pārthīva.....	6 Bhādrapada.....	9748	29.244	336	1.008		
4917	1738	1573	1222	990- 91	1815-16	9 Yuvan.....	20 Vyāya.....							
4918	1739	1574	1223	991- 92	*1816-17	10 Dhātri.....	21 Sarvajit.....							
4919	1740	1575	1224	992- 93	1817-18	11 Īśvara.....	22 Sarvadhbārin.....	5 Śrāvana.....	9926	29.778	731	2.193		
4920	1741	1576	1225	993- 94	1818-19	12 Bahudhānya.....	23 Virodhīn.....							
4921	1742	1577	1226	994- 95	1819-20	13 Pṛumāthīn.....	24 Vikṛita.....							
4922	1743	1578	1227	995- 96	*1820-21	14 Vikramas.....	25 Khars.....	3 Jyeṣṭha.....	9838	29.514	501	1.503		
4923	1744	1579	1228	996- 97	1821-22	15 Vṛiṣha.....	26 Nandana.....							
4924	1745	1580	1229	997- 98	1822-23	16 Chitrabhbānu.....	27 Viṣaya.....	7 Āśvina.....	9848	29.544	127	0.383		
4925	1746	1581	1230	998- 99	1823-24	17 Subhīan.....	28 Jaya.....	10 Pañchā (Ksh.)	74	0.292	9918	29.754		
4926	1747	1582	1231	999-1000	*1824-25	18 Tārnā.....	29 Maṇmatha.....	1 Chaitra.....	9870	29.610	161	0.483		
4927	1748	1583	1232	1000- 1	1825-26	19 Pārthīva.....	30 Durmukha.....	5 Śrāvana.....	9427	28.281	166	0.498		
4928	1749	1584	1233	1001- 2	1826-27	20 Vyāya.....	31 Hemalambī.....							
4929	1750	1585	1234	1002- 3	1827-28	21 Sarrajit.....	32 Vilambī.....							
4930	1751	1586	1235	1003- 4	*1828-29	22 Sarvadhbārin.....	33 Vikṛita.....	4 Āshādha.....	9984	29.952	815	1.845		
4931	1752	1587	1236	1004- 5	1829-30	23 Virodhīn.....	34 Śārvāri.....							
4932	1753	1588	1237	1005- 6	1830-31	24 Vikṛita.....	35 Plava.....							
4933	1754	1589	1238	1006- 7	1831-32	25 Kharā.....	36 Subhakṛit.....	2 Vaiśākha.....	9653	28.959	277	0.831		
4934	1755	1590	1239	1007- 8	*1832-33	26 Nandana.....	37 Śohāna.....							
4935	1756	1591	1240	1008- 9	1833-34	27 Vijaya.....	38 Kroḍhīn.....	6 Bhādrapada.....	9707	29.121	335	1.005		
4936	1757	1592	1241	1009- 10	1834-35	28 Jayā.....	39 Viśeṣīnā.....							
4937	1758	1593	1242	1010- 11	1835-36	29 Maṇmatha.....	40 Parālīhava.....							
4938	1759	1594	1243	1011- 12	*1836-37	30 Durmukha.....	41 Plavaśāga.....	4 Āshādha.....	9460	28.380	251	0.758		

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Day and Month A. D.	Solar year. (Time of the Mesha sankranti)								Luni-Solar year. (Civil day of Chaitra Śukla 1st.)									
	Week day.	By the Ārya Siddhānta.				By the Surya Siddhānta.				Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.		Moon's Age.		Kali.		
		Gh.	Pn.	H.	M.	Gh.	Pn.	H.	M.			Lunar parts elapsed, (L.)	Tithi elapsed,	a.	b.			
13	14	15	17	15a	17a					19	20	21	22	23	24	25	1	
11 April (101).	6 Fri....	11	52	4	45	17	50	7	8	21 Mar. (80)..	6 Fri....	289	717	231	701	221	4908	
11 April (101).	0 Sat....	27	24	10	57	33	22	13	21	9 April (99)..	5 Thur...	300	960	366	637	272	4909	
10 April (101).	1 Sun....	42	55	17	10	48	54	19	33	28 Mar. (88)..	2 Mon....	296	888	142	484	242	4910	
10 April (101).	2 Mon....	58	26	23	22	44	25	41	46	17 Mar. (76)..	6 Fri....	281	843	17	332	211	4911	
11 April (101).	4 Wed....	13	37	5	35	19	57	7	59	5 April (95)..	5 Thur...	331	993	52	267	262	4912	
11 April (101).	5 Thur...	29	29	11	47	35	28	14	11	25 Mar. (84)..	2 Mon....	161	483	9928	115	231	4913	
10 April (101).	6 Fri....	45	0	18	0	51	0	20	24	14 Mar. (74)..	0 Sat....	283	849	142	998	203	4914	
11 April (101).	1 Sun....	0	31	0	12	6	31	2	36	2 April (92)..	6 Fri....	260	780	177	934	254	4915	
11 April (101).	2 Mon....	16	2	6	25	22	3	8	49	22 Mar. (81)..	3 Tues...	57	171	53	781	224	4916	
11 April (101).	3 Tues...	31	34	12	37	37	34	15	2	10 April (100)..	2 Mon....	91	273	87	717	275	4917	
10 April (101).	4 Wed....	47	5	18	50	53	6	21	14	29 Mar. (89)..	6 Fri....	48	144	9963	564	244	4918	
11 April (101).	6 Fri....	2	36	1	2	8	37	3	27	18 Mar. (77)..	3 Tues...	55	165	9839	412	213	4919	
11 April (101).	0 Sat....	18	7	7	15	24	9	9	40	6 April (96)..	2 Mon....	127	381	9873	348	265	4920	
11 April (101).	1 Sun....	33	39	13	27	39	40	15	52	26 Mar. (85)..	6 Fri....	21	663	9749	195	234	4921	
10 April (101).	2 Mon....	49	10	19	40	55	12	23	5	15 Mar. (75)..	4 Wed....	171	513	9963	78	206	4922	
11 April (101).	4 Wed....	4	41	1	52	10	43	4	17	3 April (93)..	3 Tues...	151	453	9998	14	257	4923	
11 April (101).	5 Thur...	20	12	8	5	26	15	10	30	24 Mar. (83)..	1 Sun....	268	804	212	899	229	4924	
11 April (101).	6 Fri....	35	44	14	17	41	46	16	42	13 Mar. (72)..	5 Thur...	91	273	88	746	197	4925	
10 April (101).	0 Sat....	51	15	20	30	57	18	22	55	31 Mar. (91)..	4 Wed....	135	405	123	682	248	4926	
11 April (101).	2 Mon....	6	46	2	42	12	49	5	8	20 Mar. (79)..	1 Sun....	114	342	9998	529	218	4927	
11 April (101).	3 Tues...	22	17	8	55	28	21	11	20	8 April (98)..	0 Sat....	203	609	33	465	269	4928	
11 April (101).	4 Wed....	37	49	15	7	43	52	17	33	28 Mar. (87)..	4 Wed....	178	534	9909	312	238	4929	
10 April (101).	5 Thur...	53	20	21	20	59	24	23	46	16 Mar. (76)..	1 Sun....	44	132	9784	160	207	4930	
11 April (101).	0 Sat....	8	51	3	32	14	56	5	58	4 April (94)..	0 Sat....	39	117	9819	96	259	4931	
11 April (101).	1 Sun....	24	22	9	45	30	27	12	11	25 Mar. (84)..	5 Thur...	154	462	33	979	230	4932	
11 April (101).	2 Mon....	39	54	15	57	45	59	18	23	15 Mar. (74)..	3 Tues...	284	852	248	863	202	4933	
10 April (101).	3 Tues...	55	25	22	10	41	30	40	36	2 April (93)..	2 Mon....	289	867	282	799	254	4934	
11 April (101).	5 Thur...	10	56	4	22	17	2	6	49	22 Mar. (81)..	6 Fri....	188	564	158	646	223	4935	
11 April (101).	6 Fri....	26	27	10	35	32	33	13	1	10 April (100)..	5 Thur...	264	792	193	582	274	4936	
11 April (101).	0 Sat....	41	59	16	47	48	5	19	14	30 Mar. (89)..	2 Mon....	270	810	69	429	243	4937	
10 April (101).	1 Sun....	57	39	23	0	43	36	41	26	18 Mar. (78)..	6 Fri....	225	675	9945	276	213	4938	

† See footnote p. lxxii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = $\frac{1}{12}$ th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.						
Kali.	Saka	Chaitra-fld., Vikram.	Mesha-fld. (Solar) Year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			Time of the preceding sankranti expressed in	Time of the succeeding sankranti expressed in	
						Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha sankranti.		Lunation parts. (l.)	Tithi.	Lunation parts. (l.)	Tithi.		
1	2	3	3a	4	5	6	7	8	9	10	11	12		
4939	1760	1895	1244	1012-13	1837-38	31 Hemasamha.	42 Klaka.							
4940	1761	1896	1245	1013-14	1838-39	32 Vilambha.	43 Saumya.							
4941	1762	1897	1246	1014-15	1839-40	33 Vikhrin.	44 Siddhärma.	3 Jyeshtha.	9826	29.478	381	1.743		
4942	1763	1898	1247	1015-16	*1840-41	34 Sārvari.	45 Virodhakṛit.							
4943	1764	1899	1248	1016-17	1841-42	35 Pīva.	46 Parīkhāvin.	7 Āśvina.	9876	29.628	232	0.696		
4944	1765	1900	1249	1017-18	1842-43	36 Śubhakṛit.	47 Pramādin.							
4945	1766	1901	1250	1018-19	1843-44	37 Śohann.	48 Ānanda.							
4946	1767	1902	1251	1019-20	*1844-45	38 Krodhin.	49 Rākshasa.	5 Śrāvana.	9554	28.662	155	0.465		
4947	1768	1903	1252	1020-21	1845-46	39 Viśvavasu.	50 Ānanda.							
4948	1769	1904	1253	1021-22	1846-47	40 Parīkhāvin.	51 Pingala.							
4949	1770	1905	1254	1022-23	1847-48	41 Pīva.	52 Kālayukta.	3 Jyeshtha.	9368	28.104	98	0.294		
4950	1771	1906	1255	1023-24	*1848-49	42 Klaka.	53 Siddhārthīn.							
4951	1772	1907	1256	1024-25	1849-50	43 Saumya.	54 Raundra.							
4952	1773	1908	1257	1025-26	1850-51	44 Siddhārma.	55 Durmati.	2 Vaishākha.	9729	29.187	248	0.744		
4953	1774	1909	1258	1026-27	1851-52	45 Virodhakṛit.	56 Dandabhi.							
4954	1775	1910	1259	1027-28	*1852-53	46 Parīkhāvin.	57 Rudhrīrodgāru.	6 Bhādrapada.	9713	29.139	293	0.879		
4955	1776	1911	1260	1028-29	1853-54	47 Pramādin.	58 Raktāksha.							
4956	1777	1912	1261	1029-30	1854-55	48 Ānanda.	59 Krodhana.							
4957	1778	1913	1262	1030-31	1855-56	49 Rākshasa.	60 Kāshaya.	4 Āshādha 1).	9612	28.836	277	0.831		
4958	1779	1914	1263	1031-32	*1856-57	50 Ānanda.	1 Prabhava 1).							
4959	1780	1915	1264	1032-33	1857-58	51 Piṅgala.	3 Śukla.							
4960	1781	1916	1265	1033-34	1858-59	52 Kālayukta.	4 Pramoda.	3 Jyeshtha.	9783	29.349	568	1.704		
4961	1782	1917	1266	1034-35	1859-60	53 Siddhārthīn.	5 Prajāpati.							
4962	1783	1918	1267	1035-36	*1860-61	54 Raundra.	6 Angiras.	7 Āśvina.	9845	29.535	242	0.726		
4963	1784	1919	1268	1036-37	1861-62	55 Durmati.	7 Śrīmaka.							
4964	1785	1920	1269	1037-38	1862-63	56 Dandabhi.	8 Bhāva.							
4965	1786	1921	1270	1038-39	1863-64	57 Rudhrīrodgāru.	9 Yuvā.							
4966	1787	1922	1271	1039-40	*1864-65	58 Raktāksha.	10 Dhātṛi.							
4967	1788	1923	1272	1040-41	1865-66	59 Krodhana.	11 Īvara.							
4968	1789	1924	1273	1041-42	1866-67	60 Kāshaya.	12 Bahudhānya.	3 Jyeshtha.	9826	27.978	111	0.333		
4969	1790	1925	1274	1042-43	1867-68	1 Prabhava.	13 Pramādin.							
4970	1791	1926	1275	1043-44	*1868-69	2 Vibhava.	14 Vikramas.							

1) Vibhava, No. 2, was suppressed in the north.

TABLE I.

(Col. 23) *a* = Distance of moon from sun. (Col. 24) *b* = moon's mean anomaly. (Col. 25) *c* = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.											Luni-Solar year. (Civil day of Chaitra Śukla 1st.)										Kali.	
Day and Month A. D.	(Time of the Meṣa sāṅkrānti.)										Day and Month A. D.	Week day.	At Sunrise on meridian of Ujjain.			Janat. para elapse. (t)	Tithis climated	a.	b.	c.		
	By the Ārya Siddhānta.					By the Sōrya Siddhānta.																
	Week day.	Gh.	Pa.	H.	M.	Gh.	Pa.	H.	M.													
13	14	15	16	17		15a	16a	17a	18	19		20	21	22	23	24	25	1				
11 April (101)	3 Tues...	13	1	5	12	19	8	7	39	6 April (96)..	5 Thur...	255	765	9979	212	264	4939					
11 April (101)	4 Wed...	28	32	11	26	34	39	13	52	26 Mar. (85)..	2 Mon...	46	138	9855	59	233	4940					
11 April (101)	5 Thur...	44	4	17	37	50	11	20	4	16 Mar. (75)..	0 Sat....	101	483	69	942	205	4941					
10 April (101)	6 Fri....	59	85	23	50	75	42	72	17	3 April (94)..	6 Fri....	147	441	104	878	256	4942					
11 April (101)	1 Sun....	15	6	6	2	21	14	8	29	24 Mar. (83)..	4 Wed...	318	954	318	761	228	4943					
11 April (101)	2 Mon...	30	37	12	15	36	45	14	42	11 April (101)	2 Mon....	36	108	14	661	277	4944					
11 April (101)	3 Tues...	46	9	18	27	52	17	20	55	31 Mar. (90)..	6 Fri....	23	069	9890	508	246	4945					
11 April (102)	5 Thur...	1	40	0	40	7	48	3	7	19 Mar. (79)..	3 Tues....	16	048	9765	356	215	4946					
11 April (101)	6 Fri....	17	11	6	52	23	20	9	20	7 April (97)..	2 Mon...	75	225	9800	293	266	4947					
11 April (101)	0 Sat....	32	42	13	5	38	51	15	33	28 Mar. (87)..	0 Sat....	279	837	14	175	238	4948					
11 April (101)	1 Sun....	48	14	19	17	54	23	21	45	17 Mar. (76)..	4 Wed....	52	156	0890	22	208	4949					
11 April (102)	3 Tues...	3	45	1	30	9	54	3	58	4 April (95)..	3 Tues....	28	084	9925	958	259	4950					
11 April (101)	4 Wed....	19	16	7	42	25	26	10	10	25 Mar. (84)..	1 Sun....	162	486	139	842	231	4951					
11 April (101)	5 Thur...	34	47	13	55	40	58	16	23	14 Mar. (73)..	5 Thur...	28	084	15	689	200	4952					
11 April (101)	6 Fri....	50	19	20	7	56	29	22	36	2 April (92)..	4 Wed....	90	270	49	625	251	4953					
11 April (102)	1 Sun....	5	50	2	20	12	1	4	48	21 Mar. (81)..	1 Sun....	90	270	9925	473	220	4954					
11 April (101)	2 Mon....	21	21	8	32	27	32	11	1	9 April (99)..	0 Sat....	177	531	9960	408	272	4955					
11 April (101)	3 Tues...	36	52	14	45	43	4	17	13	29 Mar. (88)..	4 Wed....	115	345	9835	255	241	4956					
11 April (101)	4 Wed....	52	24	20	37	58	35	23	26	19 Mar. (78)..	2 Mon....	299	897	50	139	213	4957					
11 April (102)	6 Fri....	7	55	3	10	14	7	5	39	6 April (97)..	1 Sun....	288	864	84	75	264	4958					
11 April (101)	0 Sat....	23	26	9	22	29	38	11	51	26 Mar. (85)..	5 Thur...	34	102	9960	922	233	4959					
11 April (101)	1 Sun....	38	57	15	35	45	10	18	4	16 Mar. (75)..	3 Tues....	186	558	175	806	205	4960					
11 April (101)	2 Mon....	54	29	21	47	40	41	40	16	4 April (94)..	2 *Mon...	209	627	209	741	257	4961					
11 April (102)	4 Wed....	10	0	4	0	16	13	6	29	23 Mar. (83)..	6 Fri....	151	453	85	589	226	4962					
11 April (101)	5 Thur...	25	31	10	12	31	44	12	42	11 April (101)	5 Thur...	239	717	120	525	277	4963					
11 April (101)	6 Fri....	41	2	16	25	47	16	18	54	31 Mar. (90)..	2 Mon....	236	708	9995	372	246	4964					
11 April (101)	0 Sat....	56	84	22	37	+2	47	+1	7	20 Mar. (79)..	6 Fri....	149	447	9871	219	215	4965					
11 April (102)	2 Mon....	12	5	4	50	18	19	7	20	7 April (98)..	5 Thur...	161	483	9906	155	267	4966					
11 April (101)	3 Tues...	27	36	11	2	33	50	13	32	28 Mar. (87)..	3 Tues....	294	882	120	39	239	4967					
11 April (101)	4 Wed....	43	7	17	15	49	22	19	45	17 Mar. (76)..	0 Sat....	46	138	9996	886	208	4968					
11 April (101)	5 Thur...	58	39	23	27	+4	53	+1	57	5 April (95)..	6 Fri....	44	132	30	822	259	4969					
11 April (102)	0 Sat....	14	10	5	40	20	25	8	10	25 Mar. (85)..	4 Wed....	250	750	245	705	231	4970					

† See footnote p. iii above.

TABLE I.

Lunation-parts = 10,000ths of a circle. A tithi = 1/10th of the moon's synodic revolution.

I. CONCURRENT YEAR.								II. ADDED LUNAR MONTHS.					
Kali.	Saka	Chaitra&li.	Vishnu	Mesha (Solar) year in Bengal.	Kollam.	A. D.	Samvatsara.		Name of month.	True.			
							Luni-Solar cycle. (Southern.)	Brihaspati cycle (Northern) current at Mesha saṅkranti.		Lunation parts. (l.)	Time of the preceding saṅkranti expressed in	Lunation parts. (l.)	Time of the succeeding saṅkranti expressed in
1	2	3	3a	4	5	6	7	8	9	10	11	12	
4971	1792	1927	1276	1044-45	1869- 70	3 Śākla.....	15 Vṛiṣha.....	2 Vaiśākha.....	9869	29.607	299	0.897	
4972	1793	1928	1277	1045-46	1870- 71	4 Pṛamoda.....	16 Chitrabhaṇḍa.....						
4973	1794	1929	1278	1046-47	1871- 72	5 Prajāpati.....	17 Saṁbhānu.....	6 Bhādrapada.....	9796	29.388	297	0.891	
4974	1795	1930	1279	1047-48	*1872- 73	6 Āgirasa.....	18 Tāraṇa.....						
4975	1796	1931	1280	1048-49	1873- 74	7 Śeṁsukha.....	19 Pārthiva.....						
4976	1797	1932	1281	1049-50	1874- 75	8 Bhāva.....	20 Vyaya.....	4 Āśādha.....	9648	28.944	429	1.287	
4977	1798	1933	1282	1050-51	1875- 76	9 Yuvan.....	21 Sarvajit.....						
4978	1799	1934	1283	1051-52	*1876- 77	10 Dhātri.....	22 Saṁvalhaṇīa.....						
4979	1800	1935	1284	1052-53	1877- 78	11 Īvara.....	23 Virodhiṇi.....	3 Jyeshtha.....	9802	29.406	527	1.581	
4980	1801	1936	1285	1053-54	1878- 79	12 Bahudhānya.....	24 Viṣiṭa.....						
4981	1802	1937	1286	1054-55	1879- 80	13 Pṛamāthīn.....	25 Khara.....	7 Āśvina.....	9818	29.454	194	0.582	
4982	1803	1938	1287	1055-56	*1880- 81	14 Viṣvara.....	26 Nandana.....						
4983	1804	1939	1288	1056-57	1881- 82	15 Vṛiṣha.....	27 Vijaya.....						
4984	1805	1940	1289	1057-58	1882- 83	16 Chitrabhaṇḍa.....	28 Jaya.....	5 Śrāvana.....	9921	29.763	510	1.530	
4985	1806	1941	1290	1058-59	1883- 84	17 Saṁbhānu.....	29 Maunatha.....						
4986	1807	1942	1291	1059-60	*1884- 85	18 Tāraṇa.....	30 Durmukha.....						
4987	1808	1943	1292	1060-61	1885- 86	19 Pārthiva.....	31 Hemalambā.....	3 Jyeshtha.....	9328	27.984	70	0.210	
4988	1809	1944	1293	1061-62	1886- 87	20 Vyaya.....	32 Vilambīa.....						
4989	1810	1945	1294	1062-63	1887- 88	21 Sarvajit.....	33 Viṣiṭa.....						
4990	1811	1946	1295	1063-64	*1888- 89	22 Saṁvadhaṇīa.....	34 Śārvāri.....	1 Āśādha.....	9857	29.571	62	0.186	
4991	1812	1947	1296	1064-65	1889- 90	23 Virodhiṇi.....	35 Plava.....						
4992	1813	1948	1297	1065-66	1890- 91	24 Viṣiṭa.....	36 Śeṁsukriti.....	6 Bhādrapada.....	9973	29.919	402	1.208	
4993	1814	1949	1298	1066-67	1891- 92	25 Khara.....	37 Saṁbhānu.....						
4994	1815	1950	1299	1067-68	*1892- 93	26 Nandana.....	38 Kroḍhīna.....						
4995	1816	1951	1300	1068-69	1893- 94	27 Vijaya.....	39 Viśvāsa.....	4 Āśādha.....	9616	28.848	479	1.437	
4996	1817	1952	1301	1069-70	1894- 95	28 Jaya.....	40 Pārthivā.....						
4997	1818	1953	1302	1070-71	1895- 96	29 Maunatha.....	41 Pīraṅga.....						
4998	1819	1954	1303	1071-72	*1896- 97	30 Durmukha.....	42 Kīlaṅka.....	3 Jyeshtha.....	9921	29.763	544	1.632	
4999	1820	1955	1304	1072-73	1897- 98	31 Hemalambā.....	43 Saumya.....						
5000	1821	1956	1305	1073-74	1898- 99	32 Vilambīa.....	44 Śādhāraṇa.....	7 Āśvina.....	9888	29.654	189	0.567	
5001	1822	1957	1306	1074-75	1899-900	33 Viṣiṭa.....	45 Viśodhakriti.....						
5002	1823	1958	1307	1075-76	1900- 1	34 Śārvāri.....	46 Paridhāvīa.....						

5 The year 1900 A. D. will not be a leap-year.

TABLE I.

(Col. 23) a = Distance of moon from sun. (Col. 24) b = moon's mean anomaly. (Col. 25) c = sun's mean anomaly.

III. COMMENCEMENT OF THE

Solar year.										Luni-Solar year. (Civil day of Chaitra Šukla 1st.)										Kali.				
Day and Month A. D.	(Time of the Mesha sankranti.)									Day and Month A. D.	Week day.	Week day.	At Sunrise on meridian of Ujjain.						Kali.					
	By the Ārya Siddhānta.			By the Surya Siddhānta.									Moon's Age.		a	b	c							
	Gh.	Pa.	H. M.	Gh.	Pa.	H. M.							Lunar parts elapsed. (t)	This elaps.										
13	14	15	17	15a	17a		19		20	21	22	23	24	25	1									
11 April (101).	1 Sun....	29	41	11	52	35	56	14	23	14 Mar. (73)..	1 Sun....	217	651	120	553	200	4971							
11 April (101).	2 Mon....	45	12	18	5	51	28	30	35	2 April (92)..	0 Sat....	306	918	155	488	251	4972							
12 April (102).	4 Wed....	0	44	0	17	7	0	2	48	22 Mar. (81)..	4 Wed....	292	876	31	336	221	4973							
11 April (102).	5 Thur...	16	15	6	30	22	31	9	0	8 April (99)..	2 Mon....	7	021	9727	235	269	4974							
11 April (101).	6 Fri....	31	46	12	42	38	3	15	13	29 Mar. (88)..	0 Sat....	176	528	9941	119	241	4975							
11 April (101).	0 Sat....	47	17	18	55	53	34	21	26	19 Mar. (78)..	5 Thur...	299	897	155	2	218	4976							
12 April (102).	2 Mon....	2	49	1	7	9	6	3	38	7 April (97)..	4 Wed....	276	828	190	988	264	4977							
11 April (102).	3 Tues...	18	20	7	20	24	37	9	51	26 Mar. (86)..	1 Sun....	70	210	66	786	233	4978							
11 April (101).	4 Wed....	33	51	13	33	40	9	16	3	16 Mar. (75)..	6 Fri....	300	900	280	689	205	4979							
11 April (101).	5 Thur...	49	22	19	45	55	40	22	16	3 April (93)..	4 Wed....	57	171	9976	569	254	4980							
12 April (102).	0 Sat....	4	54	1	57	11	12	4	29	23 Mar. (82)..	1 Sun....	63	189	9852	416	223	4981							
11 April (102).	1 Sun....	20	25	8	10	26	43	10	41	10 April (101)..	0 Sat....	139	417	9687	352	274	4982							
11 April (101).	2 Mon....	35	56	14	22	42	15	16	54	30 Mar. (89)..	4 Wed....	35	103	9762	199	244	4983							
11 April (101).	3 Tues...	61	27	20	35	57	46	23	7	20 Mar. (79)..	2 Mon...	188	564	9977	83	215	4984							
12 April (102).	5 Thur...	8	59	2	47	13	18	5	19	8 April (98)..	1 Sun....	168	504	11	19	267	4985							
11 April (102).	6 Fri....	22	30	9	0	28	49	11	32	28 Mar. (88)..	6 Fri....	285	855	226	902	230	4986							
11 April (101).	0 Sat....	38	1	15	12	44	21	17	44	17 Mar. (76)..	3 Tues...	103	309	101	749	208	4987							
11 April (101).	1 Sun....	53	32	21	25	59	52	23	57	5 April (95)..	2 Mon....	147	441	186	685	250	4988							
12 April (102).	3 Tues...	9	4	3	37	15	24	6	9	25 Mar. (84)..	6 Fri....	129	369	12	533	229	4989							
11 April (102).	4 Wed....	24	35	9	59	30	55	12	22	13 Mar. (73)..	3 Tues...	126	378	9887	380	199	4990							
11 April (101).	5 Thur...	40	6	16	2	46	27	18	35	1 April (91)..	2 Mon....	190	570	9922	316	250	4991							
11 April (101).	6 Fri....	55	37	22	15	+1	58	+0	47	21 Mar. (80)..	6 Fri....	49	147	9798	163	219	4992							
12 April (102).	1 Sun....	11	9	4	27	17	30	7	0	9 April (99)..	5 Thur...	54	162	9832	99	270	4993							
11 April (102).	2 Mon....	26	40	10	40	38	2	13	13	29 Mar. (80)..	3 Tues...	171	513	47	982	242	4994							
11 April (101).	3 Tues...	42	11	16	52	48	33	19	25	19 Mar. (78)..	1 Sun....	299	897	261	866	214	4995							
11 April (101).	4 Wed....	57	42	23	5	+4	5	+1	38	7 April (97)..	0 Sat....	304	912	296	802	265	4996							
12 April (102).	6 Fri....	13	14	5	17	19	36	7	50	27 Mar. (86)..	4 Wed....	198	594	171	649	235	4997							
11 April (102).	0 Sat....	28	45	11	30	35	8	14	3	15 Mar. (75)..	1 Sun....	194	582	47	496	204	4998							
11 April (101).	1 Sun....	44	16	17	42	50	39	20	16	3 April (93)..	0 Sat....	280	840	82	432	255	4999							
11 April (101).	2 Mon....	59	47	23	55	+6	11	+2	28	23 Mar. (82)..	4 Wed....	235	705	9957	280	224	5000							
12 April (102).	4 Wed....	15	19	6	7	21	42	8	41	11 April (101)..	3 Tues...	270	810	9902	316	276	5001							
12 April (102).	5 Thur...	30	50	12	20	37	14	14	53	31 Mar. (90)..	0 Sat....	62	186	9868	63	245	5002							

† See footnote p. lxxii above.

TABLE II. PART I.

CORRESPONDENCE OF AMANTA AND PŪRNIMANTA MONTHS

(See Art. 51.)

Amanta month.	Fortinights.		Pūrnimanta month.
	1	2	
1 Chaitra.....	Sukla.....		Chaitra.
	Krishna.....		Vaiśākha.
2 Vaiśākha.....	Sukla.....		
	Krishna.....		Jyeshtha.
3 Jyeshtha.....	Sukla.....		
	Krishna.....		Āshadhā.
4 Āshadhā.....	Sukla.....		
	Krishna.....		Śravana.
5 Śravana.....	Sukla.....		
	Krishna.....		Bhādrapada
6 Bhādrapada.....	Sukla.....		
	Krishna.....		Āsvina.
7 Āsvina.....	Sukla.....		
	Krishna.....		Kārtika.
8 Kārtika.....	Sukla.....		
	Krishna.....		Mārgasīrsha.
9 Mārgasīrsha.....	Sukla.....		
	Krishna.....		Pauṣa.
10 Pauṣa.....	Sukla.....		
	Krishna.....		Māgha.
11 Māgha.....	Sukla.....		
	Krishna.....		Phālguna.
12 Phālguna.....	Sukla.....		
	Krishna.....		Chaitra.

Sukla = Śuddha and other synonyms.

Krishna = Bahula, Vadya, and other synonyms.

TABLE II. PART II.
CORRESPONDENCE OF MONTHS IN DIFFERENT ERAS.
(See Art. 103 of the Text.)

LUNI-SOLAR YEAR.					Other months corresponding to Lunar months.	
Sanskrit names of months.	Tulu names.	Āshāḍhdī.	Āśvinādi.	Kārtikādi.	Solar months.	Months A. D.
		1	2	3	4	5
Kali 4179. Vikrama 1135.	Śaka 1000. Gupta 758.	Vikrama Samvat 1184.	Chedi (Kaleelurī) 829.	Vikrama 1134. Nevar 198.		A. D. 1077.
1 Chaitra.	Pagru.	Chaitra.	Chaitra.	Chaitra.	Mīna, Mesha.	Feb., March, April, May.
2 Vaiśākha.	Bēśā.	Vaiśākha.	Vaiśākha.	Vaiśākha.	Mesha, Vṛishabha.	March, April, May, June.
3 Jyeshṭha.	Kārtelu.	Jyeshṭha. 1135.	Jyeshṭha.	Jyeshṭha.	Vṛishabha, Mithuna.	April, May, June, July.
4 Āshāḍha.	Āti.	Āshāḍha.	Āshāḍha.	Āshāḍha.	Mithuna, Karka.	May, June, July, Aug.
5 Śrāvana.	Sōga.	Śrāvana.	Śrāvana.	Śrāvana.	Karka, Sishha.	June, July, Aug., Sept.
6 Bhādrapada.	Nirūla.	Bhādrapada. 830.	Bhādrapada.	Bhādrapada.	Sishha, Kanyā.	July, Aug., Sept., Oct.
7 Āśvina.	Bontelu.	Āśvina.	Āśvina.	Āśvina. 1185; 199.	Kanyā, Tula.	Aug., Sept., Oct., Nov.
8 Kārtika.	Jāndi.	Kārtika.	Kārtika.	Kārtika.	Tula, Vṛiśchika	Sept., Oct., Nov., Dec.
9 Mārgaśīrsha.	Perīrdi.	Mārgaśīrsha.	Mārgaśīrsha.	Mārgaśīrsha.	Vṛiśchika, Dhānu.	Oct., Nov., Dec., Jan.
10 Pauṣha.	Pāntelu.	Pauṣha.	Pauṣha.	Pauṣha.	Dhānu, Makara.	Nov., Dec., Jan., Feb.
11 Māgha.	Māyi.	Māgha.	Māgha.	Māgha.	Makara, Kumbha.	Dec., Jan., Feb., March.
12 Phālguna.	Suggi.	Phālguna.	Phālguna.	Phālguna.	Kumbha, Mīna.	Jan., Feb., March, April.

N.B. i. All the years are current, and the lunar-months are umānta.


N.B. ii. *Chaitrādi* = "beginning with Chaitra"; *Meshādi* = "beginning with Mesha" and so on.

TABLE II. PART II. (CONTINUED.)

CORRESPONDENCE OF MONTHS IN DIFFERENT ERAS.

(See Art. 108 of the Text.)

SOLAR YEAR.								Other months corresponding to Solar months.	
Meshaði.			Sinhði.		Kasyði.		Lunar months.	Mouths A. D.	
Sign names.	Bengali names.	Tamil names.	Tinnevelly names.	South Malayalam names.	North Malayalam names.	Orissa names.			
8	9	10	11	12	13		14	15	
Kali 4179.		Vikrama 1135.		Tinnevelly 252.	Kollam	Kollam	Vilyatî	A. D. 1077.	
Saka 1000.		Bengali San 484.			252.	252.	484.		
1 Meshá.	Vaisâkha (Baisâk).	Chittirai (Sittirai).	Chittirai (Sittirai).	Môlam.	Môlam.	Baisâk.	Chait., Vais.	Mar., Apr., May.	
2 Vriñchabha.	Jyeshtha (Joistho).	Vaigâsi, Vaiyâsi.	Vaigâsi (Vaiyâsi).	Edavam.	Edavam.	Joistho.	Vaiâ, Jyesh.	Apr., May, June.	
3 Mithuna.	Âshâdha (Assar).	Âni.	Âni.	Midunam.	Midunam.	Assar.	Jyesh., Âshâ.	May, June, July.	
4 Karka.	Śrâvâsa (Shrâvan).	Âđi.	Âđi.	Karkadakum 253.	Karkadakam	Sawun.	Âshâ, Śrâv.	June, July, Aug.	
5 Sishâ.	Bhâdrapada (Bhâdro).	Âvani.	Âvâsi.		253.		Rhâdro.	Śrâv., Bhâd.	July, Aug., Sept.
6 Kanyâ.	Âśvina (Âśvin).	Purattidi —(Purattidâ).	Purattidi —(Purattidâ).	Kanni.	Kanni.	Âśvin.	Bhâd., Âśv.	Aug., Sept., Oct.	
7 Tula.	Kârttika (Kârttik).	Aippasi (Arppisi, —Appisi).	Aippasi (Arppisi, —Appisi).	Tujam.	Tujam.	Kârttik.	Âśv., Kârtt.	Sept., Oct., Nov.	
8 Vriñchikâ.	Mârgâlsha (Âghrâln).	Kârttigai.	Kârttigai.	Vriñchikam.	Vriñchikam.	Âghrâln.	Kârt., Mârg.	Oct., Nov., Dec.	
								1078.	
9 Dhanus.	Pausa (Paus).	Mârgali.	Mârgali.	Dhanu.	Dhanu.	Pausa.	Mârg., Paus.	Nov., Dec., Jan.	
10 Makara.	Mâgha.	Tai.	Tai.	Makaram.	Makaram.	Mâgha.	Paus., Mâgh.	Dec., Jan., Feb.	
11 Kumbha.	Phâlguna (Falgun).	Mâsi.	Mâsi.	Kumbham.	Kumbham.	Falgun.	Mâgh., Phâl.	Jan., Feb., Mar.	
12 Mîna.	Chaitra (Choitro).	Pânguni.	Pânguni.	Mînam.	Mînam.	Choltro.	Phâl., Chait.	Feb., Mar., Apr.	



THE INDIA-CALENDAR.

TABLE PART III.

Kali.	TABLE IART III. CORRESPONDENCE OF DIFFERENT ERAS.																				
0	Septazhi.	Vikrama.																			
26	0	Vikrama.													N.B. i. The month in which the year of a non-Cha non-Mashadi era begins is given in brackets in the heading. An era which has no month printed under it in the heading is Cha or Mashadi.						
3044	3018	0	Vikrama (Ashadha, Karttika).												N.B. ii. To turn a year of one era into that of another year 0 under one and the corresponding year on the same horizontal line under the other. For instance, to turn a 57 into a Vikrama year and vice versa, Saka 0 = Chaitraadi 57; Vikrama 133 = Ashadhaadi or Karttikadi Vikrama 134-5. 0 = either kind of Vikrama 57-8; and so on. (See also Art. 104 of the text.)						
3044-5	3018-9	0-1	0	A. D. (January).																	
3101-2	3075-6	57-8	57-8	0	Saka.																
3179	3133	135	134-5	77-8	0	Chedi (Avina).															
3349-50	3323-4	305-6	305-6 304-5	247-8	170-1	0	Vaiabhi (Karttika).														
3420-1	3394-5	376-7	376-7 376	818-9	241-2	71-2	0	Gupta.													
3421	3395	877	376-7	319-20	242	71-2	0-1	0	Fasali of South (June, July).												
3692-3	3666-7	648-9	648-9 647-8	590-1	513-4	342-3	271-2	271-2	0	Fasali of North (General vayavali and Shubha).											
3694-5	3668-9	650-1	650-1 649-50	592-3	515-6	344-3	273-4	273-4	2-3	0	Bengali.										
3695	3669	651	650-1	593-4	516	345-6	274-5	274	2-3	0-1	0	Sir-San (June).									
3701-2	3675-6	657-8	656-7	599-600	522-3	351-2	280-1	280-1	8-9	6-7	6-7	0	Harsha.								
3708	3682	664	663-4	606-7	529	358-9	287-8	287	13-6	11-4	13	6-7	0	Magi.							
3740	3714	696	695-6	638-9	561	390-1	319-20	319	47-8	41-6	45	38-9	32	0	Kollam (Simha, Kany).						
3926-7	3900-1	882-3	882-3 881-2	824-3	747-8	576-7	505-6	505-6	284-5	282-2 282	281-2	225-6	218-9	186-7	0	Nevar (Karttika).					
3980-1	3954-5	936-7	935-6 936	878-9	601-2	631-2	560	559-60	288-9	281-7	283-6	279-80	272-3	240-1	54-5	0	Chalukya (initial month doubtful).				
4177-8	4151-2	1133-4	1133-4	1075-6	998-9	828-9	757-8	736-7	485-6	481-4	482-3	476-7	469-70	437-8	251-2	197-8	0	Sinha (Ashadha).			
4215-6	4189-90	1171-2	1171-2 1176-1	1113-4	1036-7	885-6	794-5	794-5	522-3 523-4	523-3	520-1	514-3 513-4	507-5	475-6	288-9	234-5	37-5	0	Lakshmana Sena (Karttika).		
4220-1	4194-5	1176-7	1176-7 1176	1118-9	1041-2	871-2	800	799-800	528-9	526-7	525-6	519-20	512-3	480-1	294-5	240	42-3	5-6	0	Ilibi.	
4656-7	4630-1	1612-3	1612-3	1555-6	1477-8	1307-8	1236-7	1235-6	964-5	962-3	961-2	955-6	948-9	916-7	730-1	676-7	479-50	441-2	436-7	0	Rājālakshmi (Jyeshtha).
4775-6	4749-50	1721-2	1730-1	1678-4	1596-7	1425-6	1354-5	1354-5	1082-3	1081-1	1080-1	1075-4	1067-8	1035-6	848-9	794-5	597-8	559-60	554-3	118-9	0




TABLE III.

COLLECTIVE DURATION OF MONTHS.

PART I.			PART II.																	
Luni-Solar year (Chaitrīdi).			Solar year (Meshādi).																	
Serial number.	Name of Month.	Collective duration from the beginning of the year to the end of each month. Exactly in tithis, or approximately in solar-days.	Serial number.	Name of Month.	Sankrānti at end of month in col. 5.	Collective duration (in days) from the beginning of the year to the end of the month in col. 5, or to the sankrānti in col. 5 a.												Approximate.		
						Exact.						By the Ārya Siddhānta.								
						Hindu reckoning.			European reckoning.			Hindu reckoning.			European reckoning.					
1	2	3	3a	4	5	5a	6	7	8	9	10	D.	GH.	P.	D.	H.	M.	D.	H.	M.
1	Chaitra....	30	30	1	Meṣha....	Vṛishabha....	30(2)	55	30	30(2)	22	12	30(2)	56	7	30(2)	22	27	31	
2	Vṛiśākha...	60	59	2	Vṛiśabha...	Mithuna....	62(6)	19	34	62(6)	7	49	62(6)	21	20	62(6)	8	32	62	
3	Jyeṣṭha...	90	89	3	Mithuna...	Karka....	93(2)	56	0	93(2)	22	24	94(3)	0	1	94(3)	0	0	94	
4	Āshāḍha...	120	118	4	Karka....	Sīhha....	125(6)	24	4	125(6)	9	38	125(6)	28	32	125(6)	11	25	125	
5	Śrāvaga...	150	148	5	Sīhha....	Kanyā....	156(2)	26	9	156(2)	10	28	156(2)	29	39	156(2)	11	52	156	
6	Bhādrapada...	180	177	6	Kanyā....	Tula....	186(4)	53	33	186(4)	31	25	186(4)	56	8	186(4)	22	27	187	
7	Āśvina...	210	207	7	Tula....	Vṛiśchika...	216(6)	47	45	216(6)	19	6	216(6)	49	44	216(6)	19	54	217	
8	Kārttika...	240	236	8	Vṛiśchika...	Dhanus...	246(1)	18	16	246(1)	7	18	246(1)	19	9	246(1)	7	40	246	
9	Mārgaśīrsha...	270	266	9	Dhanus...	Makara....	275(2)	39	18	275(2)	15	43	275(2)	38	13	275(2)	15	17	276	
10	Pausha...	300	295	10	Makara...	Kumbha...	305(4)	6	42	305(4)	2	41	305(4)	5	6	305(4)	2	2	305	
11	Māgha...	330	325	11	Kumbha...	Mīna....	334(5)	55	12	334(5)	22	5	334(5)	54	19	334(5)	21	44	335	
12	Phālguna...	360	354	12	Mīna....	Meṣha (of the following year)†	365(1)	15	31	365(1)	6	12	365(1)	15	32	365(1)	6	13	365	

* The figures in brackets in columns 6, 7, 8, 9 give the (w) or weekday index.

† The moment of the Meṣha sankrānti coincides with the exact beginning of the solar year.

TABLE IV.

(W) (A) (B) (C) FOR EVERY DAY IN THE YEAR.

(Prof. Jacobi's Table 7 in Ind. Ant., Vol. XVII., modified and corrected).

No. of days.	(w.)	(a.)	(b.)	(c.)		No. of days.	(w.)	(a.)	(b.)	(c.)		No. of days.	(w.)	(a.)	(b.)	(c.)
1	1	339	36	3		43	1	4551	561	118		85	1	8784	85	233
2	2	677	73	5		44	2	4900	597	120		86	2	9122	121	235
3	3	1016	109	8		45	3	5238	633	123		87	3	9461	157	238
4	4	1355	145	11		46	4	5577	669	126		88	4	9800	194	241
5	5	1693	181	14		47	5	5916	706	129		89	5	138	230	244
6	6	2032	218	16		48	6	6254	742	131		90	6	477	266	246
7	0	2370	254	19		49	0	6593	778	134		91	0	816	303	249
8	1	2709	290	22		50	1	6932	815	137		92	1	1154	339	252
9	2	3048	327	25		51	2	7270	851	140		93	2	1493	375	255
10	3	3386	363	27		52	3	7609	887	142		94	3	1831	411	257
11	4	3725	399	30		53	4	7947	923	145		95	4	2170	448	260
12	5	4064	435	33		54	5	8286	960	148		96	5	2509	484	263
13	6	4402	472	36		55	6	8625	996	151		97	6	2847	520	266
14	0	4741	508	38		56	0	8963	82	153		98	0	3186	557	268
15	1	5079	544	41		57	1	9302	69	156		99	1	3525	593	271
16	2	5418	581	44		58	2	9641	105	159		100	2	3863	629	274
17	3	5757	617	47		59	3	9979	141	162		101	3	4202	665	277
18	4	6095	653	49		60	4	318	177	164		102	4	4540	702	279
19	5	6434	690	52		61	5	657	214	167		103	5	4879	738	282
20	6	6773	726	55		62	6	995	250	170		104	6	5218	774	285
21	0	7111	762	57		63	0	1334	286	172		105	0	5556	811	287
22	1	7450	798	60		64	1	1672	323	175		106	1	5895	847	290
23	2	7789	835	63		65	2	2011	359	178		107	2	6234	883	293
24	3	8127	871	66		66	3	2350	395	181		108	3	6572	919	296
25	4	8466	907	68		67	4	2688	432	183		109	4	6911	956	298
26	5	8804	944	71		68	5	3027	468	186		110	5	7250	992	301
27	6	9143	980	74		69	6	3366	504	189		111	6	7588	28	304
28	0	9482	16	77		70	0	3704	540	192		112	0	7927	65	307
29	1	9820	52	79		71	1	4043	577	194		113	1	8265	101	309
30	2	159	89	82		72	2	4381	613	197		114	2	8604	137	312
31	3	498	125	85		73	3	4720	649	200		115	3	8943	174	315
32	4	836	161	88		74	4	5059	686	203		116	4	9281	210	318
33	5	1175	198	90		75	5	5397	722	205		117	5	9620	246	320
34	6	1513	234	93		76	6	5736	758	208		118	6	9959	282	323
35	0	1852	270	96		77	0	6075	794	211		119	0	297	319	326
36	1	2191	306	99		78	1	6413	831	214		120	1	636	355	329
37	2	2529	343	101		79	2	6752	867	216		121	2	974	391	331
38	3	2868	379	104		80	3	7091	903	219		122	3	1313	428	334
39	4	3207	415	107		81	4	7429	940	222		123	4	1652	464	337
40	5	3545	452	110		82	5	7768	976	224		124	5	1990	500	339
41	6	3884	488	112		83	6	8106	12	227		125	6	2329	536	342
42	0	4223	524	115		84	0	8445	48	230		126	0	2668	573	345

TABLE IV. (CONTINUED).

No. of days.	(w.)	(x.)	(y.)	(z.)		No. of days.	(w.)	(x.)	(y.)	(z.)		No. of days.	(w.)	(x.)	(y.)	(z.)
127	1	3006	609	348		171	3	7906	206	468		215	5	2806	803	589
128	2	3345	645	350		172	4	8245	242	471		216	6	3144	839	591
129	3	3684	682	353		173	5	8583	278	474		217	0	3483	875	594
130	4	4022	718	356		174	6	8922	315	476		218	1	3822	912	597
131	5	4361	754	359		175	0	9261	351	479		219	2	4160	948	600
132	6	4699	790	361		176	1	9599	387	482		220	3	4499	984	602
133	0	5038	827	364		177	2	9938	424	485		221	4	4838	20	605
134	1	5377	863	367		178	3	276	460	487		222	5	5176	57	608
135	2	5715	899	370		179	4	615	496	490		223	6	5515	93	611
136	3	6054	936	372		180	5	954	532	493		224	0	5854	129	613
137	4	6393	972	375		181	6	1293	569	496		225	1	6192	166	616
138	5	6731	8	378		182	0	1631	605	498		226	2	6531	202	619
139	6	7070	45	381		183	1	1970	641	501		227	3	6869	238	621
140	0	7408	81	383		184	2	2305	678	504		228	4	7208	274	624
141	1	7747	117	386		185	3	2647	714	506		229	5	7547	311	627
142	2	8086	153	389		186	4	2986	750	509		230	6	7885	347	630
143	3	8424	190	392		187	5	3324	787	512		231	0	8224	383	632
144	4	8763	226	394		188	6	3663	823	515		232	1	8563	420	635
145	5	9102	262	397		189	0	4001	859	517		233	2	8901	456	638
146	6	9440	299	400		190	1	4340	895	520		234	3	9240	492	641
147	0	9779	335	402		191	2	4679	932	523		235	4	9579	529	643
148	1	1118	371	405		192	3	5017	968	526		236	5	9917	565	646
149	2	456	407	408		193	4	5356	4	528		237	6	256	601	649
150	3	795	444	411		194	5	5695	41	531		238	0	594	637	652
151	4	1133	480	413		195	6	6033	77	534		239	1	933	674	654
152	5	1472	516	416		196	0	6372	113	537		240	2	1272	710	657
153	6	1811	553	419		197	1	6710	149	539		241	3	1610	746	660
154	0	2149	589	422		198	2	7049	186	542		242	4	1949	783	663
155	1	2488	625	424		199	3	7388	222	545		243	5	2288	819	665
156	2	2827	661	427		200	4	7726	258	548		244	6	2626	855	668
157	3	3165	698	430		201	5	8065	295	550		245	0	2965	891	671
158	4	3504	734	433		202	6	8404	331	553		246	1	3303	928	673
159	5	3842	770	435		203	0	8742	367	556		247	2	3642	964	676
160	6	4181	807	438		204	1	9081	403	559		248	3	3981	0	679
161	0	4520	843	441		205	2	9420	440	561		249	4	4319	37	682
162	1	4858	879	444		206	3	9758	476	564		250	5	4658	73	684
163	2	5197	916	446		207	4	97	512	567		251	6	4997	109	687
164	3	5536	952	449		208	5	435	540	569		252	0	5335	145	690
165	4	5874	988	452		209	6	774	585	572		253	1	5674	182	693
166	5	6213	24	454		210	0	1113	621	575		254	2	6013	218	695
167	6	6552	61	457		211	1	1451	658	578		255	3	6351	254	698
168	0	6890	97	460		212	2	1790	694	580		256	4	6690	291	701
169	1	7229	183	463		213	3	2129	730	583		257	5	7028	327	704
170	2	7567	170	465		214	4	2467	766	586		258	6	7367	363	706

TABLE IV. (CONTINUED.)

TABLE V.

(A) (B) (C) FOR HOURS AND MINUTES.

(Prof. Jacobi's Ind. Ast., Table 8).

Hours.	(a.)	(b.)	(c.)	Min-	(a.)	(b.)	(c.)	Min-	(a.)	(b.)	(c.)
				utes.				utes.			
1	14	2	0	1	0	0	0	31	7	1	0
2	28	3	0	2	0	0	0	32	8	1	0
3	42	5	0	3	1	0	0	33	8	1	0
4	56	6	0	4	1	0	0	34	8	1	0
5	71	8	1	5	1	0	0	35	8	1	0
6	85	9	1	6	1	0	0	36	8	1	0
7	99	11	1	7	2	0	0	37	9	1	0
8	113	12	1	8	2	0	0	38	9	1	0
9	127	14	1	9	2	0	0	39	9	1	0
10	141	15	1	10	2	0	0	40	9	1	0
11	155	17	1	11	3	0	0	41	10	1	0
12	169	18	1	12	3	0	0	42	10	1	0
13	183	20	1	13	3	0	0	43	10	1	0
14	198	21	2	14	3	0	0	44	10	1	0
15	212	23	2	15	4	0	0	45	11	1	0
16	226	24	2	16	4	0	0	46	11	1	0
17	240	26	2	17	4	0	0	47	11	1	0
18	254	27	2	18	4	0	0	48	11	1	0
19	268	29	2	19	4	0	0	49	12	1	0
20	282	30	2	20	5	1	0	50	12	1	0
21	296	32	2	21	5	1	0	51	12	1	0
22	310	33	3	22	5	1	0	52	12	1	0
23	325	35	3	23	5	1	0	53	12	1	0
24	339	36	3	24	6	1	0	54	13	1	0
—	—	—	—	25	6	1	0	55	13	1	0
—	—	—	—	26	6	1	0	56	13	1	0
—	—	—	—	27	6	1	0	57	13	1	0
—	—	—	—	28	7	1	0	58	14	1	0
—	—	—	—	29	7	1	0	59	14	1	0
—	—	—	—	30	7	1	0	60	14	2	0

TABLE VI.

LUNAR EQUATION.

(Arts. 107,108).

ARGUMENT (i).

N.B. The equation in col. 2 corresponds to either of the arguments in cols. 1 and 3.

(This is Prof. Jacobi's Ind. Ant., Vol. XVII., Table 9, re-arranged.)

Argu.	Equ.	Argu.	Argu.	Equ.	Argu.
1	2	3	1	2	3
0	140	500	500	140	1000
10	149	490	510	131	990
20	158	480	520	122	980
30	166	470	530	114	970
40	175	460	540	105	960
50	184	450	550	96	950
60	192	440	560	88	940
70	200	430	570	80	930
80	208	420	580	72	920
90	215	410	590	65	910
100	223	400	600	57	900
110	230	390	610	50	890
120	236	380	620	44	880
130	242	370	630	38	870
140	248	360	640	32	860
150	253	350	650	27	850
160	258	340	660	22	840
170	263	330	670	17	830
180	267	320	680	13	820
190	270	310	690	10	810
200	273	300	700	7	800
210	276	290	710	4	790
220	277	280	720	3	780
230	279	270	730	1	770
240	280	260	740	0	760
250	280	250	750	0	750

AUXILIARY TABLE TO TABLES VI. AND VII.

Difference in equation.	LAST FIGURE OF ARGUMENT.								
	9	8	7	6	5	4	3	2	1
	ADD OR SUBTRACT.								
9	8	7	6	5	4 or 5	4	3	2	1
8	7	6	6	5	4	3	2	2	1
7	6	6	5	4	3 or 4	3	2	1	1
6	5	5	4	4	3	2	2	1	1
5	4 or 5	4	3 or 4	3	2 or 3	2	1 or 2	1	0 or 1
4	4	3	3	2	2	2	1	1	0
3	3	2	2	2	1 or 2	1	1	1	0
2	2	2	1	1	1	1	1	0	0
1	1	1	1	1	0 or 1	0	0	0	0

TABLE VII.

SOLAR EQUATION.

(Arts. 107,108).

ARGUMENT (e).

N.B. The equation in col. 2 corresponds to either of the arguments in cols. 1 and 3.

(This is Prof. Jacobi's Ind. Ant., Vol. XVII., Table 10, re-arranged.)

Argu.	Equ.	Argu.	Argu.	Equ.	Argu.
1	2	3	1	2	3
0	60	500	500	60	1000
10	57	490	510	64	990
20	53	480	520	68	980
30	49	470	530	72	970
40	45	460	540	76	960
50	41	450	550	79	950
60	38	440	560	83	940
70	34	430	570	86	930
80	31	420	580	90	920
90	28	410	590	93	910
100	25	400	600	96	900
110	22	390	610	99	890
120	19	380	620	102	880
130	16	370	630	105	870
140	14	360	640	107	860
150	11	350	650	109	850
160	9	340	660	112	840
170	7	330	670	113	830
180	6	320	680	115	820
190	4	310	690	117	810
200	3	300	700	118	800
210	2	290	710	119	790
220	1	280	720	120	780
230	0	270	730	120	770
240	0	260	740	121	760
250	0	250	750	121	750

Note the difference in the (Tables VI., VII.) equation-figures for the nearest figures of the argument. Take this difference in the left-hand column of this Table, and run the eye to the right till it reaches the figure standing under the last figure of the given argument. The result is to be added to or subtracted from the equation-figure for the lower of the two argument figures, according as the scale is increasing or decreasing.

Thus; Table VI., argument 334. Difference between equations for 330 and 340 is (263 — 258) 5, decreasing. The figure in the Auxiliary Table opposite 5 and under 4 is 2. The proper equation therefore is 263 — 2 or 261.

Argument 837. Difference between 830 and 840 is (22 — 17) 5, increasing. The figure opposite 5 and under 7 is 3 or 4. The equation therefore is 17 + 3 = 20, or 17 + 4 = 21.

TABLE VIII.

INDICES OF TITHIS, NAKSHATRAS, AND YOGAS; AND THE KARANAS OF TITHIS.

TITHI AND KARANA.				NAKSHATRA.					YOGA.				
Serial number.	No. in pakshas (lunar fortnights).	Index (i)	Karana.		Serial number.	Name.	Index (ii) (Ordinary system).	Index for the ending point of the Nakshatra according to the unequal space system of		Serial number.	Name.	Index (y)	
			For the 1st half of the tithi.	For the 2nd half of the tithi.				Garga.	Brahma Siddha- bhāṣṭa.				
1	2	3	4	5	6	7	8	9	10	11	12	13	
Sukla.													
1	1	0-	383	Kiñčughna *	1	Bava.	1	Aśvinī.....	0- 370	370	366	1	Vishkambha 0- 370
2	2	383-	667	2 Bálava....	3	Kaulava.	2	Bharanī.....	370- 741	556	549	2	Pṛiti..... 370- 741
3	3	667-	1000	4 Taitila....	5	Gara.	3	Krittikā.....	741- 1111	926	915	3	Ayushmat. 741- 1111
4	4	1000-	1333	6 Vasiṣṭi †.	7	Vasiṣṭi †.	4	Rohiṇī.....	1111- 1481	1481	1464	4	Saahbhāgya. 1111- 1481
5	5	1333-	1667	1 Bava....	2	Bálava.	5	Mṛigasīras.	1481- 1852	1852	1830	5	Śobhana.... 1481- 1852
6	6	1667-	2000	3 Kaulava...	4	Taitila.	6	Ārdra.....	1852- 2222	2037	2013	6	Atigāṇḍa.... 1852- 2222
7	7	2000-	2333	5 Gara....	6	Vasiṣṭi.	7	Punarvasu.....	2222- 2593	2593	2562	7	Sukarman. 2222- 2593
8	8	2333-	2667	7 Vasiṣṭi †.	1	Bava.	8	Puṣya.....	2593- 2963	2963	2928	8	Dhṛiti.... 2593- 2963
9	9	2667-	3000	2 Bálava....	3	Kaulava.	9	Āśleṣā.....	2963- 3333	3148	3111	9	Śūla..... 2963- 3333
10	10	3000-	3333	4 Taitila....	5	Gara.	10	Maghā.....	3333- 3704	3518	3477	10	Gandha.... 3333- 3704
11	11	3333-	3667	6 Vasiṣṭi....	7	Vasiṣṭi.	11	Pūrvā Phalgunī.	3704- 4074	3888	3843	11	Vṛiddhi.... 3704- 4074
12	12	3667-	4000	1 Bava....	2	Bálava.	12	Uttarnā Phalgunī.	4074- 4444	4444	4392	12	Dhruva.... 4074- 4444
13	13	4000-	4333	3 Kaulava...	4	Taitila.	13	Hasta.....	4444- 4815	4815	4758	13	Vyāghrāta.... 4444- 4815
14	14	4333-	4667	5 Gara....	6	Vasiṣṭi.	14	Chitrā.....	4815- 5185	5185	5124	14	Harṣapa.... 4815- 5185
15	15	4667-	5000	7 Vasiṣṭi....	1	Bava.	15	Śrāti.....	5185- 5556	5370	5307	15	Vajra.... 5185- 5556
Krish.													
16	1	5000-	5333	2 Bálava....	3	Kaulava.	16	Viśākhā.....	5556- 5926	5926	5856	16	Siddhi §.... 5556- 5926
17	2	5333-	5667	4 Taitila....	5	Gara.	17	Anurādhā.....	5926- 6296	6296	6222	17	Vyatṛpāta.... 5926- 6296
18	3	5667-	6000	6 Vasiṣṭi....	7	Vasiṣṭi.	18	Jyeṣṭhā.....	6296- 6667	6481	6405	18	Vṛilya.... 6296- 6667
19	4	6000-	6333	1 Bava....	2	Bálava.	19	Mūla.....	6667- 7037	6852	6771	19	Parigha.... 6667- 7037
20	5	6333-	6667	3 Kaulava...	4	Taitila.	20	Pūrvā Ashāḍhā.	7037- 7407	7222	7137	20	Śiva.... 7037- 7407
21	6	6667-	7000	5 Gara....	6	Vasiṣṭi.	21	Uttarnā Ashāḍhā.	7407- 7778	7778	7686	21	Siddha.... 7407- 7778
								Abhijit.....	(7685- 7802)		7804		
22	7	7000-	7333	7 Vasiṣṭi....	1	Bava.	22	Śravāṇi.....	7778- 8148	8148	8170	22	Sādhyā.... 7778- 8148
23	8	7333-	7667	2 Bálava....	3	Kaulava.	23	Dhanishthā **.	8148- 8519	8519	8536	23	Śubha.... 8148- 8519
24	9	7667-	8000	4 Taitila....	5	Gara.	24	Sātabhishaj ††.	8519- 8889	8704	8719	24	Śukla.... 8519- 8889
25	10	8000-	8333	6 Vasiṣṭi....	7	Vasiṣṭi.	25	Pūrvā Bhadrupādā	8889- 9259	9074	9085	25	Brahman.... 8889- 9259
26	11	8333-	8667	1 Bava....	2	Bálava.	26	Uttarnā Bhadrupādā	9259- 9630	9630	9634	26	Indra.... 9259- 9630
27	12	8667-	9000	3 Kaulava...	4	Taitila.	27	Revati.....	9630-10000	10000	10000	27	Vaidhrītī.... 9630-10000
28	13	9000-	9333	5 Gara....	6	Vasiṣṭi.	—	—	—	—	—	—	—
29	14	9333-	9667	7 Vasiṣṭi....	Śakuni.	—	—	—	—	—	—	—	—
30	15	9667-	10000	Chatuṣhpada.	Nāga.	—	—	—	—	—	—	—	—

* or Kiñčughna.

† Vasiṣṭi is also called Bhadrā, Kalyāṇī.

** or Śravishthā.

†† or Śatārakā.

§ or Asrij.

TABLE VIII^A.

LONGITUDES OF ENDING-POINTS OF TITHIS.

Tithi-Index (Lunation- parts) (<i>t</i>)	Tithi.	Degrees.
1	2	3
333	1	12° 0'
667	2	24° 0'
1000	3	36° 0'
1333	4	48° 0'
1667	5	60° 0'
2000	6	72° 0'
2333	7	84° 0'
2667	8	96° 0'
3000	9	108° 0'
3333	10	120° 0'
3667	11	132° 0'
4000	12	144° 0'
4333	13	156° 0'
4667	14	168° 0'
5000	15	180° 0'
5333	16	192° 0'
5667	17	204° 0'
6000	18	216° 0'
6333	19	228° 0'
6667	20	240° 0'
7000	21	252° 0'
7333	22	264° 0'
7667	23	276° 0'
8000	24	288° 0'
8333	25	300° 0'
8667	26	312° 0'
9000	27	324° 0'
9333	28	336° 0'
9667	29	348° 0'
10000	30	360° 0'

For longitudes of ending-points of Nakshatras and Yogas, see text, Table Art. 38.

TABLE VIII^B.LONGITUDES OF PARTS OF TITHIS, NAKSHATRAS
AND YOGAS.

TITHI.			NAKSHATRA AND YOGA.		
Tithi-Index (Lunation parts) (<i>t</i>)	Tithi (and decimals).	Degrees and minutes.	Nakshatra and Yoga-Index (<i>n</i> and <i>y</i>)	Nakshatra and Yoga (and decimals).	Degrees, and minutes.
1	2	3	4	5	6
33	0.1	1° 12'	33	0.09	1° 12'
66	0.2	2° 24'	66	0.18	2° 24'
100	0.3	3° 36'	100	0.27	3° 36'
200	0.6	7° 12'	200	0.54	7° 12'
300	0.9	10° 48'	300	0.81	10° 48'
400	1.2	14° 24'	400	1.08	14° 24'
500	1.5	18° 0'	500	1.35	18° 0'
600	1.8	21° 36'	600	1.62	21° 36'
700	2.1	25° 12'	700	1.89	25° 12'
800	2.4	28° 48'	800	2.16	28° 48'
900	2.7	32° 24'	900	2.43	32° 24'
1000	3.0	36° 0'	1000	2.70	36° 0'
1100	3.3	39° 36'	1100	2.97	39° 36'
1200	3.6	43° 12'	1200	3.24	43° 12'
1300	3.9	46° 48'	1300	3.51	46° 48'
1400	4.2	50° 24'	1400	3.78	50° 24'
1500	4.5	54° 0'	1500	4.05	54° 0'
1600	4.8	57° 36'	1600	4.32	57° 36'
1700	5.1	61° 12'	1700	4.59	61° 12'
1800	5.4	64° 48'	1800	4.86	64° 48'
1900	5.7	68° 24'	1900	5.13	68° 24'
2000	6.0	72° 0'	2000	5.40	72° 0'
2100	6.3	75° 36'	2100	5.67	75° 36'
2200	6.6	79° 12'	2200	5.94	79° 12'
2300	6.9	82° 48'	2300	6.21	82° 48'
2400	7.2	86° 24'	2400	6.48	86° 24'
2500	7.5	90° 0'	2500	6.75	90° 0'
2600	7.8	93° 36'	2600	7.02	93° 36'
2700	8.1	97° 12'	2700	7.29	97° 12'
2800	8.4	100° 48'	2800	7.56	100° 48'
2900	8.7	104° 24'	2900	7.83	104° 24'
3000	9.0	108° 0'	3000	8.10	108° 0'
3100	9.3	111° 36'	3100	8.37	111° 36'
3200	9.6	115° 12'	3200	8.64	115° 12'
3300	9.9	118° 48'	3300	8.91	118° 48'
3400	10.2	122° 24'	3400	9.18	122° 24'

TABLE VIII B. (CONTINUED.)

TITHI.			NAKSHATRA AND YOGA.		
Tithi-Index (Lunation parts) (t.)	Tithis (and decimals).	Degrees and minutes.	Nakshatra and Yoga-Index (s and y).	Nakshatras and Yogas (and decimals).	Degrees and minutes.
1	2	3	4	5	6
3500	10.5	126° 0'	3500	9.45	126° 0'
3600	10.8	129° 36'	3600	9.72	129° 36'
3700	11.1	133° 12'	3700	9.99	133° 12'
3800	11.4	136° 48'	3800	10.26	136° 48'
3900	11.7	140° 24'	3900	10.53	140° 24'
4000	12.0	144° 0'	4000	10.80	144° 0'
4100	12.3	147° 36'	4100	11.07	147° 36'
4200	12.6	151° 12'	4200	11.34	151° 12'
4300	12.9	154° 48'	4300	11.61	154° 48'
4400	13.2	158° 24'	4400	11.88	158° 24'
4500	13.5	162° 0'	4500	12.15	162° 0'
4600	13.8	165° 36'	4600	12.42	165° 36'
4700	14.1	169° 12'	4700	12.69	169° 12'
4800	14.4	172° 48'	4800	12.96	172° 48'
4900	14.7	176° 24'	4900	13.23	176° 24'
5000	15.0	180° 0'	5000	13.50	180° 0'
5100	15.3	183° 36'	5100	13.77	183° 36'
5200	15.6	187° 12'	5200	14.04	187° 12'
5300	15.9	190° 48'	5300	14.31	190° 48'
5400	16.2	194° 24'	5400	14.58	194° 24'
5500	16.5	198° 0'	5500	14.85	198° 0'
5600	16.8	201° 36'	5600	15.12	201° 36'
5700	17.1	205° 12'	5700	15.39	205° 12'
5800	17.4	208° 48'	5800	15.66	208° 48'
5900	17.7	212° 24'	5900	15.93	212° 24'
6000	18.0	216° 0'	6000	16.20	216° 0'
6100	18.3	219° 36'	6100	16.47	219° 36'
6200	18.6	223° 12'	6200	16.74	223° 12'
6300	18.9	226° 48'	6300	17.01	226° 48'
6400	19.2	230° 24'	6400	17.28	230° 24'
6500	19.5	234° 0'	6500	17.55	234° 0'
6600	19.8	237° 36'	6600	17.82	237° 36'
6700	20.1	241° 12'	6700	18.09	241° 12'
6800	20.4	244° 48'	6800	18.36	244° 48'
6900	20.7	248° 24'	6900	18.63	248° 24'
7000	21.0	252° 0'	7000	18.90	252° 0'
7100	21.3	255° 36'	7100	19.17	255° 36'
7200	21.6	259° 12'	7200	19.44	259° 12'

TABLE VIII B. (CONTINUED.)

TITHI.			NAKSHATRA AND YOGA.		
Tithi-Index (Lunation parts) (t.)	Tithis (and decimals).	Degrees and minutes.	Nakshatra and Yoga-Index (s and y).	Nakshatras and Yogas (and decimals).	Degrees and minutes.
1	2	3	4	5	6
7300	21.9	262° 48'	7300	19.71	262° 48'
7400	22.2	266° 24'	7400	19.98	266° 24'
7500	22.5	270° 0'	7500	20.25	270° 0'
7600	22.8	273° 36'	7600	20.52	273° 36'
7700	23.1	277° 12'	7700	20.79	277° 12'
7800	23.4	280° 48'	7800	21.06	280° 48'
7900	23.7	284° 24'	7900	21.33	284° 24'
8000	24.0	288° 0'	8000	21.60	288° 0'
8100	24.3	291° 36'	8100	21.87	291° 36'
8200	24.6	295° 12'	8200	22.14	295° 12'
8300	24.9	298° 48'	8300	22.41	298° 48'
8400	25.2	302° 24'	8400	22.68	302° 24'
8500	25.5	306° 0'	8500	22.95	306° 0'
8600	25.8	309° 36'	8600	23.22	309° 36'
8700	26.1	313° 12'	8700	23.49	313° 12'
8800	26.4	316° 48'	8800	23.76	316° 48'
8900	26.7	320° 24'	8900	24.03	320° 24'
9000	27.0	324° 0'	9000	24.30	324° 0'
9100	27.3	327° 36'	9100	24.57	327° 36'
9200	27.6	331° 12'	9200	24.84	331° 12'
9300	27.9	334° 48'	9300	25.11	334° 48'
9400	28.2	338° 24'	9400	25.38	338° 24'
9500	28.5	342° 0'	9500	25.65	342° 0'
9600	28.8	345° 36'	9600	25.92	345° 36'
9700	29.1	349° 12'	9700	26.19	349° 12'
9800	29.4	352° 48'	9800	26.46	352° 48'
9900	29.7	356° 24'	9900	26.73	356° 24'
10000	30.0	360° 0'	10000	27.00	360° 0'

TABLE IX.

TABLE GIVING THE SERIAL NUMBER OF DAYS FROM THE END OF A YEAR A.D. FOR TWO CONSECUTIVE A.D. YEARS.

	PART I.												
	Number of days reckoned from the 1st of January of the same year.												
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	
1	1	32	60	91	121	152	182	213	244	274	305	335	1
2	2	33	61	92	122	153	183	214	245	275	306	336	2
3	3	34	62	93	123	154	184	215	246	276	307	337	3
4	4	35	63	94	124	155	185	216	247	277	308	338	4
5	5	36	64	95	125	156	186	217	248	278	309	339	5
6	6	37	65	96	126	157	187	218	249	279	310	340	6
7	7	38	66	97	127	158	188	219	250	280	311	341	7
8	8	39	67	98	128	159	189	220	251	281	312	342	8
9	9	40	68	99	129	160	190	221	252	282	313	343	9
10	10	41	69	100	130	161	191	222	253	283	314	344	10
11	11	42	70	101	131	162	192	223	254	284	315	345	11
12	12	43	71	102	132	163	193	224	255	285	316	346	12
13	13	44	72	103	133	164	194	225	256	286	317	347	13
14	14	45	73	104	134	165	195	226	257	287	318	348	14
15	15	46	74	105	135	166	196	227	258	288	319	349	15
16	16	47	75	106	136	167	197	228	259	289	320	350	16
17	17	48	76	107	137	168	198	229	260	290	321	351	17
18	18	49	77	108	138	169	199	230	261	291	322	352	18
19	19	50	78	109	139	170	200	231	262	292	323	353	19
20	20	51	79	110	140	171	201	232	263	293	324	354	20
21	21	52	80	111	141	172	202	233	264	294	325	355	21
22	22	53	81	112	142	173	203	234	265	295	326	356	22
23	23	54	82	113	143	174	204	235	266	296	327	357	23
24	24	55	83	114	144	175	205	236	267	297	328	358	24
25	25	56	84	115	145	176	206	237	268	298	329	359	25
26	26	57	85	116	146	177	207	238	269	299	330	360	26
27	27	58	86	117	147	178	208	239	270	300	331	361	27
28	28	59	87	118	148	179	209	240	271	301	332	362	28
29	29	60	88	119	149	180	210	241	272	302	333	363	29
30	30	—	89	120	150	181	211	242	273	303	334	364	30
31	31	—	90	—	151	—	212	243	—	304	—	365	31
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	

TABLE IX. (CONTINUED.)

TABLE GIVING THE SERIAL NUMBER OF DAYS FROM THE END OF A YEAR A.D. FOR TWO CONSECUTIVE A.D. YEARS.

PART II.

Number of days reckoned from the 1st of January of the preceding year.

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	
1	366	397	425	456	486	517	547	578	609	639	670	700	1
2	367	398	426	457	487	518	548	579	610	640	671	701	2
3	368	399	427	458	488	519	549	580	611	641	672	702	3
4	369	400	428	459	489	520	550	581	612	642	673	703	4
5	370	401	429	460	490	531	551	582	613	643	674	704	5
6	371	402	430	461	491	522	552	583	614	644	675	705	6
7	372	403	431	462	492	523	553	584	615	645	676	706	7
8	373	404	432	463	493	524	554	585	616	646	677	707	8
9	374	405	433	464	494	525	555	586	617	647	678	708	9
10	375	406	434	465	495	526	556	587	618	648	679	709	10
11	376	407	435	466	496	527	557	588	619	649	680	710	11
12	377	408	436	467	497	528	558	589	620	650	681	711	12
13	378	409	437	468	498	529	559	590	621	651	682	712	13
14	379	410	438	469	499	530	560	591	622	652	683	713	14
15	380	411	439	470	500	531	561	592	623	653	684	714	15
16	381	412	440	471	501	532	562	593	624	654	685	715	16
17	382	413	441	472	502	533	563	594	625	655	686	716	17
18	383	414	442	473	503	534	564	595	626	656	687	717	18
19	384	415	443	474	504	535	565	596	627	657	688	718	19
20	385	416	444	475	505	536	566	597	628	658	689	719	20
21	386	417	445	476	506	537	567	598	629	659	690	720	21
22	387	418	446	477	507	538	568	599	630	660	691	721	22
23	388	419	447	478	508	539	569	600	631	661	692	722	23
24	389	420	448	479	509	540	570	601	632	662	693	723	24
25	390	421	449	480	510	541	571	602	633	663	694	724	25
26	391	422	450	481	511	542	572	603	634	664	695	725	26
27	392	423	451	482	512	543	573	604	635	665	696	726	27
28	393	424	452	483	513	544	574	605	636	666	697	727	28
29	394	425	453	484	514	545	575	606	637	667	698	728	29
30	395	—	454	485	515	546	576	607	638	668	699	729	30
31	396	—	455	—	516	—	577	608	—	669	—	730	31
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	

TABLE X.

FOR CONVERTING TITHI-PARTS, AND INDICES OF TITHIS, NAKSHATRAS, AND YOGAS INTO TIME

[N.B. In this Table a tithi	is supposed to contain.....	1,000 parts.
" " " lunation	" "	10,000 "
" " " sidereal month,	" "	10,000 "
" " " yoga chakra	" "	10,000 "

Therefore

In the case of Tithi-parts the argument abhews. 1,000ths of a tithi.

Tithi-index (9) 10,000ths lunation.

Nakshatra-index (a) 10,000ths sidereal month.

Yoga-index (y) 10,000ths yoga-chakras

TABLE XI.

LATITUDES AND LONGITUDES OF PRINCIPAL PLACES.

(Latitudes and longitudes in degrees and minutes; Longitudes in minutes of time, being the difference in time between Ujjain and the place in question.)

[N.B. This Table is based on the maps of the Great Trigonometrical Survey of India, but all longitudes require a correction of $-3' 39''$ to bring them to the latest corrected longitude of the Madras Observatory, namely, $80^\circ 14' 51''$.]

To convert Ujjain mean time, as found by the previous Tables, into local mean time, add to or subtract from the former the minutes of longitude of the place in question, as indicated by the sign of plus or minus in this Table.

NAME or PLACE.	N. Latitude.	Long. E from Greenwich.	Long. from Ujjain in minutes of time.	NAME of PLACE.	N. Latitude.	Long. E from Greenwich.	Long. from Ujjain in minutes of time.
Abū (Arbuda).....	$24^\circ 36'$	$72^\circ 50'$	- 12	Bombay (Gt. Trig. Station)...	$18^\circ 54'$	$72^\circ 52'$	- 12
Āgra (Fort).....	$27^\circ 10'$	$78^\circ 5'$	+ 9	Breach (Bhrigukuchha).....	$21^\circ 42'$	$78^\circ 2'$	- 11
Ahmadábád.....	$23^\circ 1'$	$72^\circ 39'$	- 13	Bundi.....	$25^\circ 26'$	$75^\circ 42'$	- 1
Ahmadnagar.....	$19^\circ 4'$	$74^\circ 48'$	- 4	Burhilapur.....	$21^\circ 19'$	$76^\circ 18'$	+ 2
Ajanta.....	$20^\circ 32'$	$75^\circ 49'$	- 0	Calcutta (Fort William).....	$22^\circ 33'$	$88^\circ 24'$	+ 50
Ājmér.....	$26^\circ 30'$	$74^\circ 45'$	- 4	Calingapatam (<i>see</i> Kalingapatam)	-	-	-
Allágadh (Allyghur. Coel).....	$27^\circ 52'$	$78^\circ 8'$	+ 9	Cambay (Khambát, Sthambarat)	$22^\circ 18'$	$72^\circ 41'$	- 13
Allahábád (Prayág).....	$25^\circ 26'$	$81^\circ 54'$	+ 24	Cawnpore (Kihnpur, Old City).....	$26^\circ 29'$	$80^\circ 22'$	+ 18
Amarávatí (on the Krishṇa).....	$16^\circ 34'$	$80^\circ 25'$	+ 18	Cochin.....	$9^\circ 58'$	$76^\circ 18'$	+ 2
Amarávatí (Amrásoti, Oomra- wuttee, in Berar).....	$20^\circ 55'$	$77^\circ 49'$	+ 8	Congeeveram (<i>see</i> Kāñchī).....	-	-	-
Amritanar.....	$31^\circ 37'$	$74^\circ 50'$	- 4	Cuttack (<i>see</i> Katak).....	-	-	-
Aphilvád (Pátan).....	$23^\circ 51'$	$72^\circ 11'$	- 15	Dacca (Dhaka).....	$23^\circ 43'$	$90^\circ 27'$	+ 58
Areot (Ārkádžu).....	$12^\circ 54'$	$79^\circ 24'$	+ 14	Dehli (Delhi, Old City).....	$28^\circ 39'$	$77^\circ 18'$	+ 6
Aurungábád.....	$19^\circ 54'$	$75^\circ 24'$	- 2	Devagiri (Daulatábád).....	$19^\circ 57'$	$75^\circ 17'$	- 2
Ayodhyá (<i>see</i> Oude).....	-	-	-	Dhárá (Dhar).....	$22^\circ 36'$	$75^\circ 22'$	- 2
Bádámi.....	$15^\circ 55'$	$75^\circ 45'$	- 0	Dhárvád (Dharwar).....	$15^\circ 27'$	$75^\circ 5'$	- 3
Balagávī, or Balagádive.....	$14^\circ 23'$	$75^\circ 18'$	- 2	Dhölpur (City).....	$26^\circ 41'$	$77^\circ 58'$	+ 9
Banavási.....	$14^\circ 32'$	$75^\circ 5'$	- 3	Dhulia.....	$20^\circ 54'$	$74^\circ 50'$	- 4
Bardhwán (Bardwan).....	$23^\circ 14'$	$87^\circ 55'$	+ 48	Ellora (Vélapuram).....	$20^\circ 2'$	$75^\circ 14'$	- 2
Baroda (Barjáda).....	$22^\circ 18'$	$73^\circ 16'$	- 10	Farakhábád (Farruek̄o).....	$27^\circ 23'$	$79^\circ 37'$	+ 15
Bárisi.....	$18^\circ 13'$	$75^\circ 46'$	- 0	Gayā.....	$24^\circ 47'$	$85^\circ 4'$	+ 37
Belgaum.....	$15^\circ 51'$	$74^\circ 35'$	- 5	Gháziapur.....	$25^\circ 35'$	$83^\circ 39'$	+ 31
Benares.....	$25^\circ 19'$	$83^\circ 4'$	+ 29	Girnár.....	$21^\circ 32'$	$70^\circ 36'$	- 21
Bhágalpur (Bengal).....	$25^\circ 15'$	$87^\circ 2'$	+ 45	Goa (Gópakapattana).....	$15^\circ 30'$	$73^\circ 57'$	- 8
Bharatpur (Bhurtipoor).....	$27^\circ 13'$	$77^\circ 33'$	+ 7	Górakhpur (Goruckpoor).....	$26^\circ 45'$	$83^\circ 25'$	+ 30
Bhelsá.....	$23^\circ 32'$	$77^\circ 52'$	+ 8	Gurkhá.....	$27^\circ 55'$	$84^\circ 30'$	+ 35
Bhopál.....	$23^\circ 15'$	$77^\circ 28'$	+ 6	Gwalior.....	$26^\circ 14'$	$78^\circ 14'$	+ 10
Bihar (Behar, in Bengal).....	$25^\circ 11'$	$85^\circ 35'$	+ 39	Haidarábád (Dekhan).....	$17^\circ 22'$	$78^\circ 32'$	+ 11
Bijápur (Bejjapoör).....	$16^\circ 50'$	$75^\circ 47'$	- 0	Haidarábád (Sindh).....	$25^\circ 23'$	$68^\circ 26'$	- 30
Bijnágar (<i>see</i> Vijayanagar).....	-	-	-	Hardá (in Gwalior).....	$22^\circ 20'$	$77^\circ 9'$	+ 5
Blkánér.....	$28^\circ 0'$	$73^\circ 22'$	- 10	Hardwár.....	$29^\circ 57'$	$78^\circ 14'$	+ 10

TABLE XI. (CONTINUED.)

NAME OF PLACE.	N. Latitude.	Long. E from Greenwich.	Long. from Ujjain in minutes of time.	NAME OF PLACE.	N. Latitude.	Long. E from Greenwich.	Long. from Ujjain in minutes of time.
Hoshangābād.	22° 45'	77° 47'	+ 8	Oude (Oudh, Ayodhyā).	26° 48'	82° 16'	+ 26
Indore	22° 43'	75° 55'	- 0	Paithān.	19° 29'	75° 27'	- 2
Jabalpur (Jubbulpore)	23° 11'	80° 0'	+ 17	Pāñdhāpūr.	17° 41'	75° 24'	- 2
Jagannāthapuri ¹	19° 48'	85° 53'	+ 40	Pātan (see Anhilwāl).	—	—	—
Jalgaon.	21° 1'	75° 38'	- 1	Pātan (see Somnāthpatan).	—	—	—
Jaypur (Jeypore, in Rājputāna).	26° 55'	75° 53'	- 0	Patiālā.	30° 19'	76° 28'	+ 3
Jhānsī.	25° 28'	78° 38'	+ 11	Pātāya.	25° 36'	85° 16'	+ 37
Jōdhpur.	26° 18'	73° 5'	- 11	Peshawur.	34° 0'	71° 40'	- 17
Junāgāh.	21° 31'	70° 31'	- 21	Poona (Punēm).	18° 30'	78° 55'	- 8
Kaliṅgapatam (Calingapatam).	18° 20'	84° 11'	+ 33	Pooree (Puri, see Jagannāthapuri ¹).	—	—	—
Kalyān (Bombay).	19° 15'	73° 11'	- 11	Puruiyā (Poorneah).	25° 48'	87° 34'	+ 47
Kalyān (Kalliannee, Nizam's Dominions).	17° 53'	77° 1'	+ 5	Rāmēśvara (Rameshwur).	9° 17'	79° 23'	+ 14
Kanauj.	27° 3'	79° 59'	+ 17	Ratnāgiri.	17° 0'	73° 21'	- 10
Kāñchī (or Congeeveram).	12° 50'	79° 46'	+ 16	Rēvā (Rewa, Riwāsh).	24° 31'	81° 21'	+ 22
Katāk (Cuttack).	20° 28'	85° 56'	+ 40	Sīgar (Saugor).	23° 50'	78° 48'	+ 12
Khātmāṇḍūjū.	27° 39'	85° 19'	+ 38	Sahet Mahet (Śrīvastī) ² .	27° 31'	82° 5'	+ 25
Kōlāpur (Kolhapur).	16° 41'	74° 17'	- 6	Sambhalpur (Sumbulpore).	21° 28'	84° 2'	+ 33
Lāhōr (Lahore).	31° 35'	74° 23'	- 6	Sātārī.	17° 41'	74° 3'	- 7
Lakhnau (Lucknow).	26° 51'	80° 58'	+ 21	Seringapatam (Śrīraṅgapattana).	12° 25'	76° 44'	+ 4
Madhura (Madura, Madras Pres.)	9° 55'	78° 11'	+ 9	Shōlāpur.	17° 41'	75° 58'	+ 1
Madras (Observatory) ¹ .	13° 4'	80° 18½'	+ 18	Sirōnj.	24° 6'	77° 45'	+ 8
Maisūr (Mysore).	12° 18'	76° 43'	+ 4	Somañthpatan.	20° 53'	70° 28'	- 22
Malkhē (Mānyakhēta).	17° 12'	77° 13'	+ 6	Śrinagar (in Kashmir).	34° 6'	74° 52'	- 4
Māndavī (in Cutch).	22° 50'	69° 25'	- 26	Surat.	21° 12'	72° 53'	- 12
Māngalur (Mangalore).	12° 52'	74° 54'	- 4	Tanjore (Tāñjāvūr).	10° 47'	79° 12'	+ 14
Mathurā (Muttra N.W.P.).	27° 30'	77° 45'	+ 8	Thānā (Tannah).	19° 12'	73° 1'	- 11
Moungī (or Mungēr).	25° 23'	86° 32'	+ 43	Travancore (Tiruvañkādu).	8° 14'	77° 19'	+ 6
Mūlān (Mooltan).	30° 12'	71° 32'	- 17	Trichinopoly.	10° 49'	78° 45'	+ 12
Nāgpur (Nagpore).	21° 9'	79° 10'	+ 13	Trivandrum.	8° 29'	77° 0'	+ 5
Nālaik.	20° 0'	73° 51'	- 8	Udaipur (Oodeypore).	24° 34'	73° 45'	- 8
Oomrawuttee (see Amarāvatī).	—	—*	—	Ujjain ³ .	23° 11'	75° 50'	± 0
				Vijaysnagar.	15° 19'	76° 32'	+ 3

¹ The longitude of the Madras Observatory, which forms the basis of the Indian Geographical surveys, has been lately corrected to 80° 14' 51".

² Sahet Mahet is not on the Survey of India map. The particulars are taken from the Imperial Gazetteer.

³ With the correction noted in note 1 above (- 3° 39") the longitude of Ujjain comes to 75° 46' 6".

TABLE XII.

(See Arts. 53 to 63.)

Samvatsara of the 60-year cycle of Jupiter.	Samvatsara of the twelve-year cycle of the mean-sign system.	Mean-sign of Jupiter by his mean longitude.	Samvatsaras of the 60-year cycle of Jupiter.	Samvatsara of the twelve-year cycle of the mean-sign system.	Mean-sign of Jupiter by his mean longitude.
1	2	3	1	2	3
1 Prabhava.....	5 Śrāvaka.....	11 Kumbha.....	31 Hemalamba.....	11 Māgha.....	5 Sīthha.
2 Vibhava.....	6 Bhādrapada.....	12 Mīna.	32 Vilambha.....	12 Phālguna	6 Kanyā.
3 Śukla.....	7 Āśvina	1 Mesha.	33 Viśākha.....	1 Chaitra.....	7 Tūlā.
4 Pramoda.....	8 Kārttika.....	2 Vṛishabha.	34 Śārvari	2 Vaiśākha.....	8 Vṛiśchikā.
5 Prajāpati.....	9 Mārgasīrsha	3 Mithuna.	35 Plava.....	3 Jyeshṭha	9 Dhanus.
6 Aṅgiras.....	10 Pauṣa	4 Karka.	36 Śubhakṛit	4 Āshāḍha	10 Makara.
7 Śrīmukha.....	11 Māgha.....	5 Sīthha.	37 Śobhana.....	5 Śrāvaka.....	11 Kumbha.
8 Bhāva	12 Phālguna	6 Kanyā.	38 Krodhin.....	6 Bhādrapada	12 Mīna.
9 Yuvan	1 Chaitra.....	7 Tūlā.	39 Viśvāvasu.....	7 Āśvina.....	1 Mesha.
10 Dhātri.....	2 Vaiśākha	8 Vṛiśchikā.	40 Parībhava.....	8 Kārttika	2 Vṛishabha.
11 Īvara	3 Jyeshṭha	9 Dhanus.	41 Plavāṅga	9 Mārgasīrsha	3 Mithuna.
12 Bahudhānya	4 Āshāḍha	10 Makara.	42 Kīlaka	10 Pauṣa	4 Karka.
13 Pramīthīn	5 Śrāvaka	11 Kumbha.	43 Ssumya	11 Māgha	5 Sīthha.
14 Viśrama	6 Bhādrapada	12 Mīna.	44 Siddhārāpa	12 Phālguna	6 Kanyā.
15 Vṛiśha	7 Āśvina	1 Mesha.	45 Virodhakṛit	1 Chaitra	7 Tūlā.
16 Chitrabhañu	8 Kārttika	2 Vṛishabha.	46 Parīdhāvin	2 Vaiśākha	8 Vṛiśchikā.
17 Subhānu	9 Mārgasīrsha	3 Mithuna.	47 Pramīdin	3 Jyeshṭha	9 Dhanus.
18 Tāraṇa	10 Pauṣa	4 Karka.	48 Ānanda	4 Āshāḍha	10 Makara.
19 Pārthīva	11 Māgha	5 Sīthha.	49 Rākshasa	5 Śrāvaka	11 Kumbha.
20 Vyaya	12 Phālguna	6 Kanyā.	50 Anala	6 Bhādrapada	12 Mīna.
21 Sarvajit	1 Chaitra	7 Tūlā.	51 Piṅgala	7 Āśvina	1 Mesha.
22 Sarvadhārin	2 Vaiśākha	8 Vṛiśchikā.	52 Kālīyukta	8 Kārttika	2 Vṛishabha.
23 Virodhīn	3 Jyeshṭha	9 Dhanus.	53 Siddhārtīn	9 Mārgasīrsha	3 Mithuna.
24 Viśrīta	4 Āshāḍha	10 Makara.	54 Raudra	10 Pauṣa	4 Karka.
25 Khara	5 Śrāvaka	11 Kumbha.	55 Durmati	11 Māgha	5 Sīthha.
26 Nandana	6 Bhādrapada	12 Mīna.	56 Dundubhi	12 Phālguna	6 Kanyā.
27 Viṣaya	7 Āśvina	1 Mesha.	57 Rudhirodgārīn	1 Chaitra	7 Tūlā.
28 Jaya	8 Kārttika	2 Vṛishabha.	58 Raktākṣha	2 Vaiśākha	8 Vṛiśchikā.
29 Maṇmatha	9 Mārgasīrsha	3 Mithuna.	59 Krodhana	3 Jyeshṭha	9 Dhanus.
30 Durmukha	10 Pauṣa	4 Karka.	60 Kshaya	4 Āshāḍha	10 Makara.

N.B. i. The samvatsara and sign (cols. 2, 3,) correspond to the samvatsara in col. 1 only when the latter is taken as the samvatsara of the *mean-sign* (Northern) 60-year cycle (Table I., col. 7).

N.B. ii. Jupiter's sign by his apparent longitude is either the same, as or the next preceding, or the next succeeding his mean-sign. Thus, in Prabhava Jupiter stands in mean Kumbha, when he may have been either in apparent Makara, Kumbha, or Mīna.

TABLE XIII.

(The following Table for finding the day of the week for any date from A.D. 300 to 2300 has been supplied by Dr. Burgess.)
CALENDAR FOR THE YEARS FROM A.D. 300 TO 2300.

		Old Style,	300	400	500	600	700	800	900
			1000	1100	1200	1300	1400	1500	1600
			1700	1800	—	—	—	—	—
		New Style	—	1500	1600	—	1700	—	1800
			—	1900	2000	—	2100	—	2200
			—	G*	—	—	C	—	E
Odd Years of the Centuries.									
0	28	56	84	GP	AG	BA	CB	DC	ED
1	29	57	85	E	F	G	A	B	C
2	30	58	86	D	E	F	G	A	B
3	31	59	87	C	D	E	F	G	A
4	32	60	88	BA	CB	DC	ED	FE	GF
5	33	61	89	G	A	B	C	H	F
6	34	62	90	F	G	A	B	C	E
7	35	63	91	E	F	G	A	H	D
8	36	64	92	DC	ED	FE	GF	AG	BA
9	37	65	93	B	C	D	E	F	CB
10	38	66	94	A	B	C	D	E	AG
11	39	67	95	G	A	B	C	D	F
12	40	68	96	FE	GF	AG	BA	CB	ED
13	41	69	97	D	E	F	G	A	C
14	42	70	98	C	D	E	F	G	B
15	43	71	99	B	C	D	E	F	A
16	44	72	—	AG	BA	CB	DC	ED	FE
17	45	73	—	F	G	A	B	C	D
18	46	74	—	E	F	G	A	B	C
19	47	75	—	D	E	F	G	A	B
20	48	76	—	CB	DC	ED	FE	GF	AG
21	49	77	—	A	B	C	D	E	BA
22	50	78	—	G	A	B	C	D	GF
23	51	79	—	P	G	A	B	C	E
24	52	80	—	ED	FE	GF	AG	BA	CB
25	53	81	—	C	D	E	F	G	DC
26	54	82	—	B	C	D	E	F	A
27	55	83	—	A	B	C	D	E	G

* For the years 1500, 1700, &c. (N.S.) which are not leap years, the Dominical letters are given in this line.

January	October	A	G	F	E	D	C	B
February, March	November	D	C	B	A	G	F	E
April	July	G	F	E	D	C	B	A
May		B	A	G	F	E	D	C
June		E	D	C	B	A	G	F
August		C	B	A	G	F	E	D
September	December	F	E	D	C	B	A	G

1	8	15	22	29	1 Sun.	2 Mon.	3 Tues.	4 Wed.	5 Thur.	6 Fri.	7 Sat.
2	9	16	23	30	2 Mon.	3 Tues.	4 Wed.	5 Thur.	6 Fri.	7 Sat.	1 Sun.
3	10	17	24	31	3 Tues.	4 Wed.	5 Thur.	6 Fri.	7 Sat.	1 Sun.	2 Mon.
4	11	18	25	—	4 Wed.	5 Thur.	6 Fri.	7 Sat.	1 Sun.	2 Mon.	3 Tues.
5	12	19	26	—	5 Thur.	6 Fri.	7 Sat.	1 Sun.	2 Mon.	3 Tues.	4 Wed.
6	13	20	27	—	6 Fri.	7 Sat.	1 Sun.	2 Mon.	3 Tues.	4 Wed.	5 Thur.
7	14	21	28	—	0 Sat.	1 Sun.	2 Mon.	3 Tues.	4 Wed.	5 Thur.	6 Fri.

Look out for the century in the head of the Table, and the odd years in the left hand columns; and in the corresponding column and line is the Dominical letter. Thus for 1893 N.S. the Dominical letter is found to be A.

In the 2nd Table find the month, and in line with it the same Dominical letter, in the same column with which are the days of the week corresponding to the days of the month on the left. Thus, for July 1893, we find, in line with July, A (in the last column), and in the column below Saturday corresponds to the 1st, 8th, 15th, &c. of the month, Sunday to 2nd, 9th, &c.

When there are two letters together it is a leap year and the first letter serves for January and February, the second for the rest of the year. Thus, for A.D. 600, the Dominical letters are CB, and 29th February is found with C to be Monday 1st March is found with B to be Tuesday.




TABLE XII

INTO THE COMING A.D. AND VICE VERSA.

INTO THE COM-

AD. AND VICE VERSA.

absolut

10

Ministry

March

三

11

Kumbha

Philip

三

1

八

三、風流。

Charles
Tandy

10

1

10

CONVERSION OF A GREGORIAN DATE INTO THE CORRESPONDING HINDU DATE		CONVERSION OF A HINDU SOLAR DATE INTO THE CORRESPONDING GREGORIAN DATE	
<i>(This Table is dangerous to use unless all the bases of calculation of the Hindu Date are known. When they are known, let it be borne in mind that the result, as found from the Table, though correct, may be wrong by one day, occasionally by two days.)</i>		<i>(This Table is dangerous to use unless all the bases of calculation of the Gregorian Date are known. When they are known, let it be borne in mind that the result, as found from the Table, though correct, may be wrong by one day, occasionally by two days.)</i>	
1. Tithi	2. Tithi	7. Tithi	10. Makarā, Magha
8. Vṛśchikā, Mārgasīrsha,	9. Dhanus, Pañcha	5. Vṛśchikā, Mārgasīrsha,	11. Mārtag (Tum.)
Mārgasīrsha (Tum.)		Mārgasīrsha (Tum.)	
			Pañcami (Tum.)

TABLE XV.

FOR CONVERSION OF A HINDU LUNI-SOLAR DATE INTO THE CORRESPONDING DATE A.D. AND VICE-VERSA.

AMANTA MONTHS OF CHAITRA DI-YEARS beginning with Chaitra Śukla (Makethi Tūl. Cn.), or Pagan (Tulu.)												1. CHAITRA (Tel. Can.) 1. Pāgou (Tulu.)		2. Vaishākhā (Tel. Can.) 2. Bēsi (Tulu.)		3. Jyotiṣṭha (Tel. Can.) 3. Kārtika (Tulu.)		4. Āshāḍha (Tel. Can.) 4. Āśi (Tulu.)		5. Śrāvāna (Tel. Can.) 5. Sōya (Tulu.)		6. Bhādrapada (Tel. Can.) 6. Nirūḍa (Tulu.)		7. Āśvina (Tel. Can.) 7. Bontelū (Tulu.)		8. Kṛittika (Tel. Can.) 8. Jārdé (Tulu.)		9. Mārgaśīrsha (Tel. Can.) 9. Perde (Tulu.)		10. Pausha (Tel. Can.) 10. Pāntē (Tulu.)		11. Māgha (Tel. Can.) 11. Māyi (Tulu.)		12. Phālguna (Tel. Can.) 12. Suggi (Tulu.)		Where absolute correctness is required, proceed by Art. 139.]																																																																																																																																																																																																																																																																																																																													
PŪRNIMĀNTA MONTHS OF CHAITRA DI-YEARS beginning with Chaitra Śukla (Chaitrādi Viṣṇava) (Beng. Sunrat.)												1. CHAITRA Sukla.		2. Vaishākhā krishna.		3. Jyotiṣṭha śukla.		4. Āshāḍha śukla.		5. Śrāvāna śukla.		6. Bhādrapada śukla.		7. Āśvina śukla.		8. Kṛittika śukla.		9. Mārgaśīrsha śukla.		10. Pausha śukla.		11. Māgha śukla.		12. Phālguna śukla.		13th Month in intercalary years.																																																																																																																																																																																																																																																																																																																													
AMĀNTA MONTHS OF KĀRTTIKĀDI YEARS beginning with Kārttika Śukla (8. Viṣṇava, Nevar.)												6. Chaitra (8. Viṣṇava, Nevar.)		7. Vaishākhā (8. Viṣṇava, Nevar.)		8. Jyotiṣṭha (8. Viṣṇava, Nevar.)		9. Āshāḍha (8. Viṣṇava, Nevar.)		10. Śrāvāna (8. Viṣṇava, Nevar.)		11. Bhādrapada (8. Viṣṇava, Nevar.)		12. Āśvina (8. Viṣṇava, Nevar.)		1. Kṛittika (8. Viṣṇava, Nevar.)		2. Mārgaśīrsha (8. Viṣṇava, Nevar.)		3. Pausha (8. Viṣṇava, Nevar.)		5. Māgha (8. Viṣṇava, Nevar.)		6. Phālguna (8. Viṣṇava, Nevar.)		Where absolute correctness is required, proceed by Art. 139.]																																																																																																																																																																																																																																																																																																																													
1	2	3	4	5	6	7	O	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna	Sukla	Krishna																																																																																																																																																																																																																																																																																																																																				
(1) Sun.	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Su. 1	8	15	7	14	—	6	18	5	12	—	3	12	4	11	—	8	10	Kr. 1	8	30	—	7	14	8	13																																																																																																																																																																																																																																																																																																																																	
(2)	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Su. 2	9	Kr. 1	8	30	—	7	14	6	13	—	4	11	3	10	E	2	9	30	—	6	13	3	10																																																																																																																																																																																																																																																																																																																																			
(3)	Tues.	Wed.	Thur.	Fri.	Sat.	Sun.	Su. 3	10	2	9	—	Su. 1	8	15	7	14	30	—	4	11	3	10	Su. 1	8	15	7	14	30	—	6	13																																																																																																																																																																																																																																																																																																																																		
(4)	Wed.	Thur.	Fri.	Sat.	Sun.	Mon.	Su. 4	11	3	10	—	Su. 2	9	18	5	12	—	4	11	3	10	Kr. 1	8	—	Su. 1	8	15	7	14	30	—	6	13																																																																																																																																																																																																																																																																																																																																
(5)	Thur.	Fri.	Sat.	Sun.	Mon.	Tues.	Su. 5	12	4	11	—	Su. 3	9	18	5	12	—	4	11	3	10	Kr. 1	8	30	—	Su. 1	8	15	7	14	30	—	6	13																																																																																																																																																																																																																																																																																																																															
(6)	Fri.	Sat.	Sun.	Mon.	Tues.	Wed.	Su. 6	13	5	12	—	Su. 4	10	2	9	—	Su. 1	8	15	7	14	Kr. 1	8	30	—	Su. 1	8	15	7	14	30	—	6	13																																																																																																																																																																																																																																																																																																																															
(7)	Sat.	Sun.	Mon.	Tues.	Wed.	Thur.	Su. 7	14	6	13	—	Su. 5	12	4	11	—	Su. 2	9	15	7	14	Kr. 1	8	30	—	Su. 1	8	15	7	14	30	—	6	13																																																																																																																																																																																																																																																																																																																															
(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

E-VERSA

Use this Table unless all the bases of calculation of the given Hindu Date are known. When they are known, let it be borne in mind that the result, as found from this Table, though often correct, is often wrong by one day, occasionally by two days. This variation is unavoidable in an eye-table.

It is not safe to use this Table unless all the bases of calculation of the given Hindu Date are known. When they are known, let it be borne in mind that the result, as found from this Table, though often correct, is often wrong by one day, occasionally by two days. The reason is discussed in the Appendix.																																																																																																																																																																		
AMĀNTA MONTHS OF CHAITRĀDI YEARS beginning with Chaitra Śukla (Mahīthi Tel. Can.), or Poggū (Tulu.)							1. Āśṭārā (Tel. Can.) 1. Paṣu (Tulu.)			2. Vaiśākha (Tel. Can.) 2. Bṛiñi (Tulu.)			3. Jyeshtha (Tel. Can.) 3. Kārttīka (Tulu.)			4. Āshāḍha (Tel. Can.) 4. Āti (Tulu.)			5. Śrīvatsa (Tel. Can.) 5. Śvās (Tulu.)			6. Bhādrapada (Tel. Can.) 6. Nirāḍa (Tulu.)			7. Āśvinā (Tel. Can.) 7. Boutsū (Tulu.)			8. Kārttika (Tel. Can.) 8. Jārdi (Tulu.)			9. Mārgaśīrsha (Tel. Can.) 9. Perhēde (Tulu.)			10. Pānchā (Tel. Can.) 10. Phātēla (Tulu.)			11. Māgha (Tel. Can.) 11. Māyi (Tulu.)			12. Phālguna (Tel. Can.) 12. Suggi (Tulu.)																																																																																																																										
PŪRNIMĀNTA MONTHS OF CHAITRĀDI YEARS beginning with Chaitra Śukla (Chaitrādi Viśraṇa) (Beng. Sonvat.)							1. Āśṭārā	2. Vaiśākha	3. Jyeshtha	4. Āshāḍha	5. Śrīvatsa	6. Bhādrapada	7. Āśvinā	8. Kārttika	9. Mārgaśīrsha	10. Pānchā	11. Māgha	12. Phālguna	1. Āśṭārā	2. Vaiśākha	3. Jyeshtha	4. Āshāḍha	5. Śrīvatsa	6. Bhādrapada	7. Āśvinā	8. Kārttika	9. Mārgaśīrsha	10. Pānchā	11. Māgha	12. Phālguna																																																																																																																																				
AMĀNTA MONTHS OF KĀRTTIKĀDI YEARS beginning with Kārttīka Śukla (S. Vikrama. Nevār.)							6. Āśṭārā (S. Vikrama. Nevār.)			7. Vaiśākha (S. Vikrama. Nevār.)			8. Jyeshtha (S. Vikrama. Nevār.)			9. Āshāḍha (S. Vikrama. Nevār.)			10. Śrīvatsa (S. Vikrama. Nevār.)			11. Bhādrapada (S. Vikrama. Nevār.)			12. Āśvinā (S. Vikrama. Nevār.)			1. Kārttīka (S. Vikrama. Nevār.)			2. Mārgaśīrsha (S. Vikrama. Nevār.)			3. Pānchā (S. Vikrama. Nevār.)			4. Māgha (S. Vikrama. Nevār.)			5. Phālguna (S. Vikrama. Nevār.)																																																																																																																										
1	2	3	4	5	6	0	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.	Sukla.	Krishna.																																																																																																																																		
1)	Sun.	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Sa. 1	8	15	7	14	—	6	13	5	12	4	11	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
2)	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Sun.	Sa. 2	9	Kr. 1	8	30	—	7	14	6	13	5	12	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
3)	Tues.	Wed.	Thur.	Fri.	Sat.	Sun.	Mon.	Sa. 3	10	2	9	—	Sa. 1	8	15	7	14	6	13	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
4)	Wed.	Thur.	Fri.	Sat.	Sun.	Mon.	Tues.	Sa. 4	11	3	10	—	Sa. 1	8	15	7	14	6	13	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
5)	Thur.	Fri.	Sat.	Sun.	Mon.	Tues.	Wed.	Sa. 5	12	4	11	—	Sa. 1	8	15	7	14	6	13	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
6)	Fri.	Sat.	Sun.	Mon.	Tues.	Wed.	Thur.	Sa. 6	13	5	12	—	Sa. 1	8	15	7	14	6	13	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
7)	Sat.	Sun.	Mon.	Tues.	Wed.	Thur.	Fri.	Sa. 7	14	6	13	—	Sa. 1	8	15	7	14	6	13	—	3	10	2	9	30	—	7	14	6	13	—	5	12	4	11																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6)	(7)																																																																																																																																																												
Mar. 13	—	—	—	—	—	—	—	Mar. 13	Mar. 20	Mar. 27	Apr. 1	Apr. 10	Apr. 17	Apr. 24	May 1	May 8	May 15	May 22	May 29	Jun. 5	Jun. 12	Jun. 19	Jun. 26	Jul. 3	Jul. 10	Jul. 17	Jul. 24	Jul. 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sep. 4	Sep. 11	Sep. 18	Sep. 25	Oct. 2	Oct. 9	Oct. 16	Oct. 23	Oct. 30	Nov. 6	Nov. 13	Nov. 20	Nov. 27	Dec. 4	Dec. 11	Dec. 18	Dec. 25	Jan. 1	Jan. 8	Jan. 15	Jan. 22	Jan. 29	Feb. 5	Feb. 12	Feb. 19	Feb. 26	Mar. 5	Mar. 12	Mar. 19	Mar. 26																																																																																																				
14 Mar. 13	—	—	—	—	—	—	—	14	21	28	4	11	18	25	32	9	16	23	30	6	13	20	27	34	41	48	55	62	69	76	83	90	97	104	111	118	125	132	139	146	153	160	167	174	181	188	195	202	209	216	223	230	237	244	251	258	265	272	279	286	293	300	307	314	321	328	335	342	349	356	363	370	377	384	391	398	405	412	419	426	433	440	447	454	461	468	475	482	489	496	503	510	517	524	531	538	545	552	559	566	573	580	587	594	601	608	615	622	629	636	643	650	657	664	671	678	685	692	699	706	713	720	727	734	741	748	755	762	769	776	783	790	797	804	811	818	825	832	839	846	853	860	867	874	881	888	895	902	909	916	923	930	937	944	951	958	965	972	979	986	993	1000
15 Mar. 13	—	—	—	—	—	—	—	15	22	29	5	12	19	26	33	10	17	24	31	7	14	21	28	35	42	49	56	63	70	77	84	91	98	105	112	119	126	133	140	147	154	161	168	175	182	189	196	203	210	217	224	231	238	245	252	259	266	273	280	287	294	301	308	315	322	329	336	343	350	357	364	371	378	385	392	399	406	413	420	427	434	4																																																																																




TABLE XVI.

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.
ii. Up to Hijra 1163 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.			
		1	2		1	2	3			1	2		
1	6 Fri.	16 July	622 (197)	38	0 Sat.	9 June	658 (160)	75	0 Sun.	2 May	694 (122)		
*2	3 Tues.	5 July	623 (186)	39	4 Wed.	29 May	659 (149)	*76	4 Wed.	21 Apr.	695 (111)		
3	1 Sun.	24 June	624* (176)	*40	1 Sun.	17 May	660* (138)	77	2 Mon.	10 Apr.	696* (101)		
4	5 Thurs.	13 June	625 (164)	41	6 Fri.	7 May	661 (127)	*78	5 Fri.	30 Mar.	697 (89)		
*5	2 Mon.	2 June	626 (153)	42	3 Tues.	26 Apr.	662 (116)	79	4 Wed.	20 Mar.	698 (79)		
6	0 Sat.	23 May	627 (143)	*43	0 Sat.	15 Apr.	663 (105)	80	1 Sun.	9 Mar.	699 (68)		
7	4 Wed.	11 May	628 (132)	44	5 Thurs.	4 Apr.	664* (95)	*81	5 Thurs.	26 Feb.	700* (57)		
8	2 Mon.	1 May	629 (121)	45	2 Mon.	24 Mar.	665 (83)	82	3 Tues.	15 Feb.	701 (46)		
9	6 Fri.	20 Apr.	630 (110)	*46	6 Fri.	13 Mar.	666 (72)	83	0 Sat.	4 Feb.	702 (35)		
10	3 Tues.	9 Apr.	631 (99)	47	4 Wed.	3 Mar.	667 (62)	*84	4 Wed.	24 Jan.	703 (24)		
11	1 Sun.	29 Mar.	632* (89)	*48	1 Sun.	20 Feb.	668* (51)	85	2 Mon.	14 Jan.	704* (14)		
12	5 Thurs.	18 Mar.	633 (77)	49	6 Fri.	9 Feb.	669 (40)	*86	6 Fri.	2 Jan.	705 (2)		
*13	2 Mon.	7 Mar.	634 (66)	50	3 Tues.	29 Jan.	670 (29)	87	4 Wed.	23 Dec.	705 (357)		
14	0 Sat.	25 Feb.	635 (56)	*51	0 Sat.	18 Jan.	671 (18)	88	1 Sun.	12 Dec.	706 (346)		
15	4 Wed.	14 Feb.	636* (45)	52	5 Thurs.	8 Jan.	672* (8)	*89	5 Thurs.	1 Dec.	707 (335)		
16	1 Sun.	2 Feb.	637 (33)	53	2 Mon.	27 Dec.	672 (362)	90	3 Tues.	20 Nov.	708* (325)		
17	6 Fri.	23 Jan.	638 (23)	*54	6 Fri.	16 Dec.	673 (350)	91	0 Sat.	9 Nov.	709 (313)		
*18	3 Tues.	12 Jan.	639 (12)	55	4 Wed.	6 Dec.	674 (340)	*92	4 Wed.	29 Oct.	710 (302)		
19	1 Sun.	2 Jan.	640* (2)	*56	1 Sun.	25 Nov.	675 (329)	93	3 Mon.	19 Oct.	711 (292)		
20	5 Thurs.	21 Dec.	640* (356)	57	6 Fri.	14 Nov.	676* (319)	94	6 Fri.	7 Oct.	712* (281)		
*21	2 Mon.	10 Dec.	641 (344)	58	3 Tues.	3 Nov.	677 (307)	*95	3 Tues.	26 Sep.	713 (269)		
22	0 Sat.	30 Nov.	642 (334)	*59	0 Sat.	23 Oct.	678 (296)	96	1 Sun.	16 Sep.	714 (259)		
23	4 Wed.	19 Nov.	643 (223)	60	5 Thurs.	13 Oct.	679 (286)	*97	5 Thurs.	5 Sep.	715 (248)		
24	1 Sun.	7 Nov.	644 (312)	61	2 Mon.	1 Oct.	680* (275)	98	3 Tues.	25 Aug.	716* (238)		
25	6 Fri.	28 Oct.	645 (301)	*62	6 Fri.	20 Sep.	681 (263)	99	0 Sat.	14 Aug.	717 (226)		
*26	3 Tues.	17 Oct.	646 (290)	63	4 Wed.	10 Sep.	682 (253)	*100	4 Wed.	3 Aug.	718 (215)		
27	1 Sun.	7 Oct.	647 (280)	64	1 Sun.	30 Aug.	683 (242)	101	2 Mon.	24 July	719 (205)		
28	5 Thurs.	25 Sep.	648* (269)	*65	5 Thurs.	18 Aug.	684* (231)	102	6 Fri.	12 July	720* (194)		
*29	2 Mon.	14 Sep.	649 (257)	66	3 Tues.	8 Aug.	685 (220)	*103	3 Tues.	1 July	721 (182)		
30	0 Sat.	4 Sep.	650 (247)	*67	0 Sat.	28 July	686 (209)	104	1 Sun.	21 June	722 (172)		
31	4 Wed.	24 Aug.	651 (236)	68	5 Thurs.	18 July	687 (199)	105	5 Thurs.	10 June	723 (161)		
32	1 Sun.	12 Aug.	652 (225)	69	2 Mon.	6 July	688* (188)	*106	2 Mon.	29 May	724* (150)		
33	6 Fri.	2 Aug.	653 (214)	*70	6 Fri.	25 June	689 (176)	107	0 Sat.	19 May	725 (139)		
34	3 Tues.	22 July	654 (203)	71	4 Wed.	15 June	690 (166)	*108	4 Wed.	8 May	726 (128)		
*35	0 Sat.	11 July	655 (192)	72	1 Sun.	4 June	691 (155)	109	2 Mon.	28 Apr.	727 (118)		
36	5 Thurs.	30 June	656* (182)	*73	5 Thurs.	23 May	692* (144)	110	6 Fri.	16 Apr.	728* (107)		
*37	2 Mon.	19 June	657 (170)	74	3 Tues.	13 May	693 (133)	*111	3 Tues.	5 Apr.	729 (95)		

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.		
	Weekday.	Date A.D.	3		Weekday.	Date A.D.	3		Weekday.	Date A.D.	3
1	2		1	2		1	2		1	2	
112	1 Sun.	26 Mar.	730 (85)	*149	1 Sun.	16 Feb.	766 (47)	186	2 Mon.	10 Jan.	802 (10)
113	5 Thurs.	15 Mar.	731 (74)	150	6 Fri.	6 Feb.	767 (37)	*187	6 Fri.	30 Dec.	802 (364)
114	2 Mon.	3 Mar.	732 (63)	151	3 Tues.	26 Jan.	768* (26)	188	4 Wed.	20 Dec.	803 (354)
115	0 Sat.	21 Feb.	733 (52)	*152	0 Sat.	14 Jan.	769 (14)	189	1 Sun.	8 Dec.	804* (343)
*116	4 Wed.	10 Feb.	734 (41)	153	5 Thurs.	4 Jan.	770 (4)	*190	5 Thurs.	27 Nov.	805 (331)
117	2 Mon.	31 Jan.	735 (31)	154	2 Mon.	24 Dec.	770 (358)	191	3 Tues.	17 Nov.	806 (321)
118	6 Fri.	20 Jan.	736* (20)	*155	6 Fri.	13 Dec.	771 (347)	192	0 Sat.	6 Nov.	807 (310)
119	3 Tues.	8 Jan.	737 (8)	156	4 Wed.	2 Dec.	772 (337)	*193	4 Wed.	25 Oct.	808* (299)
120	1 Sun.	29 Dec.	737 (863)	*157	1 Sun.	21 Nov.	773 (325)	194	2 Mon.	15 Oct.	809 (288)
121	5 Thurs.	18 Dec.	738 (352)	158	6 Fri.	11 Nov.	774 (315)	195	6 Fri.	4 Oct.	810 (277)
*122	2 Mon.	7 Dec.	739 (341)	159	3 Tues.	31 Oct.	775 (304)	*196	3 Tues.	23 Sep.	811 (266)
123	0 Sat.	26 Nov.	740* (331)	*160	0 Sat.	19 Oct.	776* (293)	197	1 Sun.	12 Sep.	812* (256)
124	4 Wed.	15 Nov.	741 (319)	161	5 Thurs.	9 Oct.	777 (282)	*198	5 Thurs.	1 Sep.	813 (244)
*125	1 Sun.	4 Nov.	742 (308)	162	2 Mon.	28 Sep.	778 (271)	199	3 Tues.	22 Aug.	814 (234)
126	6 Fri.	25 Oct.	743 (298)	*163	6 Fri.	17 Sep.	779 (260)	200	0 Sat.	11 Aug.	815 (223)
127	3 Tues.	13 Oct.	744 (287)	164	4 Wed.	6 Sep.	780* (250)	*201	4 Wed.	30 July	816* (212)
128	1 Sun.	3 Oct.	745 (276)	165	1 Sun.	26 Aug.	781 (238)	202	2 Mon.	20 July	817 (201)
129	5 Thurs.	22 Sep.	746 (265)	*166	5 Thurs.	15 Aug.	782 (227)	203	6 Fri.	9 July	818 (190)
*130	2 Mon.	11 Sep.	747 (254)	167	3 Tues.	5 Aug.	783 (217)	*204	3 Tues.	28 June	819 (179)
131	0 Sat.	31 Aug.	748* (244)	*168	0 Sat.	24 July	784* (206)	205	1 Sun.	17 June	820* (169)
132	4 Wed.	20 Aug.	749 (232)	169	5 Thurs.	14 July	785 (195)	*206	5 Thurs.	6 June	821 (157)
*133	1 Sun.	9 Aug.	750 (221)	170	2 Mon.	3 July	786 (184)	207	3 Tues.	27 May	822 (147)
134	6 Fri.	30 July	751 (211)	*171	6 Fri.	22 June	787 (173)	208	0 Sat.	16 May	823 (136)
135	3 Tues.	18 July	752* (200)	172	4 Wed.	11 June	788* (163)	*209	4 Wed.	4 May	824* (125)
*136	0 Sat.	7 July	753 (188)	173	1 Sun.	31 May	789 (151)	210	2 Mon.	24 Apr.	825 (114)
137	5 Thurs.	27 June	754 (178)	*174	5 Thurs.	20 May	790 (140)	211	6 Fri.	13 Apr.	826 (103)
*138	2 Mon.	16 June	755 (167)	175	3 Tues.	10 May	791 (130)	*212	3 Tues.	2 Apr.	827 (92)
139	0 Sat.	5 June	756* (157)	*176	0 Sat.	28 Apr.	792* (119)	213	1 Sun.	22 Mar.	828* (82)
140	4 Wed.	25 May	757 (145)	177	5 Thurs.	18 Apr.	793 (108)	214	5 Thurs.	11 Mar.	829 (70)
*141	1 Sun.	14 May	758 (134)	178	2 Mon.	7 Apr.	794 (97)	*215	2 Mon.	28 Feb.	830 (59)
142	6 Fri.	4 May	759 (124)	*179	6 Fri.	27 Mar.	795 (86)	216	0 Sat.	18 Feb.	831 (49)
143	3 Tues.	22 Apr.	760* (113)	180	4 Wed.	16 Mar.	796* (76)	*217	4 Wed.	7 Feb.	832* (38)
*144	0 Sat.	11 Apr.	761 (101)	181	1 Sun.	5 Mar.	797 (64)	218	2 Mon.	27 Jan.	833 (27)
145	5 Thurs.	1 Apr.	762 (91)	*182	5 Thurs.	22 Feb.	798 (53)	219	6 Fri.	16 Jan.	834 (16)
*146	2 Mon.	21 Mar.	763 (80)	183	3 Tues.	12 Feb.	799 (43)	*220	3 Tues.	5 Jan.	835 (5)
147	0 Sat.	10 Mar.	764* (70)	184	0 Sat.	1 Feb.	800* (32)	221	1 Sun.	26 Dec.	836 (360)
148	4 Wed.	27 Feb.	765 (58)	*185	4 Wed.	20 Jan.	801 (20)	222	5 Thurs.	14 Dec.	836* (349)

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.			
		1	2		1	2	3			1	2	3	
*223	2 Mon.	3 Dec.	837 (337)	260	3 Tues.	27 Oct.	873 (300)	297	4 Wed.	20 Sep.	909 (263)		
224	0 Sat.	23 Nov.	838 (327)	*261	0 Sat.	16 Oct.	874 (289)	298	1 Sun.	9 Sep.	910 (252)		
225	4 Wed.	12 Nov.	839 (316)	262	5 Thurs.	6 Oct.	875 (279)	*299	5 Thurs.	29 Aug.	911 (241)		
226	1 Sun.	31 Oct.	840 (305)	263	2 Mon.	24 Sep.	876* (268)	300	3 Tues.	18 Aug.	912* (231)		
227	6 Fri.	21 Oct.	841 (294)	*264	6 Fri.	13 Sep.	877 (256)	301	0 Sat.	7 Aug.	913 (219)		
*228	3 Tues.	10 Oct.	842 (283)	265	4 Wed.	3 Sep.	878 (246)	*302	4 Wed.	27 July	914 (208)		
229	1 Sun.	30 Sep.	843 (273)	*266	1 Sun.	23 Aug.	879 (235)	303	2 Mon.	17 July	915 (198)		
230	5 Thurs.	18 Sep.	844* (262)	267	6 Fri.	12 Aug.	880* (225)	304	6 Fri.	5 July	916* (187)		
*231	2 Mon.	7 Sep.	845 (250)	268	3 Tues.	1 Aug.	881 (213)	*305	3 Tues.	24 June	917 (175)		
232	0 Sat.	28 Aug.	846 (240)	*269	0 Sat.	21 July	882 (202)	306	1 Sun.	14 June	918 (165)		
233	4 Wed.	17 Aug.	847 (229)	270	5 Thurs.	11 July	883 (192)	*307	5 Thurs.	3 June	919 (154)		
234	1 Sun.	5 Aug.	848 (218)	271	2 Mon.	29 June	884* (181)	308	3 Tues.	23 May	920* (144)		
235	6 Fri.	26 July	849 (207)	*272	6 Fri.	18 June	885 (169)	309	0 Sat.	12 May	921 (132)		
*236	3 Tues.	13 July	850 (196)	273	4 Wed.	8 June	886 (159)	*310	4 Wed.	1 May	922 (121)		
237	1 Sun.	5 July	851 (186)	274	1 Sun.	28 May	887 (148)	311	2 Mon.	21 Apr.	923 (111)		
238	5 Thurs.	23 June	852* (175)	*275	5 Thurs.	16 May	888* (137)	312	6 Fri.	9 Apr.	924* (100)		
*239	2 Mon.	12 June	853 (163)	276	3 Tues.	6 May	889 (126)	*313	3 Tues.	29 Mar.	925 (88)		
240	0 Sat.	2 June	854 (153)	*277	0 Sat.	25 Apr.	890 (115)	314	1 Sun.	19 Mar.	926 (78)		
241	4 Wed.	22 May	855 (142)	278	5 Thurs.	15 Apr.	891 (105)	315	5 Thurs.	8 Mar.	927 (67)		
242	1 Sun.	10 May	856 (131)	279	2 Mon.	3 Apr.	892* (94)	*316	2 Mon.	25 Feb.	928* (56)		
243	6 Fri.	30 Apr.	857 (120)	*280	6 Fri.	23 Mar.	893 (82)	317	0 Sat.	14 Feb.	929 (45)		
244	3 Tues.	19 Apr.	858 (109)	281	4 Wed.	13 Mar.	894 (72)	*318	4 Wed.	3 Feb.	930 (34)		
*245	0 Sat.	8 Apr.	859 (98)	282	1 Sun.	2 Mar.	895 (61)	319	2 Mon.	24 Jan.	931 (24)		
246	5 Thurs.	28 Mar.	860* (88)	*283	5 Thurs.	19 Feb.	896* (50)	320	6 Fri.	13 Jan.	932* (13)		
*247	2 Mon.	17 Mar.	861 (76)	284	3 Tues.	8 Feb.	897 (39)	*321	3 Tues.	1 Jan.	933 (1)		
248	0 Sat.	7 Mar.	862 (66)	285	0 Sat.	28 Jan.	898 (28)	322	1 Sun.	22 Dec.	933 (356)		
249	4 Wed.	24 Feb.	863 (55)	*286	4 Wed.	17 Jan.	899 (17)	323	5 Thurs.	11 Dec.	934 (345)		
250	1 Sun.	13 Feb.	864 (44)	287	2 Mon.	7 Jan.	900* (7)	*324	2 Mon.	30 Nov.	935 (334)		
251	6 Fri.	2 Feb.	865 (33)	*288	6 Fri.	26 Dec.	900* (361)	325	0 Sat.	19 Nov.	936* (324)		
252	3 Tues.	22 Jan.	866 (22)	289	4 Wed.	16 Dec.	901 (350)	*326	4 Wed.	8 Nov.	937 (312)		
*253	0 Sat.	11 Jan.	867 (11)	290	1 Sun.	5 Dec.	902 (339)	327	2 Mon.	29 Oct.	938 (302)		
254	5 Thurs.	1 Jan.	868* (1)	*291	5 Thurs.	24 Nov.	903 (328)	328	6 Fri.	18 Oct.	939 (291)		
255	2 Mon.	20 Dec.	869* (355)	292	3 Tues.	13 Nov.	904* (318)	*329	3 Tues.	6 Oct.	940* (280)		
*256	6 Fri.	9 Dec.	869 (345)	293	0 Sat.	2 Nov.	905 (306)	330	1 Sun.	26 Sep.	941 (269)		
257	4 Wed.	29 Nov.	870 (333)	*294	4 Wed.	22 Oct.	906 (295)	331	5 Thurs.	15 Sep.	942 (258)		
*258	1 Sun.	18 Nov.	871 (322)	295	2 Mon.	12 Oct.	907 (285)	*332	2 Mon.	4 Sep.	943 (247)		
259	6 Fri.	7 Nov.	872* (312)	*296	6 Fri.	30 Sep.	908* (274)	333	0 Sat.	24 Aug.	944* (237)		

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.			
		1	2			1	2			1	2	3	
334	4 Wed.	13 Aug.	945 (225)	371	5 Thurs.	7 July	981 (188)	*408	5 Thurs.	30 May	1017 (150)		
*335	1 Sun.	2 Aug.	946 (214)	372	2 Mon.	26 June	982 (177)	409	3 Tues.	20 May	1018 (140)		
336	6 Fri.	23 July	947 (204)	*373	6 Fri.	15 June	983 (166)	410	0 Sat.	9 May	1019 (129)		
337	3 Tues.	11 July	948 (193)	374	4 Wed.	4 June	984* (156)	*411	4 Wed.	27 Apr.	1020* (118)		
338	1 Sun.	1 July	949 (182)	375	1 Sun.	24 May	985* (144)	412	2 Mon.	17 Apr.	1021 (107)		
339	5 Thurs.	20 June	950 (171)	*376	5 Thurs.	13 May	986 (133)	413	6 Fri.	6 Apr.	1022 (96)		
*340	2 Mon.	9 June	951 (160)	377	3 Tues.	3 May	987 (123)	*414	3 Tues.	26 Mar.	1023 (85)		
341	0 Sat.	29 May	952* (150)	*378	0 Sat.	21 Apr.	988* (112)	415	1 Sun.	15 Mar.	1024* (75)		
342	4 Wed.	18 May	953 (138)	379	5 Thurs.	11 Apr.	989 (101)	*416	5 Thurs.	4 Mar.	1025 (63)		
*343	1 Sun.	7 May	954 (127)	380	2 Mon.	31 Mar.	990 (90)	417	3 Tues.	22 Feb.	1026 (53)		
344	6 Fri.	27 Apr.	955 (117)	*381	6 Fri.	20 Mar.	991 (79)	418	0 Sat.	11 Feb.	1027 (42)		
345	3 Tues.	15 Apr.	956* (106)	382	4 Wed.	9 Mar.	992* (69)	*419	4 Wed.	31 Jan.	1028* (31)		
*346	0 Sat.	4 Apr.	957 (94)	383	1 Sun.	26 Feb.	993 (57)	420	2 Mon.	20 Jan.	1029 (20)		
347	5 Thurs.	25 Mar.	958 (84)	*384	5 Thurs.	15 Feb.	994 (46)	421	6 Fri.	9 Jan.	1030 (9)		
*348	2 Mon.	14 Mar.	959 (73)	385	3 Tues.	5 Feb.	995 (36)	*422	3 Tues.	29 Dec.	1030 (363)		
349	0 Sat.	3 Mar.	960* (63)	*386	0 Sat.	25 Jan.	996* (25)	423	1 Sun.	19 Dec.	1031 (353)		
350	4 Wed.	20 Feb.	961 (51)	387	5 Thurs.	14 Jan.	997 (14)	424	5 Thurs.	7 Dec.	1032* (342)		
*351	1 Sun.	9 Feb.	962 (40)	388	2 Mon.	3 Jan.	998 (3)	*425	2 Mon.	26 Nov.	1033 (330)		
352	6 Fri.	30 Jan.	963 (30)	*389	6 Fri.	23 Dec.	999 (357)	426	0 Sat.	16 Nov.	1034 (320)		
353	3 Tues.	19 Jan.	964* (19)	390	4 Wed.	13 Dec.	999 (347)	*427	4 Wed.	5 Nov.	1035 (309)		
354	0 Sat.	7 Jan.	965 (7)	391	1 Sun.	1 Dec.	1000 (336)	428	2 Mon.	25 Oct.	1036* (299)		
355	5 Thurs.	28 Dec.	965 (362)	*392	5 Thurs.	20 Nov.	1001 (324)	429	6 Fri.	14 Oct.	1037 (287)		
*356	2 Mon.	17 Dec.	966 (351)	393	3 Tues.	10 Nov.	1002 (314)	*430	3 Tues.	3 Oct.	1038 (276)		
357	0 Sat.	7 Dec.	967 (341)	394	0 Sat.	30 Oct.	1003 (303)	431	1 Sun.	23 Sep.	1039 (266)		
358	4 Wed.	25 Nov.	968* (330)	*395	4 Wed.	18 Oct.	1004* (292)	432	5 Thurs.	11 Sep.	1040* (255)		
*359	1 Sun.	14 Nov.	969 (318)	396	2 Mon.	8 Oct.	1005 (281)	*433	2 Mon.	31 Aug.	1041 (243)		
360	6 Fri.	4 Nov.	970 (308)	*397	6 Fri.	27 Sep.	1006 (270)	434	0 Sat.	21 Aug.	1042 (233)		
361	3 Tues.	24 Oct.	971 (297)	398	4 Wed.	17 Sep.	1007 (260)	435	4 Wed.	10 Aug.	1043 (222)		
362	0 Sat.	12 Oct.	972 (286)	399	1 Sun.	5 Sep.	1008* (249)	*436	1 Sun.	29 July	1044* (211)		
363	5 Thurs.	2 Oct.	973 (275)	*400	5 Thurs.	25 Aug.	1009 (237)	437	6 Fri.	19 July	1045 (200)		
364	2 Mon.	21 Sep.	974 (264)	401	3 Tues.	15 Aug.	1010 (227)	*438	3 Tues.	8 July	1046 (189)		
*365	6 Fri.	10 Sep.	975 (253)	402	0 Sat.	4 Aug.	1011 (216)	439	1 Sun.	28 June	1047 (179)		
366	4 Wed.	30 Aug.	976* (243)	*403	4 Wed.	23 July	1012* (205)	440	5 Thurs.	16 June	1048* (168)		
*367	1 Sun.	19 Aug.	977 (231)	404	2 Mon.	13 July	1013 (194)	*441	2 Mon.	5 June	1049 (156)		
368	6 Fri.	9 Aug.	978 (221)	405	6 Fri.	2 July	1014 (183)	442	0 Sat.	26 May	1050 (146)		
369	3 Tues.	29 July	979 (210)	*406	3 Tues.	21 June	1015 (172)	443	4 Wed.	15 May	1051 (135)		
370	0 Sat.	17 July	980 (199)	407	1 Sun.	10 June	1016* (162)	*444	1 Sun.	3 May	1052* (124)		

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday,	Date A.D.			Weekday,	Date A.D.			Weekday,	Date A.D.			
		1	2		1	2	3			1	2		
445	6 Fri.	23 Apr.	1053 (113)	*482	6 Fri.	16 Mar.	1089 (75)	519	0 Sat.	7 Feb.	1125 (38)		
*446	3 Tues.	12 Apr.	1054 (102)	483	4 Wed.	6 Mar.	1090 (65)	*520	4 Wed.	27 Jan.	1126 (27)		
447	1 Sun.	2 Apr.	1055 (92)	484	1 Sun.	23 Feb.	1091 (54)	521	2 Mon.	17 Jan.	1127 (17)		
448	5 Thurs.	21 Mar.	1056* (81)	*485	5 Thurs.	12 Feb.	1092* (43)	522	6 Fri.	6 Jan.	1128* (6)		
*449	2 Mon.	10 Mar.	1057 (69)	486	3 Tues.	1 Feb.	1093 (32)	*523	3 Tues.	25 Dec.	1128* (360)		
450	0 Sat.	28 Feb.	1058 (59)	*487	0 Sat.	21 Jan.	1094 (21)	524	1 Sun.	15 Dec.	1129 (349)		
451	4 Wed.	17 Feb.	1059 (48)	488	5 Thurs.	11 Jan.	1095 (11)	525	5 Thurs.	4 Dec.	1130 (338)		
452	1 Sun.	6 Feb.	1060 (37)	489	2 Mon.	31 Dec.	1095 (365)	*526	2 Mon.	23 Nov.	1131 (327)		
453	6 Fri.	26 Jan.	1061 (26)	*490	6 Fri.	19 Dec.	1096* (354)	527	0 Sat.	12 Nov.	1132* (317)		
454	3 Tues.	15 Jan.	1062 (15)	491	4 Wed.	9 Dec.	1097 (343)	*528	4 Wed.	1 Nov.	1133 (305)		
*455	0 Sat.	4 Jan.	1063 (4)	492	1 Sun.	28 Nov.	1098 (332)	529	2 Mon.	22 Oct.	1134 (295)		
456	5 Thurs.	25 Dec.	1063 (359)	*493	5 Thurs.	17 Nov.	1099 (321)	530	6 Fri.	11 Oct.	1135 (284)		
457	2 Mon.	13 Dec.	1064 (348)	494	3 Tues.	6 Nov.	1100* (311)	*531	3 Tues.	29 Sep.	1136* (273)		
458	0 Sat.	3 Dec.	1065 (337)	495	0 Sat.	26 Oct.	1101 (299)	532	1 Sun.	19 Sep.	1137 (262)		
459	4 Wed.	22 Nov.	1066 (326)	*496	4 Wed.	15 Oct.	1102 (288)	533	5 Thurs.	8 Sep.	1138 (251)		
*460	1 Sun.	11 Nov.	1067 (315)	497	2 Mon.	5 Oct.	1103 (278)	*534	2 Mon.	28 Aug.	1139 (240)		
461	6 Fri.	31 Oct.	1068* (305)	*498	6 Fri.	23 Sep.	1104* (267)	535	0 Sat.	17 Aug.	1140* (230)		
462	3 Tues.	20 Oct.	1069 (293)	499	4 Wed.	13 Sep.	1105 (256)	*536	4 Wed.	6 Aug.	1141 (218)		
*463	0 Sat.	9 Oct.	1070 (282)	500	1 Sun.	2 Sep.	1106 (245)	537	2 Mon.	27 July	1142 (208)		
464	5 Thurs.	29 Sep.	1071 (272)	*501	5 Thurs.	22 Aug.	1107 (234)	538	6 Fri.	16 July	1143 (197)		
465	2 Mon.	17 Sep.	1072* (261)	502	3 Tues.	11 Aug.	1108* (224)	*539	3 Tues.	4 July	1144* (186)		
*466	6 Fri.	6 Sep.	1073 (249)	503	0 Sat.	31 July	1109 (212)	540	1 Sun.	24 June	1145 (175)		
467	4 Wed.	27 Aug.	1074 (239)	*504	4 Wed.	20 July	1110 (201)	541	5 Thurs.	13 June	1146 (164)		
*468	1 Sun.	16 Aug.	1075 (228)	505	2 Mon.	10 July	1111 (191)	*542	2 Mon.	2 June	1147 (153)		
469	6 Fri.	5 Aug.	1076* (218)	*506	6 Fri.	28 June	1112* (180)	543	0 Sat.	22 May	1148* (143)		
470	3 Tues.	25 July	1077 (206)	507	4 Wed.	18 June	1113 (169)	544	4 Wed.	11 May	1149 (131)		
*471	0 Sat.	14 July	1078 (195)	508	1 Sun.	7 June	1114 (158)	*545	1 Sun.	30 Apr.	1150 (120)		
472	5 Thurs.	4 July	1079 (185)	*509	5 Thurs.	27 May	1115 (147)	546	6 Fri.	20 Apr.	1151 (110)		
473	2 Mon.	22 June	1080* (174)	510	3 Tues.	16 May	1116 (137)	*547	3 Tues.	8 Apr.	1152* (99)		
*474	6 Fri.	11 June	1081 (162)	511	0 Sat.	5 May	1117 (125)	548	1 Sun.	29 Mar.	1153 (88)		
475	4 Wed.	1 June	1082 (152)	*512	4 Wed.	24 Apr.	1118 (114)	549	5 Thurs.	18 Mar.	1154 (77)		
*476	1 Sun.	21 May	1083 (141)	513	2 Mon.	14 Apr.	1119 (104)	*550	2 Mon.	7 Mar.	1155 (66)		
477	6 Fri.	10 May	1084* (131)	514	6 Fri.	2 Apr.	1120* (93)	551	0 Sat.	25 Feb.	1156* (56)		
478	3 Tues.	29 Apr.	1085 (119)	*515	3 Tues.	22 Mar.	1121 (81)	552	4 Wed.	13 Feb.	1157 (44)		
*479	0 Sat.	18 Apr.	1086 (108)	516	1 Sun.	12 Mar.	1122 (71)	*553	1 Sun.	2 Feb.	1158 (33)		
480	5 Thurs.	8 Apr.	1087 (98)	*517	5 Thurs.	1 Mar.	1123 (60)	554	6 Fri.	23 Jan.	1159 (23)		
481	2 Mon.	27 Mar.	1088* (87)	518	3 Tues.	19 Feb.	1124* (50)	555	3 Tues.	12 Jan.	1160* (12)		

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.		Hijra year.	Commencement of the year.		Hijra year.	Commencement of the year.	
	Weekday.	Date A.D.		Weekday.	Date A.D.		Weekday.	Date A.D.
1	2	3	1	2	3	1	2	3
556	0 Sat.	31 Dee. 1160 (366)	593	1 Sun.	24 Nov. 1196* (329)	630	2 Mon.	18 Oct. 1232* (292)
557	5 Thurs.	21 Dec. 1161 (355)	*594	5 Thurs.	13 Nov. 1197 (317)	631	6 Fri.	7 Oct. 1233 (280)
*558	2 Mon.	10 Dec. 1162 (344)	595	3 Tues.	3 Nov. 1198 (307)	*632	3 Tues.	26 Sep. 1234 (269)
559	0 Sat.	30 Nov. 1163 (334)	*596	0 Sat.	23 Oct. 1199 (296)	633	1 Sun.	16 Sep. 1235 (259)
560	4 Wed.	18 Nov. 1164* (323)	597	5 Thurs.	12 Oct. 1200* (286)	634	5 Thurs.	4 Sep. 1236* (248)
*561	1 Sun.	7 Nov. 1165 (311)	598	2 Mon.	1 Oct. 1201 (274)	*635	2 Mon.	24 Aug. 1237 (236)
562	6 Fri.	28 Oct. 1166 (301)	*599	6 Fri.	20 Sep. 1202 (263)	636	0 Sat.	14 Aug. 1238 (226)
563	3 Tues.	17 Oct. 1167 (290)	600	4 Wed.	10 Sep. 1203 (253)	*637	4 Wed.	3 Aug. 1239 (215)
564	0 Sat.	5 Oct. 1168 (279)	601	1 Sun.	29 Aug. 1204* (242)	638	2 Mon.	23 July 1240* (205)
565	5 Thurs.	25 Sep. 1169 (268)	*602	5 Thurs.	18 Aug. 1205 (230)	639	6 Fri.	12 July 1241 (193)
*566	2 Mon.	14 Sep. 1170 (257)	603	3 Tues.	8 Aug. 1206 (220)	*640	3 Tues.	1 July 1242 (182)
567	0 Sat.	4 Sep. 1171 (247)	604	0 Sat.	28 July 1207 (209)	641	1 Sun.	21 June 1243 (172)
568	4 Wed.	23 Aug. 1172* (236)	*605	4 Wed.	16 July 1208* (198)	642	5 Thurs.	9 June 1244* (161)
*569	1 Sun.	12 Aug. 1173 (224)	606	2 Mon.	6 July 1209 (187)	*643	2 Mon.	29 May 1245 (149)
570	6 Fri.	2 Aug. 1174 (214)	*607	6 Fri.	25 June 1210 (176)	644	0 Sat.	19 May 1246 (139)
571	3 Tues.	22 July 1175 (203)	608	4 Wed.	15 June 1211 (166)	645	4 Wed.	8 May 1247 (128)
572	0 Sat.	10 July 1176 (192)	609	1 Sun.	3 June 1212* (155)	*646	1 Sun.	26 Apr. 1248* (117)
573	5 Thurs.	30 June 1177 (181)	*610	5 Thurs.	23 May 1213 (143)	647	6 Fri.	16 Apr. 1249 (106)
574	2 Mon.	19 June 1178 (170)	611	3 Tues.	13 May 1214 (133)	*648	3 Tues.	5 Apr. 1250 (95)
*575	6 Fri.	8 June 1179 (159)	612	0 Sat.	2 May 1215 (122)	649	1 Sun.	26 Mar. 1251 (85)
576	4 Wed.	28 May 1180* (149)	*613	4 Wed.	20 Apr. 1216* (111)	650	5 Thurs.	14 Mar. 1252* (74)
*577	1 Sun.	17 May 1181 (137)	614	2 Mon.	10 Apr. 1217 (100)	*651	2 Mon.	3 Mar. 1253 (62)
578	6 Fri.	7 May 1182 (127)	615	6 Fri.	30 Mar. 1218 (89)	652	0 Sat.	21 Feb. 1254 (52)
579	3 Tues.	26 Apr. 1183 (116)	*616	3 Tues.	19 Mar. 1219 (78)	653	4 Wed.	10 Feb. 1255 (41)
580	0 Sat.	14 Apr. 1184 (105)	617	1 Sun.	8 Mar. 1220* (68)	*654	1 Sun.	30 Jan. 1256* (30)
581	5 Thurs.	4 Apr. 1185 (94)	*618	5 Thurs.	25 Feb. 1221 (56)	655	6 Fri.	19 Jan. 1257 (19)
582	2 Mon.	24 Mar. 1186 (83)	619	3 Tues.	15 Feb. 1222 (46)	*656	3 Tues.	8 Jan. 1258 (8)
*583	6 Fri.	13 Mar. 1187 (72)	620	0 Sat.	4 Feb. 1223 (35)	657	1 Sun.	29 Dec. 1258 (363)
584	4 Wed.	2 Mar. 1188* (62)	*621	4 Wed.	24 Jan. 1224* (24)	658	5 Thurs.	18 Dec. 1259 (352)
585	1 Sun.	19 Feb. 1189 (50)	622	2 Mon.	13 Jan. 1225 (13)	*659	2 Mon.	6 Dec. 1260* (341)
*586	5 Thurs.	8 Feb. 1190 (39)	623	6 Fri.	2 Jan. 1226 (2)	660	0 Sat.	26 Nov. 1261 (320)
587	3 Tues.	29 Jan. 1191 (29)	*624	3 Tues.	22 Dec. 1226 (356)	661	4 Wed.	15 Nov. 1262 (319)
588	0 Sat.	18 Jan. 1192 (18)	625	1 Sun.	12 Dec. 1227 (346)	*662	1 Sun.	4 Nov. 1263 (308)
589	5 Thurs.	7 Jan. 1193 (7)	*626	5 Thurs.	30 Nov. 1228* (335)	663	6 Fri.	24 Oct. 1264* (298)
590	2 Mon.	27 Dec. 1193 (361)	627	3 Tues.	20 Nov. 1229 (324)	664	3 Tues.	13 Oct. 1265 (286)
*591	6 Fri.	16 Dec. 1194 (350)	628	0 Sat.	9 Nov. 1230 (313)	*665	0 Sat.	2 Oct. 1266 (275)
592	4 Wed.	6 Dec. 1195 (340)	*629	4 Wed.	29 Oct. 1231 (302)	666	5 Thurs.	22 Sep. 1267 (265)

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.
ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra-year.	Commencement of the year.			Hijra-year.	Commencement of the year.			Hijra-year.	Commencement of the year.		
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.	
1	2	3	1	2	3	1	2	3	1	2	3
667	2 Mon.	10 Sep. 1268 (254)	704	3 Tues.	4 Aug. 1304* (217)	*741	3 Tues.	27 June 1340* (179)			
668	0 Sat.	31 Aug. 1269 (243)	705	0 Sat.	24 July 1305 (205)	742	1 Sun.	17 June 1341 (168)			
669	4 Wed.	20 Aug. 1270 (232)	*706	4 Wed.	13 July 1306 (194)	743	5 Thurs.	6 June 1342 (157)			
*670	1 Sun.	9 Aug. 1271 (221)	707	2 Mon.	3 July 1307 (184)	*744	2 Mon.	26 May 1343 (146)			
671	6 Fri.	29 July 1272* (211)	*708	6 Fri.	21 June 1308* (173)	745	0 Sat.	15 May 1344* (136)			
672	3 Tues.	18 July 1273 (199)	709	4 Wed.	11 June 1309 (162)	*746	4 Wed.	4 May 1345 (124)			
*673	0 Sat.	7 July 1274 (188)	710	1 Sun.	31 May 1310 (151)	747	2 Mon.	24 Apr. 1346 (114)			
674	5 Thurs.	27 June 1275 (178)	*711	5 Thurs.	20 May 1311 (140)	748	6 Fri.	13 Apr. 1347 (103)			
675	2 Mon.	15 June 1276* (167)	712	3 Tues.	9 May 1312* (130)	*749	3 Tues.	1 Apr. 1348* (92)			
*676	6 Fri.	4 June 1277 (155)	713	0 Sat.	28 Apr. 1313 (118)	750	1 Sun.	22 Mar. 1349 (81)			
677	4 Wed.	25 May 1278 (145)	*714	4 Wed.	17 Apr. 1314 (107)	751	5 Thurs.	11 Mar. 1350 (70)			
*678	1 Sun.	14 May 1279 (134)	715	2 Mon.	7 Apr. 1315 (97)	*752	2 Mon.	28 Feb. 1351 (59)			
679	6 Fri.	3 May 1280* (124)	*716	6 Fri.	26 Mar. 1316* (86)	753	0 Sat.	18 Feb. 1352* (49)			
680	3 Tues.	22 Apr. 1281 (112)	717	4 Wed.	16 Mar. 1317 (75)	754	4 Wed.	6 Feb. 1353 (37)			
*681	0 Sat.	11 Apr. 1282 (101)	718	1 Sun.	5 Mar. 1318 (64)	*755	1 Sun.	26 Jan. 1354 (26)			
682	5 Thurs.	1 Apr. 1283 (91)	*719	5 Thurs.	22 Feb. 1319 (53)	756	6 Fri.	16 Jan. 1355 (16)			
683	2 Mon.	20 Mar. 1284* (80)	720	3 Tues.	12 Feb. 1320* (43)	*757	3 Tues.	5 Jan. 1356* (5)			
684	6 Fri.	9 Mar. 1285 (68)	721	0 Sat.	31 Jan. 1321 (31)	758	1 Sun.	25 Dec. 1356 (360)			
685	4 Wed.	27 Feb. 1286 (58)	*722	4 Wed.	20 Jan. 1322 (20)	759	5 Thurs.	14 Dec. 1357 (348)			
*686	1 Sun.	16 Feb. 1287 (47)	723	2 Mon.	10 Jan. 1323 (10)	*760	2 Mon.	3 Dec. 1358 (337)			
687	6 Fri.	6 Feb. 1288* (37)	724	6 Fri.	30 Dec. 1323 (364)	761	0 Sat.	23 Nov. 1359 (327)			
688	3 Tues.	25 Jan. 1289 (25)	*725	3 Tues.	18 Dec. 1324* (353)	762	4 Wed.	11 Nov. 1360* (316)			
689	0 Sat.	14 Jan. 1290 (14)	726	1 Sun.	8 Dec. 1325 (342)	*763	1 Sun.	31 Oct. 1361 (304)			
690	5 Thurs.	4 Jan. 1291 (4)	*727	5 Thurs.	27 Nov. 1326 (331)	764	6 Fri.	21 Oct. 1362 (294)			
691	2 Mon.	24 Dec. 1291 (358)	728	3 Tues.	17 Nov. 1327 (321)	765	3 Tues.	10 Oct. 1363 (283)			
692	6 Fri.	12 Dec. 1292 (347)	729	0 Sat.	5 Nov. 1328* (310)	*766	0 Sat.	28 Sep. 1364* (272)			
693	4 Wed.	2 Dec. 1293 (336)	*730	4 Wed.	25 Oct. 1329 (298)	767	5 Thurs.	18 Sep. 1365 (261)			
694	1 Sun.	21 Nov. 1294 (325)	731	2 Mon.	15 Oct. 1330 (288)	*768	2 Mon.	7 Sep. 1366 (250)			
*695	5 Thurs.	10 Nov. 1295 (314)	732	6 Fri.	4 Oct. 1331 (277)	769	0 Sat.	28 Aug. 1367 (240)			
696	3 Tues.	30 Oct. 1296* (304)	*733	3 Tues.	22 Sep. 1332* (266)	770	4 Wed.	16 Aug. 1368* (229)			
*697	0 Sat.	19 Oct. 1297 (292)	734	1 Sun.	12 Sep. 1333 (255)	*771	1 Sun.	5 Aug. 1369 (217)			
698	5 Thurs.	9 Oct. 1298 (282)	735	5 Thurs.	1 Sep. 1334 (244)	772	6 Fri.	26 July 1370 (207)			
699	2 Mon.	28 Sep. 1299 (271)	*736	2 Mon.	21 Aug. 1335 (233)	773	3 Tues.	15 July 1371 (196)			
700	6 Fri.	16 Sep. 1300 (260)	737	0 Sat.	10 Aug. 1336* (223)	*774	0 Sat.	3 July 1372* (185)			
701	4 Wed.	6 Sep. 1301 (249)	*738	4 Wed.	30 July 1337 (211)	775	5 Thurs.	23 June 1373 (174)			
702	1 Sun.	26 Aug. 1302 (238)	739	2 Mon.	20 July 1338 (201)	*776	2 Mon.	12 June 1374 (163)			
*703	5 Thurs.	15 Aug. 1303 (227)	740	6 Fri.	9 July 1339 (190)	777	0 Sat.	2 June 1375 (153)			

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday	Date A.D.			Weekday	Date A.D.			Weekday	Date A.D.			
		1	2		1	2	3			1	2		
778	4 Wed.	21 May 1376* (142)		*815	4 Wed.	13 Apr. 1412* (104)		852	5 Thurs.	7 Mar. 1448* (67)			
*779	1 Sun.	10 May 1377 (130)		816	2 Mon.	3 Apr. 1413 (93)		*853	2 Mon.	24 Feb. 1449 (55)			
780	6 Fri.	30 Apr. 1378 (120)		*817	6 Fri.	23 Mar. 1414 (82)		854	0 Sat.	14 Feb. 1450 (45)			
781	3 Tues.	19 Apr. 1379 (109)		818	4 Wed.	13 Mar. 1415 (72)		855	4 Wed.	3 Feb. 1451 (34)			
782	0 Sat.	7 Apr. 1380 (98)		819	1 Sun.	1 Mar. 1416* (61)		*856	1 Sun.	23 Jan. 1452* (23)			
783	5 Thurs.	28 Mar. 1381 (87)		*820	5 Thurs.	18 Feb. 1417 (49)		857	6 Fri.	12 Jan. 1453 (12)			
784	2 Mon.	17 Mar. 1382 (76)		821	3 Tues.	8 Feb. 1418 (39)		*858	3 Tues.	1 Jan. 1454 (1)			
*785	6 Fri.	6 Mar. 1383 (65)		822	0 Sat.	28 Jan. 1419 (28)		859	1 Sun.	22 Dec. 1454 (356)			
786	4 Wed.	24 Feb. 1384* (55)		*823	4 Wed.	17 Jan. 1420* (17)		860	5 Thurs.	11 Dec. 1455 (345)			
*787	1 Sun.	12 Feb. 1385 (43)		824	2 Mon.	6 Jan. 1421 (6)		*861	2 Mon.	29 Nov. 1456* (334)			
788	6 Fri.	2 Feb. 1386 (33)		825	6 Fri.	26 Dec. 1421 (360)		862	0 Sat.	19 Nov. 1457 (323)			
789	3 Tues.	22 Jan. 1387 (22)		*826	3 Tues.	15 Dec. 1422 (349)		863	4 Wed.	8 Nov. 1458 (312)			
790	0 Sat.	11 Jan. 1388 (11)		827	1 Sun.	5 Dec. 1423 (339)		*864	1 Sun.	28 Oct. 1459 (301)			
791	5 Thurs.	31 Dec. 1388* (366)		*828	5 Thurs.	23 Nov. 1424* (328)		865	6 Fri.	17 Oct. 1460* (291)			
792	2 Mon.	20 Dec. 1389 (354)		829	3 Tues.	13 Nov. 1425 (317)		*866	3 Tues.	6 Oct. 1461 (279)			
*793	6 Fri.	9 Dec. 1390 (343)		830	0 Sat.	2 Nov. 1426 (306)		867	1 Sun.	26 Sep. 1462 (269)			
794	4 Wed.	29 Nov. 1391 (333)		*831	4 Wed.	22 Oct. 1427 (295)		868	5 Thurs.	15 Sep. 1463 (258)			
795	1 Sun.	17 Nov. 1392* (322)		832	2 Mon.	11 Oct. 1428* (285)		*869	2 Mon.	3 Sep. 1464* (247)			
*796	5 Thurs.	6 Nov. 1393 (310)		833	6 Fri.	30 Sep. 1429 (273)		870	0 Sat.	24 Aug. 1465 (236)			
797	3 Tues.	27 Oct. 1394 (300)		*834	3 Tues.	19 Sep. 1430 (262)		871	4 Wed.	13 Aug. 1466 (225)			
*798	0 Sat.	16 Oct. 1395 (289)		835	1 Sun.	9 Sep. 1431 (252)		*872	1 Sun.	2 Aug. 1467 (214)			
799	5 Thurs.	5 Oct. 1396* (279)		*836	5 Thurs.	28 Aug. 1432* (241)		873	6 Fri.	22 July 1468* (204)			
800	2 Mon.	24 Sep. 1397 (267)		837	3 Tues.	18 Aug. 1433 (230)		874	3 Tues.	11 July 1469 (192)			
*801	6 Fri.	13 Sep. 1398 (256)		838	0 Sat.	7 Aug. 1434 (219)		*875	0 Sat.	30 June 1470 (181)			
802	4 Wed.	3 Sep. 1399 (246)		*839	4 Wed.	27 July 1435 (208)		876	5 Thurs.	20 June 1471 (171)			
803	1 Sun.	22 Aug. 1400* (235)		840	2 Mon.	16 July 1436* (198)		*877	2 Mon.	8 June 1472* (160)			
*804	5 Thurs.	11 Aug. 1401 (223)		841	6 Fri.	5 July 1437 (186)		878	0 Sat.	29 May 1473 (149)			
805	3 Tues.	1 Aug. 1402 (213)		*842	3 Tues.	24 June 1438 (175)		879	4 Wed.	18 May 1474 (138)			
*806	0 Sat.	21 July 1403 (202)		843	1 Sun.	14 June 1439 (165)		*880	1 Sun.	7 May 1475 (127)			
807	5 Thurs.	10 July 1404* (192)		844	5 Thurs.	2 June 1440* (154)		881	6 Fri.	26 Apr. 1476* (117)			
808	2 Mon.	29 June 1405 (180)		*845	2 Mon.	22 May 1441 (142)		882	3 Tues.	15 Apr. 1477 (105)			
*809	6 Fri.	18 June 1406 (169)		846	0 Sat.	12 May 1442 (132)		*883	0 Sat.	4 Apr. 1478 (94)			
810	4 Wed.	8 June 1407 (159)		*847	4 Wed.	1 May 1443 (121)		884	5 Thurs.	25 Mar. 1479 (84)			
811	1 Sun.	27 May 1408* (148)		848	2 Mon.	20 Apr. 1444* (111)		885	2 Mon.	13 Mar. 1480* (73)			
*812	5 Thurs.	16 May 1409 (136)		849	6 Thurs.	9 Apr. 1445 (99)		*886	6 Fri.	2 Mar. 1481 (61)			
813	3 Tues.	6 May 1410 (126)		*850	3 Tues.	29 Mar. 1446 (88)		887	4 Wed.	20 Feb. 1482 (51)			
814	0 Sat.	25 Apr. 1411 (115)		851	1 Sun.	19 Mar. 1447 (78)		*888	1 Sun.	9 Feb. 1483 (40)			

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.		
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.	
1	2	3	1	2	3	1	2	3	1	2	3
889	6 Fri.	30 Jan. 1484* (30)	*926	6 Fri.	28 Dec. 1519 (357)	963	0 Sat.	16 Nov. 1555 (320)			
890	3 Tues.	18 Jan. 1485 (18)	927	4 Wed.	12 Dec. 1520* (347)	964	4 Wed.	4 Nov. 1556* (309)			
*891	0 Sat.	7 Jan. 1486 (7)	928	1 Sun.	1 Dec. 1521 (385)	*965	1 Sun.	24 Oct. 1557 (297)			
892	5 Thurs.	28 Dec. 1486 (362)	*929	5 Thurs.	20 Nov. 1522 (324)	966	6 Fri.	14 Oct. 1558 (287)			
893	2 Mon.	17 Dec. 1487 (351)	930	3 Tues.	10 Nov. 1523 (314)	*967	3 Tues.	3 Oct. 1559 (276)			
894	6 Fri.	5 Dec. 1488 (340)	931	0 Sat.	29 Oct. 1524* (303)	968	1 Sun.	22 Sep. 1560* (266)			
895	4 Wed.	25 Nov. 1489 (329)	*932	4 Wed.	18 Oct. 1525 (291)	969	5 Thurs.	11 Sep. 1561 (254)			
*896	1 Sun.	14 Nov. 1490 (318)	933	2 Mon.	8 Oct. 1526 (281)	*970	2 Mon.	31 Aug. 1562 (243)			
897	6 Fri.	4 Nov. 1491 (308)	934	6 Fri.	27 Sep. 1527 (270)	971	0 Sat.	21 Aug. 1563 (233)			
898	3 Tues.	23 Oct. 1492* (297)	*935	3 Tues.	15 Sep. 1528* (259)	972	4 Wed.	9 Aug. 1564* (222)			
*899	0 Sat.	12 Oct. 1493 (285)	936	1 Sun.	5 Sep. 1529 (248)	*973	1 Sun.	29 July 1565 (210)			
900	5 Thurs.	2 Oct. 1494 (275)	*937	5 Thurs.	25 Aug. 1530 (237)	974	6 Fri.	19 July 1566 (200)			
901	2 Mon.	21 Sep. 1495 (264)	938	3 Tues.	15 Aug. 1531 (227)	975	3 Tues.	8 July 1567 (189)			
902	6 Fri.	9 Sep. 1496 (253)	939	0 Sat.	3 Aug. 1532* (216)	*976	0 Sat.	26 June 1568* (178)			
903	4 Wed.	30 Aug. 1497 (242)	*940	4 Wed.	23 July 1533 (204)	977	5 Thurs.	16 June 1569 (167)			
904	1 Sun.	19 Aug. 1498 (231)	941	2 Mon.	13 July 1534 (194)	*978	2 Mon.	5 June 1570 (156)			
*905	5 Thurs.	8 Aug. 1499 (220)	942	6 Fri.	2 July 1535 (183)	979	0 Sat.	26 May 1571 (146)			
906	3 Tues.	28 July 1500* (210)	*943	3 Tues.	20 June 1536* (172)	980	4 Wed.	14 May 1572* (135)			
*907	0 Sat.	17 July 1501 (198)	944	1 Sun.	10 June 1537 (161)	*981	1 Sun.	3 May 1573 (123)			
908	5 Thurs.	7 July 1502 (188)	945	5 Thurs.	30 May 1538 (150)	982	6 Fri.	23 Apr. 1574 (113)			
909	2 Mon.	26 June 1503 (177)	*946	2 Mon.	19 May 1539 (139)	983	3 Tues.	12 Apr. 1575 (102)			
910	6 Fri.	14 June 1504 (166)	947	0 Sat.	8 May 1540* (129)	*984	0 Sat.	31 Mar. 1576* (91)			
911	4 Wed.	4 June 1505 (155)	*948	4 Wed.	27 Apr. 1541 (117)	985	5 Thurs.	21 Mar. 1577 (80)			
912	1 Sun.	24 May 1506 (144)	949	2 Mon.	17 Apr. 1542 (107)	*986	2 Mon.	10 Mar. 1578 (69)			
*913	5 Thurs.	13 May 1507 (133)	950	6 Fri.	6 Apr. 1543 (96)	987	0 Sat.	28 Feb. 1579 (59)			
914	3 Tues.	2 May 1508* (123)	*951	3 Tues.	25 Mar. 1544* (85)	988	4 Wed.	17 Feb. 1580* (48)			
915	0 Sat.	21 Apr. 1509 (111)	952	1 Sun.	15 Mar. 1545 (74)	*989	1 Sun.	5 Feb. 1581 (36)			
*916	4 Wed.	10 Apr. 1510 (100)	953	5 Thurs.	4 Mar. 1546 (63)	990	6 Fri.	26 Jan. 1582 ¹ (26)			
917	2 Mon.	31 Mar. 1511 (90)	*954	2 Mon.	21 Feb. 1547 (52)	991	3 Tues.	15 Jan. 1583 (15)			
918	6 Fri.	19 Mar. 1512 (79)	955	0 Sat.	11 Feb. 1548* (42)	*992	0 Sat.	4 Jan. 1584* (4)			
919	4 Wed.	9 Mar. 1513 (68)	*956	4 Wed.	30 Jan. 1549 (30)	993	5 Thurs.	24 Dec. 1584* (359)			
920	1 Sun.	26 Feb. 1514 (57)	957	2 Mon.	20 Jan. 1550 (20)	994	2 Mon.	13 Dec. 1585 (347)			
*921	5 Thurs.	15 Feb. 1515 (46)	958	6 Fri.	9 Jan. 1551 (9)	*995	6 Fri.	2 Dec. 1586 (336)			
922	3 Tues.	5 Feb. 1516* (36)	*959	3 Tues.	29 Dec. 1551 (363)	996	4 Wed.	22 Nov. 1587 (326)			
923	0 Sat.	24 Jan. 1517 (24)	960	1 Sun.	18 Dec. 1552* (353)	*997	1 Sun.	10 Nov. 1588* (315)			
*924	4 Wed.	13 Jan. 1518 (13)	961	5 Thurs.	7 Dec. 1553 (341)	998	6 Fri.	31 Oct. 1589 (304)			
925	2 Mon.	3 Jan. 1519 (3)	*962	2 Mon.	26 Nov. 1554 (330)	999	3 Tues.	20 Oct. 1590 (293)			

¹) In the Roman Catholic countries of Europe the New Style was introduced from October 5th 1582 A.D. and the year 1700 was ordered to be a common, not a Leap-year. Dates in the above Table are however for English reckoning, where the New Style was not introduced till Sept. 3rd 1752 A.D. For the initial dates of the Hijra years, therefore, in the former countries, add 10 days to the date given in the Table from Hijra 991 to Hijra 1111 inclusive, and 11 days from Hijra 1112 to Hijra 1165 inclusive.

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.			
		1	2		1	2	3			1	2		
*1000	0 Sat.	9 Oct.	1591 (282)	1037	1 Sun.	2 Sep.	1627 (245)	*1074	1 Sun.	26 July	1663 (207)		
1001	5 Thurs.	28 Sep.	1592* (272)	*1038	5 Thurs.	21 Aug.	1628* (234)	1075	6 Fri.	15 July	1664* (197)		
1002	2 Mon.	17 Sep.	1593 (260)	1039	3 Tues.	11 Aug.	1629 (223)	*1076	3 Tues.	4 July	1665 (185)		
*1003	6 Fri.	6 Sep.	1594 (249)	1040	0 Sat.	31 July	1630 (212)	1077	1 Sun.	24 June	1666 (175)		
1004	4 Wed.	27 Aug.	1595 (239)	*1041	4 Wed.	20 July	1631 (201)	1078	5 Thurs.	13 June	1667 (164)		
1005	1 Sun.	15 Aug.	1596* (228)	1042	2 Mon.	9 July	1632* (191)	*1079	2 Mon.	1 June	1668* (153)		
*1006	5 Thurs.	4 Aug.	1597 (216)	1043	6 Fri.	28 June	1633 (179)	1080	0 Sat.	22 May	1669 (142)		
1007	3 Tues.	25 July	1598 (206)	*1044	3 Tues.	17 June	1634 (168)	1081	4 Wed.	11 May	1670 (131)		
*1008	0 Sat.	14 July	1599 (195)	1045	1 Sun.	7 June	1635 (158)	*1082	1 Sun.	30 Apr.	1671 (120)		
1009	5 Thurs.	3 July	1600* (185)	*1046	5 Thurs.	26 May	1636* (147)	1083	6 Fri.	19 Apr.	1672* (110)		
1010	2 Mon.	22 June	1601 (173)	1047	3 Tues.	16 May	1637 (136)	1084	3 Tues.	8 Apr.	1673 (98)		
*1011	6 Fri.	11 June	1602 (162)	1048	0 Sat.	5 May	1638 (125)	*1085	0 Sat.	28 Mar.	1674 (87)		
1012	4 Wed.	1 June	1603 (152)	*1049	4 Wed.	24 Apr.	1639 (114)	1086	5 Thurs.	18 Mar.	1675 (77)		
1013	1 Sun.	20 May	1604* (141)	1050	2 Mon.	13 Apr.	1640* (104)	*1087	2 Mon.	6 Mar.	1676* (66)		
*1014	5 Thurs.	9 May	1605 (129)	1051	6 Fri.	2 Apr.	1641 (92)	1088	0 Sat.	24 Feb.	1677 (55)		
1015	3 Tues.	29 Apr.	1606 (119)	*1052	3 Tues.	22 Mar.	1642 (81)	1089	4 Wed.	13 Feb.	1678 (44)		
*1016	0 Sat.	18 Apr.	1607 (108)	1053	1 Sun.	12 Mar.	1643 (71)	*1090	1 Sun.	2 Feb.	1679 (33)		
1017	5 Thurs.	7 Apr.	1608* (98)	1054	5 Thurs.	29 Feb.	1644* (60)	1091	6 Fri.	23 Jan.	1680* (23)		
1018	2 Mon.	27 Mar.	1609 (86)	*1055	2 Mon.	17 Feb.	1645 (48)	1092	3 Tues.	11 Jan.	1681 (11)		
*1019	6 Fri.	16 Mar.	1610 (75)	1056	0 Sat.	7 Feb.	1646 (38)	*1093	0 Sat.	31 Dec.	1681 (365)		
1020	4 Wed.	6 Mar.	1611 (65)	*1057	4 Wed.	27 Jan.	1647 (27)	1094	5 Thurs.	21 Dec.	1682 (355)		
1021	1 Sun.	23 Feb.	1612* (54)	1058	2 Mon.	17 Jan.	1648* (17)	1095	2 Mon.	10 Dec.	1683 (344)		
*1022	5 Thurs.	11 Feb.	1613 (42)	1059	6 Fri.	5 Jan.	1649 (5)	*1096	6 Fri.	28 Nov.	1684* (333)		
1023	3 Tues.	1 Feb.	1614 (32)	*1060	3 Tues.	25 Dec.	1649 (359)	1097	4 Wed.	18 Nov.	1685 (322)		
1024	0 Sat.	21 Jan.	1615 (21)	1061	1 Sun.	15 Dec.	1650 (349)	*1098	1 Sun.	7 Nov.	1686 (311)		
1025	4 Wed.	10 Jan.	1616 (10)	1062	5 Thurs.	4 Dec.	1651 (338)	1099	6 Fri.	28 Oct.	1687 (301)		
1026	2 Mon.	30 Dec.	1616* (365)	*1063	2 Mon.	22 Nov.	1652* (327)	1100	3 Tues.	16 Oct.	1688* (290)		
*1027	6 Fri.	19 Dec.	1617 (353)	1064	0 Sat.	12 Nov.	1653 (316)	*1101	0 Sat.	5 Oct.	1689 (278)		
1028	4 Wed.	9 Dec.	1618 (343)	1065	4 Wed.	1 Nov.	1654 (305)	1102	5 Thurs.	25 Sep.	1690 (268)		
1029	1 Sun.	28 Nov.	1619 (332)	*1066	1 Sun.	21 Oct.	1655 (294)	1103	2 Mon.	14 Sep.	1691 (257)		
1030	5 Thurs.	16 Nov.	1620 (321)	1067	6 Fri.	10 Oct.	1656* (284)	*1104	6 Fri.	2 Sep.	1692* (246)		
1031	3 Tues.	6 Nov.	1621 (310)	*1068	3 Tues.	29 Sep.	1657 (273)	1105	4 Wed.	23 Aug.	1693 (235)		
1032	0 Sat.	26 Oct.	1622 (299)	1069	1 Sun.	19 Sep.	1658 (262)	*1106	1 Sun.	12 Aug.	1694 (224)		
*1033	4 Wed.	15 Oct.	1623 (288)	1070	5 Thurs.	8 Sep.	1659 (251)	1107	6 Fri.	2 Aug.	1695 (214)		
1034	2 Mon.	4 Oct.	1624* (278)	*1071	2 Mon.	27 Aug.	1660* (240)	1108	3 Tues.	21 July	1696* (203)		
1035	6 Fri.	23 Sep.	1625 (266)	1072	0 Sat.	17 Aug.	1661 (229)	*1109	0 Sat.	10 July	1697 (191)		
*1036	3 Tues.	12 Sep.	1626 (255)	1073	4 Wed.	6 Aug.	1662 (218)	1110	5 Thurs.	30 June	1698 (181)		

TABLE XVI. (CONTINUED.)

INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.		Hijra year.	Commencement of the year.		Hijra year.	Commencement of the year.			
	Weekday.	Date A.D.		Weekday.	Date A.D.		Weekday.	Date A.D.		
							1	2		
1	2	3	1	2	3	1	2	3		
1111	2 Mon.	19 June 1699 (170)	1148	3 Tues.	13 May 1735 (133)	1185	3 Tues.	16 Apr. 1771 (106)		
1112	6 Fri.	7 June 1700 (159)	1149	0 Sat.	1 May 1736* (122)	*1186	0 Sat.	4 Apr. 1772* (95)		
1113	4 Wed.	28 May 1701 (148)	*1150	4 Wed.	20 Apr. 1737 (110)	1187	5 Thurs.	25 Mar. 1773 (84)		
1114	1 Sun.	17 May 1702 (137)	1151	2 Mon.	10 Apr. 1738 (100)	*1188	2 Mon.	14 Mar. 1774 (73)		
*1115	5 Thurs.	6 May 1703 (126)	1152	6 Fri.	30 Mar. 1739 (89)	1189	0 Sat.	4 Mar. 1775 (63)		
1116	3, Tues.	25 Apr. 1704* (116)	*1153	3 Tues.	18 Mar. 1740* (78)	1190	4 Wed.	21 Feb. 1776* (52)		
*1117	0 Sat.	14 Apr. 1705 (104)	1154	1 Sun.	8 Mar. 1741 (67)	*1191	1 Sun.	9 Feb. 1777 (40)		
1118	5 Thurs.	4 Apr. 1706 (94)	1155	5 Thurs.	25 Feb. 1742 (56)	1192	6 Fri.	30 Jan. 1778 (30)		
1119	2 Mon.	24 Mar. 1707 (83)	*1156	2 Mon.	14 Feb. 1743 (45)	1193	3 Tues.	19 Jan. 1779 (19)		
1120	6 Fri.	12 Mar. 1708 (72)	1157	0 Sat.	4 Feb. 1744* (35)	*1194	0 Sat.	8 Jan. 1780* (8)		
1121	4 Wed.	2 Mar. 1709 (61)	*1158	4 Wed.	23 Jan. 1745 (23)	1195	5 Thurs.	28 Dee. 1780* (363)		
1122	1 Sun.	19 Feb. 1710 (50)	1159	2 Mon.	13 Jan. 1746 (13)	*1196	2 Mon.	17 Dec. 1781 (351)		
*1123	5 Thurs.	8 Feb. 1711 (39)	1160	6 Fri.	2 Jan. 1747 (2)	1197	0 Sat.	7 Dec. 1782 (341)		
1124	3 Tues.	29 Jan. 1712* (29)	*1161	3 Tues.	22 Dec. 1747 (356)	1198	4 Wed.	26 Nov. 1783 (330)		
1125	0 Sat.	17 Jan. 1713 (17)	1162	1 Sun.	11 Dec. 1748* (346)	*1199	1 Sun.	14 Nov. 1784* (319)		
*1126	4 Wed.	6 Jan. 1714 (6)	1163	5 Thurs.	30 Nov. 1749 (334)	1200	6 Fri.	4 Nov. 1785 (308)		
1127	2 Mon.	27 Dec. 1714 (361)	*1164	2 Mon.	19 Nov. 1750 (323)	1201	3 Tues.	24 Oct. 1786 (297)		
*1128	6 Fri.	16 Dec. 1715 (350)	1165	0 Sat.	9 Nov. 1751† (313)	*1202	0 Sat.	13 Oct. 1787 (286)		
1129	4 Wed.	5 Dee. 1716* (340)	*1166	4 Wed.	8 Nov. 1752* (313)	1203	5 Thurs.	2 Oct. 1788* (276)		
1130	1 Sun.	24 Nov. 1717 (328)	1167	2 Mon.	29 Oct. 1753 (302)	1204	2 Mon.	21 Sep. 1789 (264)		
*1131	5 Thurs.	13 Nov. 1718 (317)	1168	6 Fri.	18 Oct. 1754 (291)	*1205	6 Fri.	10 Sep. 1790 (253)		
1132	3 Tues.	3 Nov. 1719 (307)	*1169	3 Tues.	7 Oct. 1755 (280)	1206	4 Wed.	31 Aug. 1791 (243)		
1133	0 Sat.	22 Oct. 1720* (296)	1170	1 Sun.	26 Sep. 1756* (270)	*1207	1 Sun.	19 Aug. 1792* (232)		
*1134	4 Wed.	11 Oct. 1721 (284)	1171	5 Thurs.	15 Sep. 1757 (255)	1208	6 Fri.	9 Aug. 1793 (221)		
1135	2 Mon.	1 Oct. 1722 (274)	*1172	2 Mon.	4 Sep. 1758 (247)	1209	3 Tues.	29 July 1794 (210)		
*1136	6 Fri.	20 Sep. 1723 (263)	1173	0 Sat.	25 Aug. 1759 (237)	*1210	0 Sat.	18 July 1795 (199)		
1137	4 Wed.	9 Sep. 1724* (253)	1174	4 Wed.	13 Aug. 1760* (226)	1211	5 Thurs.	7 July 1796* (189)		
1138	1 Sun.	29 Aug. 1725 (241)	*1175	1 Sun.	2 Aug. 1761 (214)	1212	2 Mon.	26 June 1797 (177)		
*1139	5 Thurs.	18 Aug. 1726 (230)	1176	6 Fri.	23 July 1762 (204)	*1213	6 Fri.	15 June 1798 (166)		
1140	3 Tues.	8 Aug. 1727 (220)	*1177	3 Tues.	12 July 1763 (193)	1214	4 Wed.	5 June 1799 (156)		
1141	0 Sat.	27 July 1728* (209)	1178	1 Sun.	1 July 1764* (183)	1215	1 Sun.	25 May 1800 (145)		
*1142	4 Wed.	16 July 1729 (197)	1179	5 Thurs.	20 June 1765 (171)	*1216	5 Thurs.	14 May 1801 (134)		
1143	2 Mon.	6 July 1730 (187)	*1180	2 Mon.	9 June 1766 (160)	1217	3 Tues.	4 May 1802 (124)		
1144	6 Fri.	25 June 1731 (176)	1181	0 Sat.	30 May 1767 (150)	*1218	0 Sat.	23 Apr. 1803 (113)		
1145	3 Tues.	13 June 1732 (165)	1182	4 Wed.	18 May 1768* (139)	1219	5 Thurs.	12 Apr. 1804* (103)		
1146	1 Sun.	3 June 1733 (154)	*1183	1 Sun.	7 May 1769 (127)	1220	2 Mon.	1 Apr. 1805 (91)		
*1147	5 Thurs.	23 May 1734 (143)	1184	6 Fri.	27 Apr. 1770 (117)	*1221	6 Fri.	21 Mar. 1806 (80)		

† The New Style was introduced into England from 3rd September, 1752. The 9th November, 1751, is therefore an Old Style date, and the 8th November, 1752, is a New Style one (see above, Note 2, p. 11, Note 1, p. 88).

TABLE XVI. (CONTINUED.)


INITIAL DAYS OF MUHAMMADAN YEARS OF THE HIJRA.

N.B. i. Asterisks indicate Leap-years.

ii. Up to Hijra 1165 inclusive, the A.D. dates are Old Style.

Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.			Hijra year.	Commencement of the year.				
	Weekday.	Date A.D.			Weekday.	Date A.D.			Weekday.	Date A.D.			
		1	2		1	2	3			1	2		
1222	4 Wed.	11 Mar.	1807	(70)	1255	1 Sun.	17 Mar.	1889	(76)	1288	5 Thurs.	23 Mar. 1871 (82)	
1223	1 Sun.	28 Feb.	1808*	(59)	*1256	5 Thurs.	5 Mar.	1840*	(65)	*1289	2 Mon.	11 Mar. 1872* (71)	
*1224	5 Thurs.	16 Feb.	1809	(47)	1257	3 Tues.	23 Feb.	1841	(54)	1290	0 Sat.	1 Mar. 1873 (60)	
1225	3 Tues.	6 Feb.	1810	(37)	1258	0 Sat.	12 Feb.	1842	(43)	1291	4 Wed.	18 Feb. 1874 (49)	
*1226	0 Sat.	26 Jan.	1811	(26)	*1259	4 Wed.	1 Feb.	1843	(32)	*1292	1 Sun.	7 Feb. 1875 (38)	
1227	5 Thurs.	16 Jan.	1812*	(16)	1260	2 Mon.	22 Jan.	1844*	(22)	1293	6 Fri.	28 Jan. 1876* (28)	
1228	2 Mon.	4 Jan.	1813	(4)	1261	6 Fri.	10 Jan.	1845	(10)	1294	3 Tues.	16 Jan. 1877 (16)	
*1229	6 Fri.	24 Dec.	1813	(358)	*1262	3 Tues.	30 Dec.	1845	(364)	*1295	0 Sat.	5 Jan. 1878 (5)	
1230	4 Wed.	14 Dec.	1814	(348)	1263	1 Sun.	20 Dec.	1846	(354)	1296	5 Thurs.	26 Dec. 1878 (360)	
1231	1 Sun.	3 Dec.	1815	(337)	1264	5 Thurs.	9 Dec.	1847	(343)	*1297	2 Mon.	15 Dec. 1879 (349)	
1232	5 Thurs.	21 Nov.	1816	(326)	*1265	2 Mon.	27 Nov.	1848*	(332)	1298	0 Sat.	4 Dec. 1880* (339)	
1233	3 Tues.	11 Nov.	1817	(315)	1266	0 Sat.	17 Nov.	1849	(321)	1299	4 Wed.	23 Nov. 1881 (327)	
1234	0 Sat.	31 Oct.	1818	(304)	*1267	4 Wed.	6 Nov.	1850	(310)	*1300	1 Sun.	12 Nov. 1882 (316)	
*1235	4 Wed.	20 Oct.	1819	(293)	1268	2 Mon.	27 Oct.	1851	(300)	1301	6 Fri.	2 Nov. 1883 (306)	
1236	2 Mon.	9 Oct.	1820*	(283)	1269	6 Fri.	15 Oct.	1852*	(289)	1302	3 Tues.	21 Oct. 1884* (295)	
*1237	6 Fri.	28 Sep.	1821	(271)	*1270	3 Tues.	4 Oct.	1853	(277)	*1303	0 Sat.	10 Oct. 1885 (283)	
1238	4 Wed.	18 Sep.	1822	(261)	1271	1 Sun.	24 Sep.	1854	(267)	1304	5 Thurs.	30 Sep. 1886 (273)	
1239	1 Sun.	7 Sep.	1823	(250)	1272	5 Thurs.	13 Sep.	1855	(256)	1305	2 Mon.	19 Sep. 1887 (262)	
1240	5 Thurs.	26 Aug.	1824	(239)	*1273	2 Mon.	1 Sep.	1856*	(245)	*1306	6 Fri.	7 Sep. 1888* (251)	
1241	3 Tues.	16 Aug.	1825	(228)	1274	0 Sat.	22 Aug.	1857	(234)	1307	4 Wed.	28 Aug. 1889 (240)	
1242	0 Sat.	5 Aug.	1826	(217)	1275	4 Wed.	11 Aug.	1858	(223)	*1308	1 Sun.	17 Aug. 1890 (229)	
*1243	4 Wed.	25 July	1827	(206)	*1276	1 Sun.	31 July	1859	(212)	1309	6 Fri.	7 Aug. 1891 (219)	
1244	2 Mon.	14 July	1828*	(196)	1277	6 Fri.	20 July	1860*	(202)	1310	3 Tues.	26 July 1892* (208)	
1245	6 Fri.	3 July	1829	(184)	*1278	3 Tues.	9 July	1861	(190)	*1311	0 Sat.	15 July 1893 (196)	
*1246	3 Tues.	22 June	1830	(173)	1279	1 Sun.	29 June	1862	(180)	1312	5 Thurs.	5 July 1894 (186)	
1247	1 Sun.	12 June	1831	(163)	1280	5 Thurs.	18 June	1863	(169)	1313	2 Mon.	24 June 1895 (175)	
1248	5 Thurs.	31 May	1832	(152)	*1281	2 Mon.	6 June	1864*	(158)	*1314	6 Fri.	12 June 1896* (164)	
1249	3 Tues.	21 May	1833	(141)	1282	0 Sat.	27 May	1865	(147)	1315	4 Wed.	2 June 1897 (153)	
1250	0 Sat.	10 May	1834	(130)	1283	4 Wed.	16 May	1866	(136)	*1316	1 Sun.	22 May 1898 (142)	
*1251	4 Wed.	29 Apr.	1835	(119)	*1284	1 Sun.	5 May	1867	(125)	1317	6 Fri.	12 May 1899 (132)	
1252	2 Mon.	18 Apr.	1836*	(109)	1285	6 Fri.	24 Apr.	1868*	(115)	1318	3 Tues.	1 May 1900 (121)	
1253	6 Fri.	7 Apr.	1837	(97)	*1286	3 Tues.	13 Apr.	1869	(103)				
*1254	3 Tues.	27 Mar.	1838	(86)	1287	1 Sun.	3 Apr.	1870	(93)				

A P P E N D I X.



ECLIPSES OF THE SUN IN INDIA.¹

By DR. ROBERT SCHRAM.

A complete list of all eclipses of the sun for any part of the globe between the years 1200 B.C. and 2160 A.D. has been published by Oppolzer in his "Canon der Finsternisse", (*Denkschriften der mathematisch naturwissenschaftlichen Classe der Kais. Akademie der Wissenschaften in Wien, Vol. LII. 1887*). In this work are given for every eclipse all the data necessary for the calculation of the path of the shadow on the earth's surface, and of its beginning, greatest phase, and end for any particular place. But inasmuch as the problem is a complicated one the calculations required are also unavoidably complicated. It takes considerable time to work out by the exact formulae the time of the greatest phase of a given eclipse for a particular place, and when, as is often the case with Indian inscriptions, we are not sure of the year in which a reported eclipse has taken place, and it is therefore necessary to calculate for a large number of eclipses, the work becomes almost impossible.

The use, however, of the exact formulae is seldom necessary. In most cases it is sufficient to make use of a close approximation, or still better of tables based on approximate formulae.

Such tables I have published under the title "Tafeln zur Berechnung der näheren Umstände der Sonnenfinsternisse", (*Denkschriften der mathematisch naturwissenschaftlichen Classe der Kais. Akademie der Wissenschaften in Wien, Vol. LI. 1886*) and the Tables B, C, and D, now given are based on those. That is to say, they contain extracts from those tables, somewhat modified and containing only what is of interest for the continent of India. Table A is a modified extract from Oppolzer's *Canon*, containing only eclipses visible in India and the immediate neighbourhood. All others are eliminated, and thus the work of calculation is greatly diminished, as no other eclipses need be examined to ascertain their visibility at the given place.

Oppolzer's *Canon* gives the following elements:

Date of eclipse and Greenwich mean civil time of conjunction in longitude.

L' = longitude of Sun and Moon, which is of course identical at the middle of the eclipse.

Z = Equation of time in degrees.

ε = Obliquity of the ecliptic.

P / $p \sin P$ being equal to $\frac{\sin(b-b')}{\sin(\pi-\pi')}$ where b and b' denote the moon's and sun's latitude, π and π' their respective parallaxes.

Q / $q \cos Q$ being the hourly motion of $p \sin P$.

$\log \Delta L$ = the hourly motion of $\frac{\cos b \sin(L-L')}{\sin(\pi-\pi')}$ where L denotes the moon's, L' the sun's longitude.

¹ I propose to publish, either in a second edition of this work, if such should be called for, or in one of the scientific periodicals, tables of lunar eclipses, compiled from Oppolzer's *Canon der Finsternisse*, and containing those visible in India during the period comprised in the present volume. [R. S.]

u' = radius of shadow.

f_s = angle of shadow's cone.

γ = shortest distance of shadow's centre from earth's centre.

μ = Sun's hour-angle at Greenwich at the moment of this shortest distance.

$\log n$ = hourly motion of shadow's centre.

$\log \sin \delta'$ | Sun's declination.

$\log \cos \delta'$

N' = angle of moon's orbit with declination circle ($N' = N - h$, where N is the angle of the moon's orbit with latitude circle, and $\tan h = \cos L' \cos \varepsilon$).

$G \quad \left| \begin{array}{l} \sin g \sin G = \sin \delta' \sin N' \\ \sin g \cos G = \cos N' \end{array} \right.$

$K \quad \left| \begin{array}{l} \cos g = \cos \delta' \sin N' \\ \sin k \sin K = \sin N' \end{array} \right.$

$\sin g \quad \left| \begin{array}{l} \sin k \cos K = \sin \delta' \cos N' \\ \cos k = \cos \delta' \cos N' \end{array} \right.$

$$t = (\lambda + \mu) + \frac{15}{n} \times 0.9966 \sin \phi_1 \cos k - \frac{15}{n} \cos \phi_1 \sin k \cos (K + t) + \frac{15}{n} m \cos M.$$

The angle M being, at the moment of greatest phase, always sufficiently near 90° or 270° , $\frac{15}{n} m \cos M$ can be neglected; and, introducing for $\frac{15}{n}$ its mean value 27,544, and identifying ϕ_1 with ϕ , the value of t can simply be determined by the expression

$$t = (\lambda + \mu) + 27,544 \sin \phi \cos k - 27,544 \cos \phi \sin k \cos (K + t)$$

instead of determining it by the whole of the above formulæ. Now in this last expression k and K are mere dependents on L' , and therefore the values of t can be tabulated for each value of L' with the two arguments $\lambda + \mu$ and ϕ . Table D is constructed on this formula, only instead of counting t in degrees and from true noon it is counted, for Indian purposes, in ghaṭikās and their tenths from true sunrise.

The value of t for the instant of the greatest phase at the given place being found, it can be introduced into the formula

$$m \sin M = \gamma - 0.9966 \cos g \sin \phi_1 + \cos \phi_1 \sin g \sin (G + t).$$

As M is always near 90° or 270° , $\sin M$ can be considered equal to ± 1 , so we have

$$\pm m = \gamma - 0.9966 \cos g \sin \phi + \cos \phi \sin g \sin (G + t)$$

where the sign \pm is to be selected so that the value of m may always be positive.

The second part of the above expression

$$- 0.9966 \cos g \sin \phi + \cos \phi \sin g \sin (G + t)$$

(which, for the sake of brevity, may be called by the letter Γ') contains only values which directly depend on L' , such as $\cos g$, $\sin g$, G , or which, for a given value of L' , depend only on $\lambda + \mu$ and ϕ , and therefore the values of Γ' can be tabulated for each value of L' with the two arguments $\lambda + \mu$ and ϕ . This has been done in the Table B which follows, but instead of Γ' the value $1 + \Gamma' = \Gamma$ has been tabulated to avoid negative numbers. The value of m can then be found from

$$m = \pm (\gamma + \Gamma').$$

Both Tables B and D ought to consist of two separate tables, one containing the values of L' from 0° to 360° in the case of P being near 0° , the other containing the values of L' from 0° to 360° for the case of P being near 180° . To avoid this division into two tables, and the trouble of having always to remember whether P is near 0° or 180° , the two tables are combined into one single one; but, whilst in the case of P being near 0° L' is given as argument, in the case of P being near 180° the table contains, instead of L' , $L' + 400^\circ$ as argument. We need therefore no longer care whether the moon is in the ascending or descending node, but simply take the argument as given in the first table.

With the value of m , found by $m = \pm (\gamma + \Gamma')$, we can find the magnitude of the greatest phase in digits = $6 \frac{u'_* - m}{u'_* - 0.2736}$, which formula can also be tabulated with the arguments u'_* , and m , or with u'_* and $(\gamma + \Gamma)$. This has been done in Table C. As u'_* when abbreviated to two places of decimals has only the six values 0.53, 0.54, 0.55, 0.56, 0.57 and 0.58, every column of this Table is calculated for another value of u'_* , whilst to γ the constant 5 has been added so that all values in the first Table may be positive. Instead of giving u'_* directly, its last cipher is given as tenths to the value of $(\gamma + \Gamma)$ so that there is no need for ascertaining the value of u'_* .

Of all elements, then, given by the *Canon* we want only the following ones;—

Date of eclipse, and Greenwich mean time of conjunction in longitude.

L' = longitude of sun and moon.

P (only indication if P is near 0° or near 180°).

u'_* = radius of shadow.

γ = shortest distance of shadow's centre from earth's centre.

μ = Sun's hour-angle at Greenwich at the moment of this shortest distance.

(There is no necessity for attempting any further explanation of all the other elements and formulae noted above, which would be impossible without going into the whole theory of eclipses. Such an attempt is not called for in a work of this kind.)

These elements are given in Table A in the following form:—

Column 1. Date of eclipse,—year, month, and day; Old Style till 2 September, 1752 A.D., New Style from 14 September, 1752.

Column 2. Lanka time of conjunction in longitude, counted from mean sunrise in hours and minutes.

Column 3. L = longitude of sun and moon in degrees, when P is near 0° ; or longitude of sun and moon plus 400° , when P is near 180° ; so that numbers in this column under 360° give directly the value of this longitude, and indicate that P is near 0° , or that the moon is in the ascending node, whilst numbers over 400° must be diminished by 400 when it is desired to ascertain this longitude. At the same time these last indicate that P is near 180° , that is that the moon is in the descending node.

Column 4. μ = Sun's hour-angle at Greenwich at the moment of shortest distance of shadow's centre from earth.

Column 5. γ' = ten times the second decimal cipher of u'_* + 5 + γ . So the tenths of the numbers of this column give the last cipher of u'_* , whose first ciphers are 0.5, and the rest of the number diminished by 5 gives the value of γ .

For instance; the line 975 II 14, 0 h 52 m, 730° , 202° , 74.66 shows that on the 14th February, A.D. 975, the conjunction took place at 0 h 52 m after mean Lanka sunrise, that the longitude of sun and moon was 330° (the moon in the descending node), $\mu = 202^\circ$, $u'_* = 0.57$, and $\gamma = -0.34$.

Use of the Tables.

Table A gives, in the first column, the year, month, and day of all eclipses visible in any part of India, or quite close to the frontiers of India. The frontiers are purposely taken on rather too large a scale, but this is a fault on the right side. The letters appended shew the kind of eclipse; "a" stands for annular, "t" for total, "p" for partial. Eclipses of the last kind are visible only as very slight ones in India and are therefore not of much importance.¹ When the letter is in brackets the meaning is that the eclipse was only visible quite on the frontiers or even beyond them, and was without importance. When the letter is marked with an asterisk it shews that the eclipse was either total or annular in India or close to it, and is therefore one of greater importance. The second column shews, in hours and minutes counted from mean sunrise at Lanka, the time of conjunction in longitude. This column serves only as an indication as to whether the eclipse took place in the morning or afternoon; for the period of the greatest phase at any particular place may differ very sensibly from the time thus given, and must in every case be determined from Table D, if required. The third, fourth, and fifth columns, headed respectively L , μ , and γ' , furnish the arguments for the following Tables B, C, and D, by which can be found the magnitude and the moment of the greatest phase of the eclipse at a particular place.

¹ But see Art. 40a, p. 23, paragraph 2, Professor Jacobi's remarks on eclipses mentioned in Indian inscriptions. [R. S.]

Table B (as well as Table D) consists of seventy-two different Tables, each of which is calculated for a particular value of L taken in tens of degrees. Each of these little tables is a table with a double argument, giving the value of γ'' . The arguments are, vertically the latitude ϕ , and horizontally the longitude λ of the given place, the latter being stated in degrees from Greenwich and augmented by the value of μ given in Table A. The reader selects that table which is nearest to the value of L given by Table A, and determines from it, by interpolation with the arguments ϕ and $\lambda+\mu$, the value of γ'' . If a greater degree of accuracy is desired, it is necessary to determine, with the arguments ϕ and $\lambda+\mu$, the value of γ'' by both tables preceding and following the given value of L, and to interpolate between the two values of γ'' so found.

The final value of γ'' is added to the value of γ' given by Table A, and this value of $\gamma' + \gamma''$ serves as argument for Table C, which gives directly the magnitude of the greatest phase at the given place in digits, or twelfths of the sun's diameter.

Table D is arranged just like Table B, and gives, with the arguments ϕ and $\lambda+\mu$, the moment of the greatest phase at the given place in ghatikas and their tenths, counted from true sunrise at the given place.

The first value in each line of Tables B and D corresponds to a moment before sunrise and the last value in each line to a moment after sunset. Both values are given only for purposes of interpolation. Therefore in both cases the *greatest phase* is invisible when $\lambda + \mu$ coincides exactly with the first or last value of the line, and still more so when it is less than the first or greater than the last value. But in both cases, when the difference between $\lambda + \mu$ and the last value given does not exceed 15 degrees, it is possible that in the given place the *end* of the eclipse might have been visible after sunrise, or the *beginning* of the eclipse before sunset. As the tables give only the time for the greatest phase this question must be decided by direct calculation.

EXAMPLES.

EXAMPLE 1. Was the eclipse of the 20th June, A.D. 540, visible at Jálna, whose latitude ϕ , is $19^{\circ} 48'$ N., and whose longitude, λ , is $75^{\circ} 54'$ E.?

$$\begin{array}{lll} \text{Table A gives: A.D. 540 VI 20, 7 h. 57 m} & L = 490 & \mu = 314'' \quad \gamma' = 35.34 \\ \text{Jálna has } \phi = 20^{\circ} \text{ and} & \lambda = 76^{\circ} \\ & \hline & \lambda + \mu = 30^{\circ} \end{array}$$

$$\begin{array}{lll} \text{Table B. } L = 490 \text{ gives, with } \phi = 20^{\circ} \text{ and } \lambda + \mu = 30^{\circ}, \dots \dots \dots \dots \dots \dots & \gamma'' = 0.86 \\ & \hline & \gamma' + \gamma'' = 36.20 \end{array}$$

Table C gives, with $\gamma' + \gamma'' = 36.20$, the magnitude of the greatest phase as nearly 8 digits.
Table D. $L = 490$ gives, with $\phi = 20^{\circ}$ and $\lambda + \mu = 30^{\circ}$, for the moment of the greatest phase, 24.8 ghatikas or 24 gh. 48 pa. after true sunrise at Jálna.

EXAMPLE 2. Was the same eclipse visible at Multán, whose latitude ϕ is $30^{\circ} 13'$ N., and whose longitude, λ , is $71^{\circ} 26'$ E.?

$$\begin{array}{lll} \text{Table A gives: A.D. 540 VI 20, 7 h. 57 m. } L = 490. \quad \mu = 314'' \quad \gamma' = 35.34 \\ \text{Multan has } \phi = 30^{\circ} \text{ and} & \lambda = 71^{\circ} \\ & \hline & \lambda + \mu = 25^{\circ} \end{array}$$

$$\begin{array}{lll} \text{Table B. } L = 490 \text{ gives, with } \phi = 30^{\circ} \text{ and } \lambda + \mu = 25^{\circ}, \dots \dots \dots \dots \dots \dots & \gamma'' = 0.76 \quad \left\{ \begin{array}{l} \text{(diff. between} \\ 0.80 \text{ and } 0.72 \end{array} \right. \\ & \hline & \gamma' + \gamma'' = 36.10 \end{array}$$

Table C gives, with $\gamma' + \gamma'' = 36,10$, the magnitude of the greatest phase as exactly 10 digits. Table D. $L = 490$ gives, with $\phi = 30^\circ$ and $\lambda + \mu = 25^\circ$, for the moment of the greatest phase, 24.0 ghatikás, or 24 gh. 0 pa, after true sunrise at Multán.

EXAMPLE 3. Was the eclipse of the 7th June, A.D. 913, visible at Trivandrum, whose latitude, ϕ , is $8^{\circ} 30' N.$, and longitude, λ , $76^{\circ} 56' E.$?

Table A gives: 913 VI 7, 8 h.35 m.	$L = 480$	$\mu = 323^\circ$	$\gamma' = 44.98$
Trivandrum has, $\phi = 8^\circ$ and		$\lambda = 77^\circ$	
		$\lambda + \mu = 40^\circ$	

Table C shews, with $\gamma' + \gamma'' = 46.00$, that the eclipse was total at Trivandrum.
 Table D. $L = 480$ gives, with $\phi = 8^\circ$ and $\lambda + \mu = 40$, for the moment of totality 26.2 ghatikas or 26 gh. 12 pa. after true sunrise at Trivandrum.

EXAMPLE 4. Was the same eclipse visible at Lahore whose latitude, ϕ , is $31^{\circ} 33' N.$, and longitude, λ , $74^{\circ} 16' E.$?

Table A gives: 913 VI 7, 8 h. 35 m. $L = 480$ $\mu = 323^\circ$ $\gamma' = 44.98$
 Lahore has $\phi = 32^\circ$ and $\lambda = 74^\circ$
 $\lambda + \mu = 37^\circ$

Table B. $L = 480$ gives, with $\phi = 32^\circ$ and $\lambda + \mu = 37^\circ$, $\gamma'' = 0,69$
 $\gamma' + \gamma'' = 45,67$

Table C gives, with $\gamma' + \gamma'' = 45.67$, the magnitude of the greatest phase 4.8 digits.
 Table D, $L = 480$ gives, with $\phi = 32^\circ$ and $\lambda + \mu = 37^\circ$, for the moment of the greatest phase
 26.0 ghatikas, or 26 gh. 54 pa. after true sunrise at Lahore.

In all these examples the value of L (Table A) was divisible by 10, and therefore a special table for this value was found in Table B. When the value of L is not divisible by 10, as will mostly be the case, there is no special table exactly fitting the given value. In such a case we may take the small table in Table B for the value of L nearest to that given. Thus for instance, if L is 233 we may work by the table $L = 230$, or when L is 487 we may work by the Table $L = 490$ and proceed as before, but the result will not be very accurate. The better course is to take the value of γ'' from both the table next preceding and the table next following the given value of L , and to fix a value of γ'' between the two.¹ Thus for $L = 233$ we take the value of γ'' both from Table 230 and from Table 240 and fix its truer value from the two. But where the only question is whether an eclipse was visible at a given place and there is no necessity to ascertain its magnitude, the first process is sufficient.

EXAMPLE 5. Was the eclipse of the 15 January, A.D. 1032, visible at Karachi, whose latitude, ϕ , is $24^\circ 53'$ N., and longitude, λ , $66^\circ 57'$ E.?

Table A gives 1032 I 15, 10 h.m. L = 70° $\mu = 342^\circ$ $\gamma' = 45.46^\circ$
 Karachi has $\phi = 25^\circ$, and $\lambda + 67^\circ$
 $\lambda + \mu = 49^\circ$

$$\gamma' + \gamma'' = 46,10$$

³ Here the auxiliary table to Tables VI. and VII. above may be used. [R. S.]

Table C gives, with $\gamma' + \gamma'' = 46,10$, the magnitude of the greatest phase as 10,0 digits.

Table D. L 700 gives, with $\phi = 25$ and $\lambda + \mu = 49^\circ, \dots 25,7$ or for L 701, for the moment of the greatest phase, 25,7 ghaṭikās, or 25 gh. 42 pa. after true sunrise at Karachi.

EXAMPLE 6. Was the same eclipse visible at Calcutta, whose latitude, ϕ , is $22^\circ 36' N.$, and longitude, λ , $88^\circ 23' E.$?

Table A gives 1032 I 15, 10 h. 1 m.	$L = 701$	$\mu = 342^\circ$	$\gamma' = 45,56$
Calcutta has $\phi = 23^\circ$, and	$\lambda = 88^\circ$		
	$\lambda + \mu = 70^\circ$		

$\lambda + \mu$ is greater than the arguments for which values are given in Table B, 700 and 710. This indicates that the greatest phase of the eclipse takes place *after sunset* and is therefore invisible.¹

EXAMPLE 7. Was the eclipse of the 31st. December, A.D. 1358, visible at Dhaka, whose latitude, ϕ , is $23^\circ 45' N.$, and longitude, λ , $90^\circ 23' E.$?

Table A gives: 1358 XII 31, 1 h. 28 m.	$L = 288$	$\mu = 213^\circ$	$\gamma' = 45,48$
Dhaka has $\phi = 24^\circ$, and	$\lambda = 90^\circ$		
	$\lambda + \mu = 303^\circ$		

Table B. L 280 gives, with $\phi = 24^\circ$ and $\lambda + \mu = 303^\circ, \dots \gamma'' = 0,42$ or for L 288 . . . $\gamma'' = 0,36$

$\gamma' + \gamma'' = 45,84$

Table C gives, with $\gamma' + \gamma'' = 45,84$, the magnitude of the greatest phase as 8,5 digits.
Table D. L 280 gives, with $\phi = 24^\circ$ and $\lambda + \mu = 303^\circ, \dots 0,0$ or for L 288 . . . $0,2$, or for L 288, for the moment of the greatest phase 0,2 ghaṭikās, or 0 gh. 12 pa. after true sunrise at Dhaka.

EXAMPLE 8. Was the same eclipse visible at Bombay whose latitude, ϕ , is $18^\circ 57' N.$, and longitude, λ , $72^\circ 51' E.$?

Table A gives: 1358 XII 31, 1 h. 28 m.	$L = 288^\circ$	$\mu = 213^\circ$	$\gamma' = 45,48$
Bombay has $\phi = 19^\circ$	$\lambda = 73^\circ$		
	$\lambda + \mu = 286^\circ$		

$\lambda + \mu$ is less than the arguments for which there are values given in Table B 280 and B 290. This indicates that the greatest phase of the eclipse took place *before sunrise* and was therefore invisible.²

EXAMPLE 9. Was the eclipse of the 7th June, A.D. 1415, visible at Śrīnagar, whose latitude, ϕ , is $34^\circ 6' N.$, and longitude, λ , $= 74^\circ 55' E.$?

Table A gives: 1415 VI 7, 6 h. 14 m.	$L = 484$	$\mu = 289^\circ$	$\gamma' = 35,58$
Srinagar has $\phi = 34^\circ$, and	$\lambda = 75^\circ$		
	$\lambda + \mu = 4^\circ$		

Table B 480 gives, with $\phi = 34^\circ$ and $\lambda + \mu = 4^\circ, \dots \gamma'' = 0,81$ or for L 484 . . . $\gamma'' = 0,81$

$\gamma' + \gamma'' = 36,39$

Table C gives, with $\gamma' + \gamma'' = 36,39$, the magnitude of the greatest phase as 3,3 digits.

¹ For the visibility of the beginning of the eclipse see page 111.

² For the visibility of the end of the eclipse see page 111.

EXAMPLE 10. Was the same eclipse visible at Madras, whose latitude, ϕ , = $13^{\circ} 5'$ N., and longitude, λ , $80^{\circ} 17'$ E.?

Table A gives: 1415 VI 7, 6 h. 14 m. $L = 484$ $\mu = 289^\circ$ $\gamma' = 35.58^\circ$
 Madras has $\phi = 13^\circ$, and $\lambda = 80^\circ$

Table B. L 480 gives, with $\phi = 13^\circ$ and $\lambda + \mu = 9^\circ$, $\gamma'' = 1,15$; or for L 484 . . . $\gamma'' = 1,14$
 Table B. L 490 " " " " " " $\gamma'' = 1,14$ $\frac{\gamma' + \gamma''}{\gamma' + \gamma''} = 36,72$

$\gamma + \gamma''$ is greater than the values contained in Table C.

This indicates that Madras is too much to the south to see the eclipse.

EXAMPLE 11. Was the eclipse of the 20th August, A.D. 1495, visible at Madras, whose latitude, ϕ , is $13^{\circ} 5'$ N., and longitude, λ , $80^{\circ} 17'$ E.?

Table A gives: 1495 VIII 20, 4 h. 55 m $L = 155$ $\mu = 269^\circ$ $\gamma' = 54,62$
 Madras has $\phi = 13^\circ$ and $\lambda = 80^\circ$
 $\lambda + \mu = 349^\circ$

Table B. L 150 gives, with $\phi = 13^\circ$ and $\lambda + \mu = 349^\circ$, $\gamma'' = 1.05$, or for L 155 . . . $\gamma'' = 1.03$
 Table B. L 160 " " " " " " $\gamma'' = 1.01$ $\gamma' + \gamma'' = 55.65$

Table C gives, with $\gamma' + \gamma'' = 55.65$, the magnitude of the greatest phase as 4.4 digits.
 Table D. L 150 gives, with $\phi = 13^\circ$ and $\gamma + \mu = 349^\circ$; . . . 12.1} or for L 155, for the greatest
 Table D. L 160 " " " " " " . . . 11.8} phase 12.0 ghatikás, or 12 gh. o pa. after true sunrise at Madras.

EXAMPLE 12. Was the same eclipse visible at Šrinagar whose latitude, ϕ , = 34° 6' N., and longitude, λ , 74° 55' E.?

Table A gives: 1495 VIII 20, 4 h. 55 m. $L = 155$ $\mu = 269^\circ$ $\gamma' = 54.62^\circ$
 Srinagar has $\varphi = 34^\circ$ $\lambda = 75^\circ$
 $\lambda + \mu = 344^\circ$

$\gamma' + \gamma''$ is less than the values contained in Table C.

This indicates that Srinagar is too much to the north to see the eclipse.

It was intended that these tables should be accompanied by maps shewing the centre-lines, across the continent of India, of all eclipses of the sun between A.D. 300 and 1900, but it has not been found possible to complete them in time, owing to the numerous calculations that have to be made in order that the path of the shadow may be exactly marked in each case. Such maps would plainly be of considerable value as a first approximation, and I hope to be able soon to publish them separately.

Vienna, November, 1895.

R. SCHRAM.

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .
301 IV 25	6 h. 6 m.	434	288	45.46 <i>t*</i>	361 VIII 17	4 h. 12 m.	144	254	66.00 <i>a</i>	415 IX 19	2 h. 27 m.	176	230	65.85 <i>a</i>
304 II 22	7 12	733	301	76.10 <i>p</i>	363 I 1 23	52	682	191	75.38 <i>a</i>	418 VII 19	10 8	116	344	45.35 <i>t*</i>
305 VIII 7	4 19	134	259	64.72 <i>a*</i>	364 VI 16 11	58	85	13	45.57 <i>t</i>	419 XII 3	1 29	652	221	46.15 <i>(p)</i>
306 I 31	2 4	712	220	44.62 <i>(f)</i>	365 VI 6 0	46	75	203	56.38 <i>(p)</i>	421 XI 11	6 41	630	297	54.81 <i>(e)</i>
306 VII 27	6 26	123	288	75.47 <i>a</i>	367 X 10 5	15	597	275	54.77 <i>t</i>	425 III 6 7	29	347	302	55.29 <i>a*</i>
307 VI 5	4 30	74	265	44.27 <i>t</i>	368 IV 3 22	27	15	168	55.90 <i>a</i>	425 VIII 29	9 45	556	340	44.84 <i>(f)</i>
308 XI 29	23 27	649	189	75.36 <i>(a)</i>	370 VIII 8 0	40	535	205	65.45 <i>a</i>	426 VIII 19	1 43	546	217	34.14 <i>t</i>
310 XI 8	0 12	626	198	74.01 <i>(a)</i>	371 II 2 7	32	314	302	55.38 <i>a*</i>	427 VII 10	9 16	508	335	45.98 <i>t</i>
313 IX 7	4 44	564	265	44.69 <i>t</i>	372 VII 17 2	23	514	227	33.96 <i>(p)</i>	429 XII 12 3	23	262	243	45.87 <i>t</i>
314 III 2	23 49	343	185	56.06 <i>p</i>	373 VI 7 11	32	476	10	45.75 <i>t</i>	432 IV 16 10	44	427	355	34.91 <i>t</i>
316 VII 6	3 48	503	252	65.24 <i>a*</i>	374 XI 20 9	6	239	333	45.21 <i>t</i>	432 X 10 8	28	198	324	75.12 <i>a</i>
316 XIII 31	6 18	281	285	55.41 <i>a*</i>	375 XI 10 0	38	228	205	45.87 <i>t</i>	433 IX 29 10	12	187	347	65.82 <i>a*</i>
320 IV 25	1 40	435	219	54.76 <i>a</i>	378 IX 8 10	6	166	346	75.23 <i>a</i>	434 II 25 4	24	738	260	66.15 <i>(p)</i>
320 X 18	6 57	206	301	45.23 <i>t</i>	379 VIII 28 11	27	155	3	65.94 <i>a</i>	435 II 14 7	8	727	298	75.46 <i>a*</i>
324 II 11 10	32	723	347	44.64 <i>t</i>	380 I 24 4	28	705	260	66.07 <i>p</i>	435 VIII 10 1	37	137	219	34.55 <i>t</i>
325 XII 22	3 18	671	246	66.03 <i>p</i>	381 I 12 7	52	694	310	75.39 <i>a*</i>	436 II 3 6	45	715	290	74.76 <i>a</i>
326 XII 11	7 37	660	310	75.37 <i>a</i>	381 VII 8 2	32	106	232	34.74 <i>t</i>	438 XII 3 2	10	652	229	45.49 <i>t*</i>
327 VI 6	4 2	74	256	34.96 <i>t*</i>	382 I 1 7	6	652	298	74.71 <i>a</i>	440 V 17 3	26	57	245	45.61 <i>t</i>
329 X 9	5 38	596	284	46.12 <i>p</i>	383 XI 11 7	43	630	316	46.15 <i>p</i>	442 IX 20 6	40	578	295	65.64 <i>a</i>
331 III 25	2 16	4	226	75.29 <i>a</i>	385 IV 25 22	52	96	178	65.08 <i>a</i>	446 I 13 7	45	295	308	54.49 <i>a</i>
332 III 13	7 29	353	301	56.01 <i>(p)</i>	386 IV 15 5	47	25	279	55.83 <i>t</i>	446 VII 10 1	30	508	217	65.82 <i>a*</i>
333 II 1 9	41	313	338	44.02 <i>t</i>	387 III 6 10	47	346	355	43.94 <i>(p)</i>	447 VI 29 3	48	497	250	74.55 <i>a</i>
333 VII 28	8 18	525	321	76.09 <i>p</i>	388 VIII 18 7	55	546	314	65.51 <i>a*</i>	449 V 8 2	24	448	233	45.73 <i>t</i>
334 I 22	1 47	303	218	44.70 <i>(t)</i>	392 VI 7 5	14	476	274	55.07 <i>a*</i>	454 VIII 10 1	11	138	210	45.23 <i>t*</i>
334 VII 17	10 38	514	354	65.31 <i>a</i>	393 V 27 8	38	466	323	74.29 <i>(a)</i>	455 VII 30 11	31	127	3	66.03 <i>p</i>
338 V 6	8 41	445	325	54.83 <i>a*</i>	393 XI 20 9	30	239	337	45.87 <i>t</i>	457 VI 8 1	32	75	219	64.75 <i>a</i>
339 X 19	7 4	206	301	45.89 <i>t</i>	395 IV 6 4	12	416	258	45.54 <i>t*</i>	457 XII 2 23	55	653	194	54.81 <i>a</i>
341 III 4	5 11	744	269	55.40 <i>t*</i>	399 VII 19 10	9	116	346	34.68 <i>(t)</i>	458 V 28 10	35	67	353	45.53 <i>t</i>
346 VI 6	4 38	75	263	45.64 <i>t</i>	400 VII 8 9	43	106	233	45.42 <i>t*</i>	459 V 18 1	48	57	220	36.24 <i>(p)</i>
348 IV 15	8 33	26	324	74.47 <i>a</i>	402 V 18 4	5	57	259	74.23 <i>(a)</i>	459 X 12 10	42	600	2	76.42 <i>(p)</i>
348 X 9	6 16	597	292	45.45 <i>t*</i>	402 XI 11 8	26	630	325	45.49 <i>t</i>	460 IV 7 11	11	19	3	44.44 <i>(d)</i>
349 IV 4	9 14	15	331	65.22 <i>a*</i>	403 V 7 5	34	46	279	65.00 <i>a*</i>	461 III 27 22	36	8	171	55.19 <i>a</i>
352 II 2 10	22	314	346	44.68 <i>t*</i>	407 II 23 23	40	336	184	55.32 <i>a</i>	461 IX 20 1	54	578	224	44.92 <i>t*</i>
353 VII 17	3 13	514	241	44.61 <i>t</i>	407 VIII 19 1	54	548	222	44.79 <i>t*</i>	462 III 17 2	52	358	282	75.06 <i>a</i>
354 I 11	5 9	292	265	76.14 <i>p</i>	408 II 19 4	44	325	258	76.09 <i>p</i>	464 VII 20 8	18	518	319	65.40 <i>a*</i>
355 V 28	4 15	466	261	45.68 <i>t</i>	409 VI 29 2	1	497	227	45.01 <i>(t)</i>	465 I 13 5	16	295	269	45.19 <i>t</i>
356 XI 9	0 18	228	201	45.22 <i>t</i>	410 VI 18 11	59	487	15	65.16 <i>a</i>	465 VII 9 10	14	507	346	74.63 <i>(a)</i>
358 III 26	5 11	406	274	66.23 <i>(p)</i>	410 XII 12 2	49	262	236	45.21 <i>t</i>	467 V 19 9	42	458	343	45.80 <i>t</i>
359 IX 9	2 3	166	227	64.55 <i>a</i>	413 X 11 0	55	199	213	74.45 <i>a</i>	467 XI 13 0	47	232	213	74.40 <i>a</i>
360 III 4	3 5	744	236	44.70 <i>(t)</i>	414 IV 6 2	59	417	238	34.85 <i>t</i>	468 V 8 1	58	448	225	35.04 <i>t</i>
360 VIII 28	2 59	155	238	75.28 <i>a*</i>	414 IX 30 0	52	187	209	75.15 <i>a</i>	468 XI 1 0	6	221	199	75.08 <i>a</i>

ECLIPSES OF THE SUN IN INDIA.

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ^t .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ^t .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ^t .
469 X 21	2 h. 18 m.	309	229	65.77 <i>a</i>	519 VIII 11	6 h. 6 m.	539	284	74.86 <i>a*</i>	567 VII 21	22 h. 49 m.	120	173	35.81 <i>t</i>
472 VIII 20	8 51	148	326	45.18 <i>t*</i>	521 VI 20	7 36	490	311	45.02 <i>p</i>	568 VI 11	7 6	82	304	44.00 <i>(t)</i>
474 I 4	4 10	686	257	46.15 <i>p</i>	521 XII 15	1 9	266	213	74.38 <i>(a)</i>	569 XI 24	5 30	645	279	45.01 <i>t</i>
475 VI 19	8 14	88	319	64.67 <i>a</i>	522 VI 10	0 27	480	203	35.26 <i>t*</i>	572 IX 23	3 11	582	246	75.75 <i>a</i>
475 XII 14	8 32	264	322	64.81 <i>a</i>	522 XII 4	0 14	254	199	75.06 <i>a</i>	573 III 19	7 36	1	306	35.03 <i>t*</i>
479 IV 8	5 54	19	282	55.13 <i>a</i>	523 XI 23	3 9	243	242	65.74 <i>a</i>	573 IX 12	3 11	571	243	75.04 <i>a*</i>
479 X 1	10 12	589	349	44.95 <i>(t)</i>	526 IX 22	8 30	181	323	55.05 <i>t</i>	574 III 9	0 14	350	193	45.74 <i>t</i>
480 IX 20	2 8	579	226	44.26 <i>t</i>	528 II 6	6 15	719	287	46.19 <i>(p)</i>	574 IX 1	5 32	560	276	64.31 <i>(a)</i>
481 VIII 11	7 24	539	307	56.19 <i>(p)</i>	529 VII 21	4 46	119	266	64.44 <i>a</i>	576 VII 11	22 59	511	179	35.48 <i>t</i>
484 I 14	5 57	296	278	45.86 <i>t</i>	530 I 15	10 5	698	341	64.83 <i>a</i>	577 I 5	0 33	288	200	75.04 <i>a</i>
485 XI 23	8 53	243	332	74.40 <i>(a)</i>	531 VI 30	7 40	99	307	35.95 <i>(t)</i>	577 XII 25	4 36	276	260	65.78 <i>a*</i>
486 V 19	9 30	459	338	35.11 <i>t*</i>	532 XI 12	23 45	633	195	65.72 <i>(a)</i>	580 X 24	9 12	214	336	54.99 <i>a</i>
486 XI 12	8 4	232	318	75.07 <i>a</i>	533 V 10	2 59	50	241	64.91 <i>a</i>	583 VIII 23	2 25	151	232	54.25 <i>a</i>
487 V 9	3 31	449	232	44.37 <i>(t)</i>	534 IV 29	6 10	40	286	75.69 <i>a</i>	584 II 17	10 37	731	349	64.88 <i>a*</i>
487 XI 1 10	25	220	352	65.76 <i>a</i>	534 X 23	3 43	612	252	44.32 <i>t</i>	585 VIII 1	6 31	130	289	35.75 <i>t</i>
488 III 29	2 49	410	239	66.30 <i>(p)</i>	535 IX 13	6 21	571	294	56.34 <i>(p)</i>	586 XII 16	1 30	667	218	55.72 <i>a</i>
489 III 18	4 59	759	269	75.60 <i>a*</i>	538 II 15	7 43	329	304	45.81 <i>t</i>	587 VI 11	23 13	82	184	64.66 <i>(a)</i>
489 IX 11	1 39	169	221	44.41 <i>t</i>	539 XII 26	9 14	277	333	74.38 <i>a</i>	588 V 31	1 30	71	216	75.44 <i>a*</i>
490 III 7	5 21	748	271	74.87 <i>a</i>	540 VI 20	7 57	490	314	35.34 <i>t*</i>	589 V 20	2 47	61	234	66.18 <i>(p)</i>
491 II 24	10 57	737	352	54.15 <i>(a)</i>	540 XII 14	8 21	265	319	75.05 <i>a</i>	589 X 15	6 21	604	297	66.44 <i>(p)</i>
491 VIII 21	1 50	148	219	65.91 <i>(a)</i>	541 VI 10	0 36	480	203	44.58 <i>t</i>	590 X 4	10 45	593	0	75.78 <i>a*</i>
493 I 4	4 46	686	265	45.50 <i>t*</i>	543 IV 20	1 27	431	219	75.80 <i>a</i>	591 IX 23	10 31	582	354	75.08 <i>a</i>
494 VI 19	0 56	88	208	45.37 <i>t*</i>	543 X 14	2 49	202	241	44.33 <i>t</i>	592 III 19	8 15	1	314	45.70 <i>t</i>
496 X 22	6 55	611	303	65.70 <i>t*</i>	544 IV 8	2 45	420	235	65.04 <i>a</i>	594 I 27	9 1	310	327	74.33 <i>a</i>
500 II 15	8 37	328	321	54.44 <i>t</i>	545 III 28	10 6	409	342	54.29 <i>t</i>	594 VII 23	6 35	522	293	35.55 <i>t</i>
501 VII 30	23 21	528	183	74.79 <i>a</i>	545 IX 22	0 9	181	196	65.78 <i>a</i>	595 I 16	8 33	299	319	75.03 <i>a*</i>
502 VII 20	1 3	518	206	64.05 <i>(a)</i>	547 II 6	6 41	719	291	45.55 <i>t*</i>	596 XII 25	0 39	277	199	46.35 <i>(p)</i>
503 VI 10	0 17	479	202	45.95 <i>t</i>	548 VII 20	22 55	119	176	45.15 <i>t</i>	598 V 10	23 17	452	186	65.26 <i>a</i>
505 V 19	9 57	459	343	44.44 <i>t</i>	549 XII 5	2 55	656	243	76.46 <i>(p)</i>	599 IV 30	8 19	441	319	44.48 <i>t</i>
506 XI 1	4 44	221	265	56.38 <i>(p)</i>	550 XI 24	8 17	644	323	65.72 <i>a*</i>	601 III 10	7 24	752	304	45.64 <i>t</i>
508 IX 11	0 30	170	202	55.09 <i>t</i>	551 V 21	9 48	61	343	64.83 <i>a*</i>	604 I 7	3 30	689	248	76.47 <i>(p)</i>
509 VIII 31	9 8	159	329	65.86 <i>a</i>	554 III 19	8 28	0	321	44.34 <i>t</i>	604 XII 26	10 7	678	346	55.72 <i>(a)</i>
512 I 5	1 39	686	216	64.82 <i>a</i>	555 III 8	23 31	350	184	45.07 <i>t</i>	605 VI 22	5 52	92	284	64.58 <i>a</i>
512 VI 29	8 11	98	316	45.30 <i>t*</i>	559 VI 21	7 54	490	312	44.66 <i>t</i>	606 VI 11	7 52	82	312	75.35 <i>a</i>
513 VI 19	0 11	88	195	36.02 <i>p</i>	560 XII 3	7 0	254	297	56.36 <i>(p)</i>	608 IV 20	7 19	32	307	44.17 <i>t</i>
514 V 10	9 24	50	338	44.23 <i>t</i>	561 IV 30	8 1	441	318	75.87 <i>a</i>	609 IV 9	23 24	22	185	34.92 <i>(t)</i>
515 X 23	3 12	611	246	44.99 <i>t*</i>	562 IV 19	9 40	431	340	65.11 <i>a*</i>	613 VII 23	5 52	522	281	44.87 <i>t*</i>
516 IV 17	23 33	29	185	75.77 <i>a</i>	562 X 14	0 52	203	210	55.00 <i>a*</i>	616 V 21	6 3	462	287	65.34 <i>a</i>
517 IV 7	0 1	19	190	76.50 <i>(p)</i>	563 X 3	7 50	192	312	75.75 <i>a*</i>	616 XI 15	2 8	236	229	64.97 <i>a*</i>
518 VIII 22	5 18	550	274	65.60 <i>a</i>	566 II 6	2 35	720	228	64.86 <i>a</i>	617 XI 4	7 35	225	309	75.70 <i>a*</i>
519 II 15	6 58	328	294	45.14 <i>t*</i>	566 VIII 1	6 27	180	290	45.09 <i>t*</i>	618 III 31	23 22	413	187	36.37 <i>(p)</i>

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .
618 X 24	7 h. 21 m.	213	304	76.39 (p)	663 V 12	22 h. 21 m.	54	171	34.72 (f)	714 VIII 14	23 h. 4 m	144	180	74.86 a
620 III 10	2 10	752	224	64.96 a	665 IV 21	3 1	33	237	56.28 (p)	715 VIII 4	1 57	134	221	65.61 a
620 IX 2	5 48	162	282	44.93 f*	667 VIII 25	4 25	554	260	55.05 f*	716 VII 23	12 2	123	10	46.32 (p)
623 XII 27	8 9	678	315	45.02 f	670 VI 23	2 20	493	231	55.58 a	719 V 23	23 57	65	192	56.07 p
624 XII 15	23 58	668	192	44.35 f	670 XII 18	3 46	270	250	64.97 a	721 IX 26	3 55	586	256	55.18 f*
626 X 26	2 18	615	235	75.83 a	671 XII 7	7 58	258	313	75.68 a*	724 VII 24	23 13	525	183	55.80 a
627 IV 21	7 8	33	302	34.86 f*	672 VI 1	5 36	473	277	34.05 (f)	725 I 19	5 0	303	266	64.94 a
627 X 15	1 42	604	223	75.14 a*	672 XI 25	7 13	247	301	86.36 p	725 VII 14	11 19	514	8	45.01 f
628 IV 9 23	54	23	191	45.60 f	674 IV 12	0 13	424	198	65.12 a	726 I 8	8 17	292	318	75.66 a
628 X 3 4	39	593	265	64.43 a	674 X 5	6 28	195	294	44.83 f	726 VII 4	4 3	504	253	34.27 f
630 VIII 13 22	3	543	166	35.67 f	678 I 28	10 25	712	346	45.04 f	726 XII 28	7 28	280	300	76.33 (p)
631 II 7 0	17	821	194	74.99 a	678 VII 24	9 38	123	337	75.01 a*	727 V 25	12 9	466	21	46.09 (p)
632 I 27	5 47	310	275	55.69 a*	679 VII 13	12 4	113	12	65.76 a	728 XI 6	8 19	228	323	44.79 f
633 VI 19	9 42	483	344	76.21 (p)	680 XI 27	2 17	649	233	85.87 a	729 X 27	0 17	217	201	45.46 f
634 XI 26	10 40	247	356	64.97 (a)	691 V 23	5 52	64	284	34.65 f	732 VIII 25	6 0	155	285	74.80 a
637 III 31	23 7	414	182	45.74 f	691 XI 16	1 28	637	220	75.19 a*	733 VIII 14	9 7	144	329	65.55 a*
637 IX 24	1 32	183	222	54.13 (a)	682 V 12	22 27	54	171	45.40 f	734 XII 30	2 29	682	232	85.89 a
638 III 21	0 41	403	338	65.00 a*	682 XI 5	5 10	626	274	64.49 (a)	735 VI 25	4 17	96	260	34.43 f
639 IX 8	6 14	162	287	35.59 f	686 II 28	6 8	343	281	55.61 f	735 XII 19	1 54	671	223	75.20 a*
641 I 17	3 12	700	241	55.73 a*	688 VII 3	9 12	504	334	55.66 a	737 X 28	7 17	619	311	46.54 (p)
642 XII 27	8 50	679	324	44.35 (f)	692 IV 22	7 15	435	304	65.19 a*	740 IV 1	5 25	15	273	45.47 f*
643 VI 21	22 36	92	171	65.93 a	693 IV 11	9 48	424	339	74.43 a	742 VIII 5	6 25	535	292	55.86 a
643 XI 17	7 15	638	310	66.48 (p)	693 X 5	7 6	195	302	45.50 f*	746 V 25	3 39	466	251	65.43 a
644 XI 5	10 14	626	354	75.85 a*	695 II 19	4 13	733	255	55.78 f*	747 V 14	5 32	456	277	74.66 a
645 X 25	9 30	615	341	75.16 a	697 I 28	11 4	712	354	44.37 f	747 XI 7	9 1	928	332	45.45 f*
646 IV 21	7 32	33	306	45.54 f	698 XII 8	10 23	660	353	85.87 (a)	749 III 23	4 11	406	258	45.89 f
648 II 29	7 38	343	307	74.24 a	699 XI 27	9 34	648	340	75.19 a	753 I 9	10 28	693	351	85.90 (a)
648 VIII 24	5 57	553	285	35.72 f	700 V 23	5 47	65	281	45.33 (f)	753 XII 29	10 3	682	344	75.21 a
649 II 17	7 58	332	310	74.96 a*	702 IV 2	4 52	15	269	74.07 a	754 VI 25	3 31	96	247	45.10 f*
650 VIII 3	5 38	533	275	64.21 (a)	702 IX 26	6 21	586	294	45.84 f	756 X 28	7 51	619	318	45.91 f
651 I 27	2 48	310	229	46.33 p	703 III 22	6 16	4	287	64.83 a	757 IV 23	3 30	36	249	64.63 a
651 XII 18	7 30	269	308	44.29 f	704 IX 4	3 3	565	239	64.38 a	758 X 7	1 35	597	219	74.50 a
653 VI 1	6 5	473	286	44.71 f*	705 II 28	4 4	343	249	46.24 p	759 IV 2	4 14	15	254	36.11 (p)
653 XI 25	23 48	247	191	75.68 (a)	705 VII 25	11 40	525	12	76.53 (p)	760 II 21	11 5	336	359	44.20 (f)
655 IV 12	6 46	424	298	45.50 f	706 I 19	9 46	303	339	44.27 f	761 VIII 5	2 25	535	230	45.14 f*
658 IX 3	5 51	163	279	46.29 p	707 VII 4	3 56	504	252	44.94 f*	762 I 30	0 4	314	189	75.63 a
659 VII 25	1 57	124	294	64.33 a	707 XII 29	0 14	281	194	75.67 a	763 I 18	23 27	303	178	76.31 (p)
660 I 18	1 45	701	217	45.03 f	709 V 14	4 57	456	272	46.01 (p)	764 VI 4	10 17	477	351	65.51 a*
660 VII 13	3 5	113	239	75.09 a*	710 X 26	23 35	217	192	44.80 f	764 XI 28	3 0	250	227	44.78 f
661 VII 2	5 18	102	271	65.84 a	712 X 5	6 3	195	285	56.20 p	766 XI 7	7 13	229	303	56.17 p
662 V 23	5 31	64	281	43.97 (p)	714 II 19	3 27	734	242	45.09 f*	767 IV 3	11 56	417	15	45.94 (f)

ECLIPSES OF THE SUN IN INDIA.

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	$\mu.$	$\gamma^{\circ}.$	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	$\mu.$	$\gamma^{\circ}.$	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	$\mu.$	$\gamma^{\circ}.$
765 III 23	4 h. 2 m.	406	254	35.20 <i>t*</i>	815 IX 7	1 h. 59 m.	568	226	45.29 <i>t</i>	861 III 15	7 h. 50 m.	759	313	76.08 <i>(p)</i>
769 IX 4	23 55	156	192	65.44 <i>a</i>	816 III 2	22 42	347	170	75.53 <i>(a)</i>	862 III 4	9 21	748	332	65.34 <i>a*</i>
770 VIII 25	10 53	155	354	46.14 <i>p</i>	817 II 19	22 41	336	167	76.23 <i>(p)</i>	862 VIII 28	23 40	159	190	54.71 <i>t</i>
772 VII 5	10 45	106	355	45.08 <i>t</i>	818 VII 7	6 1	508	286	65.77 <i>a</i>	863 VIII 18	6 23	149	288	65.47 <i>a*</i>
772 XII 28	23 44	682	187	64.52 <i>a</i>	818 XII 31	4 41	284	263	44.77 <i>(t)</i>	864 VIII 6	7 20	138	300	76.22 <i>(p)</i>
775 V 4	10 25	46	353	64.56 <i>(a)</i>	819 VI 26	7 4	497	300	75.01 <i>a*</i>	866 VI 16	9 5	88	331	44.97 <i>t*</i>
775 X 29	4 27	619	265	65.25 <i>a*</i>	820 XII 9	8 57	262	326	65.17 <i>p</i>	866 XII 11	1 25	664	215	74.58 <i>a</i>
779 II 21	5 11	336	268	64.88 <i>a</i>	821 V 5	10 39	448	358	45.11 <i>(p)</i>	867 VI 6	1 57	78	222	35.71 <i>t</i>
779 VIII 16	10 8	546	346	45.20 <i>t</i>	822 IV 25	3 31	438	249	35.37 <i>t*</i>	869 X 9	2 49	600	241	45.39 <i>t*</i>
780 II 10	7 45	325	305	75.61 <i>a</i>	823 X 7	23 22	198	187	65.33 <i>a</i>	873 II 1	6 56	317	295	44.74 <i>t</i>
780 VIII 5	2 57	536	236	34.47 <i>t</i>	824 IX 26	11 2	187	359	46.01 <i>p</i>	873 VII 28	2 35	529	233	75.26 <i>a*</i>
781 VI 26	9 28	498	339	56.33 <i>(p)</i>	826 VIII 7	8 40	138	324	54.82 <i>t</i>	874 VII 17	6 9	518	284	54.50 <i>a</i>
782 XII 9 10	54	262	359	44.78 <i>(t)</i>	829 VI 5	6 58	78	301	54.33 <i>a</i>	876 V 27	2 12	470	230	35.58 <i>t</i>
783 XI 29	2 41	251	235	45.45 <i>t*</i>	829 XI 30	5 41	653	282	65.27 <i>a</i>	877 XI 9	0 12	231	200	65.28 <i>a</i>
786 IV 3 11	58	417	14	35.25 <i>(t)</i>	831 V 15	10 57	57	337	35.86 <i>t</i>	878 V 6	4 22	449	258	64.02 <i>(a)</i>
786 IX 27	3 46	187	254	74.66 <i>a</i>	833 III 25	3 53	8	252	64.74 <i>a</i>	880 IX 8	7 20	170	306	54.66 <i>(t)</i>
787 III 24	4 20	407	256	44.52 <i>t</i>	833 IX 17	10 7	578	348	45.83 <i>t</i>	883 VII 8	3 42	109	251	54.10 <i>(a)</i>
787 IX 16	7 34	176	308	65.39 <i>a*</i>	834 III 14	5 55	358	279	75.49 <i>a*</i>	884 I 2 7	1	686	298	65.28 <i>a</i>
789 I 31	2 8	716	225	75.93 <i>a</i>	834 IX 7	2 42	568	234	44.63 <i>(t)*</i>	884 XII 21	9 31	675	335	74.58 <i>a</i>
789 VII 27	2 55	127	239	34.22 <i>t</i>	835 III 3	6 12	346	280	76.19 <i>(p)</i>	885 VI 16	9 24	89	334	35.64 <i>t</i>
790 I 20	2 12	704	224	75.23 <i>a*</i>	836 VII 17	12 39	518	25	65.85 <i>(a)</i>	888 IV 15	2 40	30	234	75.30 <i>a*</i>
791 I 9	8 14	698	313	54.52 <i>(a)</i>	837 XII 31	5 16	284	270	45.44 <i>t*</i>	888 X 9	3 33	601	250	44.72 <i>t</i>
791 VII 6	2 57	106	230	65.75 <i>a</i>	840 V 5	11 9	449	4	35.43 <i>t*</i>	889 IV 4	3 54	19	249	66.03 <i>p</i>
792 XI 19	1 17	641	218	45.93 <i>t</i>	840 X 29	2 57	220	243	74.59 <i>a</i>	890 VIII 19	8 58	550	331	76.07 <i>p</i>
794 V 4	3 49	47	252	45.27 <i>t*</i>	841 IV 25	3 22	439	245	44.60 <i>t</i>	891 VIII 8	9 18	539	334	75.34 <i>a*</i>
796 IX 6	4 53	567	271	56.02 <i>p</i>	841 X 18	7 31	209	310	65.30 <i>a</i>	892 II 2	7 19	318	299	45.41 <i>t*</i>
800 VI 25	23 27	498	188	65.69 <i>a</i>	843 III 5	0 38	748	204	76.08 <i>p</i>	894 VI 7	9 40	480	341	35.65 <i>t</i>
801 VI 15	0 42	487	205	74.92 <i>a</i>	843 VIII 29	2 16	159	231	44.05 <i>(t)</i>	894 XII 1	3 14	254	246	74.56 <i>(a)</i>
802 VI 4	3 3	476	238	64.16 <i>a</i>	844 II 22	1 45	737	217	65.30 <i>a*</i>	895 V 28	1 23	470	216	44.90 <i>t</i>
802 XI 29	0 21	251	198	56.17 <i>(p)</i>	845 II 10	9 20	726	329	54.57 <i>t</i>	895 XI 20	8 42	243	327	65.27 <i>a*</i>
803 IV 25	3 10	438	245	46.05 <i>(p)</i>	845 VIII 6	23 23	138	182	65.53 <i>a</i>	897 IV 5	21 46	420	164	75.19 <i>(p)</i>
806 IX 16	2 50	177	235	46.05 <i>(p)</i>	846 XII 22	3 42	675	251	55.94 <i>t</i>	898 III 26	0 11	410	197	65.43 <i>a</i>
807 II 11	9 47	727	340	75.96 <i>(a)</i>	848 VI 5	1 47	78	221	45.05 <i>t*</i>	899 III 15	9 28	759	333	54.67 <i>t</i>
808 I 31	10 10	715	343	75.25 <i>a*</i>	850 X 9	4 50	600	273	56.11 <i>p</i>	901 I 23	5 46	708	279	55.97 <i>t</i>
808 VII 27	1 18	127	213	44.89 <i>t*</i>	851 IV 5	11 6	19	1	64.68 <i>(a)</i>	902 VII 7	23 49	109	191	44.82 <i>t</i>
809 VII 16	9 42	117	337	65.68 <i>a</i>	853 IX 7	1 31	508	215	53.92 <i>(p)</i>	904 XI 10	6 4	633	291	56.14 <i>p</i>
810 XI 30	10 5	652	349	45.93 <i>(t)</i>	854 II 1	7 23	317	303	54.05 <i>t</i>	905 V 7	7 52	51	315	64.47 <i>a</i>
812 V 14	11 10	57	2	45.20 <i>t*</i>	856 VII 5	23 16	508	181	64.42 <i>(a)</i>	906 IV 26	9 20	40	334	75.22 <i>a*</i>
812 XI 8 1	11 11	630	214	74.55 <i>a</i>	856 XII 31	2 5	285	220	66.17 <i>p</i>	907 X 10	1 34	601	218	54.01 <i>(a)</i>
813 V 4 3	24	47	244	35.93 <i>t</i>	859 V 6	10 48	449	357	44.76 <i>t</i>	908 III 5	8 9	350	316	43.98 <i>(p)</i>
814 III 25	11 4	8	1	44.07 <i>(t)</i>	860 X 8	3 52	209	253	45.96 <i>t</i>	911 II 2	3 10	318	234	66.15 <i>p</i>

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ' .
913 VI 7	8 h. 35 m.	480	323	44.98 ^{t*}	960 V 28	4 h. 45 m.	71	267	74.97 ^{a*}	1005 I 13	2 h. 14 m.	299	222	45.90 ^t
914 XI 20	5 58	243	284	45.93 ^t	961 V 17	7 27	61	305	65.73 ^a	1007 V 19	6 55	463	299	45.03 ^{t*}
916 IV 5	7 26	420	307	65.48 ^a	965 III 6	3 0	351	233	66.07 ^p	1012 VIII 20	5 32	152	274	55.95 ^t
916 IX 29	23 0	192	183	54.58 ^(a)	967 VII 10	6 3	512	284	55.21 ^{t*}	1014 I 4	1 12	690	211	45.45 ^{t*}
917 IX 19	4 0	181	255	75.32 ^{a*}	968 XII 22	8 34	277	319	45.92 ^t	1014 VI 29	23 58	103	194	74.71 ^(a)
918 IX 8	4 7	170	254	76.04 ^(p)	970 V 8	4 38	452	267	55.68 ^a	1015 VI 19	3 46	92	249	55.48 ^a
920 I 23	23 34	709	185	65.80 ^(a)	970 XI 1	23 21	225	190	64.52 ^a	1019 IV 8	1 20	23	212	65.93 ^a
920 VII 18	7 17	120	303	44.75 ^t	971 X 22	2 49	214	239	75.22 ^{a*}	1021 VIII 11	3 44	543	250	55.42 ^t
921 I 12	1 34	697	213	74.60 ^(a)	972 IV 16	8 23	431	318	34.17 ^(t)	1024 VI 9	1 27	483	219	55.91 ^a
921 VII 8	0 23	110	198	35.49 ^{t*}	972 X 10	2 19	202	229	75.92 ^a	1024 XII 4	0 24	258	203	64.49 ^a
923 XI 11	4 47	633	270	45.43 ^{t*}	974 II 24	23 24	742	183	65.38 ^(a)	1025 XI 23	2 36	247	285	75.18 ^{a*}
927 III 6	8 14	350	316	44.66 ^t	974 VIII 20	6 18	152	289	44.57 ^t	1026 V 19	7 15	463	303	34.37 ^t
927 VIII 29	23 9	560	183	75.46 ^a	975 II 14	0 52	730	202	74.66 ^a	1026 XI 12	1 50	235	222	75.86 ^a
928 II 24	0 7	340	191	45.37 ^t	975 VIII 9	23 17	141	182	35.30 ^t	1027 XI 1	5 37	224	278	66.50 ^(p)
928 VIII 18	3 34	550	246	54.70 ^{a*}	977 XII 13	7 25	667	307	45.44 ^{t*}	1028 IX 21	6 27	184	294	44.44 ^(t)
930 VI 29	0 34	501	204	35.80 ^t	978 VI 8	11 9	82	2	74.88 ^a	1029 IX 10	23 2	173	181	45.15 ^(t)
931 XII 12	1 53	265	222	55.26 ^{a*}	978 XII 2	23 2	656	180	44.77 ^(t)	1032 I 15	10 1	701	342	45.46 ^{t*}
935 IV 6	0 58	420	208	44.77 ^t	980 V 17	0 14	61	195	46.37 ^(p)	1032 VII 10	6 26	113	291	74.62 ^a
935 IX 30	11 29	192	8	75.28 ^(a)	981 IV 7	8 20	22	320	34.52 ^t	1033 I 4	1 29	690	213	44.78 ^t
936 IX 18	11 20	180	3	75.99 ^a	982 III 28	0 11	12	195	45.25 ^t	1033 VI 29	10 37	102	351	55.40 ^{a*}
937 II 13	22 37	731	173	56.01 ^(p)	982 IX 20	2 22	582	231	54.85 ^{a*}	1034 VI 18	22 0	92	161	46.13 ^p
938 II 3	7 39	720	306	65.32 ^{a*}	984 VII 30	23 9	533	183	36.01 ^(t)	1035 V 10	7 25	54	368	34.32 ^t
939 I 23	9 27	708	331	74.61 ^a	986 I 13	3 41	299	245	55.25 ^t	1036 IV 28	22 56	44	179	45.07 ^t
939 VII 19	7 57	120	311	35.42 ^{t*}	988 V 18	11 35	462	11	55.76 ^a	1036 X 22	2 38	615	237	54.93 ^{a*}
940 VII 7	23 54	110	189	46.19 ^(p)	988 XI 12	7 39	236	313	64.51 ^(a)	1039 VIII 22	11 7	554	2	55.48 ^t
942 V 17	22 21	61	170	75.06 ^a	989 V 7	23 32	452	188	44.96 ^t	1040 II 15	4 54	332	263	55.20 ^t
942 XI 11	5 26	634	278	44.77 ^t	989 XI 1	10 39	225	357	75.21 ^(a)	1042 VI 20	8 25	494	323	55.98 ^a
943 V 7	0 40	50	203	65.81 ^{a*}	990 X 21	10 1	213	345	75.89 ^a	1042 XII 15	8 47	269	327	64.49 ^a
944 IX 20	6 21	582	295	76.23 ^p	991 III 18	22 47	403	177	56.12 ^p	1043 VI 9	21 39	483	160	45.18 ^t
945 IX 9	6 19	571	292	75.52 ^{a*}	992 III 7	7 1	752	298	65.42 ^{a*}	1043 XII 4	10 39	258	355	85.18 ^a
946 III 6	8 17	351	315	45.34 ^t	993 II 24	8 21	741	315	74.70 ^a	1044 XI 22	9 53	247	342	75.85 ^a
948 VII 9	8 2	511	316	35.87 ^t	993 VIII 20	7 5	152	299	35.24 ^{t*}	1045 IV 19	21 32	435	161	56.29 ^(p)
949 VI 28	22 53	501	177	45.13 ^t	995 I 4	1 32	680	218	56.14 ^p	1046 IV 9	4 50	425	268	65.58 ^a
949 XII 22	10 30	276	350	55.26 ^a	996 XII 13	7 53	668	313	44.78 ^t	1047 III 29	5 54	414	281	74.84 ^a
950 VI 18	7 21	491	302	64.33 ^a	998 X 23	5 0	615	277	76.33 ^(p)	1047 IX 22	7 11	184	304	45.11 ^t
952 IV 26	21 39	441	161	55.61 ^(a)	999 X 12	4 50	604	272	75.63 ^a	1048 III 17	7 12	403	298	64.12 ^(a)
953 IV 16	8 34	431	323	44.83 ^{t*}	1000 IV 7	7 54	23	312	45.20 ^{t*}	1049 II 5	3 17	723	242	46.17 ^p
955 II 25	6 49	741	296	56.04 ^p	1000 IX 30	10 18	593	351	54.89 ^(a)	1051 I 15	10 12	701	343	44.79 ^t
958 VII 19	7 13	121	298	46.13 ^p	1001 IX 19	22 57	582	178	44.18 ^(t)	1052 XI 24	4 41	648	271	56.37 ^p
958 XII 13	8 6	667	319	56.14 ^(p)	1002 VIII 11	6 48	543	298	46.07 ^p	1053 XI 13	4 41	637	270	75.68 ^{a*}
959 VI 9	3 42	82	252	64.21 ^a	1004 VII 20	3 18	522	241	64.58 ^a	1054 V 10	6 16	55	289	45.00 ^{t*}

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .
1054 XI 2	11 th . 0 m.	626	3	54.95 (a)	1107 XII 16	5 h. 22 m.	671	276	75.69 a*	1161 I 28	4 h. 34 m.	715	263	76.43 (p)
1055 X 23	0 9	615	198	44.26 (f)	1108 VI 11	3 46	86	252	44.77 t	1162 I 17	6 8	704	284	65.71 a*
1056 IX 12	6 24	575	295	46.23 (p)	1109 V 31	11 41	75	8	65.57 a	1162 VII 14	0 58	117	209	54.53 t
1058 VIII 21	23 48	554	190	74.79 a	1109 XI 24	2 21	648	230	44.30 (f)	1163 VII 3	7 25	107	303	65.31 a*
1059 II 15	4 8	332	250	45.86 t	1110 X 15	7 3	608	307	45.82 p	1164 VI 21	8 29	96	318	76.08 (p)
1059 VIII 11	0 16	543	194	74.04 (a)	1113 III 19	4 58	5	265	35.75 t	1164 XI 16	8 39	641	330	56.37 p
1061 VI 20	5 0	494	270	35.26 t*	1115 VII 23	3 23	525	245	35.47 t	1166 V 1 11	53	47	14	44.87 (f)
1064 IV 19	11 47	435	18	65.65 (a)	1118 V 22	7 54	407	316	65.89 a	1167 IV 21	4 40	37	263	35.60 t
1064 X 12	23 15	206	188	44.39 t	1118 XI 15	1 18	239	218	44.35 (f)	1168 IX 3 11	39	567	13	56.41 p
1066 IX 22	4 44	185	265	55.82 a	1119 V 11	8 43	456	326	75.18 a*	1169 VIII 24	2 32	557	234	35.65 t
1068 II 6	3 25	723	242	45.48 t*	1120 X 24	4 58	218	270	65.75 a*	1172 I 27	1 32	314	209	56.42 p
1069 VII 31	0 31	123	200	55.24 a*	1122 III 10	4 37	756	262	45.57 t*	1173 VI 12	4 4	487	256	65.39 a
1070 VII 10	12 40	113	20	45.98 t	1123 VIII 22 22	17	155	168	55.05 (f)	1174 VI 1 8	22	477	319	54.61 a
1073 V 9	22 17	55	167	65.78 a	1124 VIII 11 11	16	145	0	45.78 t*	1174 XI 26	6 0	251	284	65.73 a*
1074 IV 29	0 20	44	196	76.50 (p)	1126 VI 22 10	51	96	357	54.69 (f)	1176 IV 11 4	37	428	265	35.71 t
1075 III 19	10 59	4	359	64.37 (a)	1129 IV 20 8	55	36	331	54.21 a	1178 III 21 4	47	407	262	64.21 (a)
1075 IX 13	2 12	575	230	55.59 a	1129 X 15 1	42	608	225	65.69 a	1178 IX 13 10	59	177	359	45.62 t*
1076 IX 1	6 51	565	297	74.85 a	1130 X 4 4	47	597	269	74.98 a*	1180 VII 24 8	5	128	315	54.46 (f)
1079 VII 11	12 34	504	20	35.33 t	1131 IX 23 4	32	586	262	74.27 (a)	1181 I 16 23	19	704	180	54.99 (f)
1079 XII 26	2 47	280	234	85.16 a	1133 VIII 2 11	0	536	359	35.54 t*	1183 V 23 6	9	68	290	54.00 (p)
1080 VI 20	5 41	494	278	34.59 t	1134 I 27 2	34	314	228	75.12 a	1183 XI 17 2	9	641	231	65.74 a
1080 XII 14	2 11	269	224	75.83 a	1134 VII 23 4	12	526	255	34.80 t*	1184 XI 5 3	54	630	256	75.06 a*
1081 XII 3	6 56	258	295	66.47 (p)	1135 I 16 2	35	302	227	75.81 a*	1185 V 1 12 22	47	19	35.53 (f)	
1083 X 13	23 52	206	196	45.06 t	1137 XI 15 1	41	240	222	45.02 t*	1185 X 25 3	25	619	247	74.37 a
1086 VIII 12	2 27	145	232	74.39 a	1140 IX 12 23	45	177	194	74.22 a	1187 IX 4 10	30	568	354	35.70 t*
1087 II 6	3 21	723	240	44.81 t	1141 III 10 4	3	756	252	44.90 t	1188 II 29 1	20	347	211	75.04 a
1087 VIII 1	7 39	134	307	55.17 t*	1141 IX 2 5	50	166	282	54.99 t*	1188 VIII 24 3	18	558	244	44.99 t*
1089 VI 11	5 50	86	284	34.11 t	1143 VIII 12 11	52	145	8	36.41 (p)	1189 II 17 2	22	336	224	75.74 a*
1090 XI 24	4 4	648	257	54.96 a	1144 XII 26 6	3	682	283	54.97 t	1190 VII 4 9	47	508	343	66.23 p
1091 V 21	5 1	65	269	65.65 a	1145 VI 22 0	51	96	205	65.40 a*	1191 VI 23 10	30	498	353	65.48 a*
1093 IX 23	9 55	586	347	65.63 a*	1146 VI 11 2	7	86	223	76.17 (p)	1191 XII 18 4	0	273	254	55.01 t
1094 III 19	5 8	4	269	45.09 t*	1147 X 20 9	46	619	346	65.71 a*	1193 VI 1 3 8	477	239	43.95 (p)	
1097 I 16	9 40	303	337	74.47 a	1148 IV 20 4	20	36	260	44.93 t*	1195 IV 12 3	23	428	245	45.04 t
1098 I 5	10 47	292	353	85.15 a	1151 II 18 9	36	336	336	74.40 a	1195 X 5 5	28	198	280	54.88 t
1100 V 11	1 18	456	217	65.80 a	1152 II 7 10	18	325	344	75.10 a*	1197 IX 13 11	42	177	8	46.27 (p)
1101 IV 30	2 10	445	225	75.05 a*	1153 I 26 10	37	314	347	75.79 (a)	1198 II 7 22	20	726	167	65.74 a
1102 IV 19	4 43	435	263	64.30 (a)	1155 VI 1 21	38	477	160	65.80 a	1201 XI 27 10	26	653	355	75.75 a
1103 III 10	4 7	755	257	46.24 (p)	1155 XI 26 10	26	251	353	45.01 t	1202 V 23 2	48	68	238	34.72 t
1106 VIII 1	3 38	184	245	45.84 t	1156 V 21 1	30	466	216	54.53 a	1202 XI 16 11	49	641	14	85.07 (a)
1106 XII 27	4 47	652	268	86.40 p	1160 IX 2 2	56	186	237	45.67 t	1205 III 22 8	7	9	317	74.27 a

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ' .
1206 III 11	8 h. 38 m.	358	321	74.99 α^*	1253 III 1	8 h. 51 m.	748	324	45.07 t^*	1300 VIII 15	9 h. 47 m.	550	341	55.14 t
1206 IX 4 11	12	568	3	45.04 t	1255 I 10	4 0	697	255	56.41 (p)	1301 VIII 4	23 38	540	186	44.39 t
1207 II 28 10	4	346	-340	65.71 (a)	1256 VI 24	1 1	99	210	34.50 t	1302 VI 26	9 15	501	335	36.20 p
1207 VIII 25 0	43	558	203	54.28 t	1258 VI 3 9	53	79	340	46.03 (p)	1303 VI 15 23	40	491	175	55.48 t
1211 XII 7 1	40	262	216	76.45 (p)	1260 IV 12 5	40	30	280	74.82 α	1303 XII 9 8	22	265	321	54.81 t
1218 IV 22 10	52	439	358	45.10 t^*	1260 X 6 11	38	801	12	45.15 (f)	1304 VI 4 5	5 5	481	270	64.70 a^*
1214 X 5 3	28	199	248	45.56 t^*	1261 IV 1 8	26	19	319	65.56 α	1304 XI 27 22	48	254	177	45.49 (f)
1216 II 19 6	16	737	287	65.76 α^*	1261 IX 25 23	44	590	191	54.41 α	1307 IV 3 8	49	421	326	45.19 t^*
1217 VIII 4 3	19	138	243	75.08 α^*	1262 VIII 16 12	10	550	21	76.54 (p)	1310 VII 26 23	31	131	187	34.29 (f)
1218 I 28 7	23	716	299	44.33 (f)	1265 I 18 23	55	307	187	65.71 α	1312 VII 5 7	19	111	301	45.81 t
1218 VII 24 3	53	127	249	75.83 α^*	1266 I 8 1	51	295	215	86.44 (p)	1314 V 15 1	38	61	221	74.59 α
1220 VI 2 10	12	78	349	34.65 t	1267 V 25 8	36	470	325	55.32 t^*	1315 V 4 5	51	51	282	55.36 a^*
1221 V 23 3	29	68	246	35.30 t^*	1268 XI 6 5	11	232	274	45.50 t^*	1315 X 28 23	47	623	193	64.48 α
1223 IX 26 2	49	580	241	45.78 t	1270 III 23 5	24	410	276	55.87 α	1317 IX 6 10	2	571	348	65.98 α
1226 II 28 2	15	847	221	56.34 p	1271 IX 6 0	1	170	196	74.88 α	1319 II 20 23	59	340	189	65.66 α
1227 I 19 6	31	306	290	44.33 t	1272 III 1 8	55	749	323	44.40 t	1319 VIII 16 7	20	550	302	44.46 (f)
1227 VII 14 23	32	518	188	65.64 α	1272 VIII 25 0	11	159	195	75.81 α	1320 II 10 1	22	329	207	76.39 p
1228 VII 3 5	4	508	289	54.85 t^*	1274 VII 5 8	28	110	321	34.43 t	1321 VI 26 5	39	502	280	55.56 t
1228 XII 28 7	18	284	300	65.73 α^*	1275 VI 25 1	51	100	221	35.17 t^*	1322 XII 9 7	41	265	309	45.48 t^*
1230 V 14 3	34	460	251	35.90 t	1277 X 28 4	17	622	264	45.85 t	1324 IV 24 3	31	442	251	56.03 p
1232 IV 22 2	16	439	227	64.38 (a)	1280 IV 1 1	57	19	220	46.21 p	1325 X 7 21	55	202	167	74.75 (a)
1233 X 5 4	13	199	257	46.21 (p)	1281 II 20 8	20	339	317	44.27 t	1326 IV 3 9	17	421	332	34.52 t
1234 VIII 26 5	47	159	283	54.26 (a)	1282 II 9 23	7	329	177	54.96 (t)	1328 VIII 6 7	11	141	303	34.23 (f)
1235 II 19 0	38	787	200	45.04 t	1282 VIII 5 2	25	539	230	55.07 t^*	1329 VII 27 0	18	131	197	34.96 t^*
1235 VIII 15 10	6	149	345	75.00 α	1283 I 30 8	5	318	309	65.70 α	1331 XI 30 6	38	656	297	45.87 t^*
1236 VIII 3 10	31	188	349	75.75 α^*	1284 VI 15 1	53	491	235	36.12 (p)	1332 V 25 8	9	72	318	64.50 α
1237 XII 19 3	3	675	241	75.77 α^*	1285 XI 27 23	40	254	191	54.81 t	1334 V 4 0	42	51	203	46.02 p
1238 XII 8 3	50	664	252	85.09 α	1287 XI 7 5	49	232	282	46.17 p	1335 III 25 9	0	12	330	44.16 t
1239 VI 3 10	58	79	358	35.32 t^*	1289 III 23 0	56	410	207	45.14 t	1336 IX 6 0	57	571	210	55.25 t
1239 XI 27 3	29	652	247	74.41 (a)	1289 IX 16 7	11	181	304	74.83 α	1337 III 3 7	42	351	305	55.62 α
1240 V 23 2	40	69	232	46.10 p	1290 IX 5 7	15	170	302	75.55 α^*	1339 VII 7 12	37	512	24	55.64 t
1241 X 6 11	11	600	7	45.81 (t)	1291 VIII 25 11	59	159	11	56.26 p	1339 XII 31 1	49	287	220	54.80 t
1242 IX 26 3	22	590	248	45.12 t^*	1292 I 21 3	39	708	248	75.80 α^*	1341 XII 9 8	8	266	314	46.15 p
1243 III 22 1	6	8	206	65.62 α^*	1293 I 9 3	53	697	250	35.12 α	1342 V 5 10	44	452	359	56.09 (p)
1245 VII 25 6	10	529	287	65.72 α	1293 VII 5 9	18	110	332	35.10 t	1343 IV 25 0	14	442	199	45.30 t^*
1246 I 19 6	9	307	283	54.99 t	1293 XII 29 4	7	686	252	74.44 α	1343 X 19 5	30	218	281	74.72 α
1247 VII 4 1	8	508	208	44.18 (t)	1294 VI 25 0	12	100	194	45.88 t	1344 X 7 5	26	202	278	75.42 α^*
1248 V 24 11	4	470	3	35.97 t	1296 X 29 4	30	623	266	45.19 t^*	1345 IX 26 10	58	191	358	56.11 p
1249 V 14 1	27	460	218	55.24 t^*	1297 IV 23 22	48	40	176	65.43 α	1346 II 22 3	17	741	243	75.87 α
1249 XI 6 6	27	231	295	54.82 t	1299 VIII 27 2	50	561	239	65.93 (a)	1347 II 11 3	19	730	241	75.17 α
1250 V 3 9	8	449	331	64.45 α	1300 II 21 7	25	340	302	54.94 t^*	1347 VIII 7 7	54	142	312	44.89 t

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .	Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L</i>	μ .	γ' .	
1348 VII 26	21 h. 38 m.	131	155	55.67 (t)	1391 IV 5	5 h. 50 m.	23	280	65.48 a	1447 IX 10	7 h. 29 m.	576	311	66.05 p	
1350 XI 30	6 26	656	293	55.22 t	1393 VIII 8	9 42	544	341	55.87 a	1448 III 5	4 45	354	264	44.71 t	
1354 III 25	7 22	12	304	54.82 t*	1394 II 1	3 42	321	246	44.78 (t)	1448 VIII 29	10 1	365	346	75.33 a	
1354 IX 17	8 46	532	328	55.29 t	1397 V 26	22 48	473	178	35.51 t	1451 XII 23	5 0	280	269	84.64 (a)	
1355 IX 6 23	7	572	181	44.56 (t)	1398 XI 9	5 1	235	272	75.35 a*	1452 XII 11	5 35	269	277	75.33 a	
1358 I 10 10	30	209	349	54.80 t	1400 III 26	1 29	414	218	76.00 a	1453 VI 7	5 3	485	268	44.20 t	
1358 VII 7 0	36	512	202	64.95 a*	1401 III 15	1 36	403	217	75.28 a	1454 IV 27	22 14	446	172	76.20 p	
1358 XII 31 1	28	288	213	45.48 t	1401 IX 8	7 14	174	305	44.73 t	1455 IV 16	22 38	435	175	75.46 a	
1359 VI 26 1	21	501	211	64.19 (a)	1402 III 4	4 4	8	752	252	64.55 (a)	1456 IV 5 2	40	424	233	64.70 a
1361 V 5 7	49	452	313	35.37 t	1405 I 1	8 36	690	321	55.23 t*	1459 II 3 10	17	723	345	55.26 t*	
1362 IV 25 0	54	442	208	34.63 (t)	1406 VI 16	6 15	93	286	35.72 t	1460 VII 18	4 31	124	259	35.50 t	
1364 III 4 10	51	752	357	75.90 (a)	1407 VI 5 23	27	83	183	36.43 (p)	1461 VII 7 21	50	114	157	36.22 (p)	
1365 II 21 10	53	741	355	75.20 a	1408 IV 26	5 55	44	285	54.65 t	1461 XII 2 10	14	659	217	66.16 p	
1366 VIII 7 4	52	142	264	55.60 t	1408 X 19	9 9	615	336	55.38 t	1462 V 29	3 20	76	246	54.42 t	
1367 VII 27 11	17	131	358	66.41 (p)	1409 X 8 23	47	604	194	44.67 t	1462 XI 21 10	44	648	359	55.41 (t)	
1367 XII 22 0	25	678	202	45.88 (t)	1412 II 12 12	10	382	13	44.76 (t)	1463 V 18	9 10	65	332	65.19 a*	
1369 VI 5 2	46	82	235	55.13 t*	1413 II 1 3	48	321	246	45.45 t*	1463 XI 11	1 35	637	220	44.73 t	
1369 XI 30 0	37	656	204	64.51 a	1415 VI 7 6	14	484	289	35.58 t	1464 V 6 9	57	55	342	75.95 (a)	
1371 X 9 8	38	604	330	66.09 p	1416 V 26 23	37	474	189	34.84 t	1467 III 6 5	14	354	269	45.37 t*	
1373 III 24 22	37	12	171	65.54 a	1419 III 26	8 45	414	325	75.34 a*	1469 VII 9 4	35	515	263	35.80 t	
1373 IX 17 7	12	582	303	44.60 (t)	1420 IX 8 3	4	174	246	55.43 a*	1470 VI 28 21	53	505	162	35.06 t	
1374 III 13 23	40	1	188	76.28 p	1421 VIII 28	7 50	163	309	76.21 (p)	1473 IV 27	5 24	446	278	75.53 a	
1375 II 1 8	42	321	323	64.05 (a)	1422 I 23	2 54	712	236	45.90 t	1474 IV 16	9 57	435	343	54.76 a	
1375 VII 29 2	37	533	234	55.79 a	1423 VII 7 23	46	113	190	54.89 t	1474 X 11	2 15	207	231	65.82 a*	
1376 VII 17 7	8	522	300	65.04 a*	1424 I 2 1	40	690	215	74.52 (a)	1475 IX 30	5 27	195	276	76.07 p	
1377 I 10 10	19	299	345	45.47 t	1425 XI 10	8 39	637	330	66.15 p	1476 II 25	4 36	745	262	45.96 t	
1377 VII 6 7	48	512	308	64.28 (a)	1428 X 9 0	25	605	201	44.00 t	1478 VII 29 12	4	135	13	35.43 t	
1377 XII 31 1	44	288	215	46.15 p	1429 III 5 8	40	354	324	63.98 (p)	1479 XIII 13	9 37	670	342	66.16 (p)	
1378 V 27 1	1	478	213	56.25 (p)	1430 VIII 19	3 9	554	242	75.27 a*	1480 VI 8 10	18	86	350	54.34 (t)	
1380 V 5 8	34	453	323	34.70 t	1431 VIII 8 3	37	543	246	64.52 a	1481 XI 21 10	23	649	352	44.73 t	
1381 X 18 3	7	213	342	56.05 p	1432 II 2 3	44	322	243	56.14 p	1482 XI 11	1 58	638	225	44.05 (t)	
1383 VIII 28 23	21	163	185	44.78 t	1434 VI 7 7	4	484	300	34.91 t*	1484 IX 20 0	12	536	201	75.44 a	
1384 VIII 17 12	10	153	15	55.54 t	1435 XI 20	4 19	246	259	56.00 p	1485 IX 9 0	37	575	204	74.71 a*	
1386 I 1 9	18	690	334	45.88 t	1437 IX 29	23 21	195	188	44.65 t	1486 III 6 4	40	355	259	56.07 p	
1386 VI 27 3	37	103	250	64.25 a	1438 IX 19	10 40	185	355	65.39 a	1487 VII 20 12	7	526	16	35.87 (t)	
1386 XII 31 23	54	679	192	55.29 a	1441 I 23	1 49	712	218	55.25 t*	1488 VII 9 5	19	516	273	35.13 t	
1387 VI 16 9	43	92	340	55.05 t*	1441 VII 18	6 53	124	296	54.81 t*	1489 XII 22	6 15	280	284	55.98 a	
1387 XII 11 5	59	668	328	64.51 (a)	1442 I 12	9 56	701	338	74.52 a	1491 V 6 12	5	456	18	65.60 (a)	
1388 VI 4 22	53	82	176	45.80 t	1444 XI 10	2 6	637	230	55.41 t*	1491 XI 2 0	23	238	205	54.58 t	
1389 IV 26 8	29	44	325	33.99 t	1445 V 7 2	81	55	232	65.27 a*	1492 X 21 10	18	218	350	65.30 a*	
1390 X 9 0	52	604	212	55.36 t	1446 IV 26	3 20	44	242	76.08 p	1493 IV 16	5 19	435	272	44.09 t	

TABLE A.

Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ'	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ'	Date A. D.	Lanka time of conjunction measured from sunrise.	L.	μ .	γ'
1495 II 25	2 h. 49 m.	745	234	55.31 ^{t*}	1545 VI 9	7 h. 48 m.	487	313	65.85 ^a	1595 IX 23	11 h. 14 m.	590	8	46.19 ^(p)
1495 VIII 20	4 55	155	269	54.62 ^t	1545 XII 4 2	12	262	229	54.56 ^(f)	1596 IX 12	3 4	579	243	45.51 ^t
1496 II 14 10	4	734	340	74.57 ^a	1546 XI 23	10 40	251	356	75.26 ^(a)	1597 III 7	22 27	357	168	65.19 ^a
1497 VII 29 12	53	185	23	38.09 ^(p)	1547 V 19	3 57	467	252	44.29 ^t	1599 II 15	0 55	336	201	40.54 ^(p)
1498 XII 13	4 11	671	258	55.42 ^{t*}	1549 III 29	2 27	418	281	55.43 ^{t*}	1600 VI 30	11 85	508	8	45.28 ^t
1499 VI 8 22	14	86	167	65.02 ^a	1549 IX 21	4 11	188	261	54.48 ^t	1600 XIII 25	11 30	284	4	75.24 ^(a)
1500 V 27 23	58	75	177	75.79 ^a	1550 III 18	8 53	407	325	74.68 ^a	1601 VI 20	2 11	498	225	34.51 ^t
1501 X 12 6	17	608	295	66.17 ^p	1551 VIII 31	12 3	167	13	45.92 ^(f)	1603 V 1 0	41	450	207	55.61 ^{t*}
1502 IV 7 4	46	26	267	44.58 ^t	1553 I 14	6 25	704	288	45.43 ^{t*}	1604 IV 19	6 12	439	287	74.85 ^{a*}
1502 X 1 7	30	597	311	75.49 ^{a*}	1555 VI 18	23 22	96	181	56.26 ^p	1605 IV 8	6 89	428	291	74.11 ^(a)
1503 III 27 21	32	16	156	35.29 ^(f)	1555 XI 14	6 6	641	292	76.24 ^(p)	1607 II 16	8 9	737	314	45.47 ^{t*}
1503 IX 20 7	55	586	315	74.76 ^(a)	1556 V 9	3 49	58	254	34.39 ^t	1608 II 6	0 8	727	192	44.78 ^t
1506 I 24 4	53	314	265	74.61 ^(a)	1556 XI 2	6 16	630	294	75.58 ^{a*}	1609 XII 16	6 31	675	295	76.28 ^p
1506 VII 20 12	45	526	24	45.21 ^t	1557 X 22	6 52	619	301	74.87 ^(a)	1610 VI 11	2 18	89	280	34.18 ^(f)
1507 I 13 6	23	302	286	65.31 ^{a*}	1558 IV 18	11 50	38	10	55.90 ^(f)	1610 XII 5	6 2	663	287	85.02 ^{a*}
1507 VII 10 2	13	516	224	54.43 ^t	1560 II 26	3 57	347	252	74.53 ^(a)	1611 XI 24	7 7	652	303	74.92 ^a
1509 XI 12 8	56	240	332	54.57 ^(f)	1560 VIII 21	11 28	558	7	45.40 ^t	1612 V 20	9 45	69	339	55.70 ^t
1510 V 8 0	17	456	199	54.89 ^t	1561 II 14	6 44	336	291	65.25 ^{a*}	1614 IX 23	11 1	590	4	45.55 ^t
1513 III 7 10	51	756	356	55.34 ^(f)	1561 VIII 10	23 32	547	185	54.64 ^a	1615 III 19	6 8	8	284	65.15 ^{a*}
1514 VIII 20 3	28	156	245	35.31 ^{t*}	1563 XII 15	10 52	273	358	54.55 ^(f)	1616 IX 1	0 58	569	207	74.05 ^a
1516 I 4 2	26	693	231	66.16 ^p	1564 VI 8	21 27	487	156	55.12 ^t	1617 VII 22	10 19	520	351	66.17 ^p
1517 VI 19 4	40	97	264	64.94 ^{a*}	1567 IV 9	10 1	429	346	55.48 ^a	1619 VII 1	9 37	509	336	34.59 ^(f)
1517 XII 13 4	7	671	255	44.74 ^(f)	1568 IX 21	3 28	188	248	45.16 ^{t*}	1621 V 11	7 49	460	314	55.68 ^a
1518 VI 8 5	24	86	273	65.70 ^{a*}	1570 II 5	3 23	726	244	66.18 ^p	1622 X 24	4 38	221	267	45.08 ^t
1521 IV 7 5	29	27	276	35.24 ^{t*}	1571 VII 22	0 4	128	195	74.68 ^a	1624 III 9	3 30	759	248	56.25 ^(p)
1523 VIII 11 3	23	547	247	35.99 ^(f)	1572 I 15	6 43	705	291	44.76 ^{t*}	1626 II 16	8 43	738	321	44.80 ^t
1526 I 12 23	33	302	181	55.97 ^(f)	1572 VII 10	0 49	117	204	65.44 ^a	1627 VIII 1	3 30	138	243	55.94 ^(a)
1527 V 30 1	16	477	216	65.76 ^a	1575 V 10	4 38	58	264	35.06 ^{t*}	1629 VI 11	3 0	90	239	34.84 ^{t*}
1528 V 18 7	22	466	305	54.97 ^{t*}	1578 III 8	11 22	358	4	74.49 ^(a)	1630 XI 23	23 50	652	192	54.24 ^t
1528 XI 12 2	27	240	233	65.27 ^{a*}	1579 VIII 22	6 46	558	295	54.70 ^a	1631 V 20	23 46	69	187	66.45 ^(p)
1529 XI 1 4	17	228	250	75.99 ^a	1580 II 15	1 3	336	204	45.92 ^{t*}	1631 X 15	3 55	612	260	46.25 ^(p)
1530 III 29 5	7	418	273	46.07 ^(p)	1582 VI 20	4 30	498	262	55.20 ^{t*}	1632 IV 9	8 50	30	320	74.33 ^t
1532 VIII 30 11	20	166	4	35.25 ^t	1582 XII 15	3 13	273	241	75.25 ^a	1633 IX 23	5 5	590	273	64.86 ^{a*}
1533 VIII 20 4	14	156	255	45.97 ^(f)	1583 XIII 4	4 2	262	253	85.95 ^a	1634 III 19	1 37	8	215	45.82 ^t
1535 VI 30 11	7	107	0	64.85 ^a	1587 IX 22	4 1	188	255	45.84 ^t	1636 VII 22	1 57	529	223	45.43 ^t
1536 VI 18 11	51	96	9	65.61 ^{a*}	1589 II 4	23 39	726	186	45.45 ^t	1637 I 16	3 54	307	248	75.23 ^a
1539 X 11 23	4	608	188	74.84 ^(a)	1589 VIII 1	6 38	138	294	74.60 ^a	1638 I 5	4 6	295	250	55.93 ^a
1540 IV 7 4	16	27	256	55.95 ^t	1590 VII 21	7 24	128	303	65.35 ^{a*}	1641 X 24	4 51	221	269	45.76 ^{t*}
1541 VIII 21 11	10	557	4	36.05 ^p	1593 V 20	12 9	69	17	34.99 ^(f)	1643 III 10	0 46	759	205	45.52 ^{t*}
1542 VIII 11 3	49	547	251	45.34 ^t	1593 XI 12	22 55	641	181	74.91 ^(a)	1643 IX 3	2 56	170	241	74.39 ^a
1544 I 24 8	8	314	310	55.96 ^t	1594 V 10	2 33	59	231	55.77 ^t	1644 VIII 22	3 50	159	251	65.18 ^{a*}

TABLE A.

Date A. D. -	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ^t .		Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ^t .		Date A. D.	Lanka time of conjunction measured from sunrise.	<i>L.</i>	μ .	γ^t .		
1645 VIII 11	10 h. 47 m.	149	353	55.87 <i>t</i>		1693 VI 23	11 h. 27 m.	502	8	56.00 <i>p</i>		1741 XI 27	4 h. 43 m.	656	267	75.00 <i>a</i>		
1647 VI 22 10	23	100	350	54.77 <i>(t)</i>		1695 XI 26	6	35	255	293	55.73 <i>t*</i>		1742 V 22 23	50	72	191	35.46 <i>t*</i>	
1647 XII 15 23	43	674	189	74.93 <i>a</i>		1697 IV 11	0	47	432	208	35.65 <i>t*</i>		1744 IX 24 23	48	593	196	45.75 <i>(t)</i>	
1648 VI 10 23	53	90	190	55.55 <i>t*</i>		1697 X 5	0	29	202	207	74.24 <i>a</i>		1745 III 22	2	15	12	227	75.05 <i>a</i>
1650 X 15 3	19	612	249	55.61 <i>t</i>		1698 IX 24	1	36	191	221	64.97 <i>a*</i>		1746 III 11	3	16	1	224	75.78 <i>a*</i>
1652 III 29 9	34	19	385	45.77 <i>(t)</i>		1699 III 21	8	2	411	311	54.19 <i>a</i>		1747 VIII 26	7	52	583	314	66.25 <i>(p)</i>
1653 III 19 1	55	9	218	36.45 <i>(p)</i>		1699 IX 18	9	27	181	336	55.70 <i>t*</i>		1748 VII 14 10	25	523	350	75.52 <i>a*</i>	
1654 II 7 5	35	329	276	54.50 <i>a</i>		1701 VII 24	8	32	132	322	44.55 <i>t</i>		1749 XII 28	8	42	285	321	55.72 <i>t</i>
1654 VIII 2 9	16	540	333	45.49 <i>t*</i>		1702 I 17	0	43	708	201	64.95 <i>a</i>		1751 V 13 23	52	463	195	35.84 <i>t</i>	
1655 I 27 11	58	318	9	75.22 <i>(a)</i>		1703 I 6 10	37		697	349	54.26 <i>(t)</i>		New Style.					
1655 VII 23 0	35	529	201	34.74 <i>t*</i>		1704 XI 16	4	32	645	267	55.67 <i>t*</i>		1752 XI 6 0	52	224	211	64.88 <i>a*</i>	
1657 VI 1 21	46	481	163	55.84 <i>a</i>		1706 V 1	8	46	51	325	45.60 <i>t</i>		1753 V 3 6	52	443	296	54.34 <i>a</i>	
1658 V 22 2	15	471	229	65.08 <i>a*</i>		1707 IV 21	1	46	41	218	36.31 <i>(p)</i>		1753 X 26	9	32	213	339	55.59 <i>t*</i>
1659 V 11 2	51	460	236	74.32 <i>a</i>		1708 III 11	5	50	2	281	54.41 <i>a</i>		1755 IX 6 7	8	168	303	44.35 <i>(t)</i>	
1661 III 20 8	54	410	325	45.56 <i>t</i>		1708 IX 3 7	58		572	316	45.67 <i>t*</i>		1756 III 1 1	12	741	209	65.00 <i>a</i>	
1662 III 10 1	25	760	214	44.86 <i>t</i>		1709 II 28 11	24		351	2	75.14 <i>(a)</i>		1758 XII 30	6	17	679	289	55.69 <i>a*</i>
1662 IX 2 10	55	170	359	65.07 <i>a</i>		1709 VIII 23 23	38		561	189	34.98 <i>t</i>		1760 VI 18	7	17	83	302	35.39 <i>t</i>
1664 I 18 6	51	708	297	76.31 <i>(p)</i>		1711 XIII 28	8	57	287	328	44.36 <i>t</i>		1761 VI 3 0	38	73	201	36.12 <i>p</i>	
1665 I 6 6	8	697	285	85.64 <i>a*</i>		1712 VI 22 21	35		502	158	75.34 <i>(a)</i>		1762 IV 24	4	39	34	266	54.26 <i>(a)</i>
1665 XII 26 8	4	685	318	64.94 <i>a</i>		1712 XII 17	0	31	277	201	45.04 <i>t</i>		1762 X 17	7	57	604	319	45.78 <i>t*</i>
1666 VI 22 6	52	100	295	55.47 <i>t</i>		1715 IV 22	8	35	442	325	35.71 <i>t</i>		1763 IV 13	9	25	23	335	75.00 <i>a*</i>
1667 VI 11 12	55	90	24	66.29 <i>p</i>		1716 IV 11	1	34	432	218	44.99 <i>t</i>		1763 X 6 23	42	593	193	45.07 <i>t</i>	
1669 IV 20 4	30	40	262	54.98 <i>t*</i>		1716 X 4	9	11	202	330	64.93 <i>a</i>		1764 IV 1 9	31	12	334	75.73 <i>(a)</i>	
1671 VIII 24 7	12	561	306	66.37 <i>(p)</i>		1718 IX 18	7	51	181	310	46.33 <i>(p)</i>		1766 II 9 11	8	321	359	44.34 <i>(t)</i>	
1673 VIII 2 8	10	540	315	34.80 <i>t</i>		1719 II 8	5	50	730	280	75.68 <i>a*</i>		1767 I 30	3	2	310	236	45.02 <i>t</i>
1674 VII 23 1	21	530	211	34.07 <i>t</i>		1720 I 28	8	58	719	325	64.96 <i>a*</i>		1768 VII 14	0	55	512	204	54.08 <i>(t)</i>
1675 VI 18 4	38	492	266	55.92 <i>(a)</i>		1720 VII 24	3	46	132	248	55.24 <i>a*</i>		1769 I 8 1	47	288	215	76.47 <i>(p)</i>	
1676 VI 1 8	44	481	326	65.17 <i>a*</i>		1721 VII 13	8	24	121	316	66.04 <i>p</i>		1769 VI 4 7	24	474	308	35.90 <i>t</i>	
1676 XI 25 6	46	254	298	45.05 <i>t</i>		1723 V 23	2	7	72	227	54.78 <i>t</i>		1770 V 25	0	33	464	204	45.17 <i>t*</i>
1677 V 21 9	25	470	334	64.41 <i>a</i>		1727 IX 4	7	32	572	308	34.98 <i>t</i>		1770 XI 17	8	55	235	332	64.86 <i>a</i>
1680 III 20 9	38	411	337	44.89 <i>t*</i>		1728 VIII 24	0	12	562	195	44.25 <i>t</i>		1772 X 26	8	37	214	324	46.23 <i>p</i>
1681 IX 2 1	45	170	219	55.75 <i>t</i>		1730 VII 4	3	59	512	254	75.43 <i>a</i>		1773 III 23	4	33	403	263	75.78 <i>a</i>
1683 VII 14 1	7	121	210	44.62 <i>t</i>		1730 XII 29	9	23	288	333	45.03 <i>t*</i>		1774 III 12	0	10	752	320	63.03 <i>a*</i>
1685 XI 16 5	46	645	287	46.80 <i>p</i>		1731 VI 23	4	55	502	266	64.68 <i>a*</i>		1774 IX 6 1	2	163	210	65.04 <i>a*</i>	
1686 V 12 5	16	61	276	64.12 <i>a</i>		1731 XII 17 23	59		277	191	55.72 <i>t</i>		1775 VIII 26	4	14	153	255	75.81 <i>a</i>
1687 V 1 11 46	51	12	54.92 <i>a</i>		1734 IV 22	9	21	443	335	45.05 <i>t*</i>		1776 I 21	1	55	701	223	46.33 <i>(p)</i>	
1687 X 26 4	27	623	265	64.95 <i>a</i>		1735 X 5 1	22		202	216	55.62 <i>t</i>		1777 VII 4 23	30	103	187	44.55 <i>(t)</i>	
1688 IV 20 1	8	41	210	45.66 <i>t*</i>		1737 VIII 14 23	31		153	188	44.41 <i>t</i>		1781 X 17	7	59	604	318	45.10 <i>t</i>
1690 VIII 24 0	16	561	200	45.62 <i>t</i>		1738 VIII 4 10	47		142	354	55.17 <i>a</i>		1782 X 6 23	54	594	194	44.39 <i>t</i>	
1691 II 18 8	45	340	246	75.17 <i>a</i>		1739 XII 19	8	15	678	320	46.32 <i>(p)</i>		1784 VIII 15 23	28	544	187	75.68 <i>a</i>	
1692 II 7 3	42	329	243	75.88 <i>a</i>		1741 VI 2	9	15	82	334	44.70 <i>t</i>		1785 II 9 11	46	321	7	45.01 <i>(t)</i>	

TABLE A.

TABLE B.

$\lambda + \mu$	200°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 0^\circ \phi = 40^\circ$	0.08	0.07	0.08	0.10	0.13	0.18	0.25	0.33	0.43	0.53	0.61	0.69	0.74	0.78	0.81	0.82	0.82				
	30°	0.14	0.14	0.16	0.19	0.24	0.32	0.41	0.53	0.65	0.75	0.84	0.90	0.95	0.98	0.99	0.99				
	20°	0.24	0.24	0.25	0.28	0.34	0.41	0.51	0.63	0.77	0.89	0.99	1.07	1.12	1.15	1.16	1.16				
	10°		0.37	0.38	0.40	0.44	0.51	0.62	0.73	0.83	1.02	1.13	1.23	1.28	1.31	1.33	1.33				
	0°		0.51	0.51	0.53	0.57	0.64	0.74	0.85	1.00	1.15	1.26	1.36	1.43	1.47	1.49	1.49				
$L = 10^\circ \phi = 40^\circ$	0.06	0.06	0.08	0.11	0.15	0.21	0.28	0.36	0.46	0.55	0.64	0.72	0.76	0.80	0.81	0.82	0.81				
	30°	0.14	0.15	0.18	0.22	0.28	0.36	0.45	0.57	0.68	0.78	0.87	0.93	0.97	0.99	0.99	0.98				
	20°	0.25	0.26	0.27	0.31	0.37	0.45	0.55	0.67	0.81	0.93	1.03	1.10	1.14	1.16	1.16	1.15				
	10°	0.37	0.37	0.39	0.42	0.48	0.55	0.66	0.78	0.93	1.06	1.17	1.25	1.30	1.33	1.33	1.32				
	0°		0.51	0.52	0.55	0.60	0.68	0.78	0.90	1.04	1.19	1.31	1.39	1.45	1.48	1.49	1.48				
$L = 20^\circ \phi = 40^\circ$	0.07	0.08	0.10	0.14	0.18	0.25	0.32	0.41	0.50	0.59	0.67	0.74	0.78	0.81	0.81	0.81	0.79	0.76			
	30°	0.15	0.16	0.17	0.21	0.25	0.32	0.40	0.50	0.61	0.72	0.82	0.90	0.95	0.98	0.99	0.98	0.96			
	20°	0.25	0.27	0.30	0.34	0.41	0.50	0.60	0.72	0.85	0.96	1.06	1.12	1.15	1.16	1.16	1.14				
	10°	0.38	0.40	0.44	0.51	0.60	0.70	0.83	0.97	1.09	1.20	1.27	1.31	1.32	1.32	1.30					
	0°		0.52	0.54	0.58	0.64	0.72	0.82	0.95	1.09	1.22	1.34	1.42	1.46	1.48	1.48	1.46				
$L = 30^\circ \phi = 40^\circ$	0.08	0.09	0.12	0.16	0.21	0.27	0.35	0.44	0.54	0.63	0.69	0.75	0.79	0.80	0.80	0.79	0.77	0.73			
	30°	0.15	0.16	0.19	0.23	0.29	0.36	0.44	0.54	0.65	0.75	0.85	0.92	0.96	0.98	0.98	0.97	0.94	0.89		
	20°	0.26	0.29	0.33	0.38	0.44	0.53	0.65	0.77	0.89	1.00	1.08	1.14	1.15	1.15	1.15	1.11				
	10°	0.39	0.41	0.44	0.49	0.56	0.65	0.77	0.88	1.02	1.14	1.24	1.29	1.32	1.32	1.30	1.28				
	0°		0.54	0.57	0.63	0.69	0.77	0.88	1.01	1.15	1.28	1.38	1.44	1.48	1.48	1.46	1.43				
$L = 40^\circ \phi = 40^\circ$	0.08	0.09	0.11	0.15	0.19	0.24	0.32	0.40	0.48	0.57	0.65	0.71	0.76	0.79	0.79	0.78	0.75	0.72	0.69		
	30°	0.17	0.19	0.23	0.27	0.32	0.40	0.48	0.59	0.69	0.80	0.88	0.94	0.96	0.97	0.95	0.92	0.80	0.84		
	20°	0.29	0.32	0.37	0.43	0.50	0.59	0.69	0.82	0.93	1.04	1.10	1.14	1.15	1.18	1.10	1.06				
	10°	0.40	0.44	0.48	0.53	0.62	0.70	0.81	0.94	1.06	1.18	1.27	1.30	1.31	1.29	1.27	1.22				
	0°		0.58	0.61	0.67	0.74	0.82	0.93	1.07	1.19	1.32	1.41	1.45	1.48	1.45	1.43	1.39				
$L = 50^\circ \phi = 40^\circ$	0.09	0.11	0.14	0.17	0.22	0.29	0.35	0.43	0.51	0.60	0.68	0.73	0.77	0.78	0.78	0.76	0.72	0.69	0.64	0.59	
	30°	0.19	0.21	0.25	0.30	0.37	0.44	0.53	0.63	0.73	0.82	0.90	0.94	0.96	0.95	0.93	0.89	0.84	0.79	0.73	
	20°	0.32	0.35	0.40	0.47	0.54	0.64	0.74	0.85	0.97	1.06	1.12	1.14	1.13	1.10	1.06	1.01				
	10°	0.44	0.47	0.52	0.58	0.67	0.77	0.87	0.98	1.11	1.21	1.28	1.30	1.30	1.27	1.22	1.17				
	0°		0.61	0.66	0.71	0.80	0.89	1.00	1.12	1.24	1.35	1.43	1.46	1.45	1.43	1.39	1.33				
$L = 60^\circ \phi = 40^\circ$	0.11	0.14	0.17	0.21	0.26	0.33	0.40	0.48	0.55	0.63	0.70	0.75	0.78	0.75	0.75	0.73	0.69	0.64	0.59	0.54	
	30°	0.22	0.25	0.30	0.36	0.42	0.50	0.58	0.68	0.77	0.86	0.92	0.95	0.95	0.93	0.89	0.84	0.79	0.73		
	20°	0.35	0.40	0.45	0.52	0.60	0.69	0.80	0.91	1.01	1.08	1.10	1.11	1.09	1.05	1.00	0.94	0.88			
	10°	0.49	0.52	0.57	0.65	0.73	0.82	0.94	1.06	1.16	1.24	1.29	1.30	1.27	1.24	1.18	1.11				
	0°		0.66	0.72	0.79	0.87	0.96	1.07	1.18	1.30	1.39	1.44	1.45	1.44	1.39	1.34	1.27	1.27			
$L = 70^\circ \phi = 40^\circ$	0.15	0.17	0.21	0.25	0.32	0.38	0.44	0.52	0.59	0.65	0.72	0.75	0.77	0.76	0.75	0.69	0.65	0.59	0.54	0.49	
	30°	0.25	0.29	0.34	0.40	0.47	0.54	0.63	0.71	0.79	0.87	0.92	0.93	0.92	0.89	0.84	0.79	0.73	0.67		
	20°	0.40	0.45	0.51	0.57	0.66	0.75	0.85	0.94	1.03	1.09	1.11	1.09	1.05	1.00	0.94	0.89	0.82			
	10°	0.58	0.64	0.71	0.79	0.88	0.98	1.09	1.19	1.26	1.28	1.26	1.22	1.16	1.10	1.04					
	0°		0.78	0.78	0.84	0.93	1.02	1.18	1.24	1.34	1.41	1.44	1.42	1.38	1.33	1.27	1.20				

TABLE B.

$\lambda + \mu$.	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 80^\circ \phi = 40^\circ$	0.17	0.21	0.26	0.30	0.36	0.42	0.49	0.55	0.62	0.68	0.72	0.74	0.74	0.72	0.68	0.64	0.59	0.53	0.49	0.43	
	30°	0.29	0.33	0.39	0.45	0.52	0.59	0.67	0.75	0.82	0.88	0.91	0.91	0.88	0.83	0.78	0.72	0.66	0.60		
	20°		0.45	0.51	0.57	0.64	0.71	0.81	0.90	0.99	1.05	1.09	1.08	1.05	1.00	0.94	0.87	0.81	0.75		
	10°			0.63	0.70	0.76	0.86	0.95	1.04	1.14	1.22	1.26	1.25	1.22	1.16	1.10	1.03	0.96			
	0°				0.78	0.85	0.92	1.01	1.10	1.20	1.30	1.38	1.42	1.42	1.38	1.33	1.27	1.20	1.13		
$L = 90^\circ \phi = 40^\circ$	0.21	0.25	0.29	0.35	0.40	0.46	0.52	0.58	0.65	0.69	0.72	0.73	0.72	0.68	0.63	0.58	0.53	0.48	0.43	0.38	0.33
	30°	0.34	0.39	0.45	0.51	0.57	0.65	0.72	0.80	0.85	0.89	0.90	0.88	0.84	0.78	0.72	0.66	0.60	0.55	0.49	
	20°		0.51	0.56	0.63	0.70	0.77	0.86	0.94	1.01	1.06	1.07	1.05	1.00	0.94	0.86	0.80	0.73	0.67		
	10°			0.71	0.77	0.85	0.93	1.02	1.10	1.18	1.23	1.25	1.23	1.17	1.16	1.10	0.96	0.89			
	0°				0.85	0.92	0.99	1.08	1.16	1.25	1.34	1.39	1.41	1.39	1.34	1.27	1.19	1.12	1.05		
$L = 100^\circ \phi = 40^\circ$	0.25	0.29	0.34	0.38	0.44	0.50	0.55	0.61	0.66	0.69	0.71	0.70	0.68	0.64	0.58	0.53	0.47	0.42	0.37	0.32	0.28
	30°	0.39	0.44	0.49	0.56	0.62	0.69	0.76	0.82	0.87	0.89	0.88	0.84	0.79	0.73	0.67	0.60	0.54	0.48	0.44	
	20°		0.57	0.63	0.69	0.77	0.84	0.91	0.98	1.03	1.06	1.06	1.01	0.95	0.89	0.81	0.74	0.68	0.62		
	10°			0.77	0.85	0.90	0.99	1.07	1.14	1.20	1.23	1.22	1.17	1.11	1.04	0.96	0.89	0.82			
	0°				0.92	0.98	1.05	1.14	1.22	1.30	1.36	1.39	1.38	1.33	1.26	1.19	1.11	1.04	0.97		
$L = 110^\circ \phi = 40^\circ$	0.34	0.39	0.44	0.49	0.54	0.59	0.63	0.67	0.70	0.70	0.68	0.64	0.59	0.54	0.49	0.43	0.38	0.32	0.27	0.24	
	30°	0.45	0.50	0.56	0.61	0.67	0.73	0.78	0.83	0.86	0.87	0.84	0.79	0.73	0.67	0.61	0.54	0.48	0.43	0.39	
	20°		0.64	0.70	0.76	0.82	0.89	0.95	1.00	1.04	1.04	1.01	0.95	0.89	0.81	0.74	0.67	0.62	0.56		
	10°			0.84	0.91	0.97	1.04	1.11	1.17	1.21	1.21	1.18	1.12	1.05	0.96	0.88	0.82	0.75			
	0°				1.00	1.07	1.13	1.20	1.28	1.34	1.37	1.38	1.34	1.28	1.20	1.12	1.04	0.98	0.91		
$L = 120^\circ \phi = 40^\circ$	0.39	0.43	0.48	0.52	0.57	0.61	0.65	0.68	0.68	0.67	0.64	0.59	0.54	0.49	0.43	0.37	0.32	0.28	0.24	0.21	
	30°	0.55	0.60	0.66	0.71	0.76	0.80	0.84	0.85	0.84	0.79	0.74	0.67	0.61	0.54	0.48	0.43	0.38	0.34		
	20°		0.70	0.75	0.81	0.86	0.92	0.97	1.01	1.02	1.00	0.95	0.89	0.82	0.75	0.67	0.61	0.55	0.51		
	10°			0.91	0.97	1.02	1.08	1.14	1.18	1.19	1.17	1.12	1.04	0.96	0.89	0.82	0.75	0.69			
	0°				1.07	1.13	1.19	1.25	1.31	1.35	1.36	1.34	1.29	1.20	1.12	1.04	0.97	0.91	0.85		
$L = 130^\circ \phi = 40^\circ$	0.44	0.48	0.52	0.56	0.60	0.63	0.66	0.67	0.67	0.65	0.60	0.55	0.49	0.43	0.37	0.33	0.28	0.24	0.21		
	30°	0.62	0.66	0.71	0.75	0.79	0.82	0.84	0.83	0.81	0.75	0.69	0.62	0.55	0.48	0.43	0.38	0.34	0.31		
	20°		0.76	0.81	0.86	0.91	0.95	0.99	1.01	1.00	0.97	0.90	0.83	0.75	0.67	0.61	0.55	0.50	0.46		
	10°			0.97	1.02	1.07	1.11	1.16	1.18	1.17	1.13	1.06	0.97	0.89	0.81	0.74	0.68	0.63			
	0°				1.14	1.19	1.24	1.28	1.32	1.35	1.34	1.29	1.22	1.13	1.05	0.97	0.88	0.84	0.79		
$L = 140^\circ \phi = 40^\circ$	0.52	0.55	0.58	0.61	0.64	0.65	0.65	0.64	0.60	0.56	0.50	0.43	0.38	0.33	0.28	0.24	0.21	0.18	0.15		
	30°	0.65	0.69	0.73	0.77	0.80	0.82	0.82	0.80	0.76	0.70	0.62	0.55	0.49	0.43	0.38	0.34	0.30			
	20°		0.86	0.90	0.94	0.97	0.99	1.00	0.97	0.92	0.85	0.77	0.69	0.62	0.56	0.51	0.46	0.43			
	10°			1.02	1.07	1.10	1.14	1.16	1.17	1.14	1.08	1.00	0.92	0.84	0.77	0.71	0.65	0.61			
	0°				1.19	1.24	1.27	1.31	1.33	1.33	1.30	1.24	1.16	1.07	0.99	0.91	0.85	0.79	0.75		
$L = 150^\circ \phi = 40^\circ$	0.55	0.58	0.61	0.63	0.64	0.64	0.63	0.61	0.56	0.51	0.45	0.39	0.33	0.28	0.24	0.21	0.18	0.17			
	30°	0.70	0.73	0.76	0.79	0.80	0.81	0.80	0.77	0.72	0.65	0.57	0.50	0.44	0.39	0.35	0.31	0.29			
	20°		0.89	0.92	0.96	0.97	0.98	0.97	0.93	0.87	0.79	0.70	0.62	0.55	0.50	0.46	0.43	0.40			
	10°			1.07	1.10	1.13	1.15	1.16	1.15	1.10	1.03	0.94	0.85	0.77	0.70	0.65	0.60	0.57			
	0°				1.24	1.28	1.30	1.32	1.33	1.31	1.26	1.19	1.09	1.00	0.92	0.86	0.80	0.76	0.73		

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
L = 160° $\phi = 40^\circ$		0.58	0.60	0.62	0.63	0.64	0.63	0.61	0.57	0.52	0.46	0.40	0.34	0.29	0.25	0.22	0.19	0.17	0.16		
30°		0.78	0.79	0.79	0.80	0.79	0.77	0.72	0.66	0.59	0.52	0.45	0.39	0.34	0.31	0.28	0.27				
20°		0.92	0.95	0.96	0.97	0.96	0.93	0.88	0.81	0.73	0.64	0.57	0.51	0.46	0.43	0.40	0.39				
10°		1.10	1.13	1.14	1.15	1.14	1.11	1.06	0.97	0.88	0.79	0.71	0.65	0.60	0.57	0.55					
0°		1.27	1.30	1.31	1.32	1.31	1.27	1.21	1.13	1.03	0.94	0.86	0.81	0.76	0.73	0.71					
L = 170° $\phi = 40^\circ$		0.62	0.63	0.63	0.62	0.60	0.57	0.52	0.47	0.39	0.33	0.29	0.24	0.21	0.18	0.16	0.15				
30°		0.78	0.79	0.79	0.79	0.77	0.73	0.67	0.61	0.53	0.46	0.40	0.34	0.31	0.28	0.27	0.26				
20°		0.95	0.96	0.97	0.96	0.94	0.90	0.83	0.76	0.67	0.59	0.52	0.47	0.43	0.41	0.40					
10°		1.12	1.13	1.14	1.13	1.11	1.06	0.99	0.91	0.82	0.73	0.66	0.61	0.57	0.54	0.53					
0°		1.30	1.30	1.31	1.30	1.27	1.22	1.15	1.06	0.97	0.88	0.81	0.76	0.72	0.70	0.69					
L = 180° $\phi = 40^\circ$		0.63	0.63	0.62	0.60	0.57	0.54	0.49	0.42	0.36	0.30	0.25	0.21	0.18	0.17	0.16	0.15				
30°		0.79	0.79	0.79	0.77	0.73	0.69	0.63	0.56	0.48	0.41	0.35	0.31	0.28	0.27	0.26	0.26				
20°		0.96	0.96	0.96	0.94	0.90	0.85	0.78	0.70	0.61	0.53	0.47	0.43	0.40	0.39	0.38					
10°		1.14	1.14	1.13	1.11	1.07	1.02	0.94	0.85	0.76	0.67	0.61	0.57	0.55	0.53	0.53					
0°		1.31	1.31	1.30	1.28	1.24	1.18	1.09	1.00	0.91	0.82	0.77	0.73	0.71	0.69	0.69					
L = 190° $\phi = 40^\circ$		0.63	0.62	0.60	0.57	0.54	0.49	0.44	0.38	0.31	0.26	0.21	0.18	0.16	0.15	0.15	0.16				
30°		0.79	0.78	0.77	0.74	0.70	0.65	0.58	0.51	0.43	0.37	0.32	0.28	0.26	0.26	0.26	0.26				
20°		0.97	0.96	0.94	0.91	0.87	0.81	0.73	0.65	0.56	0.49	0.44	0.41	0.39	0.39	0.40					
10°		1.14	1.13	1.11	1.08	1.03	0.97	0.88	0.79	0.70	0.62	0.57	0.54	0.53	0.53	0.54					
0°		1.31	1.30	1.28	1.24	1.19	1.12	1.03	0.94	0.85	0.78	0.73	0.70	0.69	0.69	0.70					
L = 200° $\phi = 40^\circ$		0.60	0.58	0.54	0.50	0.45	0.39	0.33	0.27	0.22	0.18	0.16	0.15	0.15	0.16	0.17					
30°		0.77	0.74	0.70	0.66	0.60	0.52	0.45	0.38	0.32	0.28	0.26	0.26	0.26	0.26	0.26					
20°		0.96	0.94	0.91	0.87	0.82	0.75	0.66	0.58	0.50	0.44	0.40	0.38	0.38	0.39	0.41					
10°		1.14	1.11	1.08	1.04	0.98	0.91	0.82	0.73	0.65	0.58	0.54	0.53	0.53	0.55	0.57					
0°		1.30	1.28	1.25	1.20	1.14	1.07	0.98	0.88	0.80	0.73	0.70	0.69	0.69	0.71	0.73					
L = 210° $\phi = 40^\circ$		0.58	0.55	0.50	0.46	0.40	0.34	0.28	0.22	0.18	0.15	0.15	0.15	0.17	0.19						
30°		0.74	0.71	0.66	0.61	0.54	0.47	0.40	0.33	0.29	0.26	0.25	0.26	0.28	0.31						
20°		0.91	0.87	0.82	0.76	0.69	0.61	0.52	0.45	0.40	0.38	0.37	0.35	0.41	0.44						
10°		1.11	1.08	1.04	0.99	0.93	0.85	0.76	0.67	0.60	0.55	0.52	0.52	0.54	0.57	0.60					
0°		1.28	1.25	1.20	1.15	1.08	1.00	0.91	0.82	0.75	0.70	0.65	0.69	0.71	0.73	0.77					
L = 220° $\phi = 40^\circ$		0.55	0.51	0.46	0.41	0.34	0.28	0.23	0.18	0.15	0.14	0.15	0.16	0.19	0.22						
30°		0.71	0.66	0.61	0.55	0.48	0.40	0.34	0.28	0.25	0.24	0.25	0.27	0.30	0.34						
20°		0.88	0.83	0.77	0.70	0.63	0.55	0.47	0.41	0.38	0.37	0.38	0.41	0.45	0.49						
10°		1.05	1.00	0.94	0.86	0.78	0.70	0.61	0.54	0.51	0.51	0.53	0.56	0.60	0.64						
0°		1.25	1.21	1.16	1.10	1.02	0.93	0.85	0.76	0.70	0.67	0.67	0.69	0.73	0.77	0.81					
L = 230° $\phi = 40^\circ$		0.51	0.47	0.42	0.35	0.29	0.24	0.19	0.16	0.14	0.14	0.16	0.19	0.22							
30°		0.67	0.62	0.56	0.49	0.42	0.35	0.30	0.25	0.24	0.24	0.27	0.30	0.35							
20°		0.83	0.78	0.71	0.64	0.56	0.48	0.41	0.37	0.35	0.37	0.40	0.44	0.49							
10°		0.99	0.94	0.87	0.79	0.71	0.63	0.55	0.50	0.49	0.51	0.54	0.59	0.64	0.69						
0°		1.21	1.16	1.10	1.02	0.95	0.86	0.78	0.70	0.66	0.65	0.67	0.71	0.75	0.81	0.86					

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°				
L = 240° $\phi = 40^\circ$											0.46	0.41	0.35	0.29	0.24	0.19	0.15	0.13	0.13	0.15	0.18	0.22	0.26		
30°											0.61	0.55	0.49	0.43	0.35	0.30	0.25	0.22	0.23	0.25	0.29	0.34	0.39		
20°											0.78	0.72	0.65	0.57	0.49	0.43	0.37	0.34	0.35	0.38	0.43	0.49	0.54		
10°											0.94	0.87	0.81	0.73	0.64	0.57	0.51	0.48	0.49	0.53	0.58	0.64	0.76		
0°											1.16	1.10	1.04	0.96	0.88	0.79	0.72	0.66	0.64	0.65	0.69	0.74	0.80	0.86	0.93
L = 250° $\phi = 40^\circ$											0.35	0.29	0.24	0.18	0.14	0.13	0.12	0.14	0.18	0.22	0.27	0.32			
30°											0.55	0.49	0.42	0.36	0.29	0.24	0.22	0.22	0.24	0.28	0.34	0.40	0.45		
20°											0.71	0.65	0.57	0.50	0.43	0.37	0.34	0.34	0.37	0.42	0.48	0.55	0.61		
10°											0.87	0.81	0.73	0.65	0.57	0.50	0.47	0.48	0.51	0.57	0.64	0.71	0.77		
0°											1.09	1.03	0.97	0.89	0.81	0.73	0.66	0.63	0.63	0.67	0.73	0.80	0.87	0.94	1.00
L = 260° $\phi = 40^\circ$											0.34	0.29	0.23	0.18	0.13	0.11	0.10	0.12	0.17	0.22	0.27	0.32			
30°											0.48	0.42	0.35	0.29	0.24	0.21	0.20	0.23	0.28	0.33	0.40	0.47	0.53		
20°											0.64	0.57	0.50	0.43	0.37	0.33	0.32	0.35	0.40	0.47	0.54	0.62	0.69		
10°											0.80	0.72	0.65	0.58	0.52	0.47	0.45	0.49	0.55	0.62	0.70	0.78	0.85		
0°											1.02	0.96	0.88	0.81	0.73	0.67	0.62	0.60	0.63	0.70	0.78	0.86	0.93	1.01	1.08
L = 270° $\phi = 40^\circ$											0.28	0.23	0.18	0.14	0.11	0.10	0.11	0.15	0.21	0.27	0.33	0.40			
30°											0.41	0.36	0.29	0.24	0.21	0.19	0.21	0.26	0.32	0.39	0.47	0.54	0.61		
20°											0.56	0.49	0.42	0.37	0.32	0.30	0.32	0.37	0.45	0.53	0.61	0.69	0.76		
10°											0.80	0.72	0.65	0.58	0.52	0.47	0.45	0.49	0.55	0.62	0.70	0.78	0.85		
0°											0.95	0.88	0.81	0.74	0.67	0.62	0.59	0.61	0.66	0.74	0.83	0.92	1.01	1.08	1.15
L = 280° $\phi = 40^\circ$											0.23	0.18	0.13	0.11	0.10	0.10	0.14	0.19	0.26	0.33	0.40	0.46			
30°											0.35	0.29	0.24	0.20	0.18	0.18	0.23	0.29	0.38	0.46	0.53	0.60	0.67		
20°											0.49	0.43	0.37	0.31	0.29	0.30	0.35	0.42	0.51	0.60	0.68	0.76	0.83		
10°											0.71	0.65	0.57	0.51	0.46	0.42	0.43	0.48	0.55	0.65	0.75	0.84	0.92	1.00	
0°											0.87	0.81	0.74	0.67	0.62	0.58	0.58	0.63	0.71	0.81	0.91	1.00	1.09	1.16	1.22
L = 290° $\phi = 40^\circ$											0.17	0.13	0.11	0.09	0.10	0.13	0.18	0.26	0.33	0.40	0.47	0.53			
30°											0.28	0.23	0.19	0.17	0.18	0.21	0.27	0.35	0.44	0.53	0.61	0.68	0.74		
20°											0.42	0.37	0.32	0.29	0.28	0.32	0.39	0.48	0.58	0.68	0.77	0.84	0.91		
10°											0.63	0.57	0.51	0.45	0.42	0.41	0.45	0.51	0.62	0.72	0.83	0.92	1.00	1.07	
0°											0.79	0.72	0.66	0.61	0.57	0.56	0.58	0.65	0.76	0.86	0.97	1.07	1.15	1.23	1.28
L = 300° $\phi = 40^\circ$											0.13	0.10	0.08	0.09	0.11	0.16	0.23	0.30	0.39	0.46	0.53	0.59			
30°											0.29	0.24	0.20	0.18	0.17	0.19	0.25	0.33	0.42	0.52	0.60	0.68	0.75	0.81	
20°											0.41	0.36	0.31	0.28	0.27	0.29	0.34	0.43	0.54	0.65	0.75	0.83	0.91	0.97	
10°											0.57	0.51	0.46	0.42	0.41	0.42	0.47	0.57	0.68	0.80	0.90	0.99	1.07	1.13	
0°											0.73	0.67	0.61	0.57	0.55	0.56	0.61	0.70	0.82	0.94	1.05	1.14	1.22	1.29	1.35
L = 310° $\phi = 40^\circ$											0.13	0.10	0.08	0.08	0.10	0.14	0.20	0.28	0.36	0.45	0.52	0.59	0.65		
30°											0.23	0.19	0.16	0.16	0.17	0.22	0.29	0.38	0.48	0.58	0.67	0.74	0.81	0.86	
20°											0.36	0.32	0.28	0.27	0.27	0.32	0.40	0.50	0.61	0.73	0.83	0.91	0.97	1.03	
10°											0.51	0.46	0.42	0.40	0.40	0.44	0.52	0.62	0.75	0.87	0.98	1.06	1.13	1.19	1.23
0°											0.67	0.61	0.57	0.55	0.54	0.57	0.65	0.75	0.88	1.00	1.11	1.20	1.29	1.34	1.39

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°			
$L = 320^\circ \phi = 40^\circ$						0.10	0.08	0.07	0.09	0.12	0.17	0.24	0.33	0.42	0.50	0.58	0.64	0.69	0.73					
	30°					0.19	0.17	0.15	0.16	0.19	0.25	0.34	0.44	0.54	0.64	0.72	0.80	0.86	0.90					
	20°					0.32	0.29	0.26	0.26	0.29	0.35	0.44	0.55	0.68	0.79	0.87	0.96	1.03	1.07					
	10°					0.46	0.42	0.39	0.38	0.40	0.46	0.56	0.67	0.81	0.93	1.03	1.12	1.19	1.24	1.28				
	0°					0.62	0.57	0.54	0.53	0.54	0.59	0.68	0.80	0.93	1.06	1.18	1.27	1.33	1.39	1.43				
$L = 330^\circ \phi = 40^\circ$						0.08	0.07	0.08	0.10	0.15	0.21	0.29	0.38	0.47	0.56	0.63	0.69	0.74	0.77					
	30°					0.17	0.15	0.15	0.17	0.22	0.29	0.39	0.50	0.60	0.70	0.79	0.85	0.90	0.94					
	20°					0.28	0.26	0.25	0.27	0.31	0.39	0.49	0.62	0.74	0.85	0.95	1.02	1.07	1.11					
	10°					0.42	0.39	0.38	0.39	0.42	0.49	0.60	0.74	0.87	0.99	1.10	1.17	1.23	1.28	1.30				
	0°					0.57	0.54	0.52	0.52	0.56	0.62	0.72	0.86	0.99	1.12	1.23	1.32	1.35	1.43	1.46				
$L = 340^\circ \phi = 40^\circ$						0.08	0.07	0.07	0.09	0.13	0.18	0.26	0.34	0.44	0.53	0.61	0.68	0.73	0.78	0.80				
	30°					0.17	0.15	0.15	0.16	0.20	0.26	0.34	0.44	0.53	0.66	0.76	0.84	0.90	0.95	0.97				
	20°					0.26	0.25	0.26	0.29	0.34	0.43	0.54	0.68	0.80	0.90	1.00	1.06	1.11	1.14	1.16				
	10°					0.39	0.37	0.37	0.39	0.44	0.53	0.65	0.79	0.93	1.04	1.15	1.22	1.27	1.30	1.32				
	0°					0.53	0.51	0.51	0.53	0.57	0.66	0.77	0.90	1.04	1.18	1.28	1.36	1.41	1.45	1.47				
$L = 350^\circ \phi = 40^\circ$						0.06	0.06	0.08	0.10	0.15	0.21	0.29	0.39	0.48	0.57	0.65	0.72	0.76	0.79	0.81	0.81			
	30°					0.15	0.14	0.15	0.17	0.22	0.29	0.36	0.48	0.60	0.71	0.80	0.88	0.93	0.96	0.98	0.99			
	20°					0.26	0.25	0.25	0.26	0.31	0.38	0.46	0.59	0.72	0.84	0.95	1.04	1.09	1.13	1.15	1.16			
	10°					0.37	0.37	0.38	0.42	0.49	0.57	0.70	0.84	0.98	1.09	1.19	1.25	1.29	1.32	1.33				
	0°					0.52	0.51	0.52	0.55	0.61	0.70	0.82	0.96	1.10	1.23	1.33	1.40	1.45	1.48	1.49				
$L = 360^\circ \phi = 40^\circ$						0.08	0.07	0.08	0.10	0.13	0.18	0.25	0.33	0.43	0.53	0.61	0.69	0.74	0.78	0.81	0.82	0.82		
	30°					0.14	0.14	0.16	0.19	0.24	0.32	0.41	0.53	0.65	0.75	0.84	0.90	0.95	0.98	0.99	0.99			
	20°					0.24	0.24	0.25	0.28	0.34	0.41	0.51	0.63	0.77	0.89	0.99	1.07	1.12	1.15	1.16	1.16			
	10°					0.37	0.38	0.40	0.44	0.51	0.62	0.73	0.88	1.02	1.13	1.23	1.28	1.31	1.33	1.33				
	0°					0.51	0.51	0.53	0.57	0.64	0.74	0.85	1.00	1.15	1.26	1.36	1.43	1.47	1.49	1.49				
$L = 400^\circ \phi = 40^\circ$						0.15	0.15	0.16	0.18	0.21	0.25	0.30	0.36	0.42	0.48	0.54	0.57	0.60	0.62	0.62	0.62			
	30°					0.26	0.26	0.26	0.28	0.31	0.35	0.41	0.48	0.56	0.63	0.69	0.73	0.76	0.78	0.79	0.79			
	20°					0.39	0.39	0.41	0.44	0.48	0.54	0.62	0.70	0.79	0.86	0.90	0.94	0.96	0.97	0.97				
	10°					0.53	0.53	0.54	0.57	0.61	0.68	0.76	0.85	0.94	1.02	1.07	1.11	1.18	1.14	1.14				
	0°					0.69	0.69	0.70	0.72	0.76	0.82	0.91	1.00	1.09	1.18	1.23	1.27	1.29	1.31	1.31				
$L = 410^\circ \phi = 40^\circ$						0.15	0.16	0.18	0.21	0.24	0.29	0.34	0.40	0.47	0.53	0.57	0.60	0.62	0.63	0.62				
	30°					0.26	0.26	0.28	0.30	0.34	0.40	0.45	0.53	0.60	0.67	0.73	0.77	0.79	0.79	0.78				
	20°					0.39	0.41	0.43	0.47	0.52	0.59	0.67	0.76	0.83	0.90	0.94	0.96	0.97	0.96	0.95				
	10°					0.53	0.54	0.57	0.60	0.66	0.73	0.82	0.91	0.99	1.06	1.11	1.13	1.14	1.13	1.12				
	0°					0.69	0.70	0.72	0.76	0.81	0.88	0.97	1.06	1.15	1.22	1.27	1.30	1.31	1.31	1.30				
$L = 420^\circ \phi = 40^\circ$						0.16	0.17	0.19	0.21	0.25	0.29	0.34	0.40	0.46	0.52	0.57	0.61	0.63	0.64	0.63	0.62	0.60	0.58	
	30°					0.27	0.28	0.31	0.34	0.39	0.45	0.52	0.59	0.66	0.72	0.77	0.80	0.80	0.80	0.78	0.76			
	20°					0.39	0.40	0.43	0.46	0.51	0.57	0.65	0.73	0.81	0.88	0.94	0.97	0.97	0.97	0.95	0.92			
	10°					0.54	0.56	0.60	0.65	0.71	0.78	0.87	0.97	1.05	1.11	1.14	1.14	1.14	1.12	1.09				
	0°					0.70	0.72	0.75	0.80	0.86	0.93	1.02	1.12	1.20	1.27	1.30	1.31	1.31	1.29	1.27				

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 430^\circ \phi = 40^\circ$	0.16	0.18	0.20	0.24	0.28	0.33	0.39	0.44	0.51	0.56	0.60	0.63	0.64	0.64	0.63	0.61	0.58	0.55			
	30°	0.28	0.30	0.34	0.38	0.43	0.50	0.57	0.64	0.71	0.76	0.80	0.81	0.80	0.79	0.76	0.73	0.70			
	20°	0.40	0.42	0.46	0.50	0.55	0.62	0.70	0.78	0.86	0.92	0.97	0.98	0.97	0.95	0.92	0.89				
	10°	0.56	0.59	0.64	0.69	0.77	0.85	0.93	1.02	1.09	1.14	1.15	1.14	1.12	1.09	1.06					
	0°	0.72	0.75	0.80	0.85	0.92	1.00	1.09	1.18	1.25	1.30	1.32	1.31	1.29	1.27	1.23	1.20				
$L = 440^\circ \phi = 40^\circ$	0.19	0.21	0.24	0.28	0.33	0.39	0.44	0.50	0.56	0.61	0.64	0.66	0.66	0.64	0.62	0.59	0.56	0.52			
	30°	0.30	0.34	0.38	0.43	0.49	0.55	0.62	0.70	0.76	0.80	0.82	0.81	0.80	0.77	0.74	0.70	0.65			
	20°	0.42	0.46	0.50	0.55	0.61	0.68	0.76	0.85	0.91	0.97	0.99	0.98	0.97	0.93	0.90	0.85				
	10°	0.60	0.64	0.69	0.75	0.83	0.91	1.00	1.08	1.14	1.16	1.16	1.14	1.10	1.06	1.02					
	0°	0.75	0.79	0.84	0.90	0.98	1.07	1.15	1.24	1.30	1.33	1.35	1.33	1.27	1.23	1.19	1.10				
$L = 450^\circ \phi = 40^\circ$	0.21	0.24	0.28	0.32	0.37	0.43	0.48	0.54	0.60	0.64	0.67	0.67	0.66	0.63	0.60	0.56	0.52	0.48	0.44		
	30°	0.30	0.33	0.37	0.42	0.48	0.54	0.61	0.68	0.74	0.80	0.83	0.83	0.82	0.78	0.74	0.70	0.65	0.61		
	20°	0.46	0.50	0.55	0.61	0.67	0.75	0.82	0.90	0.96	1.00	1.00	0.99	0.95	0.91	0.86	0.81	0.76			
	10°	0.64	0.69	0.75	0.82	0.89	0.97	1.06	1.13	1.17	1.18	1.16	1.12	1.08	1.02	0.97					
	0°	0.79	0.84	0.90	0.98	1.05	1.14	1.22	1.30	1.34	1.35	1.33	1.29	1.25	1.19	1.14					
$L = 460^\circ \phi = 40^\circ$	0.21	0.24	0.28	0.32	0.37	0.42	0.48	0.53	0.59	0.64	0.67	0.68	0.68	0.65	0.62	0.58	0.53	0.48	0.43	0.39	
	30°	0.34	0.37	0.42	0.47	0.54	0.60	0.67	0.73	0.79	0.84	0.85	0.84	0.81	0.77	0.72	0.66	0.61	0.55		
	20°	0.50	0.55	0.60	0.66	0.74	0.81	0.89	0.96	1.01	1.03	1.01	0.98	0.93	0.87	0.81	0.75	0.70			
	10°	0.69	0.75	0.81	0.89	0.96	1.05	1.12	1.18	1.20	1.19	1.15	1.09	1.04	0.98	0.91					
	0°	0.84	0.90	0.96	1.04	1.12	1.21	1.28	1.34	1.36	1.35	1.31	1.26	1.20	1.14	1.07					
$L = 470^\circ \phi = 40^\circ$	0.24	0.28	0.32	0.37	0.43	0.48	0.53	0.58	0.64	0.68	0.70	0.69	0.67	0.64	0.59	0.54	0.48	0.43	0.39	0.34	
	30°	0.39	0.44	0.49	0.55	0.61	0.67	0.73	0.79	0.84	0.87	0.86	0.84	0.79	0.73	0.67	0.61	0.56	0.50	0.45	
	20°	0.56	0.62	0.68	0.74	0.81	0.88	0.95	1.01	1.05	1.03	1.01	0.95	0.88	0.82	0.76	0.70	0.64			
	10°	0.75	0.81	0.88	0.96	1.03	1.11	1.18	1.21	1.20	1.17	1.11	1.04	0.97	0.91	0.84					
	0°	0.91	0.97	1.03	1.11	1.19	1.27	1.34	1.37	1.37	1.33	1.27	1.20	1.13	1.06	1.00					
$L = 480^\circ \phi = 40^\circ$	0.29	0.33	0.38	0.43	0.48	0.53	0.59	0.64	0.68	0.71	0.71	0.70	0.66	0.61	0.55	0.50	0.44	0.39	0.29	0.26	
	30°	0.44	0.49	0.55	0.61	0.67	0.73	0.79	0.85	0.88	0.89	0.87	0.82	0.76	0.69	0.62	0.57	0.50	0.44	0.40	
	20°	0.61	0.67	0.74	0.81	0.88	0.95	1.01	1.05	1.06	1.03	0.98	0.91	0.84	0.76	0.69	0.62	0.57	0.52		
	10°	0.82	0.89	0.96	1.04	1.11	1.17	1.22	1.23	1.20	1.14	1.07	0.99	0.92	0.84	0.77					
	0°	0.98	1.04	1.12	1.19	1.27	1.33	1.38	1.41	1.39	1.34	1.26	1.17	1.09	0.99	0.92	0.85				
$L = 490^\circ \phi = 40^\circ$	0.33	0.38	0.43	0.48	0.54	0.58	0.64	0.68	0.72	0.73	0.72	0.70	0.65	0.58	0.52	0.46	0.40	0.35	0.29	0.25	0.21
	30°	0.49	0.55	0.61	0.66	0.73	0.78	0.84	0.88	0.91	0.90	0.86	0.80	0.72	0.65	0.57	0.51	0.45	0.39	0.34	
	20°	0.68	0.74	0.81	0.87	0.95	1.00	1.06	1.08	1.07	1.02	0.95	0.86	0.78	0.70	0.63	0.57	0.52			
	10°	0.89	0.98	1.03	1.10	1.17	1.23	1.25	1.23	1.18	1.10	1.01	0.93	0.84	0.76	0.71					
	0°	1.05	1.12	1.19	1.26	1.33	1.38	1.41	1.39	1.34	1.26	1.17	1.09	0.99	0.92	0.85					
$L = 500^\circ \phi = 40^\circ$	0.43	0.48	0.53	0.58	0.63	0.68	0.72	0.74	0.74	0.72	0.68	0.62	0.55	0.48	0.41	0.35	0.29	0.25	0.20	0.17	
	30°	0.61	0.67	0.72	0.78	0.84	0.88	0.91	0.92	0.89	0.83	0.76	0.68	0.60	0.52	0.46	0.40	0.34	0.30		
	20°	0.75	0.81	0.87	0.94	1.00	1.05	1.08	1.09	1.05	0.99	0.90	0.81	0.71	0.64	0.57	0.51	0.45			
	10°	0.96	1.03	1.10	1.16	1.22	1.25	1.26	1.22	1.14	1.04	0.95	0.86	0.77	0.70	0.63					
	0°	1.13	1.19	1.26	1.33	1.38	1.42	1.43	1.37	1.29	1.19	1.09	1.00	0.91	0.84	0.78					

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 510^\circ \phi = 40^\circ$	0.49	0.54	0.59	0.63	0.69	0.73	0.76	0.77	0.75	0.72	0.67	0.59	0.52	0.44	0.38	0.32	0.26	0.21	0.17	0.14	
	30°	0.67	0.73	0.79	0.84	0.89	0.93	0.94	0.92	0.88	0.80	0.72	0.63	0.54	0.47	0.41	0.35	0.30	0.26		
	20°	0.82	0.88	0.94	1.00	1.05	1.09	1.11	1.09	1.03	0.95	0.85	0.75	0.66	0.57	0.50	0.45	0.40			
	10°	1.05	1.11	1.17	1.23	1.26	1.28	1.26	1.19	1.10	0.99	0.88	0.79	0.71	0.64	0.58					
	0°	1.21	1.28	1.34	1.39	1.43	1.44	1.42	1.35	1.24	1.14	1.03	0.93	0.85	0.77	0.72					
$L = 520^\circ \phi = 40^\circ$	0.54	0.59	0.64	0.69	0.73	0.76	0.78	0.75	0.76	0.70	0.63	0.56	0.49	0.40	0.33	0.27	0.21	0.17	0.14	0.11	
	30°	0.73	0.79	0.84	0.89	0.93	0.96	0.95	0.92	0.86	0.77	0.68	0.58	0.50	0.42	0.36	0.30	0.26	0.22		
	20°	0.88	0.94	1.00	1.05	1.10	1.12	1.11	1.08	1.01	0.91	0.80	0.70	0.60	0.52	0.45	0.40	0.36			
	10°	1.11	1.17	1.22	1.27	1.29	1.24	1.16	1.05	0.94	0.82	0.72	0.64	0.57	0.52	0.48					
	0°	1.27	1.33	1.39	1.43	1.45	1.44	1.39	1.30	1.18	1.06	0.95	0.86	0.78	0.71	0.65					
$L = 530^\circ \phi = 40^\circ$	0.59	0.64	0.69	0.73	0.76	0.78	0.79	0.77	0.74	0.68	0.60	0.52	0.43	0.35	0.29	0.22	0.17	0.14	0.11	0.09	
	30°	0.79	0.84	0.89	0.93	0.96	0.96	0.95	0.90	0.83	0.73	0.63	0.54	0.44	0.37	0.30	0.26	0.22	0.19		
	20°	1.00	1.06	1.10	1.13	1.13	1.12	1.07	0.97	0.86	0.74	0.64	0.54	0.47	0.40	0.35	0.31				
	10°	1.17	1.23	1.27	1.30	1.31	1.28	1.22	1.12	0.99	0.87	0.76	0.67	0.59	0.52	0.48	0.44				
	0°	1.33	1.39	1.43	1.45	1.46	1.43	1.35	1.25	1.12	1.00	0.89	0.80	0.71	0.66	0.61					
$L = 540^\circ \phi = 40^\circ$	0.69	0.73	0.76	0.78	0.80	0.79	0.77	0.72	0.65	0.58	0.49	0.40	0.32	0.25	0.20	0.16	0.12	0.10	0.09		
	30°	0.84	0.89	0.93	0.95	0.97	0.96	0.94	0.88	0.79	0.69	0.59	0.48	0.40	0.32	0.27	0.22	0.18	0.16		
	20°	1.05	1.10	1.12	1.14	1.13	1.10	1.03	0.93	0.81	0.69	0.58	0.49	0.42	0.36	0.32	0.28				
	10°	1.22	1.27	1.30	1.32	1.31	1.26	1.19	1.07	0.94	0.82	0.70	0.61	0.54	0.48	0.43	0.41				
	0°	1.38	1.43	1.46	1.47	1.46	1.41	1.32	1.20	1.07	0.94	0.82	0.73	0.67	0.61	0.57					
$L = 550^\circ \phi = 40^\circ$	0.73	0.77	0.80	0.81	0.81	0.80	0.76	0.70	0.63	0.54	0.45	0.36	0.28	0.22	0.16	0.13	0.10	0.08			
	30°	0.89	0.93	0.96	0.98	0.97	0.92	0.86	0.76	0.65	0.55	0.44	0.36	0.29	0.23	0.19	0.17	0.15			
	20°	1.10	1.13	1.16	1.16	1.14	1.08	1.00	0.89	0.77	0.65	0.53	0.44	0.38	0.33	0.29	0.26				
	10°	1.27	1.30	1.32	1.32	1.29	1.24	1.14	1.02	0.89	0.76	0.65	0.56	0.49	0.44	0.41	0.39				
	0°	1.43	1.46	1.48	1.48	1.44	1.38	1.28	1.14	1.01	0.88	0.77	0.68	0.62	0.57	0.54					
$L = 560^\circ \phi = 40^\circ$	0.76	0.79	0.80	0.81	0.81	0.80	0.78	0.74	0.67	0.59	0.50	0.41	0.32	0.25	0.18	0.13	0.10	0.08	0.07		
	30°	0.95	0.97	0.98	0.97	0.95	0.90	0.81	0.72	0.60	0.49	0.39	0.31	0.24	0.20	0.17	0.15	0.14			
	20°	1.13	1.15	1.16	1.15	1.12	1.06	0.96	0.84	0.72	0.59	0.49	0.40	0.34	0.29	0.26	0.25				
	10°	1.30	1.32	1.33	1.31	1.28	1.20	1.09	0.97	0.83	0.70	0.60	0.51	0.44	0.41	0.38					
	0°	1.47	1.49	1.47	1.47	1.43	1.34	1.23	1.10	0.96	0.82	0.72	0.64	0.59	0.55	0.53					
$L = 570^\circ \phi = 40^\circ$	0.81	0.82	0.82	0.80	0.77	0.72	0.64	0.55	0.46	0.37	0.28	0.21	0.16	0.11	0.08	0.07	0.07				
	30°	0.98	0.99	0.99	0.97	0.93	0.87	0.79	0.68	0.57	0.46	0.36	0.28	0.22	0.18	0.15	0.14				
	20°	1.15	1.16	1.16	1.15	1.10	1.03	0.93	0.81	0.65	0.56	0.45	0.37	0.31	0.27	0.26	0.25				
	10°	1.32	1.33	1.33	1.30	1.25	1.17	1.06	0.93	0.78	0.66	0.55	0.47	0.42	0.39	0.37	0.37				
	0°	1.48	1.49	1.48	1.45	1.39	1.30	1.18	1.04	0.90	0.77	0.67	0.60	0.55	0.52	0.51					
$L = 580^\circ \phi = 40^\circ$	0.82	0.82	0.81	0.78	0.74	0.69	0.61	0.53	0.43	0.33	0.25	0.18	0.13	0.10	0.08	0.07	0.08				
	30°	0.99	0.99	0.98	0.95	0.90	0.84	0.75	0.65	0.53	0.41	0.32	0.24	0.19	0.16	0.14	0.14				
	20°	1.16	1.16	1.15	1.12	1.07	0.99	0.89	0.77	0.63	0.51	0.41	0.34	0.28	0.25	0.24	0.24	0.24			
	10°	1.33	1.33	1.31	1.28	1.23	1.13	1.02	0.88	0.73	0.62	0.51	0.44	0.40	0.38	0.37					
	0°	1.49	1.49	1.47	1.47	1.43	1.36	1.26	1.15	1.00	0.85	0.74	0.64	0.57	0.53	0.51	0.51				

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°					
$L = 590^\circ \phi = 40^\circ$											0.82	0.81	0.79	0.76	0.72	0.65	0.58	0.49	0.39	0.29	0.22	0.15	0.10	0.08	0.07	0.07
	30°										0.99	0.98	0.96	0.93	0.88	0.80	0.71	0.60	0.48	0.37	0.29	0.22	0.18	0.15	0.14	0.15
	20°										1.16	1.15	1.13	1.10	1.04	0.95	0.84	0.72	0.59	0.47	0.37	0.31	0.26	0.25	0.25	0.26
	10°										1.33	1.32	1.29	1.25	1.19	1.09	0.97	0.84	0.70	0.57	0.48	0.42	0.38	0.37	0.37	
	0°										1.49	1.48	1.45	1.40	1.32	1.22	1.10	0.96	0.81	0.69	0.61	0.55	0.52	0.51	0.52	
$L = 600^\circ \phi = 40^\circ$											0.80	0.77	0.73	0.68	0.61	0.53	0.44	0.34	0.26	0.18	0.13	0.09	0.07	0.07	0.08	
	30°										0.97	0.94	0.89	0.83	0.75	0.65	0.55	0.44	0.34	0.25	0.19	0.16	0.14	0.14	0.17	
	20°										1.16	1.14	1.11	1.06	0.99	0.90	0.79	0.67	0.54	0.43	0.34	0.28	0.25	0.25	0.25	
	10°										1.32	1.30	1.27	1.22	1.14	1.05	0.92	0.79	0.65	0.52	0.44	0.40	0.37	0.37	0.39	
	0°										1.48	1.46	1.42	1.36	1.28	1.18	1.05	0.91	0.78	0.66	0.58	0.54	0.52	0.52	0.54	
$L = 610^\circ \phi = 40^\circ$											0.78	0.75	0.69	0.63	0.57	0.48	0.39	0.30	0.22	0.16	0.11	0.08	0.08	0.08		
	30°										0.94	0.91	0.86	0.79	0.71	0.61	0.50	0.39	0.29	0.23	0.18	0.15	0.15	0.17		
	20°										1.11	1.08	1.02	0.94	0.85	0.74	0.62	0.50	0.39	0.30	0.27	0.26	0.26	0.28		
	10°										1.30	1.28	1.23	1.17	1.10	0.99	0.87	0.75	0.60	0.49	0.42	0.39	0.38	0.39	0.42	
	0°										1.46	1.43	1.37	1.31	1.23	1.12	0.99	0.85	0.72	0.62	0.56	0.52	0.52	0.54	0.57	
$L = 620^\circ \phi = 40^\circ$											0.73	0.70	0.65	0.58	0.51	0.42	0.34	0.25	0.18	0.12	0.09	0.08	0.08	0.10		
	30°										0.90	0.86	0.80	0.72	0.64	0.54	0.44	0.34	0.25	0.19	0.16	0.15	0.17	0.19		
	20°										1.07	1.03	0.96	0.88	0.79	0.67	0.55	0.44	0.34	0.28	0.25	0.25	0.28	0.33		
	10°										1.28	1.24	1.20	1.12	1.04	0.94	0.81	0.67	0.56	0.46	0.41	0.39	0.40	0.43	0.48	
	0°										1.42	1.39	1.33	1.26	1.18	1.07	0.93	0.81	0.68	0.59	0.55	0.52	0.53	0.57	0.61	
$L = 630^\circ \phi = 40^\circ$											0.65	0.59	0.52	0.45	0.36	0.27	0.20	0.14	0.10	0.08	0.08	0.10	0.13			
	30°										0.87	0.81	0.75	0.67	0.59	0.48	0.38	0.30	0.22	0.18	0.16	0.17	0.19	0.23		
	20°										1.03	0.97	0.91	0.83	0.73	0.63	0.50	0.39	0.32	0.27	0.26	0.28	0.31	0.36		
	10°										1.24	1.20	1.14	1.06	0.98	0.87	0.75	0.62	0.51	0.44	0.40	0.40	0.42	0.46	0.51	
	0°										1.39	1.34	1.29	1.20	1.11	1.00	0.88	0.76	0.65	0.57	0.54	0.55	0.57	0.61		
$L = 640^\circ \phi = 40^\circ$											0.59	0.53	0.46	0.39	0.31	0.23	0.16	0.11	0.09	0.08	0.10	0.13				
	30°										0.81	0.76	0.69	0.61	0.52	0.42	0.33	0.25	0.19	0.17	0.18	0.20	0.24	0.29		
	20°										0.97	0.91	0.83	0.75	0.63	0.54	0.44	0.35	0.29	0.27	0.28	0.31	0.37	0.42		
	10°										1.13	1.07	0.99	0.90	0.80	0.68	0.57	0.48	0.42	0.40	0.42	0.46	0.51	0.57		
	0°										1.34	1.28	1.21	1.13	1.04	0.93	0.82	0.70	0.61	0.56	0.53	0.56	0.61	0.66	0.73	
$L = 650^\circ \phi = 40^\circ$											0.54	0.47	0.40	0.33	0.26	0.18	0.13	0.10	0.09	0.11	0.13	0.17				
	30°										0.75	0.69	0.62	0.54	0.45	0.36	0.28	0.22	0.19	0.18	0.20	0.24	0.29			
	20°										0.91	0.84	0.77	0.68	0.58	0.48	0.39	0.31	0.28	0.29	0.31	0.36	0.42			
	10°										1.06	1.00	0.92	0.83	0.72	0.62	0.52	0.45	0.41	0.42	0.46	0.51	0.58	0.64		
	0°										1.28	1.22	1.16	1.07	0.98	0.87	0.76	0.66	0.59	0.56	0.58	0.62	0.67	0.73	0.80	
$L = 660^\circ \phi = 40^\circ$											0.46	0.40	0.33	0.26	0.19	0.15	0.11	0.09	0.11	0.13	0.17	0.22				
	30°										0.68	0.61	0.54	0.47	0.39	0.30	0.24	0.19	0.19	0.21	0.25	0.30	0.35			
	20°										0.83	0.77	0.68	0.60	0.51	0.42	0.35	0.30	0.29	0.31	0.37	0.43	0.49			
	10°										1.00	0.92	0.84	0.75	0.65	0.56	0.47	0.43	0.42	0.46	0.51	0.57	0.65	0.71		
	0°										1.22	1.15	1.08	0.99	0.90	0.80	0.70	0.62	0.58	0.58	0.62	0.67	0.73	0.80	0.87	

TABLE B.

$\lambda + \mu$.	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°				
L = 670° $\phi = 40^\circ$											0.39	0.33	0.27	0.21	0.15	0.11	0.10	0.11	0.14	0.18	0.23	0.28			
30°											0.61	0.54	0.47	0.39	0.32	0.26	0.21	0.20	0.21	0.25	0.29	0.36	0.42		
20°											0.77	0.69	0.61	0.53	0.46	0.38	0.32	0.30	0.32	0.37	0.43	0.50	0.57		
10°											0.93	0.85	0.76	0.68	0.59	0.51	0.46	0.44	0.46	0.52	0.58	0.65	0.72	0.79	
0°											1.15	1.08	1.01	0.92	0.84	0.75	0.66	0.61	0.59	0.61	0.66	0.73	0.81	0.88	0.95
L = 680° $\phi = 40^\circ$											0.33	0.27	0.22	0.17	0.13	0.11	0.12	0.14	0.18	0.23	0.29	0.34			
30°											0.53	0.47	0.40	0.33	0.28	0.23	0.20	0.21	0.25	0.29	0.35	0.42	0.48		
20°											0.69	0.62	0.54	0.47	0.40	0.35	0.32	0.32	0.37	0.43	0.49	0.57	0.63		
10°											0.86	0.79	0.71	0.62	0.55	0.49	0.46	0.47	0.51	0.58	0.65	0.73	0.80		
0°											1.08	1.02	0.95	0.86	0.78	0.70	0.64	0.61	0.62	0.67	0.74	0.81	0.89	0.96	1.03
L = 690° $\phi = 40^\circ$											0.32	0.27	0.22	0.18	0.14	0.12	0.12	0.14	0.18	0.24	0.29	0.35			
30°											0.46	0.40	0.34	0.29	0.24	0.21	0.22	0.25	0.29	0.36	0.42	0.49	0.55		
20°											0.62	0.55	0.48	0.42	0.37	0.34	0.34	0.37	0.43	0.51	0.58	0.64	0.71		
10°											0.77	0.71	0.64	0.58	0.51	0.47	0.47	0.50	0.57	0.65	0.73	0.80	0.86		
0°											1.00	0.93	0.87	0.80	0.72	0.66	0.63	0.62	0.66	0.72	0.80	0.88	0.96	1.03	
L = 700° $\phi = 40^\circ$											0.27	0.22	0.18	0.15	0.13	0.13	0.15	0.19	0.24	0.29	0.35	0.41	0.46		
30°											0.40	0.35	0.30	0.25	0.22	0.22	0.25	0.29	0.35	0.42	0.49	0.55			
20°											0.55	0.49	0.43	0.38	0.35	0.34	0.37	0.42	0.49	0.57	0.64	0.71			
10°											0.77	0.71	0.64	0.58	0.51	0.47	0.47	0.50	0.57	0.65	0.73	0.80	0.86		
0°											0.93	0.87	0.81	0.75	0.69	0.65	0.64	0.66	0.71	0.80	0.88	0.96	1.03		
L = 710° $\phi = 40^\circ$											0.22	0.19	0.16	0.14	0.14	0.15	0.19	0.24	0.30	0.35	0.41	0.46	0.51		
30°											0.34	0.30	0.27	0.24	0.23	0.25	0.29	0.34	0.42	0.48	0.55	0.61	0.66		
20°											0.49	0.44	0.40	0.37	0.33	0.37	0.41	0.48	0.58	0.64	0.71	0.78	0.83		
10°											0.70	0.65	0.59	0.55	0.51	0.49	0.50	0.56	0.62	0.71	0.80	0.87	0.94	1.00	
0°											0.86	0.81	0.76	0.72	0.68	0.65	0.66	0.71	0.78	0.87	0.95	1.03	1.12	1.16	1.21
L = 720° $\phi = 40^\circ$											0.22	0.19	0.17	0.15	0.15	0.16	0.19	0.24	0.29	0.35	0.41	0.46	0.51	0.55	
30°											0.34	0.30	0.27	0.25	0.24	0.25	0.28	0.34	0.40	0.47	0.55	0.61	0.66	0.70	
20°											0.48	0.44	0.41	0.37	0.38	0.37	0.40	0.46	0.54	0.62	0.69	0.77	0.82	0.87	
10°											0.65	0.61	0.57	0.53	0.51	0.52	0.55	0.61	0.69	0.78	0.86	0.94	0.99	1.05	
0°											0.81	0.76	0.73	0.69	0.67	0.67	0.70	0.76	0.84	0.93	1.01	1.09	1.15	1.21	1.25
L = 730° $\phi = 40^\circ$											0.18	0.16	0.15	0.14	0.16	0.18	0.22	0.28	0.34	0.40	0.45	0.50	0.54	0.58	
30°											0.30	0.28	0.26	0.23	0.25	0.28	0.33	0.39	0.47	0.54	0.60	0.66	0.70	0.74	
20°											0.44	0.41	0.38	0.37	0.38	0.40	0.45	0.52	0.61	0.69	0.76	0.83	0.87	0.91	
10°											0.59	0.56	0.52	0.51	0.51	0.54	0.58	0.66	0.75	0.84	0.92	0.98	1.04	1.07	1.11
0°											0.76	0.72	0.70	0.68	0.67	0.69	0.74	0.81	0.91	1.00	1.08	1.14	1.20	1.24	1.27
L = 740° $\phi = 40^\circ$											0.17	0.15	0.15	0.16	0.18	0.22	0.27	0.33	0.39	0.45	0.50	0.54	0.58	0.60	
30°											0.28	0.26	0.26	0.26	0.28	0.32	0.38	0.45	0.52	0.60	0.65	0.70	0.74	0.77	
20°											0.40	0.38	0.37	0.37	0.39	0.43	0.50	0.58	0.66	0.75	0.81	0.87	0.90	0.93	0.96
10°											0.56	0.54	0.52	0.52	0.53	0.58	0.64	0.72	0.81	0.90	0.97	1.03	1.07	1.10	1.13
0°											0.73	0.70	0.69	0.68	0.69	0.73	0.79	0.87	0.97	1.06	1.14	1.19	1.24	1.27	1.29

TABLE B.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 750^\circ \phi = 40^\circ$																					
											0.16	0.15	0.15	0.16	0.18	0.21	0.26	0.31	0.39	0.44	0.49
											0.26	0.26	0.26	0.28	0.32	0.37	0.43	0.51	0.58	0.65	0.60
											0.39	0.39	0.39	0.41	0.44	0.49	0.56	0.65	0.73	0.81	0.87
											0.54	0.53	0.53	0.54	0.57	0.62	0.70	0.79	0.88	0.97	1.03
$L = 760^\circ \phi = 40^\circ$											0.70	0.70	0.69	0.70	0.73	0.78	0.85	0.94	1.03	1.12	1.19
											0.70	0.70	0.69	0.70	0.73	0.78	0.85	0.94	1.03	1.12	1.19
											0.70	0.70	0.69	0.70	0.73	0.78	0.85	0.94	1.03	1.12	1.19
											0.70	0.70	0.69	0.70	0.73	0.78	0.85	0.94	1.03	1.12	1.19
											0.70	0.70	0.69	0.70	0.73	0.78	0.85	0.94	1.03	1.12	1.19

TABLE C.

$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.	$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.	$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.	$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.	$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.	$\gamma' + \gamma''$	Magnitude of greatest phase in Digits.
35.47	0	45.46	0	55.45	0	65.44	0	75.43	0	85.42	0
35.51	1	45.50	1	55.50	1	65.49	1	75.48	1	85.47	1
35.56	2	45.55	2	55.54	2	65.54	2	75.53	2	85.52	2
35.60	3	45.59	3	55.59	3	65.58	3	75.58	3	85.57	3
35.64	4	45.64	4	55.63	4	65.63	4	75.63	4	85.62	4
35.68	5	45.68	5	55.68	5	65.68	5	75.68	5	85.68	5
35.73	6	45.73	6	55.73	6	65.73	6	75.73	6	85.73	6
35.77	7	45.77	7	55.77	7	65.77	7	75.78	7	85.78	7
35.81	8	45.82	8	55.82	8	65.82	8	75.83	8	85.83	8
35.85	9	45.86	9	55.86	9	65.87	9	75.87	9	85.88	9
35.90	10	45.90	10	55.91	10	65.92	10	75.92	10	85.93	10
35.94	11	45.95	11	55.96	11	65.97	11	75.97	11	85.98	11
35.98	12	45.99	12	56.00	12	—	—	—	—	—	—
36.00	Total.	46.00	Total.	56.00	Total.	66.00	Annular.	76.00	Annular.	86.00	Annular.
36.02	12	46.01	12	56.00	12	—	—	—	—	—	—
36.06	11	46.05	11	56.04	11	66.03	11	76.03	11	86.02	11
36.10	10	46.10	10	56.09	10	66.08	10	76.08	10	86.07	10
36.15	9	46.14	9	56.14	9	66.13	9	76.13	9	86.12	9
36.19	8	46.18	8	56.18	8	66.18	8	76.17	8	86.17	8
36.23	7	46.23	7	56.23	7	66.23	7	76.22	7	86.23	7
36.27	6	46.27	6	56.27	6	66.27	6	76.27	6	86.27	6
36.32	5	46.32	5	56.32	5	66.32	5	76.32	5	86.32	5
36.36	4	46.36	4	56.37	4	66.37	4	76.37	4	86.38	4
36.40	3	46.41	3	56.41	3	66.42	3	76.42	3	86.43	3
36.44	2	46.45	2	56.46	2	66.46	2	76.47	2	86.48	2
36.49	1	46.50	1	56.50	1	66.51	1	76.52	1	86.53	1
36.53	0	46.54	0	56.55	0	66.56	0	76.57	0	86.58	0

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 0^\circ \phi = 40^\circ$	58.3	0.0	1.7	3.5	5.5	7.7	9.8	12.2	14.7	17.2	19.5	21.8	23.8	25.8	27.8	29.5	31.2				
	59.3	1.0	2.8	4.7	6.8	9.2	11.5	14.2	16.8	19.3	21.7	23.8	26.0	27.8	29.7	31.3					
	58.7	0.3	2.2	4.0	6.0	8.3	10.8	13.5	16.3	19.0	21.5	23.8	25.8	27.7	29.5	31.2					
	59.8	1.5	3.3	5.3	7.7	10.2	12.8	15.7	18.5	21.0	23.5	25.7	27.5	29.3	31.0						
	59.3	1.0	2.8	4.8	7.0	9.5	12.2	15.0	17.8	20.5	23.0	25.2	27.2	29.0	30.7						
$L = 10^\circ \phi = 40^\circ$	59.0	0.5	2.2	4.0	8.0	8.0	10.2	12.5	15.0	17.3	19.8	22.2	24.3	26.3	28.2	30.0	31.7				
	59.7	1.3	3.0	5.0	7.0	9.3	11.7	14.3	16.8	19.3	21.8	24.2	26.2	28.2	29.8	31.5					
	59.0	0.7	2.3	4.3	6.3	8.5	11.0	13.7	16.3	19.0	21.7	24.0	26.0	28.0	29.8	31.5					
	58.3	0.0	1.7	3.5	5.5	7.7	10.0	12.7	15.5	18.3	21.0	23.5	25.7	27.7	29.5	31.2					
	59.3	1.0	2.8	4.7	6.8	9.3	11.8	14.7	17.5	20.3	22.8	25.0	27.2	29.0	30.7						
$L = 20^\circ \phi = 40^\circ$	59.3	0.8	2.5	4.3	6.3	8.3	10.5	12.8	15.2	17.7	20.2	22.5	24.7	26.7	28.7	30.5	32.2	33.8			
	58.5	0.0	1.7	3.5	5.3	7.3	9.7	12.0	14.5	17.3	19.7	22.2	24.5	26.7	28.7	30.8	32.2				
	59.2	0.7	2.5	4.3	6.3	8.5	10.8	13.5	16.3	19.0	21.7	24.0	26.2	28.2	30.0	31.7					
	59.8	1.5	3.3	5.3	7.5	9.8	12.5	15.3	18.2	20.8	23.3	25.7	27.7	29.5	31.2						
	59.3	1.0	2.7	4.7	6.7	9.0	11.7	14.5	17.3	20.2	22.7	25.0	27.2	29.0	30.7						
$L = 30^\circ \phi = 40^\circ$	59.8	1.5	3.2	4.8	6.7	8.7	10.8	13.2	15.7	18.2	20.5	23.0	25.2	27.3	29.3	31.0	32.7	34.3			
	58.8	0.3	2.0	3.7	5.5	7.5	9.7	12.0	14.5	17.2	19.8	22.3	24.7	26.8	28.8	30.7	32.3	34.0			
	59.3	0.8	2.5	4.3	6.3	8.5	10.8	13.3	16.2	19.0	21.7	24.2	26.3	28.3	30.2	31.8					
	58.5	0.0	1.7	3.5	5.3	7.5	9.8	12.3	15.2	18.2	20.8	23.5	25.8	27.8	29.7	31.3					
	59.3	1.0	2.7	4.5	6.5	8.8	11.5	14.2	17.2	20.0	22.7	25.0	27.2	29.0	30.7						
$L = 40^\circ \phi = 40^\circ$	58.8	0.3	1.8	3.5	5.2	7.0	9.0	11.2	13.5	15.8	18.3	20.6	23.3	25.5	27.7	29.7	31.5	33.2	34.8		
	59.0	0.5	2.2	3.8	5.7	7.5	9.7	12.0	14.7	17.3	20.0	22.5	25.0	27.2	29.2	31.0	32.7	34.3			
	59.5	1.0	2.7	4.5	6.3	8.5	10.8	13.5	16.3	19.2	21.8	24.3	26.7	28.7	30.5	32.2					
	58.3	59.8	1.5	3.2	5.2	7.2	9.7	12.2	15.0	18.0	20.8	23.5	25.8	27.8	29.7	31.5					
	59.2	0.8	2.5	4.3	6.3	8.7	11.3	14.0	17.2	20.0	22.7	25.2	27.2	29.2	30.8						
$L = 50^\circ \phi = 40^\circ$	59.2	0.5	2.2	3.7	5.5	7.3	9.2	11.3	13.7	16.2	18.7	21.2	23.7	26.0	28.0	30.0	32.0	33.7	35.3	36.8	
	59.2	0.7	2.2	3.8	5.7	7.7	9.8	12.2	14.7	17.3	20.2	22.7	25.2	27.3	29.5	31.3	33.0	34.7			
	59.5	1.0	2.7	4.5	6.3	8.5	10.8	13.5	16.3	19.2	22.0	24.5	26.7	28.8	30.7	32.5					
	58.5	59.8	1.5	3.3	5.2	7.2	9.5	12.2	15.0	18.0	21.0	23.7	25.8	28.0	30.0	31.7					
	59.2	0.7	2.3	4.3	6.3	8.7	11.2	14.0	17.0	20.0	22.5	25.2	27.3	29.2	31.0						
$L = 60^\circ \phi = 40^\circ$	59.2	0.7	2.2	3.8	5.5	7.3	9.3	11.5	13.7	16.2	18.7	21.3	23.8	26.2	28.3	30.8	32.2	33.8	35.5	37.0	
	59.2	0.7	2.2	3.8	5.7	7.7	9.7	12.2	14.7	17.3	20.2	22.8	25.3	27.5	29.5	31.5	33.2	34.8			
	59.5	1.0	2.7	4.5	6.3	8.5	10.8	13.5	16.3	19.3	22.0	24.7	27.0	28.8	30.8	32.5	34.2				
	58.3	59.8	1.8	3.2	5.0	7.2	9.5	12.2	15.0	18.0	21.0	23.7	26.0	28.2	30.0	31.7					
	59.0	0.7	2.3	4.2	6.2	8.5	11.2	14.2	17.2	20.2	22.8	25.3	27.3	29.3	31.0						
$L = 70^\circ \phi = 40^\circ$	59.3	0.7	2.2	3.8	5.7	7.5	9.3	11.5	13.8	16.3	18.8	21.5	24.0	26.3	28.5	30.5	32.3	34.2	35.7	37.3	
	59.3	0.8	2.3	4.0	5.8	7.7	9.8	12.2	14.7	17.7	20.3	23.0	25.5	27.8	29.8	31.7	33.3	35.0			
	59.5	1.0	2.7	4.3	6.3	8.5	10.8	13.5	16.5	19.3	22.2	24.8	27.2	29.2	31.0	32.7	34.3				
	59.8	1.5	3.2	5.2	7.2	9.5	12.3	15.2	18.3	21.3	23.8	26.0	28.3	30.2	32.1	33.8					
	59.0	0.5	2.2	4.2	6.2	8.7	11.2	14.2	17.3	20.5	23.2	25.5	27.5	29.3	31.2						

ECLIPSES OF THE SUN IN INDIA.

TABLE D.

$\lambda + \mu$.	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 80^\circ \phi = 40^\circ$	59.3	0.7	2.2	3.8	5.5	7.3	9.3	11.5	13.8	16.3	19.0	21.5	24.0	26.3	28.5	30.5	32.3	34.2	35.7	37.3	
	30°	59.2	0.5	2.2	3.5	5.5	7.5	9.7	12.0	14.7	17.5	20.3	23.0	25.5	27.7	29.7	31.5	33.3	34.8		
	20°		59.3	0.8	2.5	4.3	6.2	8.3	10.7	13.5	16.3	19.3	22.2	24.8	27.0	29.2	31.0	32.7	34.2		
	10°			59.7	1.3	3.0	5.0	7.2	9.5	12.3	15.3	18.5	21.3	24.0	26.3	28.3	30.2	32.0			
	0°				58.8	0.5	2.2	4.2	6.2	8.5	11.3	14.3	17.5	20.5	23.2	25.5	27.7	29.5	31.2		
$L = 90^\circ \phi = 40^\circ$	59.2	0.7	2.2	3.8	5.5	7.3	9.3	11.5	13.8	16.3	18.8	21.5	24.0	26.3	28.5	30.5	32.3	34.2	35.7	37.2	
	30°	59.0	0.5	2.2	3.8	5.5	7.5	9.7	12.2	14.8	17.5	20.3	23.2	25.5	27.8	29.8	31.7	33.3	34.8	36.3	
	20°		59.2	0.7	2.3	4.2	6.0	8.2	10.7	13.5	16.5	19.5	22.2	24.8	27.0	29.2	30.8	32.7	34.2		
	10°			59.7	1.2	3.0	5.0	7.2	9.7	12.3	15.5	18.7	21.5	24.2	26.3	28.3	30.2	31.8			
	0°				58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.7	17.8	20.8	23.5	25.7	27.7	29.5	31.2		
$L = 100^\circ \phi = 40^\circ$	58.8	0.3	1.8	3.3	5.2	7.0	8.8	11.0	13.3	16.0	18.5	21.2	23.7	26.0	28.2	30.2	32.0	33.8	35.3	36.8	
	30°	58.7	0.2	1.7	3.5	5.2	7.2	9.5	11.8	14.5	17.3	20.2	22.8	25.3	27.5	29.5	31.3	33.0	34.7	36.0	
	20°		59.0	0.5	2.2	4.0	6.0	8.2	10.8	13.5	16.5	19.5	22.3	24.7	27.0	29.0	30.8	32.5	34.0		
	10°			59.5	1.2	3.0	5.0	7.2	9.7	12.5	15.7	18.7	21.8	24.2	26.3	28.3	30.2	31.7			
	0°				58.8	0.3	2.3	4.2	6.3	8.8	11.8	15.0	18.2	21.0	23.5	25.8	27.8	29.7	31.2		
$L = 110^\circ \phi = 40^\circ$	59.8	1.3	3.0	4.7	6.5	8.5	10.7	13.2	15.7	18.3	20.8	23.3	25.7	27.8	29.8	31.7	33.3	35.0	36.5	38.0	
	30°	58.5	0.0	1.7	3.3	5.2	7.2	9.3	11.8	14.5	17.3	20.2	22.8	25.3	27.3	29.3	31.2	32.8	34.3	35.8	
	20°		59.0	0.5	2.2	4.0	6.0	8.2	10.8	13.5	16.5	19.5	22.2	24.7	27.0	29.0	30.8	32.3	33.8		
	10°			59.5	1.2	2.8	5.0	7.2	9.7	12.7	15.7	18.8	21.8	24.2	26.2	28.2	30.2	31.8			
	0°				58.8	0.5	2.2	4.2	6.5	9.0	12.0	15.2	18.3	21.3	23.8	25.8	27.8	29.5	31.2		
$L = 120^\circ \phi = 40^\circ$	59.3	0.8	2.5	4.2	6.0	8.0	10.2	12.5	15.0	17.7	20.3	22.8	25.2	27.3	29.3	31.2	32.8	34.5	36.0	37.3	
	30°	59.5	1.2	2.8	4.7	6.7	8.8	11.3	14.0	16.8	19.7	22.3	24.7	26.8	28.8	30.7	32.3	34.0	35.3		
	20°		58.7	0.2	1.8	3.7	5.7	8.0	10.5	13.3	16.3	19.8	22.0	24.5	26.7	28.7	30.5	32.2	33.7		
	10°			59.3	1.0	2.8	4.8	7.0	9.7	12.5	15.7	18.8	21.5	24.0	26.2	28.2	30.2	31.5			
	0°				58.8	0.5	2.3	4.3	6.7	9.2	12.2	15.3	18.5	21.3	23.7	25.8	27.8	29.5	31.2		
$L = 130^\circ \phi = 40^\circ$	59.0	0.5	2.0	3.8	5.7	7.7	9.8	12.2	14.7	17.2	19.8	22.3	24.7	26.8	28.8	30.7	32.3	34.0	35.5		
	30°	59.3	0.8	2.5	4.3	6.3	8.7	11.0	13.7	16.5	19.3	22.0	24.3	26.5	28.5	30.3	32.0	33.7	35.0		
	20°		58.5	0.0	1.7	3.5	5.5	7.8	10.3	13.2	16.2	19.0	21.8	24.2	26.5	28.3	30.2	31.8	33.3		
	10°			59.3	1.0	2.8	4.8	7.2	9.7	12.7	15.7	18.7	21.5	24.0	26.2	28.2	30.2	31.8			
	0°				58.8	0.5	2.3	4.3	6.8	9.3	12.3	15.5	18.5	21.3	23.7	25.8	27.8	29.5	31.2		
$L = 140^\circ \phi = 40^\circ$	59.8	1.5	3.2	5.0	7.0	9.2	11.5	13.8	16.5	19.0	21.5	24.0	26.0	28.0	30.0	31.7	33.3	34.8			
	30°	58.8	0.5	2.2	4.0	6.0	8.2	10.5	13.2	16.0	18.8	21.5	24.0	26.0	28.0	30.8	31.5	33.2			
	20°		59.8	1.5	3.3	5.3	7.5	10.0	12.8	15.8	18.8	21.5	24.0	26.2	28.2	30.8	31.5	33.0			
	10°			59.2	0.8	2.7	4.7	6.8	9.5	12.3	15.5	18.5	21.3	23.7	25.8	27.8	29.5	31.2			
	0°				58.8	0.5	2.3	4.5	6.7	9.3	12.3	15.5	18.5	21.3	23.7	25.8	27.7	29.5	31.2		
$L = 150^\circ \phi = 40^\circ$	59.2	0.8	2.5	4.3	6.3	8.5	10.8	13.2	15.8	18.3	20.3	23.2	25.8	27.3	29.2	31.0	32.7	34.2			
	30°	58.5	0.2	1.8	3.5	5.5	7.7	10.2	12.8	15.5	18.3	21.0	23.3	25.5	27.5	29.3	31.2	33.7			
	20°		59.5	1.2	3.0	5.0	7.2	9.7	12.5	15.3	18.3	21.0	23.5	25.7	27.7	29.5	31.2	33.7			
	10°			59.2	0.8	2.7	4.7	6.8	9.5	12.3	15.3	18.3	21.0	23.5	25.7	27.7	29.5	31.2			
	0°				58.8	0.7	2.5	4.5	6.8	9.5	12.3	15.3	18.5	21.2	23.7	25.8	27.7	29.5	31.2		

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 160^\circ \phi = 40^\circ$	58.5	0.2	1.8	3.7	5.7	7.7	10.0	12.5	15.2	17.7	20.0	22.3	24.5	26.5	28.5	30.2	31.8	33.3			
	30°	59.7	1.3	3.2	5.2	7.3	9.7	12.3	15.0	17.8	20.3	22.8	25.0	27.0	29.0	30.7	32.2				
	20°	59.3	1.0	2.7	4.7	7.0	9.3	12.2	15.0	18.0	20.7	23.2	25.3	27.3	29.2	30.8	32.3				
	10°	59.0	0.7	2.5	4.5	6.7	9.2	12.0	15.0	18.0	20.8	23.3	25.5	27.5	29.3	31.0					
	0°	59.0	0.7	2.5	4.5	6.8	9.3	12.2	15.3	18.3	21.0	23.5	25.7	27.7	29.3	31.0					
$L = 170^\circ \phi = 40^\circ$	59.7	1.3	3.2	5.0	7.0	9.3	11.7	14.3	16.8	19.3	21.7	24.0	26.0	27.8	29.7	31.3					
	30°	59.2	0.8	2.7	4.7	6.7	9.0	11.7	14.3	17.2	19.8	22.2	24.5	26.5	28.3	30.2	31.7				
	20°	59.2	0.8	2.5	4.5	6.7	9.2	11.8	14.7	17.5	20.3	22.8	25.2	27.2	29.0	30.7					
	10°	59.0	0.7	2.5	4.3	6.7	9.2	11.8	14.8	17.8	20.7	23.2	25.5	27.5	29.2	30.8					
	0°	59.0	0.7	2.5	4.5	6.8	9.3	12.2	15.2	18.2	21.0	23.5	25.7	27.7	29.3	31.0					
$L = 180^\circ \phi = 40^\circ$	59.2	0.8	2.5	4.5	6.5	8.7	11.2	13.7	16.2	18.7	21.2	23.3	25.3	27.3	29.2	30.8					
	30°	58.8	0.5	2.3	4.2	6.3	8.7	11.2	13.8	16.5	19.3	21.8	24.0	26.0	28.0	29.8	31.3				
	20°	58.8	0.5	2.2	4.2	6.3	8.7	11.3	14.2	17.0	19.8	22.2	24.7	26.7	28.5	30.3					
	10°	58.8	0.5	2.2	4.2	6.3	8.8	11.7	14.5	17.5	20.3	23.0	25.2	27.2	29.0	30.7					
	0°	59.0	0.7	2.5	4.5	6.7	9.2	12.0	15.0	18.0	20.8	23.3	25.5	27.5	29.3	31.0					
$L = 190^\circ \phi = 40^\circ$	58.7	0.3	2.0	3.8	6.0	8.2	10.5	13.0	15.7	18.2	20.5	22.8	24.8	26.8	28.7	30.3					
	30°	58.5	0.2	2.0	3.8	6.0	8.2	10.7	13.3	16.2	18.8	21.3	23.7	25.8	27.7	29.5					
	20°	58.5	0.2	1.8	3.8	5.8	8.2	10.8	13.7	16.7	19.3	22.0	24.3	26.3	28.2	30.0					
	10°	58.7	0.3	2.0	4.0	6.2	8.5	11.3	14.2	17.3	20.0	22.7	25.0	27.0	28.8	30.5					
	0°	59.0	0.7	2.3	4.3	6.5	9.0	11.8	14.8	17.8	20.7	23.2	25.5	27.5	29.3	31.0					
$L = 200^\circ \phi = 40^\circ$	59.8	1.7	3.5	5.5	7.7	10.0	12.5	15.0	17.7	20.0	22.3	24.5	26.3	28.2							
	30°	59.7	1.5	3.3	5.3	7.7	10.2	12.8	15.7	18.3	20.8	23.2	25.3	27.2	29.0						
	20°	58.3	0.0	1.7	3.5	5.7	8.0	10.7	13.5	16.3	19.2	21.8	24.2	26.2	28.0	29.8					
	10°	58.7	0.3	2.0	4.0	6.0	8.5	11.2	14.2	17.2	20.0	22.7	25.0	27.0	28.8	30.7					
	0°	59.0	0.7	2.3	4.3	6.5	9.0	11.7	14.7	17.8	20.7	23.2	25.5	27.5	29.3	31.0					
$L = 210^\circ \phi = 40^\circ$	59.2	1.0	2.8	4.8	7.0	9.3	11.8	14.5	17.0	19.5	21.8	23.8	25.8	27.7							
	30°	59.3	1.2	3.0	5.0	7.3	9.8	12.5	15.3	18.0	20.7	23.0	25.0	27.0	28.8						
	20°	59.8	1.5	3.3	5.5	7.8	10.3	13.2	16.2	19.0	21.7	24.0	26.2	28.0	29.8						
	10°	58.5	0.2	1.8	3.7	5.8	8.2	10.8	13.8	17.0	19.8	22.5	24.8	27.0	28.8	30.5					
	0°	58.8	0.5	2.3	4.2	6.3	8.8	11.5	14.7	17.7	20.5	23.2	25.5	27.5	29.3	31.2					
$L = 220^\circ \phi = 40^\circ$	58.8	0.5	2.3	4.3	6.7	9.0	11.5	14.2	16.7	19.2	21.5	23.5	25.5	27.3							
	30°	59.2	0.8	2.7	4.8	7.2	9.7	12.3	15.2	17.8	20.5	22.8	24.8	26.8	28.5						
	20°	59.5	1.2	3.0	5.2	7.5	10.2	13.0	16.0	18.8	21.5	23.8	26.0	27.8	29.5						
	10°	0.0	1.8	3.7	5.8	8.2	11.0	13.8	17.0	20.0	22.7	25.0	27.0	28.8	30.5						
	0°	0.5	2.2	4.0	5.8	8.0	10.0	13.2	16.2	19.0	22.3	25.0	27.3	29.3	31.2	32.8					
$L = 230^\circ \phi = 40^\circ$	58.3	0.2	2.0	4.2	6.3	8.7	11.3	13.8	16.5	18.8	21.2	23.3	25.2								
	30°	58.8	0.7	2.5	4.7	6.8	9.5	12.2	15.0	17.7	20.3	22.7	24.7	26.7							
	20°	59.3	1.0	3.0	5.0	7.5	10.0	13.0	16.0	18.8	21.5	23.8	25.8	27.8							
	10°	59.8	1.7	3.5	5.7	8.0	10.8	13.8	17.0	19.8	22.5	24.8	26.8	28.8	30.5						
	0°	58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.5	17.7	20.7	23.2	25.7	27.7	29.5	31.2					

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	
L = 240° $\phi = 40^\circ$						58.2	0.0	1.8	4.0	6.2	8.7	11.3	13.8	16.5	18.8	21.2	23.2	25.0				
30°						58.8	0.5	2.5	4.7	7.0	9.5	12.3	15.2	17.8	20.3	22.7	24.8	26.7				
20°						59.2	1.0	2.8	5.0	7.5	10.2	13.0	16.0	19.0	21.5	23.8	25.8	27.7				
10°						59.6	1.8	3.7	5.7	8.2	11.0	14.0	17.2	20.2	22.7	25.0	27.0	28.8	30.5			
0°						58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.7	17.8	20.8	23.3	25.7	27.7	29.5	31.2		
L = 250° $\phi = 40^\circ$						59.8	1.8	4.0	6.3	8.8	11.3	14.0	16.5	18.8	21.2	23.2	25.0					
30°						58.7	0.3	2.3	4.5	7.0	9.5	12.3	15.2	17.8	20.3	22.7	24.7	26.5				
20°						59.2	0.8	2.8	5.0	7.5	10.2	13.2	16.3	19.0	21.5	23.8	25.8	27.7				
10°						59.8	1.5	3.5	5.7	8.2	11.0	14.2	17.3	20.2	22.7	25.0	27.0	28.6				
0°						58.8	0.5	2.2	4.2	6.3	8.8	11.7	14.8	18.0	21.0	23.5	25.8	27.8	29.5	31.2		
L = 260° $\phi = 40^\circ$						58.2	0.0	2.0	4.2	6.5	9.0	11.7	14.3	16.8	19.2	21.2	23.2					
30°						58.8	0.7	2.7	4.8	7.3	10.0	12.8	15.7	18.3	20.7	22.8	24.8	26.7				
20°						59.2	1.0	3.0	5.3	7.8	10.7	13.7	16.7	19.3	21.8	24.0	26.0	27.8				
10°						59.8	1.7	3.7	5.8	8.5	11.3	14.5	17.5	20.3	22.8	25.2	27.2	28.8				
0°						58.8	0.5	2.2	4.2	6.3	8.8	11.7	14.8	18.0	21.0	23.5	25.8	27.8	29.7	31.2		
L = 270° $\phi = 40^\circ$						58.2	0.0	2.2	4.3	6.7	9.3	12.0	14.5	17.0	19.3	21.3	23.3					
30°						58.8	0.7	2.8	5.0	7.5	10.3	13.2	15.8	18.5	20.8	23.0	24.8	26.7				
20°						59.3	1.2	3.3	5.7	8.2	11.0	14.0	17.0	19.7	22.0	24.3	26.2	28.0				
10°						58.2	0.0	1.8	3.8	6.0	8.7	11.7	14.8	17.8	20.7	23.0	25.2	27.2	28.8			
0°						58.8	0.5	2.3	4.3	6.5	9.2	12.2	15.3	18.5	21.3	23.7	25.8	27.8	29.5	31.2		
L = 280° $\phi = 40^\circ$						58.7	0.7	2.7	5.0	7.5	10.0	12.7	15.2	17.5	19.8	21.8	23.7					
30°						59.2	1.2	3.3	5.7	8.2	11.0	13.8	16.5	19.0	21.3	23.3	25.2	27.0				
20°						59.5	1.5	3.5	6.0	8.5	11.5	14.5	17.3	20.0	22.3	24.3	26.3	28.0				
10°						58.3	0.0	2.0	4.0	6.3	9.0	12.0	15.2	18.2	20.8	23.2	25.3	27.2	29.0			
0°						58.8	0.5	2.3	4.5	6.8	9.5	12.5	15.7	18.7	21.5	23.8	25.8	27.8	29.5	31.2		
L = 290° $\phi = 40^\circ$						59.3	1.3	3.3	5.5	8.0	10.8	13.3	15.8	18.0	20.3	22.3	24.0					
30°						59.5	1.5	3.7	6.0	8.7	11.3	14.2	16.8	19.3	21.5	23.5	25.3	27.0				
20°						59.7	1.7	3.8	6.3	8.8	11.8	14.8	17.7	20.2	22.5	24.5	26.3	28.0				
10°						58.5	0.2	2.2	4.2	6.7	9.3	12.3	15.5	18.3	21.0	23.3	25.3	27.2	28.8			
0°						58.8	0.7	2.5	4.5	6.8	9.5	12.7	15.8	18.8	21.3	23.8	25.8	27.8	29.5	31.2		
L = 300° $\phi = 40^\circ$						59.7	1.8	4.0	6.3	8.8	11.3	13.8	16.3	18.7	20.7	22.7	24.5					
30°						58.2	0.0	2.0	4.2	6.7	9.3	12.0	14.8	17.3	19.8	22.0	24.0	25.8	27.5			
20°						58.3	0.2	2.2	4.3	6.7	9.5	12.3	15.2	18.0	20.5	22.7	24.7	26.5	28.2			
10°						58.7	0.5	2.5	4.7	7.0	9.8	12.7	15.8	18.7	21.2	23.5	25.5	27.3	29.0			
0°						59.0	0.7	2.7	4.7	7.2	9.8	12.8	15.8	18.8	21.5	23.8	25.8	27.7	29.3	31.0		
L = 310° $\phi = 40^\circ$						58.5	0.3	2.3	4.7	7.0	9.3	12.0	14.5	16.8	19.2	21.2	23.2	25.0				
30°						58.7	0.5	2.5	4.7	7.2	9.8	12.5	15.2	17.7	20.2	22.2	24.2	26.0	27.7			
20°						58.7	0.5	2.5	4.8	7.2	9.8	12.7	15.7	18.3	20.7	23.0	25.0	26.7	28.3			
10°						58.8	0.7	2.7	4.8	7.3	10.0	13.0	15.8	18.7	21.2	23.5	25.5	27.3	29.0	30.5		
0°						59.0	0.8	2.7	4.8	7.5	10.0	13.0	16.0	18.8	21.3	23.7	25.7	27.7	29.3	30.8		

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°		
$L = 320^\circ \phi = 40^\circ$						59.2	1.2	3.2	5.3	7.7	10.2	12.7	15.2	17.5	19.7	21.8	23.7	25.5	27.2				
	30°					59.2	1.0	3.0	5.3	7.7	10.3	13.0	15.7	18.2	20.5	22.5	24.5	26.3	28.0				
	20°					59.0	0.8	2.8	5.0	7.5	10.2	13.2	15.8	18.5	20.8	23.2	25.0	26.8	28.5				
	10°					59.2	1.0	2.8	5.0	7.5	10.2	13.2	16.0	18.8	21.3	23.7	25.7	27.5	29.2	30.7			
	0°					59.2	0.8	2.8	4.8	7.3	10.0	12.8	16.0	18.7	21.3	23.7	25.7	27.5	29.2	30.8			
$L = 330^\circ \phi = 40^\circ$						59.8	1.8	3.8	6.0	8.3	10.7	13.2	15.7	18.0	20.3	22.3	24.2	26.0	27.8				
	30°					59.7	1.5	3.5	5.7	8.2	10.7	13.3	16.0	18.5	20.8	23.0	24.8	26.7	28.3				
	20°					59.5	1.3	3.3	5.5	7.8	10.5	13.3	16.2	18.8	21.2	23.3	25.3	27.2	28.8				
	10°					59.3	1.0	3.0	5.2	7.5	10.2	13.0	16.0	18.7	21.2	23.5	25.5	27.3	29.0	30.7			
	0°					59.3	1.0	2.8	5.0	7.3	10.0	12.8	15.8	18.5	21.2	23.5	25.5	27.3	29.0	30.7			
$L = 340^\circ \phi = 40^\circ$						59.0	0.7	2.5	4.5	6.7	9.0	11.5	13.8	16.3	18.7	21.0	23.0	25.0	26.8	28.5			
	30°					58.3	0.9	2.0	4.0	6.2	8.5	11.0	13.7	16.2	18.7	21.2	23.2	25.2	27.0	28.7			
	20°					59.8	1.7	3.5	5.7	8.0	10.7	13.3	16.2	18.8	21.3	23.5	25.5	27.3	29.0	30.7			
	10°					59.5	1.3	3.2	5.3	7.7	10.3	13.2	16.0	18.7	21.3	23.7	25.7	27.5	29.2	30.8			
	0°					59.3	1.0	2.8	5.0	7.3	9.8	12.7	15.5	18.3	21.0	23.3	25.3	27.3	29.0	30.7			
$L = 350^\circ \phi = 40^\circ$						59.5	1.2	3.2	5.0	7.2	9.5	11.8	14.3	16.8	19.2	21.3	23.5	25.5	27.3	29.0	30.7		
	30°					59.0	0.7	2.5	4.5	6.7	8.8	11.3	14.0	16.7	19.2	21.5	23.7	25.7	27.5	29.2	30.8		
	20°					58.3	0.0	1.8	3.7	5.8	8.2	10.7	13.5	16.2	18.8	21.3	23.5	25.7	27.5	29.2	30.8		
	10°					59.7	1.3	3.2	5.3	7.7	10.2	13.0	15.8	18.5	21.0	23.3	25.5	27.3	29.0	30.8			
	0°					59.3	1.0	2.8	5.0	7.2	9.7	12.5	15.3	18.2	20.7	23.2	25.3	27.2	29.0	30.7			
$L = 360^\circ \phi = 40^\circ$						58.3	0.0	1.7	3.5	5.5	7.7	9.8	12.2	14.7	17.2	19.5	21.8	23.8	25.8	27.8	29.5	31.2	
	30°					59.3	1.0	2.8	4.7	6.8	9.2	11.5	14.2	16.8	19.3	21.7	23.8	26.0	27.8	29.7	31.3		
	20°					58.7	0.3	2.2	4.0	6.0	8.3	10.8	13.5	16.3	19.0	21.5	23.8	25.8	27.7	29.5	31.2		
	10°					59.8	1.5	3.3	5.3	7.7	10.2	12.8	15.7	18.5	21.0	23.5	25.7	27.5	29.3	31.0			
	0°					59.3	1.0	2.8	4.8	7.0	9.5	12.2	15.0	17.8	20.5	23.0	25.2	27.2	29.0	30.7			
$L = 400^\circ \phi = 40^\circ$						59.2	0.8	2.7	4.7	6.7	8.8	11.3	13.8	16.3	18.8	21.3	23.5	25.5	27.5	29.2	30.8		
	30°					58.7	0.2	2.0	4.0	6.0	8.2	10.7	13.5	16.2	18.8	21.3	23.7	25.8	27.7	29.5	31.2		
	20°					59.7	1.5	3.3	5.3	7.5	10.2	13.0	15.8	18.7	21.3	23.7	25.8	27.8	29.5	31.2			
	10°					59.8	1.0	2.8	4.8	7.0	9.7	12.5	15.5	18.3	21.2	23.7	25.8	27.8	29.5	31.2			
	0°					59.0	0.7	2.5	4.5	6.7	9.2	12.0	15.0	18.0	20.8	23.3	25.5	27.5	29.3	31.0			
$L = 410^\circ \phi = 40^\circ$						59.7	1.3	3.2	5.0	7.0	9.3	11.7	14.2	16.7	19.3	21.7	24.0	26.0	27.8	29.7	31.3		
	30°					59.5	0.5	2.3	4.2	6.2	8.5	10.8	13.5	16.3	19.0	21.7	24.0	26.0	28.0	29.8	31.5		
	20°					0.0	1.7	3.5	5.5	7.8	10.3	13.2	16.0	18.8	21.5	24.0	26.2	28.2	29.8	31.5			
	10°					59.5	1.3	2.8	4.8	7.2	9.7	12.5	15.5	18.5	21.2	23.7	26.0	27.8	29.7	31.3			
	0°					59.0	0.7	2.3	4.3	6.5	9.0	11.8	14.8	17.8	20.7	23.2	25.5	27.5	29.3	31.0			
$L = 420^\circ \phi = 40^\circ$						58.7	0.2	1.8	3.5	5.5	7.5	9.7	12.0	14.3	16.8	19.5	22.0	24.3	26.3	28.3	30.2	31.8	33.5
	30°					59.5	1.0	2.7	4.7	6.7	8.8	11.3	13.8	16.7	19.3	22.0	24.3	26.5	28.5	30.3	32.0		
	20°					58.7	0.2	1.8	3.7	5.7	7.8	10.3	13.0	16.0	18.8	21.7	24.0	26.3	28.3	30.0	31.7		
	10°					59.3	1.0	2.8	4.8	7.0	9.5	12.3	15.3	18.3	21.2	23.7	25.8	27.8	29.7	31.3			
	0°					59.0	0.7	2.3	4.3	6.5	9.0	11.7	14.7	17.8	20.7	23.2	25.5	27.5	29.3	31.0			

TABLE D.

$\lambda + \mu.$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
L = 430° $\phi = 40^\circ$	59.2	0.7	2.3	4.2	6.0	8.0	10.2	12.5	15.0	17.5	20.2	22.5	24.8	27.0	29.0	30.8	32.5	34.2			
30°	59.7	1.2	3.0	4.8	6.8	9.0	11.3	14.0	16.8	19.5	22.2	24.7	26.8	28.8	30.5	32.2	33.8				
20°	58.7	0.2	1.8	3.7	5.7	7.8	10.8	13.0	16.0	18.8	21.7	24.2	26.8	28.3	30.2	31.8					
10°	59.5	1.2	3.0	4.8	7.0	9.5	12.3	15.3	18.3	21.2	23.8	26.0	28.0	29.8	31.5						
0°	58.8	0.5	2.3	4.2	6.3	8.8	11.5	14.7	17.7	20.5	23.2	25.5	27.5	29.3	31.2						
L = 440° $\phi = 40^\circ$	59.5	1.0	2.7	4.3	6.3	8.3	10.3	12.8	15.3	17.8	20.5	22.8	25.2	27.3	29.3	31.2	32.8	34.5			
30°	59.8	1.5	3.2	5.0	7.0	9.0	11.5	14.2	17.0	19.8	22.5	24.8	27.0	29.0	30.8	32.5	34.2				
20°	59.0	0.5	2.2	3.8	5.8	8.0	10.5	13.2	16.2	19.2	22.0	24.5	26.7	28.7	30.5	32.2					
10°	59.5	1.2	2.8	4.8	7.0	9.8	12.2	15.2	18.3	21.2	23.8	26.0	28.0	29.8	31.5						
0°	58.8	0.5	2.3	4.2	6.3	8.7	11.5	14.5	17.7	20.7	23.3	25.5	27.7	29.5	31.2						
L = 450° $\phi = 40^\circ$	59.8	1.3	3.0	4.7	6.5	8.5	10.7	13.0	15.5	18.2	20.7	23.2	25.5	27.7	29.7	31.5	33.3	34.8	36.3		
30°	58.7	0.0	1.7	3.3	5.2	7.2	9.3	11.7	14.3	17.2	20.0	22.7	25.0	27.3	29.3	31.2	33.8	34.3			
20°	59.0	0.5	2.2	4.0	5.8	8.2	10.5	13.3	16.2	19.2	22.0	24.5	26.8	28.8	30.7	32.3	33.8				
10°	59.5	1.2	3.0	4.8	7.0	9.5	12.3	15.3	18.3	21.3	23.8	26.2	28.2	30.0	31.7						
0°	58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.5	17.7	20.7	23.2	25.7	27.7	29.5	31.2						
L = 460° $\phi = 40^\circ$	58.7	0.0	1.5	3.2	4.8	6.7	8.7	10.8	13.2	15.7	18.3	21.0	23.5	25.8	28.0	30.0	31.8	33.5	35.2	36.7	
30°	58.7	0.0	1.7	3.3	5.2	7.2	9.3	11.7	14.3	17.2	20.0	22.7	25.2	27.3	29.3	31.2	33.8	34.5			
20°	59.0	0.5	2.2	4.0	6.0	8.2	10.7	13.3	16.3	19.3	22.2	24.7	27.0	29.0	30.8	32.5	34.0				
10°	59.5	1.2	2.8	4.8	7.0	9.5	12.2	15.3	18.5	21.3	24.0	26.2	28.2	30.0	31.7						
0°	58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.5	17.7	20.7	23.2	25.7	27.7	29.5	31.2						
L = 470° $\phi = 40^\circ$	58.7	0.2	1.7	3.3	5.0	6.8	8.8	11.0	13.3	15.8	18.3	21.0	23.5	26.0	28.2	30.2	32.0	33.7	35.3	36.8	
30°	58.8	0.3	1.8	3.5	5.3	7.3	9.5	11.8	14.5	17.3	20.2	22.8	25.3	27.5	29.5	31.3	33.0	34.7	36.2		
20°	59.2	0.7	2.3	4.0	6.0	8.3	10.7	13.5	16.5	19.5	22.3	24.8	27.0	29.0	30.8	32.5	34.0				
10°	59.5	1.2	3.0	5.0	7.2	9.7	12.5	15.7	18.7	21.7	24.2	26.3	28.5	30.2	31.8						
0°	58.8	0.5	2.2	4.2	6.3	8.8	11.7	14.8	18.0	21.0	23.5	25.8	27.8	29.5	31.2						
L = 480° $\phi = 40^\circ$	58.7	0.2	1.7	3.2	5.0	6.8	8.8	11.0	13.3	15.8	18.3	21.0	23.7	26.0	28.2	30.0	31.8	33.7	35.2	36.7	
30°	58.7	0.0	1.7	3.3	5.2	7.2	9.3	11.7	14.3	17.2	20.0	22.7	25.2	27.3	29.3	31.2	33.0	34.5	36.0		
20°	59.0	0.5	2.2	4.0	6.0	8.2	10.7	13.5	16.5	19.5	22.3	24.8	27.0	29.0	30.8	32.5	34.0				
10°	59.5	1.2	3.0	5.0	7.2	9.7	12.7	15.7	18.7	21.8	24.2	26.3	28.3	30.2	31.8						
0°	58.8	0.3	2.2	4.2	6.5	9.0	11.8	15.0	18.2	21.2	23.7	25.8	27.8	29.7	31.2						
L = 490° $\phi = 40^\circ$	58.7	0.2	1.7	3.2	5.0	6.8	8.8	11.0	13.3	15.8	18.5	21.0	23.5	25.8	28.0	30.0	31.8	33.5	35.2	36.7	38.2
30°	58.7	0.2	1.5	3.3	5.2	7.2	9.5	11.8	14.5	17.3	20.2	22.8	25.2	27.5	29.5	31.2	33.0	34.5	36.0		
20°	58.8	0.3	2.2	3.8	6.0	8.2	10.8	13.5	16.5	19.5	22.3	24.8	27.0	28.8	30.7	32.3	33.8				
10°	59.5	1.2	3.0	5.0	7.2	9.8	12.7	15.8	19.0	21.7	24.2	26.3	28.3	30.2	31.7						
0°	58.8	0.5	2.3	4.3	6.5	9.2	12.2	15.3	18.5	21.3	23.7	25.8	27.8	29.5	31.2						
L = 500° $\phi = 40^\circ$	59.7	1.3	2.8	4.7	6.5	8.5	10.7	13.0	15.5	18.0	20.7	23.2	25.5	27.7	29.7	31.5	33.2	34.8	36.3	37.7	
30°	59.8	1.3	3.2	5.0	7.0	9.2	11.7	14.3	17.2	20.2	22.7	25.0	27.2	29.2	30.8	32.5	34.2	35.5			
20°	58.8	0.3	2.0	3.8	6.0	8.2	10.8	13.7	16.7	19.5	22.3	24.7	26.8	28.7	30.5	32.2	33.7				
10°	59.3	1.2	3.0	5.0	7.3	10.0	12.8	16.0	19.0	21.8	24.2	26.3	28.3	30.2	31.7						
0°	58.8	0.5	2.3	4.5	6.8	9.5	12.5	15.7	18.7	21.5	23.8	25.8	27.8	29.5	31.2						

TABLE D.

$\lambda + \mu$.	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 510^\circ \phi = 40^\circ$	59.3	1.0	2.5	4.3	6.2	8.2	10.3	12.7	15.2	17.8	20.3	22.8	25.2	27.3	29.2	31.0	32.7	34.3	36.0	37.3	
	30°	59.7	1.3	3.0	4.8	6.8	9.2	11.7	14.3	17.0	20.0	22.5	24.8	27.0	28.8	30.7	32.3	33.8	35.3		
	20°	58.7	0.3	2.0	3.8	5.8	8.2	10.8	13.7	16.5	19.5	22.2	24.5	26.7	28.7	30.3	32.0	33.5			
	10°	59.5	1.2	3.0	5.2	7.5	10.0	13.0	16.2	19.0	21.8	24.2	26.2	28.2	29.8	31.5					
	0°	58.8	0.7	2.5	4.5	6.8	9.5	12.7	15.8	18.8	21.3	23.8	25.8	27.8	29.5	31.0					
$L = 520^\circ \phi = 40^\circ$	59.0	0.5	2.2	3.8	5.7	7.7	9.8	12.2	14.7	17.3	19.8	22.3	24.5	26.7	28.7	30.5	32.2	33.8	35.3	36.8	
	30°	59.2	0.8	2.5	4.5	6.5	8.7	11.2	13.8	16.7	19.3	21.8	24.3	26.3	28.3	30.2	31.8	33.8	34.8		
	20°	58.5	0.2	1.8	3.8	5.7	8.0	10.7	13.3	16.3	19.2	21.8	24.2	26.3	28.2	30.0	31.7	33.2			
	10°	59.8	1.0	2.8	5.0	7.3	10.0	13.0	16.0	18.8	21.5	23.8	25.0	27.8	29.7	31.2	32.7				
	0°	59.0	0.7	2.7	4.7	7.2	9.8	12.8	15.8	18.8	21.5	23.8	25.8	27.7	29.3	31.0					
$L = 530^\circ \phi = 40^\circ$	58.5	0.0	1.7	3.3	5.3	7.3	9.3	11.7	14.2	16.7	19.2	21.7	24.0	26.2	28.0	29.8	31.7	33.2	34.8	36.2	
	30°	59.0	0.7	2.3	4.2	6.3	8.5	11.0	13.5	16.3	19.0	21.5	23.8	26.0	28.0	29.8	31.5	33.0	34.5		
	20°	59.8	1.7	3.5	5.5	7.8	10.3	13.2	16.0	18.8	21.5	23.8	26.0	27.8	29.7	31.3	33.8				
	10°	59.3	1.0	3.0	5.2	7.3	10.0	13.0	16.0	18.8	21.5	23.8	25.8	27.7	29.5	31.0	32.5				
	0°	59.0	0.8	2.7	4.8	7.5	10.0	13.0	16.0	18.8	21.3	23.7	25.7	27.7	29.3	30.8					
$L = 540^\circ \phi = 40^\circ$	59.5	1.2	2.8	4.7	6.7	8.8	11.0	13.5	16.0	18.5	20.8	23.2	25.3	27.3	29.2	30.8	32.5	34.0	35.5		
	30°	58.7	0.3	2.0	3.8	5.8	8.0	10.5	13.0	15.7	18.3	21.0	23.3	25.5	27.3	29.2	30.8	32.5	34.0		
	20°	59.8	1.5	3.3	5.3	7.7	10.2	12.8	15.7	18.5	21.2	23.8	25.7	27.5	29.3	31.0	32.5				
	10°	59.2	1.0	2.8	4.8	7.2	9.8	12.7	15.7	18.5	21.0	23.5	25.5	27.5	29.2	30.8	32.3				
	0°	59.2	0.8	2.8	4.8	7.3	10.0	12.8	16.0	18.7	21.3	23.7	25.7	27.5	29.2	30.8					
$L = 550^\circ \phi = 40^\circ$	59.0	0.7	2.3	4.0	6.0	8.2	10.3	12.8	15.2	17.7	20.2	22.5	24.7	26.7	28.5	30.2	31.8	33.5			
	30°	58.3	0.0	1.7	3.5	5.5	7.7	10.0	12.5	15.2	17.8	20.3	22.7	24.8	26.8	28.7	30.3	32.0	33.5		
	20°	59.5	1.2	3.0	5.0	7.2	9.7	12.3	15.2	18.0	20.5	22.8	25.0	27.0	28.8	30.5	32.0				
	10°	59.3	1.0	2.8	4.8	7.2	9.8	12.5	15.5	18.3	20.8	23.2	25.3	27.2	29.0	30.7	32.2				
	0°	59.3	1.0	2.8	5.0	7.3	10.0	12.8	15.8	18.5	21.2	23.5	25.5	27.3	29.0	30.7					
$L = 560^\circ \phi = 40^\circ$	58.2	59.8	1.5	3.3	5.3	7.3	9.5	11.8	14.3	16.8	19.2	21.5	23.7	25.7	27.7	29.5	31.2	33.7			
	30°	59.5	1.3	3.0	5.0	7.2	9.5	12.0	14.5	17.2	19.7	22.0	24.3	26.3	28.2	30.0	31.7	33.2			
	20°	59.3	1.0	2.8	4.8	7.0	9.3	12.0	14.7	17.5	20.2	22.5	24.7	26.7	28.5	30.3	31.8				
	10°	59.2	0.8	2.7	4.7	7.0	9.5	12.2	15.0	17.8	20.5	22.8	25.0	27.0	28.8	30.5					
	0°	59.3	1.0	2.8	5.0	7.3	9.8	12.7	15.5	18.3	21.0	23.3	25.3	27.3	29.0	30.7					
$L = 570^\circ \phi = 40^\circ$	59.3	1.0	2.8	4.7	6.7	8.8	11.2	13.7	16.0	18.5	20.8	23.0	25.0	27.0	28.8	30.5	32.0				
	30°	59.2	0.8	2.5	4.5	6.5	8.8	11.3	13.8	16.3	19.0	21.3	23.7	25.7	27.7	29.3	31.0				
	20°	59.2	0.8	2.7	4.7	6.7	9.0	11.7	14.3	17.0	19.7	22.2	24.3	26.3	28.3	30.0	31.7				
	10°	59.2	0.8	2.7	4.7	6.8	9.8	12.0	14.8	17.7	20.3	22.7	24.8	26.8	28.7	30.3	32.0				
	0°	59.3	1.0	2.8	5.0	7.2	9.7	12.5	15.3	18.2	20.7	23.2	25.3	27.2	29.0	30.7					
$L = 580^\circ \phi = 40^\circ$	58.8	0.5	2.2	4.2	6.2	8.2	10.5	12.8	15.3	17.8	20.2	22.3	24.5	26.5	28.3	30.0	31.7				
	30°	58.7	0.3	2.2	4.0	6.2	8.3	10.7	13.2	15.8	18.5	20.8	23.2	25.3	27.2	29.0	30.7				
	20°	58.8	0.5	2.3	4.2	6.2	8.5	11.0	13.7	16.5	19.2	21.7	24.0	26.0	28.7	30.7	31.3				
	10°	59.0	0.7	2.5	4.3	6.5	9.0	11.5	14.3	17.2	19.8	22.3	24.7	26.7	28.5	30.2					
	0°	59.3	1.0	2.8	4.8	7.0	9.5	12.2	15.0	17.8	20.5	23.0	25.2	27.2	29.0	30.7					

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
$L = 590^\circ \phi = 40^\circ$						58.3	0.0	1.7	3.5	5.5	7.7	9.8	12.2	14.7	17.2	19.5	21.8	24.0	25.8	27.8	29.5
	30°					58.5	0.2	1.8	3.7	5.7	7.8	10.2	12.7	15.3	18.0	20.5	22.7	24.8	26.8	28.7	30.3
	20°					58.5	0.2	1.8	3.7	5.8	8.0	10.5	13.2	15.8	18.7	21.2	23.5	25.7	27.5	29.3	31.0
	10°					58.8	0.5	2.3	4.2	6.3	8.7	11.2	13.8	16.7	19.5	22.0	24.3	26.5	28.3	30.0	
	0°					59.3	1.0	2.8	4.7	6.8	9.3	11.8	14.7	17.5	20.3	22.7	25.0	27.2	29.0	30.7	
$L = 600^\circ \phi = 40^\circ$						59.5	1.2	3.0	5.0	7.0	9.3	11.7	14.2	16.5	19.0	21.3	23.5	25.5	27.3	29.0	
	30°					59.7	1.3	3.2	5.2	7.2	9.7	12.2	14.7	17.3	19.8	22.2	24.3	26.3	28.2	30.0	
	20°					58.3	0.0	1.7	3.5	5.5	7.7	10.2	12.8	15.7	18.3	21.0	23.3	25.5	27.3	29.2	
	10°					58.8	0.5	2.2	4.0	6.0	8.3	11.0	13.7	16.5	19.3	22.0	24.3	26.5	28.3	30.2	
	0°					59.3	1.0	2.7	4.7	6.7	9.0	11.7	14.5	17.3	20.2	22.7	25.0	27.2	29.0	30.7	
$L = 610^\circ \phi = 40^\circ$						58.8	0.7	2.5	4.3	6.3	8.7	11.0	13.5	16.0	18.3	20.7	22.8	24.8	26.8		
	30°					59.3	1.0	2.8	4.7	6.8	9.2	11.7	14.3	17.0	19.5	22.0	24.2	26.2	28.0		
	20°					59.8	1.5	3.3	5.3	7.5	9.8	12.5	15.3	18.2	20.8	23.2	25.3	27.3	29.2		
	10°					58.7	0.3	2.0	3.8	5.8	8.2	10.7	13.3	16.3	19.2	21.8	24.2	26.3	28.3	30.0	
	0°					59.3	1.0	2.7	4.5	6.5	8.8	11.5	14.2	17.2	20.0	22.7	25.0	27.2	29.0	30.7	
$L = 620^\circ \phi = 40^\circ$						58.5	0.2	2.0	3.8	6.0	8.2	10.5	13.0	15.5	18.0	20.3	22.5	24.5	26.5		
	30°					59.0	0.7	2.5	4.5	6.5	8.8	11.3	14.0	16.7	19.3	21.7	24.0	26.0	27.8		
	20°					59.5	1.2	3.0	4.8	7.2	9.5	12.2	14.8	17.8	20.5	23.0	25.2	27.2	29.0		
	10°					58.7	0.2	1.8	3.7	5.7	8.0	10.5	13.3	16.2	19.2	21.8	24.3	26.5	28.3	30.0	
	0°					59.2	0.8	2.5	4.3	6.3	8.7	11.3	14.0	17.2	20.0	22.7	25.2	27.2	29.2	30.8	
$L = 630^\circ \phi = 40^\circ$						59.7	1.5	3.5	5.5	7.8	10.2	12.7	15.3	17.7	20.0	22.3	24.3	26.2			
	30°					58.7	0.3	2.2	4.2	6.2	8.7	11.2	13.8	16.5	19.2	21.7	23.8	25.8	27.7		
	20°					59.3	1.0	2.7	4.7	7.0	9.3	12.0	15.0	17.8	20.5	22.8	25.2	27.2	29.0		
	10°					58.5	0.0	1.7	3.5	5.5	7.8	10.3	13.2	16.0	19.0	21.7	24.2	26.3	28.3	30.2	
	0°					59.2	0.7	2.3	4.3	6.3	8.7	11.2	14.0	17.0	20.0	22.5	25.2	27.3	29.2	31.0	
$L = 640^\circ \phi = 40^\circ$						59.5	1.3	3.3	5.3	7.7	10.2	12.7	15.2	17.7	20.0	22.2	24.3				
	30°					58.5	0.2	2.0	4.0	6.2	8.7	11.2	14.0	16.7	19.3	21.8	24.0	26.0	27.8		
	20°					59.2	0.8	2.7	4.7	6.8	9.3	12.2	15.0	17.8	20.7	23.0	25.2	27.2	29.0		
	10°					0.0	1.7	3.5	5.5	7.8	10.3	13.2	16.3	19.2	22.0	24.3	26.5	28.5	30.3		
	0°					59.0	0.7	2.3	4.2	6.2	8.5	11.2	14.2	17.2	20.2	22.8	25.3	27.3	29.3	31.0	
$L = 650^\circ \phi = 40^\circ$						59.3	1.2	3.2	5.3	7.7	10.2	12.7	15.3	17.8	20.2	22.2	24.2				
	30°					58.3	0.0	1.8	3.8	6.0	8.5	11.2	14.0	16.7	19.3	21.7	23.8	25.8			
	20°					59.0	0.7	2.5	4.5	6.8	9.3	12.2	15.2	18.2	20.7	23.2	25.8	27.3			
	10°					59.8	1.5	3.3	5.3	7.7	10.3	13.2	16.3	19.3	22.0	24.5	26.5	28.5	30.2		
	0°					59.0	0.5	2.2	4.2	6.2	8.7	11.2	14.2	17.3	20.5	23.2	25.5	27.5	29.3	31.0	
$L = 660^\circ \phi = 40^\circ$						59.3	1.2	3.2	5.5	7.8	10.3	13.0	15.5	18.0	20.3	22.3	24.3				
	30°					58.3	0.2	2.0	4.0	6.3	8.8	11.5	14.3	17.2	19.7	22.0	24.2	26.2			
	20°					59.0	0.7	2.7	4.7	7.0	9.7	12.5	15.5	18.5	21.0	23.5	25.5	27.5			
	10°					59.7	1.5	3.3	5.5	7.8	10.5	13.5	16.7	19.7	22.3	24.7	26.7	28.7	30.3		
	0°					58.8	0.5	2.2	4.2	6.3	8.5	11.3	14.3	17.5	20.5	23.2	25.5	27.7	29.5	31.2	

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°		
L = 670° $\phi = 40^\circ$						59.3	1.3	3.3	5.7	8.2	10.7	13.3	16.0	18.3	20.5	22.7	24.5						
30°						58.3	0.2	2.0	4.2	6.5	9.2	11.8	14.7	17.5	20.0	22.2	24.3	26.2					
20°						59.0	0.8	2.7	5.0	7.3	10.0	13.0	16.0	18.8	21.3	23.7	25.8	27.7					
10°						59.8	1.5	3.5	5.7	8.0	10.8	13.8	17.0	20.0	22.7	24.8	26.8	28.7	30.5				
0°						58.8	0.5	2.2	4.2	6.3	8.7	11.5	14.7	17.8	20.8	23.5	25.7	27.7	29.5	31.2			
L = 680° $\phi = 40^\circ$						59.8	1.8	3.8	6.2	8.7	11.3	14.0	16.5	18.8	21.0	23.0	24.8						
30°						58.7	0.5	2.5	4.7	7.0	9.7	12.5	15.3	18.0	20.5	22.7	24.7	26.5					
20°						59.2	1.0	3.0	5.2	7.7	10.3	13.3	16.3	19.2	21.7	24.0	26.0	27.8					
10°						59.8	1.5	3.5	5.8	8.3	11.2	14.2	17.3	20.2	22.8	25.0	27.0	28.8					
0°						58.8	0.3	2.2	4.2	6.3	8.8	11.8	15.0	18.2	21.0	23.5	25.8	27.8	29.7	31.2			
L = 690° $\phi = 40^\circ$						58.3	0.2	2.2	4.5	6.8	9.3	12.0	14.5	17.0	19.3	21.5	23.5						
30°						58.8	0.7	2.7	5.0	7.5	10.2	13.0	15.8	18.3	20.8	23.0	25.0	26.7					
20°						59.3	1.2	3.2	5.5	8.0	10.7	13.8	16.8	19.5	22.0	24.2	26.2	27.8					
10°						59.8	1.7	3.7	6.0	8.5	11.3	14.5	17.7	20.5	23.0	25.2	27.2	28.8					
0°						58.8	0.5	2.2	4.2	6.5	9.0	12.0	15.2	18.3	21.2	23.7	25.8	27.8	29.5	31.2			
L = 700° $\phi = 40^\circ$						59.0	0.8	2.8	5.2	7.5	10.2	13.7	15.3	17.8	20.0	22.2	24.0	25.8					
30°						59.3	1.2	3.3	5.7	8.2	10.8	13.7	16.5	19.0	21.3	23.5	25.5	27.2					
20°						59.7	1.5	3.5	5.8	8.3	11.3	14.3	17.2	19.8	22.3	24.5	26.3	28.2					
10°						58.5	0.2	2.0	4.0	6.3	8.8	11.8	15.0	18.0	20.8	23.3	25.3	27.2	29.0				
0°						58.8	0.5	2.3	4.3	6.7	9.2	12.2	15.3	18.5	21.3	23.7	25.8	27.8	29.5	31.2			
L = 710° $\phi = 40^\circ$						59.5	1.3	3.5	5.8	8.2	10.8	13.3	16.0	18.3	20.5	22.7	24.5	26.3					
30°						59.7	1.7	3.7	6.0	8.7	11.3	14.2	16.8	19.5	21.7	23.8	25.7	27.5					
20°						59.8	1.8	3.8	6.2	8.8	11.7	14.7	17.7	20.2	22.7	24.7	26.7	28.3					
10°						58.5	0.2	2.2	4.2	6.5	9.2	12.0	15.2	18.2	21.0	23.3	25.5	27.3	29.2				
0°						58.8	0.5	2.3	4.3	6.8	9.3	12.3	15.5	18.5	21.3	23.7	25.8	27.8	29.5	31.2			
L = 720° $\phi = 40^\circ$						58.3	0.2	2.2	4.2	6.5	9.0	11.5	14.2	16.7	19.0	21.3	23.3	25.2	26.8				
30°						58.5	0.2	2.2	4.2	6.5	9.2	11.8	14.7	17.3	19.8	22.2	24.3	26.2	27.8				
20°						58.5	0.2	2.0	4.2	6.5	9.2	12.0	15.0	17.8	20.5	22.8	25.0	26.8	28.5				
10°						58.8	0.5	2.3	4.3	6.7	9.3	12.3	15.5	18.3	21.2	23.5	25.7	27.5	29.3				
0°						58.8	0.5	2.3	4.5	6.7	9.3	12.3	15.5	18.5	21.3	23.7	25.8	27.7	29.5	31.2			
L = 730° $\phi = 40^\circ$						59.0	0.8	2.8	4.8	7.2	9.7	12.2	14.8	17.3	19.7	21.8	23.8	25.7	27.5				
30°						58.8	0.7	2.7	4.7	7.0	9.7	12.3	15.2	17.8	20.3	22.7	24.7	26.5	28.3				
20°						58.8	0.7	2.5	4.7	7.0	9.7	12.5	15.5	18.3	20.8	23.2	25.3	27.2	28.8				
10°						58.8	0.5	2.3	4.5	6.8	9.5	12.3	15.5	18.5	21.2	23.5	25.7	27.5	29.2	30.8			
0°						58.8	0.7	2.5	4.5	6.8	9.5	12.3	15.3	18.5	21.2	23.7	25.8	27.7	29.5	31.2			
L = 740° $\phi = 40^\circ$						59.8	1.7	3.5	5.7	8.0	10.3	13.0	15.5	18.0	20.3	22.5	24.5	26.3	28.2				
30°						59.3	1.2	3.0	5.2	7.5	10.0	12.7	15.5	18.2	20.7	23.0	25.0	26.8	28.7				
20°						59.2	1.0	2.8	4.8	7.2	9.8	12.7	15.5	18.3	21.0	23.3	25.5	27.3	29.0	30.7			
10°						59.0	0.8	2.7	4.7	7.0	9.7	12.5	15.5	18.5	21.2	23.7	25.7	27.7	29.3	31.0			
0°						59.0	0.7	2.5	4.5	6.8	9.3	12.2	15.3	18.3	21.0	23.5	25.7	27.7	29.3	31.0			

TABLE D.

$\lambda + \mu$	260°	270°	280°	290°	300°	310°	320°	330°	340°	350°	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°
L = 750° $\phi = 40^\circ$		58.7	0.3	2.2	4.2	6.2	8.5	19.8	13.3	16.0	18.5	20.8	23.0	0.25	2.27	0.28	7.30	3			
30°		59.8	1.7	3.5	5.7	8.0	10.5	13.2	16.0	18.7	21.2	23.3	25.5	27.3	29.2	30.8					
20°		59.3	1.2	3.0	5.0	7.3	10.0	12.7	15.7	18.5	21.3	23.5	25.5	27.5	29.2	30.8					
10°		59.2	0.8	2.7	4.7	7.0	9.7	12.5	15.5	18.3	21.2	23.5	25.7	27.7	29.3	31.0					
0°		59.0	0.7	2.5	4.5	6.8	9.3	12.2	15.2	18.2	21.0	23.5	25.7	27.7	29.3	31.0					
L = 760° $\phi = 40^\circ$		59.2	0.8	2.7	4.7	6.7	8.8	11.3	13.8	16.3	18.8	21.3	23.5	25.5	27.5	29.2	30.8				
30°		58.7	0.2	2.0	4.0	6.0	8.2	10.7	13.5	16.2	18.8	21.3	23.7	25.8	27.7	29.5	31.2				
20°		59.7	1.5	3.3	5.3	7.5	10.2	13.0	15.8	18.7	21.3	23.7	25.8	27.8	29.5	31.2					
10°		59.3	1.0	2.8	4.8	7.0	9.7	12.5	15.5	18.3	21.2	23.7	25.8	27.8	29.5	31.2					
0°		59.0	0.7	2.5	4.5	6.7	9.2	12.0	15.0	18.0	20.8	23.3	25.5	27.5	29.3	31.0					

ADDITIONS AND CORRECTIONS.

Art. 23, p. 9.

A better description of the sañkrāntis may be given thus. The sāyana Mesha sañkrānti, also called a Vishuva sañkrānti, marks the vernal equinox, or the moment of the sun's passing the first point of Aries. The sāyana Karka sañkrānti, three solar months later, is also called the dakṣiṇāyana (southward-going) sañkrānti. It is the point of the summer solstice, and marks the moment when the sun turns southward. The sāyana Tulā sañkrānti, three solar months later, also called a Vishuva sañkrānti, marks the autumnal equinox or the moment of the sun's passing the first point of Libra. The sāyana Makara sañkrānti, three solar months later still, is also called the uttarāyana (northward-going) sañkrānti. It is the other solstitial point, the moment when the sun turns northward. The *nirayana* (or sidereal) Mesha and Tulā sañkrāntis are also called Vishuva sañkrāntis, and the *nirayana* Karka and Makara sañkrāntis are also, though erroneously, called dakṣiṇāyana and uttarāyana sañkrāntis.

Art. 90, p. 52.

Line 6. After "we proceed thus" add;—"The interval of time between the initial point of the luni-solar year (*Table I., Cols. 19, 20*) and the initial point of the solar year by the *Surya Siddhānta* (*Table I., Cols. 13, 14, and 15a, or 17a*¹) can be easily found.

Line 9. After "Art. 151" add;—"or according to the process in Example 1, Art. 148."

Line 16. After "intercalations and suppressions" add;—We will give an example. In Professor Chhatre's Table, Kārttika is intercalary in Śaka 551 expired, A.D. 629—30 (see *Ind. Ant.*, XXIII. p. 106); while in our Table Āsvina is the intercalary month for that year. Let us work for Āsvina. First we want the tithi-index (*t*) for the moments of the Kanyā and Tulā sañkrāntis. In the given year we have (*Table I., Col. 19*) the initial point of the luni-solar year at sunrise on 1st March, A.D. 629, (=60), and (*Cols. 13, 17*) the initial point of the solar year by the *Ārya-Siddhānta* (=17 h. 32 m. after sunrise on March 19th of the same year). By the Table given below (p. 151) we find that the initial moment of the solar year by the *Surya, Siddhānta* was 15 minutes later than that by the *Ārya Siddhānta*. Thus we have the interval between the initial points of the luni-solar and solar years, according to the *Surya Siddhānta*, as 18 days, 17 hours, and 47 minutes. Adding this to the collective duration up to the moment of the Kanyā and Tulā sañkrāntis (*Table III., Col. 9*), i.e., 156 days, 11 hours and 52 minutes, and 186 days, 22 hours and 27 minutes respectively, we get 175 days, 5 hours, 39 minutes, and 186 days, 16 hours, 14 minutes.

We work for these moments according to the usual rules (Method C, p. 77).

	<i>a.</i>	<i>b.</i>	<i>c.</i>
For the beginning of the luni-solar year (<i>Table I., Cols. 23, 24, 25</i>)	9994	692	228
For 175 days (<i>Table IV.</i>)	9261	351	479
For 5 hours (<i>Table V.</i>)	71	8	1
For 39 minutes (<i>Do.</i>)	9	1	0
	<hr/>	<hr/>	<hr/>
	9335	52	708

¹ Our *a*, *b*, *c*, (*Table I., Cols. 23, 24, 25*) are calculated by the *Surya Siddhānta*, and therefore we give the rule for the *Surya Siddhānta*. The time of the Mesha sañkrānti by the *Ārya Siddhānta* from A.D. 1101 to 1900 is given in Table I. That for years from A.D. 300 to 1100 can be obtained from the Table on p. 151.

		over	9335	52	708
Equation for b (52) (<i>Table VI.</i>)		186			
Do. for c (708) (<i>Table VII.</i>)		119			
		9640			
<i>Again</i>			<i>a.</i>	<i>b.</i>	<i>c.</i>
For the beginning of the luni-solar year		9994	692	228	
For 205 days		9420	440	561	
For 16 hours		226	24	2	
For 14 minutes		3	0	0	
		9643	156	791	
Equation for (b)		256			
Do. for (c)		119			
		18			

This proves that the moon was waning at the Kanyā saṅkrānti, and waxing at the Tulā saṅkrānti, and therefore Āśvina was intercalary (*see Art. 45*). This being so, Kārttika could not have been intercalary.

The above constitutes an easy method of working out all the intercalations and suppressions of months. To still further simplify matters we give a Table shewing the saṅkrāntis whose moments it is necessary to fix in order to establish these intercalations and suppressions. Equation c is always the same at the moment of the saṅkrāntis and we give its figure here to save further reference.

Months.	Saṅkrāntis to be fixed.		Equation c .
	1.	2.	
1. Chaitra	Mina	Mesha	3
2. Vaiśākha	Mesha	Vrishabha	1
3. Jyeshṭha	Vrishabha	Mithuna	15
4. Āshāḍha	Mithuna	Karka	42
5. Śrāvaṇa	Karka	Simha	75
6. Bhādrapada	Simha	Kanyā	103
7. Āśvina	Kanyā	Tulā	119
8. Kārttika	Tulā	Vṛiśchika	119
9. Mārgasīrsha	Vṛiśchika	Dhanus	104
10. Pausha	Dhanus	Makara	78
11. Māgha	Makara	Kumbha	47
12. Phālguna	Kumbha	Mina	20

Art. 96, Table, p. 55.

Instead of this Table the following may be used. It shews the difference in time between the Mesha-saṅkrāntis as calculated by the *Present Surya* and *First Arya Siddhāntas*, and will

save the trouble of making any calculation according to the Table in the text. But if great accuracy is required the latter will yield results correct up to 24 seconds, while the new Table gives it in minutes.

TABLE

Shewing time-difference in minutes between the moments of the Mesha sankranti as calculated by the Present Surya and First Arya Siddhantas.

[The sign — shews that the Mesha sankranti according to the Surya Siddhanta took place before, the sign + that it took place after, that according to the Arya Siddhanta].

Years A.D.	Diff. in minutes.	Years A.D.	Diff. in minutes.	Years A.D.	Diff. in minutes.	Years A.D.	Diff. in minutes.
	—		+		+		+
300—8	21	501—9	1	703—11	23	904—12	45
309—17	20	510—19	2	712—20	24	913—21	46
318—27	19	520—28	3	721—29	25	922—30	47
328—36	18	529—37	4	730—38	26	931—39	48
337—45	17	538—46	5	739—47	27	940—48	49
346—54	16	547—55	6	748—56	28	949—58	50
355—63	15	556—64	7	757—66	29	959—67	51
364—72	14	565—73	8	767—75	30	968—76	52
373—81	13	574—83	9	776—84	31	977—85	53
382—91	12	584—92	10	785—93	32	986—94	54
392—400	11	593—601	11	794—802	33	995—1003	55
401—9	10	602—10	12	803—11	34	1004—13	56
410—18	9	611—19	13	812—20	35	1014—22	57
419—27	8	620—28	14	821—30	36	1023—31	58
428—36	7	629—38	15	831—39	37	1032—40	59
437—45	6	639—47	16	840—48	38	1041—49	60
446—55	5	648—56	17	849—57	39	1050—58	61
455—64	4	657—65	18	858—66	40	1059—67	62
465—73	3	666—74	19	867—75	41	1068—77	63
474—82	2	675—83	20	876—84	42	1078—86	64
483—91	1	684—92	21	885—94	43	1087—95	65
492—500	0	693—702	22	895—903	44	1096—1104	66

Art. 102, pp. 56, 57.

From the initial figures for the *w. a. b. c.* of luni-solar Kali 3402, A.D. 300—1, given in the first entry in Table I., and the figures given in the Table annexed to this article

(which gives the increase in *w. a. b. c.* for the different year-lengths) it is easy to calculate with exactness the initial *w. a. b. c.* for subsequent luni-solar years. Thus—

	<i>w.</i>	<i>a.</i>	<i>b.</i>	<i>c.</i>	(Our entries in Table I.)			
For Kali 3402 355 days	6 5	9981·41 214·34	895·17 883·51	255·93 971·91	<i>w.</i> 6	<i>a.</i> 9981	<i>b.</i> 895	<i>c.</i> 256
For Kali 3403 384 days	4 5	195·75 34·66	778·68 935·97	227·84 51·31	4	196	779	228
For Kali 3404 etc.	3 etc.	230·41 etc.	714·65 etc.	279·15 etc.	3 etc.	230 etc.	715 etc.	279 etc.

To ascertain how many days there were in each year it is only necessary to use col. 19 of Table I. with Table IX. Kali 3403 began 26th February. Table IX. gives the figure 57 on left-hand side, and 422 on the right-hand side, the former being entered in our Table I.

But since A.D. 300 was a leap-year we must take, not 422, but 423, as the proper figure. Kali 3402 began 8th March (68). $423 - 68 = 355$, and this in days was the length of Kali 3402. Similarly (17th March) $441 - (26 \text{ February}) = 384$, and this was the length of Kali 3403; and so on.

It may be interesting to note that in every century there are on an average one year of 385 days, four years of 383 days, twenty-three years of 355 days, thirty-two years of 384 days, and forty years of 354 days.

P. 98.

To end of Art. 160, add the following:—"160(a). To find the tropical (*sāyana*) as well as the sidereal (*nirayana*) saṅkrānti. Find the time of the *nirayana* saṅkrānti (see Art. 23) required, by adding to the time of the *Meshā* saṅkrānti for the year (Table I., Cols. 13 to 17a) the collective duration of the *nirayana* saṅkrānti as given in col. 5 of Table III., under head "saṅkrāntis." Then, roughly, the *sāyana* saṅkrānti took place as many ghaṭikās before or after the *nirayana* one as there are years between Śaka 445 current, and the year next following or next preceding the given year, respectively.

"For more accurate purposes, however, the following calculation must be made. Find the number of years intervening between Śaka 445 current, or Śaka 422 current in the case of the *Surya Siddhānta*, and the given year. Multiply that number by $\frac{1}{w}$, or $\frac{3}{299}$ in the case of the *Surya Siddhānta*. Take the product as in ayanāṁśas, or the amount of precession in degrees. Multiply the length of the solar month (Art. 24) in which the *sāyana* saṅkrānti occurs (as shewn in the preceding paragraph) by these ayanāṁśas and divide by 30. Take the result as days; and by so many days will the *sāyana* saṅkrānti take place before or after the *nirayana* saṅkrānti of the same name, according as the given year is after or before Śaka 445 (or Śaka 422). This will be found sufficiently accurate, though it is liable to a maximum error (in A.D. 1900) of 15 ghaṭikās. The maximum error by the first rule is one day in A.D. 1900. The smaller the distance of the given date from Śaka 445 (or 422) the smaller will be the error. For absolute accuracy special Tables would have to be constructed, and it seems hardly necessary to do this,

The following example will shew the method of work.

Wanted the moment of occurrence of the nirayana Makara sañkrānti and of the sāyana Makara (or uttarāyana) sañkrānti in the year Śaka 1000, current.

		<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
Moment of Mesha sañkrānti (<i>Table I.</i>)	March 23	(82)	5	14	52
Add collect. duration to beginning of Makara (<i>Table III.</i>)		275	2	15	43

Then the moment of the nirayana Makara sañkrānti is 358 1 6 35

(One day being added because the hours exceed 24.)

358 = December 24th. 1 = Sunday.

The nirayana Makara sañkrānti, therefore, occurred on Sunday, December 24th, at 6 h. 35 m. after sunrise. Now for the sāyana Makara sañkrānti. By the Table given above we find that in the given year the sāyana sañkrānti took place 9 days, 6 hours before the nirayana sañkrānti; for A.D. 1000—445 = 555 ghaṭikās = 9 days 15 gh. = 9 days, 6 hours, and it took place in nirayana Dhanus.

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
Moment of nirayana Makara sañk: 24 Dec. = 358	1	6	35	
Deduct	9	9	2	6
	15 Dec.	349	6	0

15 Dec. 349 6 0 35

This shews that the sāyana Makara sañkrānti took place on Friday, Dec. 15th, at 35 minutes after sunrise.

(2) For more accurate time we work thus. 1000—445 = 555. Multiplying by $\frac{1}{60}$ we have $9\frac{15}{60}$, or 9° 15' in ayanāṁśas. The length of the month Dhanus is 29 d. 8 h. 24 m. 48 s. (*Table, p. 10.*)

$$\frac{29 \text{ d. } 8 \text{ h. } 24 \text{ m. } 48 \text{ s.} \times 9\frac{15}{60}}{30} = 9 \text{ } 1 \text{ } 11 \text{ } 39$$

We take 11 m. 39 s. as = 12 m., and deduct 9 d. 1 h. 12 m. from the moment of the nirayana Makara sañkrānti, which we have above.

	<i>d.</i>	<i>w.</i>	<i>h.</i>	<i>m.</i>
24 Dec.	358	1	6	35
9		9	2	12
	15 Dec.	349	6	5 23

This shews that the sāyana Makara sañkrānti took place on Dec. 15th at 5 h. 23 m. after sunrise, the day being Friday.¹

"The following Table may be found useful. It may be appended to Table VIII, and called "Table VIII. C".

¹ Actual calculation by the Arya Siddhānta proves that the sāyana sañkrānti in question took place only 1 minute after the time so found. [S. B. D.]

Table of Rásis (signs).

[The moments of the sánkrantis are indicated by the first of the two entries in cols. 2 and 3. Thus the moment of the Sishha sánkranti is shewn by $\epsilon = 3333$, degrees = 120° .]

Rásis (signs.)	S. (See Arts. 155 and 156.)	Degrees.	Nakshatras forming the Rásis.
1	2	3	4
1. Mesha	0—833	0° — 30°	1. Áśvinī; 2. Bháruṇi; 3. First quarter of Krittikā.
2. Vṛishabha	833—1667	30° — 60°	3. Last three quarters of Krittikā; 4. Rohini; 5. First half of Mrigasíras.
3. Mithuna	1667—2500	60° — 90°	5. Latter half of Mrigasíras; 6. Árdrā; 7. First three quarters of Punarvasu.
4. Karka	2500—3333	90° — 120°	7. Last quarter of Punarvasu; 8. Puṣya; 9. Aśleṣā.
5. Sishha	3333—4167	120° — 150°	10. Maghā; 11. Púrvā-Phalgunī; 12. First quarter of Uttara-Phalgunī.
6. Kanyā	4167—5000	150° — 180°	12. Last three quarters of Uttara-Phalgunī; 13. Hasta; 14. First half of Chitṛā.
7. Tula	5000—5833	180° — 210°	14. Second half of Chitṛā; 15. Svāti; 16. First three quarters of Viśākhā.
8. Vṛischikā	5833—6667	210° — 240°	16. Last quarter of Viśākhā; 17. Anurādhā; 18. Jyeṣṭhā.
9. Dhanus	6667—7500	240° — 270°	19. Muļā; 20. Púrvā-Ashādhā; 21. First quarter of Uttara-Ashādhā.
10. Makara	7500—8333	270° — 300°	21. Last three quarters of Uttara-Ashādhā; 22. Śravaṇa; 23. First half of Dhanishtā (or Śravishthā).
11. Kumbha	8333—9167	300° — 330°	24. Second half of Dhanishtā (or Śravishthā); 24. Śatātraka (or Satabhishaj), 25. First three quarters of Púrvā Bhadrapadā.
12. Mina	9167—10000	330° — 360°	25. Last quarter of Púrvā Bhadrapadā; 26. Uttara-Bhadrapadā; 27. Revati.

" 160(b). The following is a summary of points to be remembered in calculating and verifying dates. The list, however, is not exhaustive.

A. A Juna-solar date may be interpreted as follows:—

- (I.) With reference to current and expired years, and to amānta and pūrṇimānta months.
 - (A) When the year of the given era is Chaitrādi.
 - (a) For dates in bright fortnights, two possible cases; (i.) expired year, (ii.) current year.
 - (b) For dates in dark fortnights, four possible cases; viz., expired year, or current year, according to both the pūrṇimānta and amānta system of months.
 - (B) When the year is both Chaitrādi and non-Chaitrādi.
 - (a) For dates in bright fortnights, three possible cases; viz., (1) Chaitrādi year current,
 - (2) Chaitrādi year expired = non-Chaitrādi year current, (3) non-Chaitrādi year expired.
 - (b) Dates in dark fortnights, six possible cases; viz., the same three years according to both the pūrṇimānta and amānta system of months.

For months which are common to Chaitrādi and non-Chaitrādi years, the cases will be as in (A).
- (II.) With reference to the tithi.

All the above cases, supposing the tithi was current, (1) at the given time as well as at sunrise of the given day, (2) for the given time of the day, but not at its sunrise.

B. A solar date may be interpreted as follows:—

- (I.) With reference to current and expired years.
 - (A) When the year of the given era is Meshādi, two possible cases; (a) expired year, (b) current year.

(b) When the year of the given era is both Meshādi and non-Meshādi, three possible cases; (a) Meshādi year current, (b) Meshādi year expired = non-Meshādi year current, (c) non-Meshādi year expired.

(II.) With reference to the civil beginning of the month, all the cases in Art. 28.

C. When the era of a date is not known, all known possible eras should be tried.

D. (a) According to Hindu Astronomy a tithi of a bright or dark fortnight of a month never stands at sunrise on the same week-day more than once in three consecutive years. For instance, if Chaitra śukla pratipadā stands at sunrise on a Sunday in one year, it cannot stand at sunrise on Sunday in the year next preceding or next following.

(b) It can only, in one very rare case, end on the same week-day in two consecutive years, and that is when there are thirteen lunar months between the first and second. There are only seven instances¹ of it in the 1600 years from A.D. 300 to 1900.

(c) It cannot end on the same week-day more than twice in three consecutive years.

(d) But a tithi can be connected with the same week-day for two consecutive years if there is a confusion of systems in the naming of the civil day, naming, that is, not only by the tithi current at sunrise, but also by the tithi current during any time of that day. Even this, however, can only take place when there are thirteen lunar months between the two. If, for instance, Chaitra śukla 1st be current during, though not at sunrise on, a Sunday in one year; next year, if an added month intervenes, it may stand at sunrise on a Sunday, and consequently it may be connected with a Sunday in both these (consecutive) years.

(e) A tithi of an amānta month of one year may end on the same week-day as it did in the pūrṇimānta month of the same name during the preceding year.

(f) The interval between the week-days connected with a tithi in two consecutive years, when there are 12 months between them, is generally four, and sometimes five; but when thirteen lunar months intervene, the interval is generally one of six week-days. For instance, if Chaitra śukla 1st ends on Sunday (= 1) in one year, it ends next year generally on (1 + 4 = 5 =) Thursday, and sometimes on (1 + 5 = 6 =) Friday, provided there is no added month between the two. If there is an added month it will probably end on (1 + 6 = 0 =) Saturday.

(g) According to Hindu Astronomy the minimum length of a lunar month is 29 days, 20 ghaṭikās, and the maximum 29 days and 43 ghaṭikās. Hence the interval between the week-days of a tithi in two consecutive months is generally one or two. If, for instance, Chaitra śukla pratipadā falls on a Sunday, then Vaiśākha śukla pratipadā may end on Monday or Tuesday. But by the existence of the two systems of naming a civil day from the tithi current at its sunrise, as well as by that current at any time in the day, this interval may sometimes be increased to three, and we may find Vaiśākha śukla pratipadā, in the above example, connected with a Wednesday.

E. (a) A saṅkrānti cannot occur on the same week-day for at least the four years preceding and four following.

(b) See Art. 119, par. 3.

160 (c) To find the apparent longitude of Jupiter. (See Art. 63, p. 37, and Table XII.)

I. To find, first, the mean longitude of Jupiter and the sun.

(i.) Find the mean longitude of Jupiter at the time of the Mesha saṅkrānti by the following Table W. That of the sun is 0° at that moment.

(ii.) Add the śodhya (Art. 26, p. 11, Art. 90, p. 52) given in the following Table Y to

¹ They are A.D. 440—1; 776—7; 838—9, 857—8; 1183—4; 1264—5; 1581—2.

the time of the apparent Mesha sañkrānti (as given in Table I., cols. 13 to 17, or 17a). The sum is the moment of the mean Mesha sañkrānti. Find the interval in days, ghatikās, and pālas between this and the given time (for which Jupiter's place is to be calculated). Calculate the mean motion of Jupiter during the interval by Table Y below, and add it to the mean longitude at the moment of mean Mesha sañkrānti. The sum is the mean place of Jupiter at the given moment. The motion of the sun during the interval (Table Y) is the sun's mean place at the given moment.

II. To find, secondly, the apparent longitude.

(i.) Subtract the sun's mean longitude from that of Jupiter. Call the remainder the "first commutation". If it be more than six signs, subtract it from twelve signs, and use the remainder. With this argument find the parallax by Table Z below. Parallax is *minus* when the commutation is not more than six signs, *plus* when it is more than six. Apply half the parallax to the mean longitude of Jupiter, and subtract from the sum the longitude of Jupiter's aphelion, as given at the bottom of Table Z below. The remainder is the anomaly. (If this is more than six signs, subtract it from twelve signs, as before, and use the remainder.) With this argument find the equation of the centre¹ by Table Z. This is minus or plus according as the anomaly is 0 to 6, or 6 to 12 signs. Apply it to the mean longitude of Jupiter, and the result is the heliocentric longitude.

(ii.) Apply the equation of the centre (plus or minus) to the first commutation; the sum is the "second commutation". If it is more than six signs, use, as before, the difference between it and twelve signs. With this second commutation as argument find the parallax as before. Apply it (whole) to Jupiter's heliocentric longitude, and the result is Jupiter's apparent longitude.

Example. We have a date in an inscription.—"In the year opposite Kollam year 389, Jupiter being in Kumbha, and the sun 18 days old in Mina, Thursday, 10th lunar day of Pushya."²

Calculating by our method "C" in the Text, we find that the date corresponds to Śaka 1138 current, Chaitra śukla daśami (10th), Pushya nakshatra, the 18th day of the solar month Mīna of Kollam 390 of our Tables, or March 12th, A.D. 1215.³

To find the place of Jupiter on the given day.

	gh. pa.					
Apparent Mesha sank. in Śaka 1137 (Table I., Cols. 13—15)	25	Mar.	(84)	Tues.	(3)	3 32
Add śodhya (Table Y)	2		2		2	8 51
The given date is Śaka 1138	27	Mar.	(86)	Tues.	(5)	12 23
	12	Mar.	(436)			
	(350)					

350, then, is the interval from mean Mesha sañkrānti to 12 gh. 23 pa. on the given day. The interval between Śaka 1 current and Śaka 1137 current is 1136 years.

¹ Neglecting the minutes and seconds of anomaly, the equation may be taken for degrees. Thus, if the anomaly is 149° 7' 49", the equation may be taken for 149°. If it were 149° 31' 12", take the equation for 150°. And so in the case of commutation. For greater accuracy the equation and parallax may be found by proportion.

² *Indian Antiquary*, XXIV., p. 307, date No. XI.

³ The year 389 in the original seems to be the *expired year*. There are instances in which the word "opposite" is so used and I am inclined to think that the word used for "opposite" is used to denote "expired" (*gata*). The phrase "18 days old" is used to show the 18th day of the solar month. [S. B. D.]

	JUPITER.			
	Sign.	°	'	"
Saka 1 (<i>Table W</i>)	0	9	0	29
Years	3	22	0	0
"	5	5	12	0
"	6	10	33	36
"	6	2	6	43
At mean Mesha sankh:	9	18	52	48
Days (<i>Table Y</i>)	24	55	44	
"	4	9	17	
Mean long: on the given day	10	17	57	49
Deduct Sun's mean longitude from that of Jupiter.	11	14	57	39
	11	3	0	10

	SUN.			
	Sign.	°	'	"
	9	25	40	51
	1	19	16	48

= first commutation.

As this is more than six signs we deduct it from 12 signs. Remainder, signs 0, $26^\circ 59' 50''$. Call this 27° .

Parallax for 27° (*see Table Z*) = $4^\circ 20'$.

	Sign.	°	'	"
Mean longitude of Jupiter (<i>above</i>)	10	17	57	49
Add half the parallax.	2	10		
	10	20	7	49
Subtract longitude of Jupiter's aphelion (<i>bottom of Table Z</i>)	6	0	0	0
Anomaly	4	20	7	49

4 signs, 20 degrees = 140 degrees. Equation of centre for argument 140° = (*Table Z*) $3^\circ 25'$. Deducting this from Jupiter's mean longitude found above ($10^\circ 17' 57' 49''$) we have $10^\circ 14' 32' 49''$ = Jupiter's heliocentric longitude; and deducting it from the first commutation ($11^\circ 3' 0' 10''$) we have, as second commutation, $10^\circ 29' 35' 10''$. Remainder from 12 signs, 1s. $0^\circ 24' 50''$. Parallax for 1 sign, or 30° , (*Table Z*) = $4^\circ 49'$. Applying this (adding because the commutation is over 6 signs) to the heliocentric longitude of Jupiter we have ($10^\circ 14' 32' 49'' + 4^\circ 49' =$) $10^\circ 19' 21' 49''$ as the apparent (true) longitude of Jupiter.

From this we know that Jupiter was in the 11th sign, Kumbha, on the given date.

TABLE W.

[For finding the mean place of Jupiter. Argument = number of years between Saka 1 and the given Saka year.]

Constant. (Mean longitude at mean Maha Snakunti in Saka 1 current)	Surya Siddhānta			
	Signs	°	'	"
	0	7	56	54
First Arya Do.	0	9	0	29
Surya Siddhānta with bija	0	5	49	4

No. of years.	Surya Siddhānta				First Arya Siddhānta				Surya Siddhānta with bija			
	Signs	Degrees	Mins.	Secs.	S.	°	'	"	S.	°	'	"
1	1	0	21	6	1	0	21	7	1	0	21	4
2	2	0	42	12	2	0	42	14	2	0	42	7
3	3	1	3	18	3	1	3	22	3	1	3	11
4	4	1	24	24	4	1	24	29	4	1	24	14
5	5	1	45	30	5	1	45	36	5	1	45	18
6	6	2	6	36	6	2	6	43	6	2	6	92
7	7	2	27	42	7	2	27	50	7	2	27	25
8	8	2	48	48	8	2	48	59	8	2	48	29
9	9	3	9	54	9	3	10	5	9	3	9	52
10	10	3	31	0	10	3	31	12	10	3	30	36
20	8	7	2	0	8	7	2	24	8	7	1	12
30	6	10	33	0	6	10	33	36	6	10	31	48
40	4	14	4	0	4	14	4	48	4	14	2	24
50	2	17	35	0	2	17	36	0	2	17	33	0
60	0	21	6	0	0	21	7	12	0	21	3	36
70	10	14	37	0	10	24	38	24	10	24	34	12
80	8	28	8	0	8	28	9	36	8	28	4	48
90	7	1	39	0	7	1	40	48	7	1	35	24
100	5	5	10	0	5	5	12	0	5	5	6	0
200	10	10	20	0	10	10	24	0	10	10	12	0
300	3	15	30	0	3	15	36	0	3	15	18	0
400	8	20	40	0	8	20	48	0	8	20	24	0
500	1	25	50	0	1	26	0	0	1	25	30	0
600	7	1	0	0	7	1	12	0	7	0	36	0
700	0	6	10	0	0	6	24	0	0	5	42	0
800	5	11	20	0	5	11	36	0	5	10	48	0
900	10	16	30	0	10	16	48	0	10	15	54	0
1000	3	21	40	0	3	22	0	0	3	21	0	0
2000	7	18	20	0	7	14	0	0	7	12	0	0
3000	11	5	0	0	11	6	0	0	11	3	0	0

TABLE V.

[Mean motion of Jupiter and Sun. Argument = number of days (*ghāṭikās* and *palas*) between mean *Mesha sāṅkrānti* and the given moment.]
(This is applicable to all the *Siddhāntas*).

No. of days.	Jupiter.				Sun.			
	s.	o	t	"	s.	o	t	"
1	0	0	4	59	0	0	59	8
2	0*	0	9	58	0	1	58	16
3	0	0	14	57	0	2	57	25
4	0	0	19	57	0	3	56	33
5	0	0	24	56	0	4	55	41
6	0	0	29	55	0	5	54	49
7	0	0	34	54	0	6	53	57
8	0	0	39	53	0	7	53	5
9	0	0	44	52	0	8	52	14
10	0	0	49	51	0	9	51	22
20	0	1	39	43	0	19	42	43
30	0	2	29	34	0	29	34	5
40	0	3	19	26	1	9	25	27
50	0	4	9	17	1	19	16	48
60	0	4	59	7	1	29	8	10
70	0	5	49	0	2	8	59	32
80	0	6	38	52	2	18	50	54
90	0	7	28	43	2	28	42	15
100	0	8	18	35	3	8	33	37
200	0	16	37	9	6	17	7	14
300	0	24	55	44	9	25	40	51

$$\text{Sodhya} = \begin{cases} \text{Surya Siddhānta} & 3 \ 10 \ 14 \\ \text{Ārya Siddhānta} & 2 \ 8 \ 51 \end{cases}$$

Motion for *ghāṭikās* = as many minutes and seconds as there are degrees and minutes for the same number of days. Motion for *palas* = as many seconds as there are degrees for the same number of days.

Example. The motion of Jupiter in four *ghāṭikās* is $19\frac{17}{60}$, or (say) 20 seconds. The motion of the Sun in five *palas* is $\frac{43}{60}$, or (say) 5 seconds.

TABLE Z.

[For Equation of centre, Argument = Jupiter's anomaly.]


For Parallax, Argument = commutation.]

Argument in degrees.	Parallax.	Equation of centre.		Argument in degrees.	Parallax.		Equation of centre.		Argument in degrees.	Parallax.	Equation of centre.			
		o	i		o	i	o	i			o	i		
1	0	10	0	5		25	4	2	2	7		33	3	45
2	0	19	0	10		26	4	11	2	11		41	3	48
3	0	29	0	15		27	4	20	2	15		48	3	52
4	0	38	0	21		28	4	30	2	20		56	3	56
5	0	48	0	26		29	4	39	2	24		4	3	59
6	0	58	0	31		30	4	49	2	29		12	4	2
7	1	8	0	37		31	4	59	2	33		20	4	5
8	1	18	0	42		32	5	7	2	38		27	4	8
9	1	27	0	47		33	5	17	2	42		34	4	11
10	1	37	0	52		34	5	26	2	47		41	4	14
11	1	47	0	57		35	5	34	2	51		48	4	17
12	1	57	1	2		36	5	43	2	55		55	4	20
13	2	7	1	7		37	5	52	2	58		1	4	22
14	2	16	1	12		38	6	1	3	4		8	4	25
15	2	26	1	17		39	6	9	3	8		14	4	27
16	2	36	1	22		40	6	18	3	12		21	4	30
17	2	46	1	27		41	6	26	3	16		28	4	32
18	2	55	1	32		42	6	35	3	20		34	4	35
19	3	4	1	37		43	6	44	3	23		40	4	37
20	3	14	1	42		44	6	52	3	27		45	4	39
21	3	24	1	47		45	7	0	3	31		49	4	41
22	3	33	1	52		46	7	8	3	35		54	4	43
23	3	42	1	57		47	7	17	3	38		59	4	45
24	3	52	2	1		48	7	25	3	42		4	4	47

Longitude of the Aphelion of Jupiter by St. - 8113 feet - 7.1 - 21.6

Ārya Siddhānta = 6 0

Argument in degrees. Parallax.	Equation of centre.		Argument in degrees. Parallax.	Equation of centre.		Argument in degrees. Parallax.	Equation of centre.									
	°	'		°	'		°	'								
73	10	9	4	49		109	11	25	4	54		145	7	41	3	4
74	10	14	4	51		110	11	24	4	52		146	7	31	3	0
75	10	19	4	52		111	11	22	4	50		147	7	19	2	55
76	10	24	4	54		112	11	19	4	49		148	7	8	2	50
77	10	28	4	55		113	11	16	4	47		149	6	57	2	46
78	10	33	4	56		114	11	13	4	45		150	6	46	2	41
79	10	37	4	57		115	11	10	4	43		151	6	34	2	36
80	10	41	4	59		116	11	6	4	41		152	6	23	2	31
81	10	46	5	0		117	11	2	4	38		153	6	11	2	27
82	10	50	5	1		118	10	59	4	36		154	5	59	2	22
83	10	54	5	1		119	10	55	4	34		155	5	47	2	17
84	10	58	5	2		120	10	51	4	31		156	5	34	2	12
85	11	1	5	3		121	10	46	4	29		157	5	21	2	7
86	11	4	5	4		122	10	41	4	26		158	5	8	2	2
87	11	7	5	4		123	10	36	4	23		159	4	55	1	57
88	11	10	5	5		124	10	31	4	21		160	4	42	1	51
89	11	13	5	5		125	10	25	4	18		161	4	29	1	46
90	11	16	5	5		126	10	19	4	15		162	4	16	1	35
91	11	19	5	6		127	10	13	4	12		163	4	2	1	35
92	11	23	5	6		128	10	7	4	9		164	3	48	1	30
93	11	25	5	6		129	10	1	4	6		165	3	34	1	24
94	11	27	5	6		130	9	54	4	3		166	3	20	1	19
95	11	28	5	6		131	9	47	3	59		167	3	6	1	13
96	11	29	5	5		132	9	39	3	55		168	2	52	1	8
97	11	30	5	5		133	9	32	3	52		169	2	38	1	2
98	11	30	5	4		134	9	25	3	49		170	2	24	0	57
99	11	30	5	4		135	9	17	3	45		171	2	10	.0	51
100	11	31	5	3		136	9	9	3	41		172	1	55	0	45
101	11	31	5	3		137	9	0	3	37		173	1	41	0	40
102	11	31	5	2		138	8	51	3	33		174	1	27	0	34
103	11	30	5	1		139	8	41	3	29		175	1	13	0	29
104	11	30	5	0		140	8	32	3	25		176	0	59	0	24
105	11	29	4	59		141	8	22	3	21		177	0	44	0	18
106	11	28	4	58		142	8	12	3	17		178	0	29	0	12
107	11	27	4	57		143	8	2	3	13		179	0	15	0	6
108	11	26	4	55		144	7	32	3	8		180	0	0	0	0



INDEX.

—200—

- a.*, "b.", "c." in Table I. explained. Art. 102, p. 56.
 Abul Fazal, on the Lakshmana Sena Era, Art. 71, p. 45.
 Adhika māsas, or intercalated months, system explained, Art. 25, p. 11; adhika tithis, rules governing, Art. 32, p. 17; variation on account of longitude, Art. 33, p. 19; detailed rules governing, Arts. 45 to 51, pp. 25 to 31; Arts. 76 to 79, pp. 48, 49; (see also under *Intercalation*, *Lunar month*, *Tithi*).
 Ahargraha, meaning of, Art. 30, and note 2, p. 16; Art. 47, p. 28.
 Akbar, established the Fasali Era, Art. 71, p. 44; and the Ilahi Era, Art. 71, p. 46.
Akbarndma, The, of Abūl Fazal, Art. 71, p. 46.
 Alberuni, Saptarashi Kāla Era used in Multan in his day, Art. 71, p. 41; and the Harsha-Kāla Era in Mathurā and Kannauj, Art. 71, p. 45.
 Amānta system of lunar months, definition, Art. 13, p. 4; compared with pūrṇimānta system in tabular form, Art. 45, p. 25; how it affects intercalation of months in lunisolar system, Art. 51, p. 30.
 Amāvāsyā, definition of, Art. 7, p. 3; name of a tithi, *id.*; ends a paksha or fortnight, Art. 11, p. 4; see also Art. 18, p. 4; Art. 29, p. 13.
 Amli Era of Orissa, The, Art. 71, p. 43.
 Amṛta Siddhi Yoga, Art. 39, p. 23; in an actual pañchāṅga, p. 15.
 Anīsa, or degree of angular measurement, Art. 22, p. 9.
 Anga = limbs; pañcakings, Art. 4, p. 2.
 Anomalistic, Length of — lunar month, Art. 12, note 2, p. 4; — solar year, definition and length of, Art. 15, and note 3, p. 5.
 Anomaly of a planet, true and mean, defined, Art. 15, note 4, p. 5.
 Aparā paksha. (See *Paksha*.)
 Apogee, Sun's, longitude of, in A.D. 1137, Art. 24, p. 11.
 Apparent, sankranti, defined, Art. 26, p. 11; meaning of word "apparent", Art. 26, note 2, p. 11; "apparent time", Art. 36, p. 19.
 Apsides, Line of, in reference to length of anomalistic solar year, Art. 15, and note, p. 5.
 "Arabi-san" The. (See *Mahratta Sūr san*.)
 Aries, first point of, Art. 14, p. 5; sidereal longitude measured from, Art. 23, p. 9.
 Arya-paksha school of astronomers, Arts. 19, 20, p. 7, 8.
 Aryas, Ancient, were acquainted with the starry nakshtras, Art. 38, p. 21.
Arya Siddhānta, The First, Art. 17, p. 6; the Second, *id.*; length of year according to First, now in use, Art. 18, p. 7; account of the Arts. 19, 20, 21, pp. 7 to 9, and notes. Basis of solar reckoning in this work, Art. 37, p. 20; mean intercalations according to, Art. 49, p. 29; Rule of, for finding the samavatsara current on a particular day, Art. 50, p. 34; List of expunged samavatsaras of the 60-year cycle of Jupiter according to the rule of the, Art. 60, p. 36; where used in the Tables as basis of calculation, Art. 73, p. 47; difference between moment of Meṣa-sankranti as calculated by the — and the *Sṛyā Siddhānta*, Art. 96, p. 54, and table.
 Ayanānta, Warren's use of the, Art. 24, note 1, p. 11.
 Badi, or Vadi paksha. (See *Paksha*.)
 Bahula paksha. (See *Paksha*.)
 Bāhūspatya samavatsara. (See *Bṛihaspati chakra*.)
 Bengal. Solar reckoning used in, Art. 25, p. 11; use of the "Bengali San" Era in, Art. 71, p. 43; of the Vilayatī Era in, *id.*; New Year's Day in, Art. 52, p. 32.
 Bengalis, followers of the Saura school of astronomy, Art. 20, p. 8.
 "Bengali San" Era, The, Art. 71, p. 43.
 Bernar, Gāṇeśa Daivajña's works followed in, Art. 20, p. 9.
 Bhāskarāchārya (A.D. 1150) mentions the Second *Arya Siddhānta*, Art. 20, p. 8; follows the rule given in the *Kālatrāvirechana* for naming adhika and kahaya māsas, Art. 46, p. 27; suppressed months according to, Art. 47, p. 27; Art. 50, p. 30.
Bhāskarītī, a Kārya, (A.D. 1099), Art. 20, p. 8; Art. 52, p. 31.
 Bija, or correction, Art. 19, p. 7; Art. 20 and notes, pp. 7 to 9; Varthamāhiṇī's, Art. 20, p. 8; Lalla's, *id.*; in the *Rājāmṛigāṅka*, *id.* p. 8; in the *Makaranda*, *id.* p. 8; Gāṇeśa Daivajña's, *id.* p. 8.

- Bombay, New year's day in, Art. 52, p. 32.
- Brahmagupta. His *Brahma Siddhanta*, Art. 17, p. 6; Art. 19, p. 7; Art. 20, note 1, p. 8; his system of nakshatra measurement, Art. 38, p. 21; Art. 40, note 1, p. 23.
- Brahmanas*, The, Art. 41, p. 24.
- Brahma-paksha school of astronomers, Arts 19-20, p. 7, 8.
- Brahma Siddhanta* of Brahmagupta, Art. 17, p. 6; Art. 19, p. 7; Art. 20, p. 8; system of nakshatra measurement according to, Art. 38, p. 21; rule for naming intercalated and expunged months, Art. 46, p. 27; Art. 50, p. 30.
- Brihaspati-sa-vrata-n-chakra, or sixty-year cycle of Jupiter, Arts. 53 to 62, pp. 32 to 37; duration of a year of the, Art. 54, p. 33; Expunction of a year of the, Arts. 54 to 60, pp. 33 to 36; Rules for finding the year current on any day, Art. 59, p. 34.
- Bṛhat Ṭīkhaṇḍavaśi*, The, by Gāneśa Daivajña, (A.D. 1527) Art. 20, p. 8.
- Burhanan, on the Lakshmana Sena Era, Art. 71, p. 46.
- Canon der Finsternisse*, by Oppolzer, Art. 40a, p. 23. See Dr. R. Schramm's Article on Eclipses, pp. 109-116.
- Central Provinces, Gāneśa Daivajña's works followed in, Art. 20, p. 9.
- Ceremonies, Religious, performance of, how regulated with reference to tithis, Art. 31, p. 17.
- Chaitra-Vikrama year The, Art. 71, p. 41.
- Chaldron. Names of Hindu days of week derived from, Art. 5, note 1, p. 2.
- Chaldeans, were acquainted with the starry nakshatras, Art. 38, p. 21.
- Chālukyan Era, The, Art. 71, p. 46.
- Chāndra-mīsa, or lunar month. See *Lunation*, *Lunar month*.
- Chāra, The, defined, Art. 24, note 1, p. 11.
- Chedi Era, The, Art. 71, p. 42.
- Chhāre, Professor, list of intercalated and suppressed months, Art. 46, note 3, p. 27, and Art. 78, and note 1, p. 49.
- Chinnia Kīmedī, The Ōṅka cycle in, Art. 64, p. 38.
- Chittagong, The Māgi-saṇ Era used in, Art. 71, p. 45.
- Christian Era, The, current or expired years (?) Art. 70, note 2, p. 40. Use of, in India, Art. 71, p. 42.
- Civil day, The. (See *Solar day*).
- Cochin, New Year's Day in, Art. 52, p. 32.
- Colebrooke, on the Lakshmana Sena Era, Art. 71, p. 46.
- Cowasjee Patell, List of intercalated and suppressed months in his "Chronology," Art. 46, note 3, p. 27, and Art. 78, and note 1, p. 49.
- Cunningham, General Sir Arthur. *Indian Eras*, List of intercalated and suppressed months, Art. 46, note 3, p. 27, and Art. 78, and note 1, p. 49. On the Lakshmana Sena Era, Art. 71, p. 46.
- Current year, defined, Art. 70, p. 40.
- Cycle, Sixty-year — of Jupiter, Arts. 53-62, pp. 32-36; List of expunged samvatsaras, Art. 60, p. 38; earliest mention of, in inscriptions, Art. 61, p. 36; The southern
- 60-year, or luni-solar, cycle, Art. 62, pp. 36, 37; Twelve-year — of Jupiter, Art. 63, p. 37, and Table XII.; *Graha-parivritti* — of 90 years, the, Art. 64, p. 37 Ōṅka — the, Art. 64, p. 38.
- Dakhini system of lunar fortnights, Art. 18, p. 5.
- Dakshināyana saṅkrānti, (See *Saṅkrānti*).
- Danda*, Length of Art. 6, p. 2.
- Days of the week, Names of Hindu, Art. 5, p. 2.
- Definitions and general explanation of names and Indian divisions of time, Arts. 4-17, pp. 2-7.
- Dhīkotida*, a Karapa by Śripati, Art. 47, and note 4, p. 27.
- Dhī-ey-dhī-da*, a work by Lalla, Art. 20, p. 8.
- Dina, or solar day, Art. 6, p. 2.
- Divasa, Sīvana — = solar day, Art. 6, p. 2.
- Division of time amongst the Hindus, Art. 6, p. 2.
- Divyāśimhaṭeva, prince of Orissa, Art. 64, p. 39.
- Drāpura Yuga. (See *Yuga*).
- Eclipses, note on, Art. 40a, p. 23; note by Professor Jacobi on *id.*; Dr. Schramm's paper on, and Tables, pp. 109-138.
- Ecliptic, synodical and sidereal revolutions of moon, Art. 12, note 2, p. 4.
- Elements and Definitions, Arts. 4-17, pp. 2-7.
- "Equal-space-system" of nakshatras, Art. 58, p. 21.
- "Equation of the centre", defined, Art. 15, note 4, p. 5; term explained, Art. 107, p. 60; greatest possible, according to the *Surya-Siddhānta*, Art. 108, p. 61; given for every degree of anomaly in the *Makaranda*, Art. 109, p. 61.
- Eras. The various treated of, Arts. 63-71, pp. 39-47; use of, by emigrant races, Arts. 66, 67, p. 39.
- Expired year, defined, Art. 70, p. 40.
- Exoneration. Of tithis, rules governing, Art. 34, p. 17; Variation on account of longitude, Arts. 34, 35, pp. 18, 19; — of nakshatras, Art. 35, p. 19; — of months, Arts. 45 to 51, pp. 25 to 31, and Arts. 77 to 79, pp. 48, 49; alluded to by Bhāskara-čārya, Arts. 46, 47, p. 27. (See *Lunar month*); — of a samvatsara, Art. 54, p. 33; variations in practice, Art. 55, p. 43; List of expunged samvatsaras, Art. 60 and Table p. 36; — of samvatsaras in the 12-year cycle of Jupiter, Art. 63, p. 37.
- Fasli year, The, Art. 71, p. 44. No. luni-solar, *id.* New Year's Day in Madras, Art. 52, p. 32; New Year's Day in Bengal, *id.*
- Fixed point in Aries, The, sidereal longitude measured from, Art. 28, p. 9.
- Fleet, Dr. F., Art. 71, p. 40, note 1; on the Chedi Era, Art. 71, p. 42, note 4; on the Gupta and Valabhi Eras, Art. 71, p. 42.
- Flight, Muhammad's, Art. 161, p. 101.
- Gāneśa Daivajña, author of the *Grahaṇḍyava*, a Karapa in A.D. 1520, and of the *Bṛhat* and *Laghu Tīkhaṇḍavaśi* (A.D. 1527), Art. 20, p. 8; his bīja, *id.*; List of suppressed months according to, Art. 50, p. 30; different treatment of Ōṅka years by, Art. 68, p. 39.
- Ganjam, New Year's Day in, Art. 52, p. 32; The Ōṅka cycle, Art. 64, p. 37.
- Garga's system of nakshatras, Art. 38, p. 21.
- Gata, a — year defined, Art. 70, p. 40.

- Ghati. (See *ghatikā*.)
 Ghatikā, Length of, Art. 6, p. 2.
Giriā Chandra, "Chronological Tables" by, Art. 71, p. 43.
Grahalīgħara, The, a Karana, written by Ganeśa Daivajña (A.D. 1520), Art. 20, p. 8; Art. 50, p. 30; Art. 68, p. 40.
Graha-parivritti cycle, The, Art. 64, p. 37; equation of, *id.*, and note 4.
 Gregorian year, Length of, compared with that of the Hijra, Art. 162, p. 102, note 1.
 Gujarat, The Brahmas school of astronomy followed in, Arts 20, 21, pp. 8, 9; and the *Grahalīgħara* and *Lagħu Tithichinti-mesi* of Ganeśa Daivajña Art. 20, p. 9; New Year's Day in, Art. 52, p. 32; use of the Vikrama Era in, Art. 71, p. 41; and by settlers from — in S. India, *id.*
 Gupta Era, The, Art. 71, p. 43.
 Hāsiaribād, Ganeśa Daivajña's works followed in, Art. 20, p. 9.
 Harsha-Kāla Era, The, Art. 71, p. 45.
 Harshava dhana of Kanauj King, establishes the Harsha-Kāla Era, Art. 71, p. 45.
 Helali, The, Art. 161, p. 101.
 Helical rising of a planet, defined, Art. 68, note 2, p. 37.
 Hijra, Year of the Its origin, Art. 161, p. 101. Length of — and Gregorian years compared, Art. 162, p. 102; begins from helical rising of moon, Art. 164, p. 102.
 Hisabi, The, Art. 161, p. 101.
 Ilāhi Era, The, Art. 71, p. 46.
 Inauspicious days, Certain, Art. 32, p. 17.
 Indrayumna, Rāja of Orissa, date of his birth is the epoch of the Amli Era, Art. 71, p. 43.
 Intercalation of months in Hindu calendar, system explained, Art. 25, p. 11; — of tithis, Art. 32, p. 17; variation on account of longitude, Art. 34, p. 18; — of nakshatras, Art. 35, p. 19; detailed rules governing the — of months, Art. 45 to 51, pp. 25 to 31; order of — of months recurs in cycles, Art. 50, p. 29; according to true and mean systems, Art. 47, p. 27; by different Siddhāntas, Art. 49, p. 29; by amāṇīa and pūrṇamīsa systems, Art. 51, p. 30. See also Arts. 76–79, pp. 44–49.
 Jacobi, Professor, note on eclipses, Art. 40a, p. 23.
 Jahangir, used the Ilāhi Era, Art. 71, p. 46.
 Julian period, Art. 16, p. 6.
 Jupiter Bijs, or correction, applied in A.D. 505 to his motion, by Varāha-mihira, Art. 20, p. 8, and by Lalla, *id.*; sixty-year cycle of, Arts. 53–62, pp. 32 ff.; twelve-year cycle of, Art. 63, p. 37, and Table XII.; helical rising of, marks beginning of year in one system of 12-year cycle, Art. 63, p. 37, twelve-year cycle of the mean-sign system, Art. 63, p. 37, and Table XII.
Jyotiṣha-darpana, The, Rule for mean intercalation of months, Art. 47, p. 27.
Jyotiṣha-tattva rule for expunction of a samvatsara, Arts. 57, 59, pp. 33, 34; rule for finding the samvatsara current on a particular day, Art. 59, p. 35; List of expunged samvatsaras of the 60-year cycle of Jupiter according to the — rule, Art. 60, p. 36.
 Kalachuri Era, The, Art. 71, p. 42.
Kālatata-vivechana, The, a work attributed to the Sage Vyāsa, Art. 46, p. 27.
 Kali-Yuga, The, Era described, Art. 71, p. 40.
 Kalpa, Length of, Art. 16, p. 6.
 Kanarese Districts follow the *Grahalīgħara* and *Lagħu Tithichinti-mesi* of Ganeśa Daivajña, Art. 20, p. 9.
 Kananj, Use of Harsha-kāla Era in, Art. 71, p. 45.
 Karuna, Art. 1, p. 1; Art. 4, p. 2; definition of, Art. 10, pp. 3, 4; names of, Table VIII., cols. 4 and 5; data concerning them, in an actual pañcāṅga, Art. 30, p. 14; "Karuna index," Art. 37, p. 20; further details concerning, Art. 40, p. 23.
 Karusa, An astronomical treatise, Art. 17, note 1, p. 6; the *Pāñčā Siddhāntikā*, *id.*; account of some of the Karusas, Arts. 19 to 21, pp. 7 to 9; Vāvīlā Kochechunna's —, Art. 20, p. 8; the *Makarasa*, *id.*; the *Grahalīgħara*, *id.*; the *Bhadrati* —, Art. 52, p. 31.
Karusa prakṛī, an astronomical work, Art. 20, p. 8.
 Kārtikīḍha Vikrama year, The, Art. 71, p. 41.
 Kashmir, Saptarshi-Kāla Era, The, used in, Art. 71, p. 41; New Year's Day in, according to Alberuni, Art. 52, p. 32.
 Kāththu-kāla, Length of, Art. 6, p. 2.
 Kāththavīl, New Year's Day in, Art. 52, p. 32; use of the Vikrama Era in, Art. 71, p. 41; do. of the Valabhi Era, Art. 71, p. 43.
 Khalif Umar, Art. 161, p. 101.
Khandikāddya of Brahmagupta, The, (A.D. 665) Art. 20, p. 8, note 1.
 Kiehorn, Dr. F., on the Saptarshi-Kāla Era, Art. 71, p. 41; on the Vikramas Era, *id.*, pp. 40, note 2, 41; on the Chedi or Kalachuri Era, *id.*, p. 42, and note 4; on the Nevār Era, Art. 71, p. 45; on the Lakshmana Sena Era, Art. 71, p. 46.
 Kollam Era, Description of the, or Era of Parāśākrama, Art. 71, p. 45; — *dn̄du*, *id.*
 Krishṇa paksha. (See *Paksha*.)
 Krīta yuga (See *Yuga*).
 Kshaya, meaning of word, Art. 32, p. 18.
 Kshaya tithis, general rules governing, Art. 32, p. 17; variation on account of longitude, Arts. 34, 35, p. 18f. Kshaya mīṣas, detailed rules governing, Arts. 45 to 51, pp. 25 to 31, and Arts. 76 to 79, pp. 48, 49; — samvatsara, Art. 54, p. 33; list of, Art. 60, and Table, p. 36. (See *Expunction, Lunar month*.)
Lagħu Tithichinti-mesi, The, a work by Ganeśa Daivajña (A.D. 1527) Art. 20, p. 8.
 Lahore, New Year's Day in, according to Alberuni, Art. 52, p. 32.
 Lakshmana Sena Era, The, Art. 71, p. 46.
 Lalla, author of the *Dhī-vridhīda*, Art. 20, p. 8; introduced a bija to First Ārya Siddhānta, *id.*
 Lanķa, Latitude and longitude of, Art. 36, and note 2, p. 20.
 Lanķika Kāla Era, The. (See Saptarshi Kāla.)
 Longitude, variation in time caused by, Arts. 34, 35, pp. 18, 19.
 Lunar month. (See also *Paksha*, *Añudanta*, *Pōrṇamīsa*, *Lunation*.)
 Definition of the term, Art. 12a, and note, p. 4; names of the months, Art. 41, p. 24, and note 1; originally derived from

the nakshatras, Art. 43, and Table, pp. 24, 25; afterwards from the names of the solar months, Art. 44, p. 24; detailed rules governing intercalation and expunction of, Arts. 45 to 51, pp. 25 to 31; varying lengths of months, Art. 45, p. 25; names of intercalated and expunged months how given, Art. 46, p. 26; rule in the *Kālataṭa-eśechna*, and in the *Brahma-Siddhānta*, *id.*; true and mean systems, Art. 47, p. 27; suppression of a month impossible under the latter, *id.* p. 28; intercalation of months occurs in cycles, Art. 50, p. 29; peculiarities observable in the order, *id.*; intercalation by amanta and purnimanta systems, Art. 51, p. 30; Arts. 76 to 79, pp. 48, 49; names of the Hindu-lunar months, Table II, Part I, cols. 1 to 3; Part II, cols. 1 to 5; Table III., col. 2.

Lunation, a natural division of time, Art. 12, p. 4; synodical revolution, *id.* note 2.

Lunation-parts. (See *Tithi-index*.)

Luni-solar month-names, general rule, Art. 14, p. 5; Art. 41, p. 24; season-names, star-names, Art. 14, p. 5; the former first met with in the *Yajur Veda*, *id.*; modern names derived from star-names, Arts. 42 to 44, pp. 24, 25.

Luni-solar year. Begins with amanta Chaitra śukla 1st, Art. 52, p. 31; rule when that day is either adhika or kahya, *id.* p. 31; rule when Chaitra is intercalary, *id.* p. 32; southern or luni-solar cycle of Jupiter, Art. 62, p. 36; The — Fasali year, Art. 71, p. 44.

Luni-solar reckoning used in most part of India, Art. 23, p. 11. Madhyama, — mean, Art. 26, note 2, p. 11.

Māgī-Sau Era, The, Art. 71, p. 45.

Mahabhrata, Beginning of year mentioned in the, Art. 52, p. 32.

Mahāyuga, Length of, Art. 16, p. 6.

Mahratta Sār-Sau Era, The, Art. 71, p. 45. Rāja-Sau Era, The, Art. 71, p. 47.

Maisūr, Gaṇeśa Daivajña's works followed in, Art. 20, p. 8. *Maharanda*, The, a Karava (A.D. 1478), Art. 20, p. 8.

Equation of the centre for every degree of anomaly given in the, Art. 109, p. 61.

Malabar, Use of the Śaka era in, Art. 71, p. 42; use of Kollam andū in, Art. 71, p. 45.

Mālava Era, The, — the Vikrama Era, Art. 71, p. 42.

Malayālam, school of astronomers use the *Vikhya-karana*, Art. 20, p. 8; and the *Arya Siddhānta*, Art. 21, p. 9; — countries, solar reckoning used in, Art. 25, p. 11; New Year's Day in the — country, Art. 52, p. 32.

Marathis follow Gaṇeśa Daivajña's *Grahalāghara* and *Laghu Tithi-chintamani*, Art. 20, p. 9.

Mārvāḍī system of lunar fortnights, Art. 13, p. 5.

Mārvāḍīs of Southern India use the Vikrama era, Art. 71, p. 41.

Mathurā, Use of Harshakīla Era in, Art. 71, p. 45.

Mean anomaly, moon's, sun's, Art. 15, note 4, p. 5; Art. 102, p. 56; term explained with reference to Tables VI. and VII., and "h" and "e" in Table I., Art. 107, p. 60.

Mean saṅkrānti defined, Art. 26, p. 11; meaning of word "mean", Art. 26, note 2, p. 11; "mean time," Art. 36, p. 19; "mean solar day," *id.*; "mean sun," *id.*; "mean noon," *id.*; true and mean systems regulating intercalation and suppression of months in the luni-solar calendar, Art. 47, p. 27.

Meridian used in the Tables, Art. 73, p. 47.

Meṣa saṅkrānti, the general rule for naming luni-solar months, Art. 14, p. 5; Art. 44, p. 24; the mean — takes place after the true — at the present day, Art. 26, p. 11; fixes the beginning of the solar year, Art. 52, p. 31; difference in calculation between the Present *Sārya* and First *Ārya Siddhānta*, Art. 96, Table, p. 55.

Methods, three, A, B, C, for calculation of dates by the Tables, preliminary remarks, Art. 2, 3, pp. 1, 2; fully detailed, Arts. 135 to 160, pp. 65 to 101.

Mithila, Use of the Lakshmana Sena Era in, Art. 71, p. 46.

Month, Lunar, lengths of synodical, sidereal, tropical, anomalous, nodical, Art. 12, note 2, p. 4; names of — in the Ilahi Era, Art. 71, p. 46; Muhammadan, Table of, Art. 163 p. 102.

Moon, her motion in longitude marks the tithi, Art. 7, p. 3; one synodic revolution constitutes 30 tithis, *id.*; bija applied to her motion by Lalla, Art. 20, p. 8; and to her apogee, *id.*; mean length of her sidereal revolution, Art. 38, p. 21; how the moon's motion caused the naming of the lunar months after the nakshatras, Art. 43, p. 24; lunar equation of the centre explained, Art. 107, pp. 60 f.

"Moon's age," term used in Table I., its meaning, Art. 97, p. 55.

Muhammad, date of his flight, Art. 161, p. 101.

Muhammadan calendar, perpetual, by Dr. Burgess p. 106.

Muhammadan months, Table of, Art. 163, p. 102.

Mukundaleva, prince of Orissa, Art. 64, p. 39.

Muitan, The Saptarshi Kāla Era used in, Art. 71, p. 41. New year's day in, according to Alberuni, Art. 52, p. 32.

Mutra (See *Mathurā*).

Nādi, Length of, Art. 6, p. 2.

Nādīka, Length of, Art. 6, p. 2.

Nakshatra, Art. 1, p. 1; Art. 4, p. 2; Art. 38, p. 21; definition of, Art. 8, p. 3; length of, *id.*; data concerning, in an actual pañchāṅga, Art. 30, p. 16; intercalation and expunction of, Art. 35, p. 19; — or "nakshatra index," Art. 37, p. 21; equal and unequal space systems of, Art. 38, p. 21; longitudes of ending points of, Table abeving, Art. 38, p. 22; gave their names to the lunar months, Arts. 43, 44, and Table, pp. 24, 25; method for calculating fully explained, Art. 133, p. 64.

Nepal (or Nevir) Era, The, Art. 71, p. 45; use of Harsha Kāla Era in, *id.*; use of Gupta Era in, Art. 71, p. 43.

Nevir Era, The, Art. 71, p. 45.

"New Style" in Europe, Art. 168, p. 108.

New Year's Day, The Hindu, Art. 52, p. 31; Varies in various localities, *id.*, and note 3, p. 32.

Nīja māsas. (See *adhikā māsas*).

Nirayana Saṅkrānti. (See *Saṅkrānti*).

Nirayana Saṅkrānti, The, Art. 31, note, p. 17.

Nodical lunar month, Length of, Art. 12, note 1, p. 4.

"Old Style" in Europe, Art. 168, p. 108.

Ōsaka cycle, The, Art. 64, p. 37.

Oppolzer's "Canon der Finsternisse", Art. 40a, p. 23.

Orissa, New Year's Day in, Art. 52, p. 32; the Ōsaka cycle in, Art. 64, p. 37; use of Amṛta Era in, Art. 71, p. 43.

Paitamha Siddhānta, The, Art. 17, p. 6.

Paksha, or moon's fortnight, Definition of, Art. 11, p. 4; *sukla*^o, *śuddha*^o, *krishna*^o, *bahula*^o, *pūrvā*, *aparṇā*, *id.* Pala, Length of, Art. 6, p. 2.

Pañchāṅga, Art. 1, p. 1; definition of, Art. 4, p. 2; calculated according to one or other of the *Siddhāntas*, Art. 19, p. 7; the principal articles of, treated in detail, Art. 29 to 51, pp. 18 to 31; specimen page of a, Art. 30, pp. 14, 15.

Pāñča Siddhāntikā, The, of Varāha-Mihira, Art. 20, p. 8; Art. 17, note 1, p. 6.

Para, Length of, Art. 6, p. 2.

Pāñcāra Siddhānta, The, Art. 17, p. 26.

Pāñcas Rāma Era, The, Art. 71, p. 45.

Parva Kīmēdi, The Oīko cycle in, Art. 64, p. 37.

Pāñcīla Siddhānta, The, Art. 17, p. 6.

Peñda Kīmēdi, The Oīko cycle in, Art. 64, p. 37.

Persian, old calendar of Yazdajird, Art. 71, p. 47.

Phattēdharaprakāśa, The, Art. 71, p. 42, note 2.

Pitri, Ceremony in honour of, proper day for performing, Art. 31, p. 17.

Prāna, Length of, Art. 6, p. 2.

Pratipadī, or first tithi of the month, End of, how determined, Art. 7, p. 3.

Prativipala, Length of, Art. 6, p. 2.

Precession of the equinoxes, in reference to the length of tropical solar year, Art. 15, p. 5; and to the coincidence of sidereal and tropical signs of the zodiac, Art. 23, p. 10.

Pāñcīśa, definition of, Art. 7, p. 3; name of a tithi, *id.*; ends a fortnight, or paksha, Art. 11, p. 4. See also Art. 13, p. 4; Art. 29, p. 13.

Pūrnimā system of lunar months, definition, Art. 13, p. 4; compared with amānta system in tabular form, Art. 45, p. 25; how it affects intercalation of months in luni-solar system, Art. 51, p. 30.

Pūrva paksha. (See *Paksha*).

Quilon. (See *Kollam*).

Radius vector, Art. 15, note 4, p. 5.

Rājāmrigāṅka Siddhānta, The, Art. 17, p. 6; length of year according to, now in use, Art. 18, p. 7; Art. 19, p. 7; Art. 20, p. 8; corrections introduced in the, Art. 20, p. 8.

Rāja-Saka Era, The, of the Mahrattas, Art. 71, p. 47.

Rājī Tarnagīl, Ths, use of the Saptarashi Kāla Era in, Art. 71, p. 41.

Rājendru Lal Mitra, Dr., on the Lakshmana Sena Era, Art. 71, p. 46.

Rājputīna, residents in, follow the Brahma-paksha school of astronomy, Art. 21, p. 9.

Rājyabhisheka Era, The, of the Mahrattas, Art. 71, p. 47.

Rāmachandradeva, prince of Orissa, Art. 64, p. 39.

Rāma-vinoda, The, Art. 71, note 2, p. 42.

Rāsi, or sign of the zodiac, Art. 22, p. 9.

Rātnamalī of Śīripati, Art. 59, note 2, p. 35; list of expunged samvatvarsas of the 60-year cycle of Jupiter, according to the rule of the —, Art. 60, p. 36.

Religious ceremonies, day for performance of, how regulated, Art. 31, p. 17.

Romaka Siddhānta, The, Art. 17, p. 6; Art. 59, note 2, p. 34.

Saka Era, The, sometimes represented in Bengal and the

Tamil country as solar, Art. 67, p. 39; description of the Art. 71, p. 42.

Sikalga Brahma Siddhānta, The, Art. 17, p. 6; Art. 59, note 2, p. 34.

Sākhyā. (See *Veda*).

Samvatvarsas, of the 60-year cycle of Jupiter, Arts. 53 to 62, pp. 32 to 37; duration of, according to the Sārya Siddhānta, Art. 54, p. 33; expunction of a, (kshaya samvatvarsas) Art. 54, p. 33; variations in practice, Art. 56 to 60, pp. 33 to 36; rules for finding the — current on a particular day, Art. 59, pp. 34; list of expunged — Art. 60 and Table, p. 36; — of the 12-year cycle of Jupiter, Art. 63, p. 37, and Table XII.; of the 12-year cycle of Jupiter of the mean-sign system, Art. 63, p. 37, and Table XII.

Sankashtanāsānsa-chaturthī, a certain religious observance, proper day for performing, Art. 31, p. 17.

Sankrānti, definition of, Art. 23, p. 9; true and mean, distinguished, Art. 26, p. 11; use of the word in this work, Art. 27, p. 12; how the incidence of the — affects intercalation and expunction of months in the luni-solar calendar, Art. 45, p. 25, and Table; Art. 79, p. 49; Meṣa —, table shewing difference of moment of, as calculated by the Ārya and Sārya Siddhāntas, Art. 96, p. 54, and Table. (See also the Additions and Corrections, pp. 149—151).

Saptarashi Kāla Era, The, Art. 71, p. 41.

Sāstra Kāla Era, The. (See *Saptarashi Kāla*).

Saura mīsa, or solar month. (See *Solar months*).

Saura-paksha school of astronomers, Arts. 19, 20, pp. 7, 8.

Sāyana sankrānti. (See *Sākṛdāni*).

Sexagesimal division of the circle in India, Art. 22, p. 9.

Shōh Jahān used the Ilāhi Era, Art. 71, p. 46.

Shahur-Sun Era of the Mahrattas, The, Art. 71, p. 45.

Siddhāntas, Year-measurement according to the different —, Art. 17, p. 6; what is a *Siddhānta*, *id.*, note 1; account of the various, Arts. 19 to 21, pp. 7 to 9; differences in results when reckoning by different, Art. 37, p. 20; especially in the matter of adhikī and kshaya mīsas, Art. 49, p. 29.

Siddhānta Śēkhara, The, of Śīripati, Art. 47, p. 27.

Siddhānta Śīromani, The, Art. 50, p. 30; coincidence of sidereal and tropical signs of zodiac according to, Art. 23, p. 10.

Sidereal revolution of moon, Art. 12, note 2, p. 4; length of — lunar month, Art. 12, note 2, p. 4; — solar year, definition, and length of, Art. 15 and note 3, p. 5; — revolution of earth, *id.*

Sindh Samvat Era, The, Art. 71, p. 46.

Sindh, New Year's Day in, according to Alberuni, Art. 53, p. 32.

Sivaji, Rāja, established the Mahratta Rāja Śaka Era, Art. 71, p. 47.

Saptitattvadīvara, The, Art. 71, p. 46.

Sodhya, defined, Art. 26, p. 11; Art. 90, p. 52.

Solar days, correspondence of, with tithis for purposes of preparing calendars, Art. 31, p. 16; how named, Art. 31, p. 16; "mean —", Art. 36, p. 19; variation in lengths of, its cause, *id.*

Solar months, The, Arts. 23 to 28, pp. 9 to 13; zodiacal names of, Art. 23, and note 1, p. 10; named after lunar months,

- Art. 23, and note 2, p. 10; lengths of, according to different *Siddhantas*, in tabular form, Art. 24, p. 10; inaccurate lengths given by Warren, Art. 24, note 1, p. 11; beginning of, Art. 28, p. 12; varying rules governing the beginning of, *id.* Solar year, varieties of the, defined, Art. 15, p. 5; begins with *Mesha sankranti*, Art. 52, p. 31.
- Solar reckoning used in Bengal, Art. 25, p. 11.
- Soma Siddhanta*, The, Art. 17, p. 6; Art. 59, note 3, p. 34.
- Southern India, system of lunar fortnights, Art. 13, p. 4; New Year's Day in, Art. 52, p. 32.
- Spashta*, — true or apparent, Art. 26, note 2, p. 11.
- Srādha ceremony, Proper day for performing a, Art. 31, p. 17.
- Śrīpati, a celebrated astronomer, Art. 47, and note 4, p. 27; his *Bṛhatmālā*, Art. 59, note 2, p. 35.
- Sādha paksha. (See *Paksha*).
- Sadi, or Sudi, paksha. (See *Paksha*).
- Sukla paksha. (See *Paksha*).
- Sun, moon's distance from, in longitude fixes the tithi, Art. 7, p. 3; longitude of his apogee in A.D. 1137, Art. 24, p. 11, "mean sun," Art. 36, p. 19; solar equation of the centre Art. 107, p. 60 f.
- Suppression of samvatsaras, months, and tithis. (See *Exposition*).
- Sura, Length of, Art. 6, p. 2.
- Sūr-Sac Era of the Mahrattas, The, Art. 71, p. 45.
- Surya Siddhānta*, epoch of Kali-yuga, according to the, Art. 15, p. 6; length of year according to, Art. 17, p. 6 and Art. 18 p. 7; account of the, Arts. 19, 20, 21, pp. 7 to 9, and notes basis of luni-solar reckoning in the Tables, Art. 37, p. 20; true length of solar months according to, Art. 45, p. 25, Art. 50, p. 29; list of suppressed months according to the, Art. 50, p. 29; duration of a *Bṛhaspatya samvatsara*, or year of the 60-year cycle of Jupiter according to the, Art. 54, p. 33; — rule for finding the samvatsara current on a particular day, Art. 59, and note 1, p. 34; list of expanded samvatsaras of the 60-year cycle of Jupiter according to the — Rule, Art. 60, p. 36; difference between moment of *Mesha-sankranti* as calculated by the — and the *Ārya Siddhānta*, Art. 96, p. 54, and Table; greatest possible equation of centre according to the, Art. 108, p. 61.
- Synodic, revolution of moon, (see *Lunation*). Length of mean — lunar month, Art. 12, note 2, p. 4.
- Tubakīt-i-Ākbarī*, The, Art. 71, p. 46.
- Tables, in this work. Description and explanation of Arts. 73 to 117, pp. 47 to 62.
- Tamil countries, solar reckoning used in, Art. 25, p. 11.
- Tamil school of astronomers use the *Vākkyā-Karaga*, Art. 20, p. 8, and the *Ārya Siddhānta*, Art. 21, p. 9.
- Tārkīt-i-Ākbarī*, The, Art. 71, p. 46.
- Telugus, The, follow the present *Surya Siddhānta* for astronomical calculations since A.D. 1298, Art. 20, p. 8.
- Time-divisions, Hindu, Art. 6, p. 2.
- Tinnevelly, the Saka Era used in, Art. 71, p. 42; use of *Kollam danda* in, Art. 71, p. 45.
- Tirthat, use of the Lakshmana Sena Era in, Art. 71, p. 46.
- Tithi, one of the elements of a pañchāṅga, Art. 4, p. 2; definition of, Art. 7, p. 3; varying lengths of, Art. 7, p. 3; astronomical reason for varying length of, Art. 7, note 1, p. 3; details concerning the, and names of, Art. 29 p. 18; correspondence of, with solar days for purposes of preparing calendar, Art. 31, p. 16; intercalation and expansion of — (adhika and kahaya tithis), Art. 32, p. 17; varies in different localities, Art. 35, p. 19.
- Tithi-index, Art. 37, p. 20; Art. 80, p. 49; conversion of — into lunation-parts, Art. 81, p. 50; do. into measures of solar time, Art. 82, p. 50.
- Travancore, New Year's Day in, Art. 52, p. 32.
- Treta yuga. (See *Yuga*).
- Tropical. Length of — lunar month, Art. 12, note 2, p. 4; — solar year, definition and length of, Art. 15, and note, p. 5.
- True sankranti defined, Art. 26, and note 2, p. 11; meaning of word "true", Art. 26, note 2, p. 11; "true time", Art. 36, p. 19; true and mean systems regulating intercalation and suppression of months in luni-solar calendar, Art. 47, p. 27.
- Ujjain, (see *Laṅkā*). "Ujjain mean time", Art. 36, p. 20; longitude of, *id.*, note 2; meridian of, used in the Tables, Art. 73, p. 47.
- Umar Khalif, Art. 161, p. 101.
- "Unequal-space system" of nakshatras, Art. 38, p. 21.
- Utpala, a writer on Astronomy, Art. 17, note 2, p. 6.
- Uttardyana sankranti. (See *Sankranti*).
- Vadi, or badi, paksha. (See *Paksha*).
- Vākkyā-karaga*, The, an astronomical work, Art. 20, p. 8.
- Valabhi Era, The, Art. 71, p. 43.
- Vārs, or week-day, Art. 4, p. 2; names of days of the week, Hindu, Art. 5, p. 2.
- Varahamihira, author of the *Pañcha Siddhāntikā*, Art. 17, notes 1, 2, p. 6; Art. 20, p. 8; Art. 40, note 1, p. 23.
- Varsha, or solar year, Art. 15, p. 5.
- Variamāna, a — year defined, Art. 70, p. 40.
- Vīśvara, — solar day, Art. 6, p. 2.
- Vāsishtha Siddhānta*, The, Art. 17, p. 6; Art. 59, note 2, p. 34.
- Vāvíllā Kochchanna, author of a *Karaga*, A.D. 1298, Art. 20, p. 8.
- Veda*, The *Tājur* —, Art. 41, p. 24.
- Vedāṅga Jyotiṣa*, The, Art. 17, p. 6; Art. 44, p. 25; Art. 47, p. 28; beginning of year according to, Art. 53, p. 32.
- Vighati, Length of, Art. 6, p. 2.
- Vijaya Kalachuri, Defeat of Eastern Chālukyas by, Art. 71, p. 46.
- Vikrama, "King" (?), Art. 71, p. 42.
- Vikrama Era, sometimes represented by Tamil calendar makers as solar and Mesha-dī, Art. 67, p. 39; not used by Hindu Astronomers, Art. 70, note 2, p. 40; The — described, Art. 71, p. 41; "Northern —" and Southern —" *id.*, "— samvat", p. 42.
- Vikramāditya Trībhuvana Mall, established the Chālukya Era, Art. 71, p. 46.
- Vīśyatī year, New Year's Day, Art. 52, p. 32; Art. 71, p. 43.
- Vinādi, Length of, Art. 6, p. 2.
- Vipula, Length of, Art. 6, p. 2.
- Vīraśivāradeva, prince of Orissa, Art. 64, p. 39.
- Vrata. Proper day for performance of a, Art. 31, p. 17.
- Friiddhi, meaning of word, Art. 32, p. 18.

Warren. His *Kālāśākūlita*, Art. 24, note 1, p. 11; inaccurate lengths of solar months recorded in, *id.*; on the Christian Era, Art. 71, p. 40, note 2; on the Vīšvāmīra Era, Art. 71, p. 43, note 1; on the Kollam Era, Art. 71, p. 45, note 4; on the *Graha-parivritti* cycle, Art. 64, p. 37.

Week-day names, Hindu, Art. 5, p. 2.

Yazdajird, Old Persian calendar of, Art. 71, p. 47.

Year. The Hindu, solar, luni-solar, or lunar, Art. 25, p. 11; beginning of, Art. 52, p. 31; 60-year cycle of Jupiter, Arts. 53 to 62, pp. 32 to 37; twelve-year cycle of Jupiter,

Art. 63, p. 37; current (*varṇamāna*) and expired (*gadā*) years distinguished, Art. 70, p. 40.

Yoga, Art. 1, p. 1; Art. 4, p. 2; definition of, Art. 7, p. 3; length of, *id.*; data concerning, in an actual pañchāṅga, Art. 30, p. 18, "— index", Art. 37, p. 20; special yogas, and auspicious and inauspicious ones, Art. 39, p. 22.

Yogas, Method for calculating, fully explained, Art. 133, p. 64.


Yoga tārīs, or chief stars of the nakshatras, Art. 38, p. 21.

Yuga, Length of, Art. 16, p. 6.

Zodiac, The Hindu, Art. 22, p. 9.



(10⁵) km



24/2/2002

Central Archaeological Library,

NEW DELHI

34958

Call No. 529.30954/S.D./Sch

Author— Sewell, R and
Dikshit, S.B.

Title— The Indian Calendar

"A book that is shut is but a block."

CENTRAL ARCHAEOLOGICAL LIBRARY
GOVT. OF INDIA
Department of Archaeology
NEW DELHI

Please help us to keep the book
clean and moving.