



39. C. 61 A **CSL**

Ethnographic Survey of India.

AS-012159

147

ANTHROPOMETRIC DATA

FROM

BALUCHISTAN.



CALCUTTA :
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1908.



CSL

~~012159~~

✓ (Acc No - AS012159)

573.6

E 80 A

-54

573-60954

ANTI

~~11912~~

CONTENTS

	PAGE
Lori. Individual Measurements	1
----- Abstract of Measurements	7
----- Seriations	11
Wanechi. Individual Measurements	15
----- Abstract of Measurements	23
----- Seriations	27
Jat. Individual Measurements	31
----- Abstract of Measurements	41
----- Seriations	45
Pani, Pauni is Pauri. Individual Measurements	49
----- Abstract of Measurements	59
----- Seriations	63
Dehwar. Individual Measurements	67
----- Abstract of Measurements	91
----- Seriations	97
Mir Jats. Individual Measurements	101
----- Abstract of Measurements	107
----- Seriations	111
Kalandrini. Individual Measurements	115
----- Abstract of Measurements	119
Mod. Individual Measurements	123
----- Abstract of Measurements	131
----- Seriations	135
Mengal. Individual Measurements	139
----- Abstract of Measurements	149
Chhuta Lok. Individual Measurements	153
----- Abstract of Measurements	159
Sangar. Individual Measurements	163
----- Abstract of Measurements	167
Bandija. Individual Measurements	171
----- Abstract of Measurements	177
Summary	181



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—LORI.

Measurements of male members of the Lori tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Shah Dost, Mastung.	Nagarjai	55	17.8	14.0	78.6	5.2	4.4	84.6	...	...	...	...
2	Baran, Mastung.	Do.	23	17.3	14.1	81.5	5.6	3.8	67.8	...	...	...	...
3	Lal Bakhsh, Mastung.	Do.	30	18.0	14.0	77.7	5.6	3.4	60.7	...	...	...	...
4	Dauran, Mastung.	Kalátir	25	18.0	13.8	76.6	6.0	3.6	60.0	...	...	...	...
5	Gaiti, Kalat	Kaláti	27	19.0	14.0	73.6	5.7	3.6	63.1	...	...	...	...
6	Inambakhsh, "	Do.	30	17.0	15.0	83.2	6.0	3.2	53.3	...	...	...	...
7	Alibakhsh, Jard.	Tilizai	30	18.2	14.0	76.9	5.4	3.4	62.9	...	...	...	...
8	Mahomud, "	Do.	22	17.5	13.0	74.2	5.6	3.4	60.7	...	...	...	...
9	Dirina, Mastung.	Sarmastáni	31	18.3	14.0	76.5	6.4	3.4	53.1	...	...	...	...
10	Haidar, Mastung.	Do.	32	18.0	14.0	77.7	5.6	3.2	57.1	...	...	...	...
11	Darbag, Mastung.	Do.	33	19.2	13.6	70.8	5.8	3.1	53.4	...	...	...	...
12	Allabakhsh, Mastung.	Do.	56	17.3	13.0	75.1	5.4	4.0	74.0	...	...	...	...
13	Musafr Zard	Do.	56	18.0	13.0	72.2	5.4	3.8	70.3	...	...	...	...
14	Murad, Mungachá.	...	35	17.8	14.2	79.7	6.0	3.2	53.3	...	...	...	...
15	Mauladud Mungacher.	Sarmastáni	31	18.0	13.0	72.2	6.0	3.5	53.3	...	...	...	...
16	Gulad Mungacher.	Do.	22	18.0	13.0	72.2	5.7	3.5	61.4	...	...	...	...
17	Dildad, Mastung.	Sarmastáni.	17	18.0	14.4	80.0	6.0	3.4	56.6	...	...	...	...
18	Sobha, Mastung.	Do.	17	18.0	14.0	77.7	6.0	3.6	60.0	...	...	...	...
19	Lwang, Mastung.	Do.	18	18.2	13.8	75.8	5.5	3.5	63.6	...	...	...	...
20	Bangul, Mastung.	Parukáni	18	17.6	15.0	85.2	5.7	3.4	59.6	...	...	...	...
21	Jungikhán, Mastung.	Do.	18	18.0	13.9	77.2	5.2	3.3	63.4	...	...	...	...
22	Umád, Mastung.	Domb	25	17.2	14.0	81.4	5.2	3.4	65.3	...	...	...	...
23	Kharu, Kanak.	Sarmastáni	35	15.8	13.6	86.0	5.3	3.5	63.6	...	...	...	...
24	Gulsher, Quetta.	Domb	35	18.4	14.5	78.8	6.0	3.8	63.3	...	...	...	...
25	Khalikdad, Moharam (Kachi).	Surmastáni	28	18.2	14.6	80.2	5.4	3.4	62.9	...	...	...	...
26	Jáal, Bhág.	Do.	30	18.0	13.6	75.5	5.7	3.0	52.6	...	...	...	...
27	Gurghai, Jaeshabad.	...	35	17.4	13.0	74.7	4.4	3.4	77.2	...	...	...	...
28	Hammal, Mastung.	Jalshabad	55	17.5	13.3	76.0	5.2	4.2	80.7	...	...	...	...
29	Darwesh, Mithri.	Do.	35	17.6	13.7	77.3	5.3	3.5	66.0	...	...	...	...

taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biacrometric breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Iliac crest breadth.	Serial No.
125	...	...	...	9.9	12.4	125.2	9.2	...	...	...	...	...	...	1
13.0	...	...	...	9.6	10.4	108.3	9.1	...	...	...	...	...	...	2
13.5	...	...	...	10.0	12.2	122.0	10.0	...	...	...	...	...	...	3
13.0	...	...	...	10.0	12.2	122.0	10.0	...	...	...	...	...	...	4
12.4	...	...	...	10.1	12.4	122.7	10.0	...	...	...	...	...	...	5
13.0	...	...	...	10.0	12.4	124.0	10.0	...	...	...	...	...	...	6
13.0	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	7
11.0	...	...	...	9.6	12.0	125.0	9.2	...	...	...	...	...	...	8
12.0	...	...	...	9.4	12.0	127.6	9.2	...	...	...	...	...	...	9
13.0	...	...	...	9.0	11.2	124.4	9.4	...	...	...	...	...	...	10
13.0	...	...	...	9.2	12.2	132.6	9.8	...	...	...	...	...	...	11
12.2	...	...	...	9.6	11.6	120.8	9.0	...	...	...	...	...	...	12
13.1	...	...	...	9.7	12.0	123.7	10.1	...	...	...	...	...	...	13
13.0	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	14
12.6	...	...	...	9.8	12.0	122.4	10.0	...	...	...	...	...	...	15
12.5	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	16
12.9	...	...	...	10.2	12.4	121.5	10.0	...	...	...	...	...	...	17
12.8	...	...	...	9.7	10.2	105.1	9.9	...	...	...	...	...	...	18
13.0	...	...	...	10.6	13.2	124.5	10.0	...	...	...	...	...	...	19
12.8	...	...	...	9.5	12.0	123.3	10.3	...	...	...	...	...	...	20
12.5	...	...	...	9.7	11.4	117.5	10.5	...	...	...	...	...	...	21
13.0	...	...	...	9.8	11.4	116.3	9.8	...	...	...	...	...	...	22
13.0	...	...	...	10.0	12.2	122.0	9.8	...	...	...	...	...	...	23
13.4	...	...	...	10.2	12.6	123.5	11.0	...	...	...	...	...	...	24
13.0	...	...	...	10.0	11.2	112.0	10.4	...	...	...	...	...	...	25
12.8	...	...	...	9.8	10.8	110.2	9.8	...	...	...	...	...	...	26
13.0	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	27
13.0	...	...	...	10.0	12.0	120.0	10.8	...	...	...	...	...	...	28
13.0	...	...	...	10.1	12.0	118.8	10.1	...	...	...	...	...	...	29

Measurements of male members of the Lori

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Arhale, Káchi.	Surmástani.	30	17.0	14.0	82.3	5.7	3.6	63.1	...	...	...	...
31	Murád, Mithri.	Do.	32	18.0	13.6	75.5	5.6	3.7	66.0	...	...	...	...
32	Bakhsh Ali, Mastung.	Do.	32	17.0	13.0	76.4	4.9	3.6	73.1	...	...	...	...
33	Kádir Bakhsh, Mastung.	Do.	24	18.1	14.2	78.4	5.0	3.4	68.0	...	...	...	...
34	Barair, Mastung.	Surmástani	40	17.5	14.3	81.7	6.0	3.3	55.0	...	...	...	...
35	Hakdád do.	Do.	28	16.1	14.5	90.0	5.6	3.8	67.8	...	...	...	...
36	Hawrin Jacobabad.	Do.	30	18.2	13.5	74.1	5.6	3.7	66.0	...	...	...	...
37	Baghli Kanak.	Do.	35	18.5	14.6	78.9	6.0	3.7	61.6	...	...	...	...
38	Abdu, Sariab.	Do.	18	17.5	14.5	82.8	6.0	3.5	58.3	...	...	...	...
39	Auran, Mastung.	Do.	35	19.0	13.4	70.5	5.5	3.6	65.4	...	...	...	...
40	Kurbánali, Quetta.	Do.	17	18.0	14.0	77.7	6.0	3.3	55.0	...	...	...	...
41	Buta, Mastung.	...	17	18.0	14.0	77.7	5.5	3.0	54.5	...	...	...	...
42	Ghulam Muhd. Kiráni.	...	32	17.6	13.0	73.8	5.0	3.2	64.0	...	...	...	...
43	Háji, Mungachar.	Kirani	32	18.0	13.0	72.2	5.2	3.3	63.4	...	...	...	...
44	Sohlu, Mastung	Do.	35	18.0	13.3	73.8	6.6	3.2	48.4	...	...	...	...
45	Arz Muhd. Suit	Do.	17	17.2	14.2	82.5	6.0	3.3	55.0	...	...	...	...
46	Nazir, Mastung.	Sarmástani	32	17.5	14.0	80.0	6.0	3.5	58.3	...	...	...	...
47	Dál Muhd. Sibi.	Do.	17	17.6	13.3	75.5	6.0	3.0	50.0	...	...	...	...
48	Jaofar, Sariab	Do.	16	18.0	14.0	77.7	6.0	3.5	58.3	...	...	...	...
49	Imamdád, Sibi	Do.	17	17.0	13.0	76.4	6.0	3.5	58.3	...	...	...	...
50	Imambaksh, Quetta.	Do.	20	19.0	14.4	75.7	5.4	4.1	71.9	...	...	...	...
51	Kadir Baksh, Bhág.	Do.	37	18.3	15.2	83.0	5.0	4.1	62.0	...	...	...	...
52	Gohram Peshin.	Do.	27	17.5	15.0	85.7	6.0	3.5	58.3	...	...	...	...
53	Kaura, Bhág.	Do.	31	18.0	14.4	80.0	5.6	3.5	62.5	...	...	...	...
54	Barat, Balur.	Angrani	35	17.5	14.8	84.5	6.4	4.0	62.5	...	...	...	...
55	Musa, Hal	Do.	25	17.0	14.6	85.8	5.6	3.5	62.5	...	...	...	...
56	Larang, Sárana	Kharini	20	17.2	15.0	87.2	6.0	4.0	66.6	...	...	...	...
57	Jamma, Angisar.	Do.	22	17.0	15.2	89.4	4.8	2.6	54.1	...	...	...	...
58	Dhanibaksh, Dirini.	Agiani	24	17.6	14.5	82.3	5.4	3.7	68.5	...	...	...	...
	Average			177.6	139.5	78.5	56.4	35.1	62.2	...	...	...	...

tribe taken at Quetta on the 23rd April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi iliac crest breadth.	Serial No.
13.1	...	...	...	10.0	10.8	108.0	10.0	...	...	...	...	...	...	30
12.6	...	...	...	9.8	12.0	122.4	10.3	...	...	...	...	...	...	31
12.8	...	...	...	9.4	10.4	110.6	10.0	...	...	...	...	...	...	32
13.0	...	...	...	9.8	12.0	122.4	9.9	...	...	...	...	...	...	33
12.6	...	...	...	9.3	11.2	120.4	10.0	...	...	...	...	...	...	34
12.0	...	...	...	9.1	10.8	118.6	10.5	...	...	...	...	...	...	35
13.0	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	36
13.5	...	...	...	9.4	12.0	127.6	11.0	...	...	...	...	...	...	37
13.0	...	...	...	9.5	12.0	126.3	10.0	...	...	...	...	...	...	38
12.2	...	...	...	9.7	11.4	117.5	9.0	...	...	...	...	...	...	39
13.0	...	...	...	10.1	12.0	118.8	10.0	...	...	...	...	...	...	40
12.2	...	...	...	9.7	12.0	137.7	10.0	...	...	...	...	...	...	41
12.6	...	...	...	9.7	11.2	115.4	10.0	...	...	...	...	...	...	42
13.0	...	...	...	9.3	12.0	129.0	10.1	...	...	...	...	...	...	43
12.5	...	...	...	9.4	12.0	127.6	9.5	...	...	...	...	...	...	44
13.0	...	...	...	9.5	11.4	120.0	9.5	...	...	...	...	...	...	45
13.0	...	...	...	9.8	11.6	118	10.0	...	...	...	...	...	...	46
12.3	...	...	...	9.6	11.4	118.7	9.5	...	...	...	...	...	...	47
12.5	...	...	...	10.0	12.0	120.0	9.9	...	...	...	...	...	...	48
12.0	...	...	...	8.8	10.8	122.7	10.0	...	...	...	...	...	...	49
13.5	...	...	...	11.3	14.0	123.8	10.5	...	...	...	...	...	...	50
14.0	...	...	...	10.4	13.4	128.8	11.0	...	...	...	...	...	...	51
14.0	...	...	...	10.5	12.6	120.0	10.0	...	...	...	...	...	...	52
13.6	...	...	...	10.2	12.2	119.6	10.4	...	...	...	...	...	...	53
13.0	...	...	...	10.2	12.8	123.4	10.0	...	...	...	...	...	...	54
13.0	...	...	...	11.2	14.0	125.0	10.1	...	...	...	...	...	...	55
13.1	...	...	...	11.0	14.0	127.2	10.2	...	...	...	...	...	...	56
12.4	...	...	...	9.8	11.8	120.4	10.2	...	...	...	...	...	...	57
13.0	...	...	...	11.2	13.2	117.8	11.2	...	...	...	...	...	...	58
123.5	...	...	...	98.7	119.5	191.0	100.0	...	...	...	...	...	...	...



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE— LORI.

Abstract of measurements of male members of the Lori

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10		...	...	1791	1399	...	571	354	...	...	...	...	...
1-20		...	...	1801	1370	...	575	350	...	...	...	...	...
21-30		...	...	1751	1332	...	536	351	...	...	...	...	...
31-40		...	...	1779	1396	...	562	356	...	...	...	...	...
41-50		...	...	1779	1362	...	580	336	...	...	...	...	...
51-58		...	...	1401	1187	...	448	289	...	...	...	...	...
	GRAND TOTAL			10302	8096	...	3272	2036		...	...	...	...
	AVERAGE			177.6	139.5	78.5	56.4	35.1	62.2	...	...	...	...

II.

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1264	...	...	...	976	1192	...	961	...	...	...	...	...	...	1-10
1279	...	...	...	981	1196	...	991	...	...	...	...	...	...	11-20
1298	...	...	...	996	1164	...	1022	...	...	...	...	...	...	21-30
1287	...	...	...	961	1158	...	1007	...	...	...	...	...	...	31-40
1266	...	...	...	971	1184	...	990	...	...	...	...	...	...	41-50
1061	...	...	...	845	1040	...	831	...	...	...	...	...	...	51-58
7455	...	...	...	5730	6934	...	5802	...	...	...	...	...	...	
1285	...	...	...	987	1195	1210	1000	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—LORI.

SERIATIONS.

THE UNIVERSITY OF CHICAGO

Type Specimen: Lori.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE.						
(Cephalic—Index.)		(Nasal—Index.)		(Orbico-nasal—Index.)										
Average.	78.5	Average.	62.2	Average.										
Maximum.	90	Maximum.	85	Maximum										
Minimum.	71	Minimum.	48	Minimum										
Range.	19	Range.	37	Range										
INDICES.				Percentage on number of subjects.										
HEAD.														
LONG HEADS														
{ 70 and under 72.5														
{ 72.5 and under 75														
MEDIUM HEADS														
{ 75 and under 77.5														
{ 77.5 and under 80														
{ 80 and under 82.5														
{ 82.5 and under 85														
{ 85 and under 87.5														
{ 87.5 and under 90														
{ 90 and over														

FINE NOSES.
(Leptorhine).

[illegible]

MEDIUM NOSES.
(Mesorhine).

	7	6	5	4	3	2	1	0
70 and under 75	.	.	.	.	.	.	.	.
75 and under 80	.	.	.	.	.	.	.	.
80 and over	.	.	.	.	.	.	.	.

ROOT OF NOSE.

PLATY-OPIC.
(Flat).

Under 110	3	15
-----------	---	----

MES-OPC.
(Medium).

[illegible]

PRO-OPIC.
(Prominent).

[illegible]



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE---WANECHI.

TABLE

Measurements of male members of the Wanechi tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Stā Muhamad Shin Kach Sibi	Mehmani	23	16.5	13.5	81.8	5.7	3.4	59.6	...	...	...	...
2	Malik Sibi	...	24	18.0	13.5	75.0	5.7	3.1	54.3	...	...	...	...
3	Musir	...	18	17.6	13.0	73.8	5.3	3.1	58.4	...	...	...	...
4	Sherdil	...	20	17.1	14.5	84.3	5.4	3.0	55.5	...	...	...	...
5	Baran	...	15	16.1	13.4	83.2	5.2	3.0	57.6	...	...	...	...
6	Nūr Muhamad Sibi.	...	15	16.8	13.4	79.7	6.0	2.8	46.6	...	...	...	...
7	Hassan Ali Khan Kat, T. O. District	...	33	17.7	15.5	87.5	6.0	3.8	63.3	...	...	...	...
8	Rozai Shin Kach.	...	43	18.1	13.7	75.6	6.0	3.1	51.6	...	...	...	...
9	Khavir, a Khan Kach.	...	33	17.5	14.3	81.7	5.4	3.4	62.9	...	...	...	...
10	Sabzal, Shin Kach.	...	50	17.6	15.5	88.0	6.0	3.2	53.3	...	...	...	...
11	Wazir, Gaddoga.	...	31	17.0	14.6	85.8	5.6	3.2	57.1	...	...	...	...
12	Meya Khan Shapaki.	Norani	35	18.4	15.1	82.0	5.4	3.3	61.1	...	...	...	...
13	Z. Zat Pirshor	Dalatani	35	19.1	15.3	80.1	6.2	3.8	61.2	...	...	...	...
14	Aligul, Pirshor	Do.	19	17.6	13.3	75.5	5.4	3.3	61.1	...	...	...	...
15	Umar, Shapai	Malani	30	18.0	13.5	75.0	6.0	3.7	61.6	...	...	...	...
16	Diltan, Ali-Khan Kach.	Utmalani	31	18.0	15.1	83.8	5.5	3.4	61.8	...	...	...	...
17	Sandugar, Shapai.	Marani	55	18.0	13.4	74.4	5.4	3.1	57.4	...	...	...	...
18	Jama, Dub	Malani	17	13.0	12.6	70.0	5.4	3.2	59.2	...	...	...	...
19	Rasu, Tela	Tgiami	37	18.0	13.5	75.0	5.6	3.8	67.8	...	...	...	...
20	Taj Muham-mad Pirshor.	Jalwani	20	18.4	13.6	82.9	6.0	3.1	51.6	...	...	...	...
21	Amanchelú	Utmalani.	35	17.4	13.2	75.8	4.8	3.4	70.8	...	...	...	...
22	Muham-mad Nur, chelú.	...	20	16.5	13.4	81.2	5.7	3.0	52.6	...	...	...	...
23	Siddi, Sakhalir.	Jalwani	33	17.6	14.5	82.3	5.5	3.1	56.3	...	...	...	...
24	Samú Sekhni	Marani	20	16.8	14.4	85.7	5.0	3.6	72.0	...	...	...	...
25	Bázú, Ali Khan Kach.	...	55	18.0	14.6	81.1	6.1	3.7	60.6	...	...	...	...
26	Bahádur, Ali Khan Kach.	Zakaryá-zai.	57	18.8	14.0	74.4	6.2	3.6	58.0	...	...	...	...
27	Nurau, Sihani	Marani	23	18.5	14.6	78.9	5.3	3.4	64.1	...	...	...	...
28	Hussein, Pirshor.	Syed	32	18.0	14.4	80.0	6.1	3.6	59.0	...	...	...	...

taken at Spintangi on the 3rd May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigenial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Biliac crest breadth.	Serial No.
12.5	...	...	...	10.0	12.0	120.0	9.0	...	...	...	...	...	...	1
12.5	...	...	...	9.9	12.0	121.2	9.5	...	...	...	...	...	...	2
13.0	...	...	...	10.1	12.4	122.2	9.6	...	...	...	...	...	...	3
13.4	...	...	...	10.0	12.6	126.0	10.0	...	...	...	...	...	...	4
12.0	...	...	...	9.3	11.0	113.2	9.0	...	...	...	...	...	...	5
12.6	...	...	...	9.4	11.2	119.3	9.7	...	...	...	...	...	...	6
14.4	...	...	...	10.3	13.0	126.2	10.8	...	...	...	...	...	...	7
13.5	...	...	...	10.0	12.2	122.0	9.5	...	...	...	...	...	...	8
13.3	...	...	...	9.8	11.8	120.4	11.1	...	...	...	...	...	...	9
13.5	...	...	...	10.0	12.2	122.0	11.0	...	...	...	...	...	...	10
13.2	...	...	...	9.5	11.2	117.8	10.8	...	...	...	...	...	...	11
14.5	...	...	...	11.0	14.0	127.2	10.6	...	...	...	...	...	...	12
13.2	...	...	...	10.1	12.6	124.7	10.5	...	...	...	...	...	...	13
13.0	...	...	...	10.0	12.0	120.0	10.5	...	...	...	...	...	...	14
13.0	...	...	...	10.0	12.4	124.0	10.0	...	...	...	...	...	...	15
13.4	...	...	...	10.0	12.0	120.0	10.4	...	...	...	...	...	...	16
13.5	...	...	...	9.9	12.0	121.2	11.3	...	...	...	...	...	...	17
12.2	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	18
14.0	...	...	...	10.0	12.2	122.0	9.5	...	...	...	...	...	...	19
12.5	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	20
12.3	...	...	...	10.1	12.4	122.7	10.2	...	...	...	...	...	...	21
13.2	...	...	...	10.1	12.2	120.7	10.1	...	...	...	...	...	...	22
12.5	...	...	...	9.0	11.0	122.2	9.9	...	...	...	...	...	...	23
13.5	...	...	...	10.4	12.8	123.0	10.6	...	...	...	...	...	...	24
12.6	...	...	...	10.0	12.6	120.0	9.4	...	...	...	...	...	...	25
13.6	...	...	...	10.2	12.2	119.6	10.7	...	...	...	...	...	...	26
13.8	...	...	...	10.3	12.4	120.3	11.4	...	...	...	...	...	...	27
14.0	...	...	...	10.0	12.0	120.0	10.5	...	...	...	...	...	...	28

Measurements of male members of the Wanechi tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
29	Lal Muhammad Shin Kach.	Maduari	55	18.3	14.5	79.2	6.0	3.3	63.3	...	...	...	...
30	Madat Ali Khan Kach.	Mehmāni	53	19.0	13.5	71.0	6.1	3.3	54.1	...	...	...	...
31	Pirkhan Pirshor.	Syed	32	16.1	13.8	85.7	6.1	3.0	49.1	...	...	...	...
32	Paind	...	33	18.1	14.3	79.0	5.8	3.1	53.4	...	...	...	...
33	Fazil, Dub	Jalwāni.	30	17.0	14.4	84.7	5.4	3.2	59.2	...	...	...	...
34	Musa, Telu	Nikazai.	30	18.0	13.4	74.4	6.2	3.4	54.8	...	...	...	...
35	Jehari Khan. Seni.	Nozai	32	18.0	14.8	82.2	5.5	3.5	64.8	...	...	...	...
36	Shambhai Khan, Shapai.	Zakarya-zai.	30	17.5	13.3	76.0	6.0	3.0	50.0	...	...	...	...
37	Ismail, Seni	Nehmani	45	16.6	14.7	88.5	5.5	3.4	61.8	...	...	...	...
38	Jumá Khan Shapi.	Zakar-yazai.	35	17.3	13.0	75.1	5.4	3.2	59.2	...	...	...	...
39	Misri Khan Shapai	...	32	19.0	14.5	76.3	6.0	3.2	53.3	...	...	...	...
40	Zalu Khan, Pirshor.	Dalatani	53	18.3	14.2	77.6	5.7	4.0	70.1	...	...	...	...
41	Sarfaz, Dabshor.	Utmalāni	45	18.1	14.5	80.1	5.2	4.5	86.5	...	...	...	...
42	Wakil, Pirshor	Syed	23	18.0	15.1	83.8	5.2	3.2	61.5	...	...	...	...
43	Kālū, Dabshor	Mirazai	27	18.0	13.6	75.5	6.0	3.5	58.3	...	...	...	...
44	Halim, Pirshor	Marani	43	18.3	14.0	76.5	6.6	3.1	46.9	...	...	...	...
45	Samundar, Pirshor.	Hidiani	43	19.5	14.5	74.3	5.8	4.0	68.9	...	...	...	...
46	Khānān Pirshor.	Dalatani.	40	17.6	14.0	79.5	5.4	3.6	66.6	...	...	...	...
47	Jumá Khan, Tehlu.	Nikazai.	27	17.3	13.8	79.7	5.1	3.3	64.7	...	...	...	...
48	Alif, Pirshor	Nikzai	34	18.3	15.0	81.9	6.3	4.0	63.4	...	...	...	...
49	Alif, Dubshor	Nillazhi.	50	18.1	15.0	82.8	6.2	3.5	56.4	...	...	...	...
50	Rashid, Dubshor.	Jalwāni	47	17.5	14.0	80.0	5.4	3.4	62.9	...	...	...	...
51	Saleh, Dubshor	Do.	20	18.2	14.6	80.2	5.0	3.4	68.0	...	...	...	...
52	Aligul, Sapor-bahar.	Syed	60	19.0	14.6	76.8	5.6	3.2	57.1	...	...	...	...
53	Mohmin, Selim	Pechi	63	19.0	14.5	76.3	5.6	3.2	57.1	...	...	...	...
54	Amayyar, Selim	Do.	37	18.6	13.3	71.5	6.4	3.0	46.8	...	...	...	...
55	Ali Muhammad, Selim.	Marāni	27	17.7	14.0	79.1	5.5	3.7	67.2	...	...	...	...
56	Zamgn, Guddadar.	Do.	18	17.4	13.9	79.8	5.4	3.0	55.5	...	...	...	...



taken at Spintangi on the 3rd May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Naso-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
138	...	...	...	9.8	12.0	122.4	10.1	...	...	...	...	...	...	29
138	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	30
130	...	...	...	8.7	10.8	124.1	10.0	...	...	...	...	...	...	31
133	...	...	...	9.8	12.2	124.4	10.1	...	...	...	...	...	...	32
136	...	...	...	10.0	11.4	114.0	11.0	...	...	...	...	...	...	33
128	...	...	...	9.4	11.6	123.4	9.2	...	...	...	...	...	...	34
132	...	...	...	9.9	12.0	121.2	10.4	...	...	...	...	...	...	35
128	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	36
132	...	...	...	10.1	12.2	120.7	10.0	...	...	...	...	...	...	37
131	...	...	...	...	12.0	122.4	9.5	...	...	...	...	...	...	38
133	...	...	...	10.2	12.8	125.4	10.1	...	...	...	...	...	...	39
136	...	...	...	9.9	12.4	125.2	11.0	...	...	...	...	...	...	40
140	...	...	...	10.3	12.8	124.2	10.2	...	...	...	...	...	...	41
140	...	...	...	10.0	12.0	120.0	10.1	...	...	...	...	...	...	42
125	...	...	...	9.8	12.2	124.4	10.0	...	...	...	...	...	...	43
134	...	...	...	10.1	12.8	126.7	10.2	...	...	...	...	...	...	44
142	...	...	...	10.5	14.0	133.3	11.0	...	...	...	...	...	...	45
132	...	...	...	9.8	12.4	126.5	10.5	...	...	...	...	...	...	46
130	...	...	...	9.3	12.0	129.0	10.4	...	...	...	...	...	...	47
140	...	...	...	10.4	12.4	119.2	10.7	...	...	...	...	...	...	48
140	...	...	...	9.5	12.6	132.6	11.0	...	...	...	...	...	...	49
125	...	...	...	9.5	10.8	113.6	9.0	...	...	...	...	...	...	50
135	...	...	...	9.6	12.0	125.0	11.4	...	...	...	...	...	...	51
135	...	...	...	9.2	12.0	130.4	9.3	...	...	...	...	...	...	52
143	...	...	...	11.2	14.0	125.0	10.6	...	...	...	...	...	...	53
140	...	...	...	10.1	12.6	124.7	10.0	...	...	...	...	...	...	54
140	...	...	...	9.9	12.4	125.2	11.1	...	...	...	...	...	...	55
132	...	...	...	9.8	12.0	122.4	10.0	...	...	...	...	...	...	56

TABLE
Measurements of male members of the Wanechi

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
57	Nadir Gududurg.	Melmáni	47	18.5	14.4	77.8	6.3	3.5	55.5	...	...	...	...
58	Mulla Yakub	...	33	17.6	14.0	79.5	5.4	3.0	55.5	...	...	...	...
59	Safar, Selmi	Maráni .	33	18.2	14.6	80.2	6.0	3.6	60.0	...	...	...	...
AVERAGE .				178.1	141.2	79.2	56.9	33.7	59.2	...	...	...	...

I.

tribe taken at Spintangi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.6	...	...	...	9.3	12.0	129.0	10.7	...	...	...	...	...	...	57
13.2	...	...	...	10.0	12.4	124.0	9.8	...	...	...	...	...	...	58
13.0	...	...	...	10.1	12.0	118.8	9.0	...	...	...	...	...	...	59
133.1	...	...	...	99.2	121.8	122.7	102.0	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA

SERiations.

TYPE—WANECHI.



ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—WANECHI.

TABLE

Abstract of measurements of male members of the

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	Spinkangi.						567	319		...	...	...	...
11-20							565	339		...	...	...	...
21-30							568	345		...	...	...	...
31-40							575	330		...	...	...	...
41-50							572	361		...	...	...	...
51-59							512	296		...	...	...	...
	GRAND TOTAL	...	...	10512	8332		3359	1990		...	...	...	...
	Average	...	...	178.1	141.2	79.2	56.9	33.7	59.2	...	...	...	...

Wanechi tribe taken at Spintangi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	2
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1307	...	...	...	988	1204	...	992	...	...	...	...	...	...	1-10
1325	...	...	...	1004	1224	...	1036	...	...	...	...	...	...	11-20
1331	...	...	...	999	1216	...	1029	...	...	...	...	...	...	21-30
1319	...	...	...	978	1194	...	1013	...	...	...	...	...	...	31-40
1348	...	...	...	992	1240	...	1031	...	...	...	...	...	...	41-50
1223	...	...	...	892	1114	...	919	...	...	...	...	...	...	51-59
7853	...	...	...	5853	7192	...	6020	...	...	...	...	...	...	
1331	...	...	...	992	1218	1227	1020	...	...	...	...	...	...	

11922

[illegible]

Type Specimen: Wanechi.

28

NOSF.

[illegible]

FINE NOSES.
(Leptorhine).

MEDIUM NOSES
(Mesorhine).

15
—
◆
◆
◆
◆
◆
—
3

BROAD NOSTS
(Platyrrhine).

2

ROOT OF NOSE.

[illegible]



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

NOTE.—The t. in word Jat agriculturist is pronounced hard to distinguish it from Jat, a camel grazier.

TYPE—JAT.

Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe of caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gulsher, Sibi	...	33	17.0	14.3	84.1	6.0	3.5	58.3	...	...	...	...
2	Khairo "	...	37	17.0	14.0	82.3	5.0	3.6	72.0	...	...	...	...
3	Hashim, Bhág	...	27	17.0	14.5	85.2	6.0	3.2	53.3	...	...	...	...
4	Sohin, Sibi	...	39	17.5	13.6	77.7	6.2	3.7	59.6	...	...	...	...
5	Ghern, Bhág.	...	23	18.0	14.5	80.5	6.0	3.6	60.0	...	...	...	...
6	Haidar, Bhág	...	35	18.3	14.7	80.3	6.0	3.6	60.0	...	...	...	...
7	Daim, Sibi	...	45	17.2	14.0	81.4	5.6	3.4	60.7	...	...	...	...
8	Umar, Bhág.	...	57	18.5	15.0	81.0	6.0	4.0	66.6	...	...	...	...
9	Ghazu, "	...	23	16.6	14.3	86.1	5.7	3.7	64.9	...	...	...	...
10	Fez Muhd., Bhág.	...	23	17.5	14.0	80.0	6.0	3.7	61.6	...	...	...	...
11	Ubhinkar, Bhág.	...	25	17.2	14.6	84.8	6.0	3.1	51.6	...	...	...	...
12	Arzi, Sibi	...	45	17.8	14.5	81.4	5.5	3.8	69.0	...	...	...	...
13	Wasayn, Bhág	...	30	16.8	14.0	83.3	5.8	3.5	60.3	...	...	...	...
14	Fakir Muhd., Bhág.	...	23	18.0	14.6	81.1	5.4	3.0	55.5	...	...	...	...
15	Hamil, Nári	Hánbi	28	17.7	15.1	85.3	5.6	3.6	64.2	...	...	...	...
16	Ahmad, Nári.	Babbur	33	18.5	14.7	79.4	5.3	3.4	64.1	...	...	...	...
17	Ghaus, Bhág	Hanbi	23	18.0	14.6	81.1	5.5	3.6	65.4	...	...	...	...
18	Allah Bakhs, Bhág.	Babbur	35	19.2	15.0	78.1	6.0	3.6	60.0	...	...	...	...
19	Dost Muhd., Nári.	Siál	55	18.0	14.5	80.5	6.0	4.0	66.6	...	...	...	...
20	Allah Sitta, Bhág.	Hánbi	38	18.2	13.7	75.2	6.4	3.7	57.8	...	...	...	...
21	Miham, Nári	...	45	19.6	13.7	69.9	6.0	4.3	71.6	...	...	...	...
22	Ramzan, Tuk	...	35	18.2	14.0	76.9	5.4	3.8	70.3	...	...	...	...
23	Muhd. Siddiz Jalakhan.	...	60	18.5	13.2	71.3	5.2	3.4	65.3	...	...	...	...
24	Chutta, Badul-wa.	Siál	33	17.3	13.8	79.7	5.5	3.0	54.5	...	...	...	...
25	Miscu	Kalhora	23	17.5	14.6	83.4	6.0	3.5	58.3	...	...	...	...
26	Raza Muhd. Tuk.	Hánbi	37	17.3	14.2	82.0	6.0	3.2	53.3	...	...	...	...
27	Yar Muhd. Tuk.	Do.	37	18.5	14.0	75.6	6.0	3.3	55.0	...	...	...	...
28	Hasein Lakari	Lakan	23	18.0	14.4	80.0	5.4	3.4	62.9	...	...	...	...
29	Abdulla, Tuk.	Arain	37	18.0	13.0	72.2	5.2	3.3	63.4	...	...	...	...

tribe taken at Sibi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Piliac crest breadth.	Serial No.
133	...	...	...	94	108	1148	104	...	...	...	...	...	...	1
130	...	...	...	94	126	1340	100	...	...	...	...	...	...	2
136	...	...	...	94	120	1276	110	...	...	...	...	...	...	3
130	...	...	...	99	126	1272	108	...	...	...	...	...	...	4
143	...	...	...	98	126	1285	98	...	...	...	...	...	...	5
132	...	...	...	103	134	1301	103	...	...	...	...	...	...	6
133	...	...	...	100	126	1260	106	...	...	...	...	...	...	7
140	...	...	...	95	116	1221	103	...	...	...	...	...	...	8
136	...	...	...	101	124	1227	110	...	...	...	...	...	...	9
131	...	...	...	99	123	1232	102	...	...	...	...	...	...	10
133	...	...	...	92	118	1282	96	...	...	...	...	...	...	11
131	...	...	...	104	122	1174	100	...	...	...	...	...	...	12
131	...	...	...	92	120	1304	110	...	...	...	...	...	...	13
134	...	...	...	100	128	1280	105	...	...	...	...	...	...	14
136	...	...	...	97	124	1278	100	...	...	...	...	...	...	15
140	...	...	...	106	140	1320	100	...	...	...	...	...	...	16
132	...	...	...	99	130	1313	92	...	...	...	...	...	...	17
133	...	...	...	102	130	1274	112	...	...	...	...	...	...	18
133	...	...	...	100	128	1280	101	...	...	...	...	...	...	19
132	...	...	...	105	140	1333	101	...	...	...	...	...	...	20
130	...	...	...	101	120	1188	101	...	...	...	...	...	...	21
130	...	...	...	101	128	1267	110	...	...	...	...	...	...	22
130	...	...	...	100	124	1240	97	...	...	...	...	...	...	23
130	...	...	...	95	120	1263	102	...	...	...	...	...	...	24
131	...	...	...	100	128	1280	95	...	...	...	...	...	...	25
130	...	...	...	96	120	1250	100	...	...	...	...	...	...	26
130	...	...	...	85	100	1176	98	...	...	...	...	...	...	27
135	...	...	...	106	128	1207	104	...	...	...	...	...	...	28
135	...	...	...	100	126	1260	102	...	...	...	...	...	...	29

Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Ramzan, Tuk	Hanbi	35	17.6	13.9	78.9	5.1	3.1	69.7	...	...	...	...
31	Nur Muhd., Badulwa.	Sial	23	18.2	13.8	75.8	6.0	3.4	58.6	...	...	...	...
32	Khuda Bux Badulwa.	Do.	23	17.0	13.0	76.4	5.4	3.4	62.9	...	...	...	...
33	Muhd. Farid, Bhag.	Hanbi	37	17.5	14.0	80.0	5.2	3.6	69.2	...	...	...	...
34	Khuda Bhaksh, Badaluno.	Sial	37	18.0	13.6	75.5	6.1	3.0	49.1	...	...	...	...
35	Abdul Karim Babbar.	Babbar	60	17.0	14.0	82.3	5.7	3.6	63.1	...	...	...	...
36	Juma Karim Babbar.	Do.	50	18.0	13.6	75.5	5.6	3.2	57.1	...	...	...	...
37	Mitha Karim Babbar.	Do.	65	18.6	13.2	70.3	6.0	3.2	53.3	...	...	...	...
38	Khan Muhd., Tuk.	Hanbi	35	18.0	13.5	75.0	5.7	3.2	56.1	...	...	...	...
39	Waddah, Tuk	Do.	60	18.6	13.0	69.8	6.0	3.7	61.6	...	...	...	...
40	Rasul Paksh, Rustom.	Abra	45	18.2	14.3	78.5	5.0	4.2	84.0	...	...	...	...
41	Kirim Bux, Badalwal.	Kalhoru	37	17.5	14.0	80.0	6.0	3.5	58.3	...	...	...	...
42	Allah Bux Jalalkhan.	Abra	40	17.0	13.6	80.0	6.0	3.4	56.6	...	...	...	...
43	Barkhurdar Jalalkhan.	Do.	45	17.3	14.3	82.6	5.2	3.3	69.4	...	...	...	...
44	Matu, Hanbi	Hanbi	47	18.0	13.8	76.6	6.0	3.4	56.6	...	...	...	...
45	Dildar, Jalalkhan.	Abra	65	18.2	13.6	74.7	5.6	3.2	57.1	...	...	...	...
46	Sawan, Hanbi.	Hanbi	60	17.3	13.3	79.7	6.0	3.5	58.3	...	...	...	...
47	Bachal, Landore.	Landore	32	17.8	13.2	74.1	5.0	3.5	70.0	...	...	...	...
48	Ganhar, Landore.	Do.	37	16.8	13.2	79.1	5.6	3.5	62.5	...	...	...	...
49	Sultan, Taj	Leghari	55	17.2	14.5	84.3	5.7	4.6	80.7	...	...	...	...
50	Gul Muhammad, Chalgari.	Pahwar	33	17.3	13.8	79.7	5.7	3.5	61.4	...	...	...	...
51	Kerim Bukhsh, Eri.	Machhi	34	17.6	14.6	82.9	5.7	3.6	63.1	...	...	...	...
52	Sonhars, Machhi.	Do.	35	18.0	14.3	82.2	5.6	4.0	71.4	...	...	...	...
53	Chuta, Takri	Master	35	16.8	14.5	80.3	4.7	3.5	74.4	...	...	...	...
54	Khair Muhd. Main Khan.	Lasabari	33	18.2	14.7	80.7	5.6	4.1	73.2	...	...	...	...
55	Imam Bux, Main Basul Bux.	Khokar	38	17.0	13.5	79.4	5.5	3.5	63.6	...	...	...	...
56	Isa, Sial	Phul	38	18.0	14.1	78.3	6.2	3.3	58.2	...	...	...	...
57	Allah Ditta, Sial.	Awán	50	18.1	14.2	73.4	6.0	3.6	60.0	...	...	...	...

Tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Gurrier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	...	...	...	9.5	12.4	130.5	9.0	...	...	...	...	...	...	30
13.2	...	...	...	10.0	12.4	124.0	9.9	...	...	...	...	...	...	31
12.8	...	...	...	10.0	12.2	122.0	10.2	...	...	...	...	...	...	32
13.2	...	...	...	9.2	12.0	130.4	10.0	...	...	...	...	...	...	33
13.0	...	...	...	9.6	12.0	125.0	10.0	...	...	...	...	...	...	34
13.0	...	...	...	9.9	12.2	123.2	10.0	...	...	...	...	...	...	35
12.5	...	...	...	10.0	12.0	120.0	9.1	...	...	...	...	...	...	36
13.0	...	...	...	10.0	12.4	124.0	10.4	...	...	...	...	...	...	37
13.0	...	...	...	9.5	12.0	126.3	10.4	...	...	...	...	...	...	38
12.4	...	...	...	9.9	12.4	125.2	9.0	...	...	...	...	...	...	39
13.6	...	...	...	10.3	12.4	120.3	10.4	...	...	...	...	...	...	40
13.6	...	...	...	10.0	12.4	124.0	11.0	...	...	...	...	...	...	41
13.0	...	...	...	9.3	11.0	118.2	10.8	...	...	...	...	...	...	42
13.6	...	...	...	9.8	12.4	126.5	10.8	...	...	...	...	...	...	43
13.1	...	...	...	10.2	12.6	123.5	10.0	...	...	...	...	...	...	44
13.0	...	...	...	10.0	12.4	124.0	9.8	...	...	...	...	...	...	45
12.6	...	...	...	9.2	11.2	121.7	10.1	...	...	...	...	...	...	46
13.3	...	...	...	10.0	12.0	120.0	10.5	...	...	...	...	...	...	47
12.3	...	...	...	9.7	12.0	123.7	10.0	...	...	...	...	...	...	48
13.4	...	...	...	10.3	13.6	132.0	10.1	...	...	...	...	...	...	49
13.0	...	...	...	9.2	12.0	130.4	9.0	...	...	...	...	...	...	50
13.8	...	...	...	10.3	13.2	128.2	11.0	...	...	...	...	...	...	51
13.4	...	...	...	10.1	12.8	126.7	11.0	...	...	...	...	...	...	52
13.0	...	...	...	10.0	10.4	104.0	10.8	...	...	...	...	...	...	53
13.2	...	...	...	10.4	12.8	123.0	10.1	...	...	...	...	...	...	54
12.5	...	...	...	9.7	11.2	115.4	10.8	...	...	...	...	...	...	55
13.2	...	...	...	10.2	12.8	125.4	10.1	...	...	...	...	...	...	56
12.8	...	...	...	9.9	12.4	125.2	9.0	...	...	...	...	...	...	57

Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length in (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
58	Hayat, Jalal-khan.	Baglia	23	18.3	14.3	78.1	6.0	3.4	56.6	...	...	...	...
59	Masladud, Chita.	Abra	21	16.0	14.5	90.6	6.0	3.2	53.3	...	...	...	...
60	Elahi Bakhsh, Chita.	Do.	22	16.0	13.3	83.1	5.4	3.0	55.5	...	...	...	...
61	Chuar, Mian-kodhor.	Khand	37	17.5	14.3	81.7	5.4	3.5	64.8	...	...	...	...
62	Ramzan, "	Sial	67	17.2	14.4	83.7	5.4	3.1	57.4	...	...	...	...
63	Mohile, Nari Kalharu.	Do.	37	18.0	14.3	82.2	5.4	3.7	68.5	...	...	...	...
64	Imman Bakhsh, Nari.	Do.	37	17.3	14.3	82.6	5.4	4.0	74.0	...	...	...	...
65	Mehrali, Mo-chi-ka-got.	Muruzuai	43	17.0	14.0	82.3	4.8	3.2	66.6	...	...	...	...
66	Khamisa, Tuk	Hanbi	53	18.8	14.0	74.4	5.4	3.3	61.1	...	...	...	...
67	Karim Bakhsh, Haji.	Babbur	37	17.4	14.0	80.4	5.4	3.7	68.5	...	...	...	...
68	Mehrab Takari.	Ronga	70	18.0	14.2	78.8	6.2	3.7	59.6	...	...	...	...
69	Hassan, "	Do.	30	17.5	14.6	83.4	6.0	3.7	61.6	...	...	...	...
70	Gobram Haji.	Babbur	34	18.3	14.4	78.6	6.0	4.2	70.0	...	...	...	...
71	Umar, Tunju.	Tunia	57	18.5	15.0	81.0	5.6	4.0	71.4	...	...	...	...
72	Juma' Khan, Haji.	Ladhani	31	17.0	13.1	77.0	5.4	3.6	66.6	...	...	...	...
73	Ismail, "	Bhatti	45	18.4	15.0	81.5	6.0	4.0	66.6	...	...	...	...
74	Toyyale, Tuk	Kalhara	36	17.0	14.2	83.5	5.7	3.6	63.1	...	...	...	...
75	Allah Fuz, Haji.	Btiath	32	17.0	14.0	82.3	5.4	3.5	64.8	...	...	...	...
76	Nabi Bux, Tabri.	Ronga	31	17.0	14.0	82.3	5.0	3.2	64.0	...	...	...	...
77	Lahi, Bhag	Missan	31	17.8	14.7	82.5	5.3	4.0	75.4	...	...	...	...
78	Sumar, Lehri	Babbur	55	19.0	15.2	80.0	5.4	4.0	74.0	...	...	...	...
79	Ditto, "	Do.	36	19.5	14.5	74.3	5.7	3.4	59.6	...	...	...	...
80	Umar, "	Do.	37	18.0	15.3	85.0	6.4	3.7	57.8	...	...	...	...
81	Jan Muhd., Gannia.	Mahar	35	17.5	14.0	80.0	6.0	4.0	66.6	...	...	...	...
82	Nobi Box, Gannir.	Do.	33	19.0	15.0	78.9	6.0	4.0	66.6	...	...	...	...
83	Sher Muhd., Bhag.	Abra	35	18.2	15.3	85.1	6.0	3.6	60.0	...	...	...	...
84	Nur Muhd., Bhag.	Do.	34	18.0	14.4	80.0	5.6	3.4	60.7	...	...	...	...
85	Nabi Bakhsh, Bhag.	Wagha	35	17.6	14.5	82.3	6.0	2.5	41.6	...	...	...	...
86	Abdulla, Bhag	Abra	35	19.4	14.0	72.1	6.0	3.2	53.3	...	...	...	...

Tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
134	...	...	...	100	120	1200	104	...	...	...	...	...	...	58
135	...	...	...	98	120	1224	108	...	...	...	...	...	...	59
120	...	...	...	95	120	1263	100	...	...	...	...	...	...	60
132	...	...	...	94	120	1276	105	...	...	...	...	...	...	61
130	...	...	...	85	106	1247	100	...	...	...	...	...	...	62
135	...	...	...	95	120	1263	110	...	...	...	...	...	...	63
135	...	...	...	99	122	1232	103	...	...	...	...	...	...	64
123	...	...	...	84	120	1428	100	...	...	...	...	...	...	65
124	...	...	...	95	124	1305	102	...	...	...	...	...	...	66
130	...	...	...	96	122	1270	104	...	...	...	...	...	...	67
130	...	...	...	93	120	1290	104	...	...	...	...	...	...	68
134	...	...	...	100	120	1200	106	...	...	...	...	...	...	69
135	...	...	...	99	120	1212	100	...	...	...	...	...	...	70
141	...	...	...	92	126	1369	105	...	...	...	...	...	...	71
124	...	...	...	92	108	1173	100	...	...	...	...	...	...	72
130	...	...	...	98	126	1285	101	...	...	...	...	...	...	73
120	...	...	...	94	120	1276	100	...	...	...	...	...	...	74
122	...	...	...	99	122	1232	98	...	...	...	...	...	...	75
130	...	...	...	97	120	1237	110	...	...	...	...	...	...	76
135	...	...	...	95	126	1326	112	...	...	...	...	...	...	77
135	...	...	...	100	126	1260	110	...	...	...	...	...	...	78
130	...	...	...	103	124	1203	110	...	...	...	...	...	...	79
134	...	...	...	100	126	1260	110	...	...	...	...	...	...	80
130	...	...	...	99	122	1232	110	...	...	...	...	...	...	81
132	...	...	...	105	134	1276	102	...	...	...	...	...	...	82
134	...	...	...	100	124	1240	101	...	...	...	...	...	...	83
135	...	...	...	98	124	1265	105	...	...	...	...	...	...	84
130	...	...	...	90	106	1177	95	...	...	...	...	...	...	85
130	...	...	...	98	106	1081	101	...	...	...	...	...	...	86

TABLE
Measurements of male members of the Jat tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
87	Fateh Muhd.,	Abra	45	178	149	83.7	51	39	76.4	...	...	...	...
88	Allawarahyn, Bhag.	Do.	23	177	136	76.8	60	34	56.6	...	...	...	...
89	Ali Muhd., Mithri.	Pahor	37	176	141	80.1	50	34	68.0	...	...	...	...
90	Hazur Bakhsh, Mithri.	Do.	23	166	153	92.1	44	31	70.4	...	...	...	...
91	Gul Muhd. Mithri.	Do.	47	180	135	75.0	54	36	66.6	...	...	...	...
92	Alisher Bhag	Abra	53	196	148	75.5	53	33	62.2	...	...	...	...
93	Gobram, "	Do.	33	168	142	84.5	54	35	64.8	...	...	...	...
94	Allah ditte Bhag.	Do.	47	190	141	74.2	50	34	68.0	...	...	...	...
95	Mull Mh., Bhag.	Do.	35	178	143	80.3	44	37	84.0	...	...	...	...
96	Mir Muhd., Bhag.	Do.	40	171	142	83.0	51	34	66.6	...	...	...	...
97	Razd. Bhag.	Do.	27	190	140	73.6	54	34	62.9	...	...	...	...
98	Jaru, Sibi	Hanbi	18	183	143	78.1	50	37	74.0	...	...	...	...
99	Wadhu, Sibi.	Hados	33	174	146	83.9	57	40	70.1	...	...	...	...
100	Ramzan, Sibi	Do.	34	182	151	82.9	55	40	72.7	...	...	...	...
AVERAGE			...	177.8	141.9	79.8	56.1	35.4	68.1	...	...	...	...

taken at Sibl on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	...	...	...	10.3	12.8	124.2	9.9	...	...	...	...	...	...	87
18.4	...	...	...	10.1	12.4	122.7	10.8	...	...	...	...	...	...	88
13.0	...	...	...	9.8	12.4	126.5	10.8	...	...	...	...	...	...	89
12.5	...	...	...	9.5	12.2	128.4	10.0	...	...	...	...	...	...	90
13.0	...	...	...	9.8	12.4	126.5	9.6	...	...	...	...	...	...	91
13.5	...	...	...	10.1	12.8	126.7	9.8	...	...	...	...	...	...	92
13.0	...	...	...	9.8	12.0	122.4	10.6	...	...	...	...	...	...	93
13.5	...	...	...	10.1	13.2	130.6	10.1	...	...	...	...	...	...	94
13.7	...	...	...	10.3	12.8	124.2	11.0	...	...	...	...	...	...	95
12.8	...	...	...	9.4	12.0	127.6	9.7	...	...	...	...	...	...	96
12.5	...	...	...	10.0	12.8	128.0	10.3	...	...	...	...	...	...	97
13.4	...	...	...	10.0	12.0	120.0	10.6	...	...	...	...	...	...	98
13.2	...	...	...	10.0	12.0	120.0	10.4	...	...	...	...	...	...	99
13.6	...	...	...	10.1	12.8	126.7	10.6	...	...	...	...	...	...	100
131.3	...	...	...	98.0	122.5	125.0	102.6	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—JAT.

TABLE

Abstract of measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	...	...	1746	1429	...	585	360	...	...	...	...	...
11-20	...	...	...	1794	1453	...	575	353	...	...	...	...	...
21-30	...	...	...	1805	1388	...	558	343	...	...	...	...	...
31-40	...	...	...	1791	1360	...	567	345	...	...	...	...	...
41-50	...	...	...	1744	1379	...	563	354	...	...	...	...	...
51-60	...	...	...	1740	1425	...	567	352	...	...	...	...	...
61-70	...	...	...	1770	1430	...	554	361	...	...	...	...	...
71-80	...	...	...	1792	1450	...	559	370	...	...	...	...	...
81-90	...	...	...	1794	1453	...	561	345	...	...	...	...	...
91-100	...	...	...	1812	1431	...	522	360	...	...	...	...	...
GRAND TOTAL	...	...	...	17788	14198	...	5616	3543	...	...	...	...	...
Average	...	...	...	177.8	141.9	79.8	56.1	35.4	63.1	...	...	...	...

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio mental length.	Facial index.	Facial angle (uvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1344	...	...	...	977	1228	...	1044	...	...	...	...	...	...	1-10
1335	...	...	...	997	1280	...	1017	...	...	...	...	...	...	11-20
1311	...	...	...	979	1218	...	999	...	...	...	...	...	...	21-30
1257	...	...	...	984	1220	...	994	...	...	...	...	...	...	31-40
1303	...	...	...	977	1216	...	1021	...	...	...	...	...	...	41-50
1308	...	...	...	999	1216	...	1040	...	...	...	...	...	...	51-60
1308	...	...	...	940	1194	...	1034	...	...	...	...	...	...	61-70
1301	...	...	...	970	1224	...	1056	...	...	...	...	...	...	71-80
1310	...	...	...	987	1214	...	1029	...	...	...	...	...	...	81-90
1322	...	...	...	996	1248	...	1027	...	...	...	...	...	...	91-100
13139	...	...	...	9806	12258	...	10261	...	...	...	...	...	...	
1313	...	...	...	980	1225	1250	1026	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—JAT.

SERiations.

Turko-Iranian Type. Type Specimen : JAT.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE.			
(Cephalic—Index.)				(Nasal—Index.)				(Orbito-nasal—Index.)			
Average	.	.	79.8	Average	.	.	63.1	Average	.	.	125.0
Maximum	.	.	92	Maximum	.	.	84	Maximum	.	.	143
Minimum	.	.	70	Minimum	.	.	42	Minimum	.	.	104
Range	.	.	22	Range	.	.	42	Range	.	.	39
Indices.				Percentage on number of subjects.							
				Number of subjects.	5	10	15	20	25	30	35
HEAD.											
VERY LONG HEADS. (Hyper dolicho- cephalic).	Under 70			2	◆—2						
	{ 70 and under 72.5			4	◆◆—4						
	{ 72.5 and under 75			6	◆◆◆—6						
LONG HEADS. (Dolicho-Cephalic).	{ 75 and under 77.5			13	◆◆◆◆—13						
	{ 77.5 and under 80			17	◆◆◆◆◆—17						
MEDIUM HEADS. (Meso-Cephalic).	{ 80 and under 82.5			32	◆◆◆◆◆◆—32						
	{ 82.5 and under 85			18	◆◆◆◆◆◆—18						
BROAD HEADS. (Brachy-Cephalic).	{ 85 and under 87.5			6	◆◆◆◆—6						
	{ 87.5 and over			2	◆◆—2						

NOSE.

Under 50 . . .	2 ♦ ♦ --2				
50 and under 55 . . .	8 ♦ ♦ ♦ ♦ --8				
55 and under 60 . . .	21 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --21				
60 and under 65 . . .	32 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --32				
65 and under 70 . . .	17 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --17				
70 and under 75 . . .	15 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --15				
75 and under 80 . . .	2 ♦ ♦ --2				
80 and under 85 . . .	3 ♦ ♦ ♦ --3				

FINE NOSES.
 (Leptorhine).

MEDIUM NOSES.
 (Mesorhine).

ROOT OF NOSE.

Under 110 . . .	2 ♦ ♦ --2				
113 and under 116 . . .	2 ♦ ♦ --2				
116 and under 119 . . .	6 ♦ ♦ ♦ ♦ ♦ --6				
119 and under 122 . . .	11 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --11				
122 and under 125 . . .	24 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --24				
125 and under 128 . . .	30 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --30				
128 and over . . .	25 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ --25				

PLATE-OPIC
 (Fiat).

PAG-OPIC
 (Prominent).



ANTHROPOMETRIC DATA

TABLE I.

Abstract of Measurements.

TYPE—PANI, PAUNI OR PAURI.

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (Glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Baluchistan, Sibi.	Marghā-zāni.	40	179	149	83.2	54	36	66.6	97	131	213	153
2	Do.	Do.	30	192	148	77.0	47	41	87.2	109	140	231	160
3	Do.	Do.	35	189	149	78.8	53	36	67.9	110	143	232	162
4	Do.	Do.	30	192	156	81.2	54	37	68.5	113	153	234	167
5	Do.	Do.	36	185	149	80.5	55	35	63.6	110	145	223	160
6	Do.	Do.	30	187	148	79.1	56	42	75.0	108	138	210	158
7	Do.	Do.	27	176	153	89.7	52	39	75.0	112	147	222	160
8	Do.	Do.	30	179	144	80.4	53	39	73.5	96	137	203	153
9	Do.	Do.	33	182	145	79.6	56	36	64.2	97	133	221	155
10	Do.	Do.	36	180	143	79.4	56	37	66.0	91	136	218	156
11	Do.	Do.	28	192	154	80.2	55	40	72.7	111	145	240	164
12	Do.	Do.	33	178	146	82.0	52	38	73.0	110	146	232	157
13	Do.	Do.	32	178	143	80.3	49	35	73.4	93	133	206	153
14	Do.	Do.	38	184	146	79.3	54	37	68.5	109	134	231	155
15	Do.	Do.	30	181	146	80.6	48	37	77.0	103	133	210	153
16	Do.	Do.	35	180	143	79.4	54	38	70.3	104	137	221	153
17	Do.	Do.	45	179	146	81.5	52	39	75.0	105	139	231	155
18	Do.	Do.	38	180	149	82.7	55	35	63.6	104	145	230	153
19	Do.	Do.	33	184	151	82.0	53	37	63.7	108	151	232	162
20	Do.	Do.	30	183	140	76.5	44	39	88.6	106	134	214	152
21	Baluchistan, Sibi, Bostān.	Do.	45	188	144	76.5	49	34	60.3	95	139	222	157
22	Do.	Do.	28	177	149	84.1	47	38	80.8	103	143	221	156
23	Do.	Do.	35	184	150	81.5	53	32	55.1	95	132	222	155
24	Do.	Do.	45	192	147	76.5	51	37	72.5	103	139	226	159
25	Do.	Do.	27	179	145	81.0	49	39	79.5	99	145	227	159
26	Do.	Do.	35	194	147	75.7	43	43	89.5	110	140	223	160
27	Do.	Do.	30	189	145	76.7	47	41	87.2	93	137	210	157
28	Do.	Do.	30	178	151	84.8	51	37	72.5	97	138	217	156
29	Do.	Do.	30	179	150	83.7	48	36	75.0	108	147	221	159

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal Index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	crest Serial No.
134	116	115.3	68	104	128	123.0	102	1632	848	1220	1419	1352	259	1
139	122	113.9	61	118	138	116.9	110	1652	855	122.0	1421	1353	252	2
139	122	113.9	66	117	138	117.9	108	1694	844	1239	1462	1390	263	3
143	121	118.1	66	121	146	120.6	101	1682	864	1252	1448	1372	282	4
132	118	111.8	65	110	130	118.1	106	1614	880	1321	1336	1308	254	5
135	132	102.2	64	113	136	120.3	110	1766	902	1301	1526	1451	255	6
146	110	132.7	66	119	136	114.2	111	1696	838	1274	1474	1375	264	7
136	112	121.4	61	111	126	113.5	105	1631	899	1216	1423	1340	267	8
133	124	107.2	64	114	144	126.3	103	1672	882	1246	1451	1376	267	9
136	127	107.0	55	111	124	111.7	109	1662	845	1292	1394	1309	251	10
142	129	110.0	63	116	134	115.5	96	1720	926	1301	1480	1390	261	11
130	122	106.5	62	107	130	121.4	98	1712	880	1264	1480	1381	259	12
134	113	118.5	61	110	128	116.3	99	1622	856	1210	1416	1330	272	13
136	122	111.4	61	113	138	122.1	102	1688	876	1243	1457	1378	282	14
132	107	123.3	65	106	123	116.0	107	1586	840	1178	1376	1302	235	15
135	117	115.3	64	111	133	119.8	106	1632	860	1202	1411	1338	275	16
140	126	111.1	63	116	134	115.5	101	1666	892	1216	1435	1372	291	17
135	126	107.1	63	113	132	116.8	98	1712	910	1276	1482	1393	268	18
141	124	113.7	63	114		119.2	109	1668	882	1246	1436	1366	263	19
143	108	132.4	70	118	131	111.0	100	1596	800	1202	1382	1338	254	20
130	127	102.3	65	106	128	120.7	106	1578	844	1190	1356	1285	251	21
141	118	119.4	67	114	130	114.0	111	1634	856	1244	1413	1331	259	22
136	127	107.0	61	110	128	116.3	100	1600	821	1190	1378	1308	245	23
133	123	108.1	63	113	134	118.5	106	1643	864	1236	1417	1342	260	24
136	123	106.2	63	109	123	117.4	110	1729	890	1292	1502	1410	236	25
140	113	123.8	65	113	130	115.0	114	1776	888	1308	1553	1468	267	26
137	112	122.3	68	112	132	117.8	102	1574	846	1168	1364	1278	262	27
140	120	116.6	63	116	136	117.2	105	1650	848	1224	1433	1362	235	28
131	113	115.9	63	107	123	114.9	111	1654	848	1244	1433	1352	251	29

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipita.)	Cephalic breadth.	Cephalic Index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Baluchistan, Sibi, Bostan.	Mar-gha-zani.	27	176	149	84.6	54	36	66.6	98	134	218	153
31	Baluchistan, Sibi.	Do.	43	189	149	78.8	56	38	58.9	100	130	226	156
32	Do.	Do.	32	180	139	77.2	49	38	77.5	108	137	225	152
33	Do.	Do.	33	176	144	81.8	50	39	78.0	99	131	222	150
34	Do.	Do.	35	185	146	78.9	49	38	67.1	96	131	207	154
35	Do.	Do.	32	178	144	80.8	48	37	77.0	107	142	218	155
36	Do.	Do.	26	182	139	76.3	48	36	75.0	101	141	215	154
37	Do.	Do.	43	194	145	74.7	49	38	77.5	99	127	227	155
38	Do.	Do.	35	174	148	85.0	52	39	75.0	106	138	219	153
39	Do.	Do.	44	191	154	80.6	52	40	76.9	107	142	243	162
40	Do.	Do.	40	191	154	80.6	54	36	66.6	104	142	231	162
41	Do.	Deh-pal.	30	187	149	79.6	55	35	68.6	103	140	223	159
42	Do.	Do.	35	184	153	83.1	53	38	71.7	108	140	222	159
43	Do.	Do.	28	182	146	80.2	52	35	67.3	113	131	224	153
44	Do.	Do.	25	184	141	76.6	50	41	82.0	109	138	222	154
45	Do.	Do.	35	176	149	84.6	50	35	70.0	104	140	221	155
46	Do.	Do.	30	191	150	78.5	43	38	88.3	112	150	228	164
47	Do.	Do.	28	176	147	83.5	55	35	68.6	96	135	221	153
48	Do.	Do.	32	180	140	77.7	52	36	69.2	100	132	215	151
49	Do.	Do.	27	179	149	83.2	46	36	78.2	105	138	221	155
50	Do.	Do.	30	192	151	78.6	45	35	77.7	103	135	214	159
51	Do.	Do.	35	176	145	82.3	52	37	71.1	104	138	231	153
52	Do.	Do.	45	187	141	75.4	49	36	73.4	108	135	234	154
53	Do.	Do.	45	185	151	81.6	56	38	67.8	105	131	194	156
54	Do.	Do.	35	173	141	79.2	50	37	74.0	99	129	215	149
55	Do.	Do.	35	179	147	82.1	47	39	82.9	106	137	220	154
56	Do.	Do.	35	168	148	86.0	48	35	75.0	110	134	222	150
57	Do.	Do.	45	182	146	80.2	51	40	78.4	109	146	225	158
58	Do.	Do.	45	180	143	76.8	53	38	71.7	99	139	215	156

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
135	120	112.5	61	113	132	116.8	104	1652	834	1242	1434	1349	255	30
136	126	107.9	61	107	126	117.7	118	1720	906	1236	1494	1411	284	31
133	117	113.6	65	107	128	119.6	106	1633	862	1231	1408	1354	258	32
130	123	105.6	60	111	133	119.8	103	1790	902	1312	1568	1462	291	33
133	111	119.8	68	109	128	117.4	115	1674	852	1254	1497	1332	253	34
131	111	118.0	61	108	126	116.6	100	1728	900	1298	1510	1419	273	35
126	114	110.5	68	106	120	113.2	90	1642	852	1223	1427	1344	261	36
141	123	110.1	...	118	136	115.2	121	1754	884	1298	1527	1454	275	37
138	113	122.1	65	114	141	123.6	104	1708	876	1264	1489	1410	275	38
146	136	107.3	...	120	140	116.6	115	1702	876	1256	1459	1394	288	39
140	127	110.2	61	114	134	117.5	106	1650	864	1262	1419	1341	263	40
135	123	109.7	69	115	136	118.2	104	1721	874	1236	1498	1400	280	41
137	114	120.1	66	109	130	119.2	106	1746	913	1291	1524	1432	259	42
131	111	118.0	68	114	135	118.4	106	1740	900	1302	1516	1438	277	43
135	113	119.4	62	112	132	117.8	101	1722	878	1272	1500	1408	243	44
139	117	118.8	64	112	127	118.3	93	1662	897	1253	1441	1374	246	45
143	116	123.2	64	114	132	115.7	117	1719	891	1269	1491	1400	273	46
136	125	108.8	63	113	134	118.5	107	1602	870	1204	1391	1306	255	47
131	115	113.9	65	109	126	115.5	100	1617	858	1208	1402	1317	253	48
141	116	121.5	69	112	128	114.2	112	1640	860	1223	1419	1312	280	49
135	111	121.6	63	109	132	121.1	101	1604	842	1194	1390	1308	249	50
139	134	103.7	63	115	139	120.8	115	1716	904	1268	1495	1392	276	51
135	126	107.1	60	114	138	121.0	106	1756	924	1310	1422	1446	268	52
141	89	158.4	69	114	136	119.2	107	1560	836	1170	1366	1278	259	53
134	116	115.5	65	107	128	119.6	105	1654	885	1240	1439	1358	259	54
132	112	117.8	70	107	132	123.3	108	1684	866	1230	1464	1394	265	55
130	112	116.0	69	108	124	114.8	105	1594	853	1204	1372	1290	255	56
143	116	123.2	60	117	136	116.2	111	1761	902	1296	1536	1440	282	57
139	116	119.8	...	111	132	118.9	113	1674	892	1293	1453	1370	277	58

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipita.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Baluchistan, Sibi.	Deh-pal.	32	181	150	82.8	50	37	74.0	105	143	230	153
60	Do.	Do.	32	194	152	78.3	50	36	72.0	112	134	237	160
61	Do.	Do.	45	185	144	77.8	49	34	69.3	100	126	219	152
62	Do.	Do.	26	192	143	77.0	57	39	68.4	116	134	232	153
63	Do.	Do.	35	181	151	83.4	50	38	76.0	116	136	232	156
64	Do.	Do.	27	187	155	82.8	46	37	80.4	115	147	218	163
65	Do.	Báro-zai.	23	182	149	81.3	50	43	86.0	110	142	232	153
66	Do.	Do.	25	190	153	80.5	52	33	73.0	113	128	229	157
67	Do.	Do.	27	194	152	78.3	52	35	67.3	100	140	223	162
68	Do.	Zamari or Mizri.	35	182	145	79.6	52	35	67.3	107	140	229	156
69	Do.	Do.	40	188	141	75.0	50	38	76.0	92	133	211	154
70	Do.	Do.	42	179	149	83.2	48	38	79.1	105	136	228	155
71	Do.	Do.	30	182	152	83.5	47	35	74.4	109	136	233	157
72	Do.	Do.	27	176	149	84.6	51	34	66.6	99	123	216	151
73	Do.	Do.	28	185	152	82.1	50	33	76.0	98	138	218	153
74	Do.	Do.	33	189	147	77.7	48	35	72.9	109	134	231	157
75	Do.	Do.	40	192	150	78.1	49	38	77.5	113	150	229	164
76	Do.	Do.	35	189	149	78.8	51	37	72.5	109	128	223	155
77	Do.	Do.	42	190	149	73.4	53	41	77.3	100	136	224	158
78	Do.	Do.	45	183	151	82.5	48	35	72.9	105	130	220	155
79	Do.	Do.	48	184	141	76.6	55	37	67.2	112	129	240	151
80	Do.	Láni.	45	197	149	75.6	57	37	64.9	107	148	233	165
81	Do.	Do.	45	184	151	82.0	54	37	68.5	116	140	236	
82	Do.	Do.	35	186	144	77.4	46	38	82.6	106	139	228	156
83	Do.	Do.	40	181	144	79.5	48	35	72.9	98	138	220	154
84	Do.	Do.	30	190	149	78.4	54	33	70.3	109	131	227	157
85	Do.	Do.	35	171	140	81.8	47	41	87.2	94	130	215	147
86	Do.	Do.	45	193	153	79.7	53	39	67.2	117	150	240	169
87	Do.	Do.	28	193	150	77.7	45	39	86.6	113	144	226	162

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
142	125	113.6	63	117	138	117.9	110	1572	866	1172	1242	1282	277	59
142	125	113.6	72	123	154	125.2	111	1733	863	1276	1501	1430	266	60
139	119	116.8	65	113	140	123.8	107	1712	893	1238	1493	1399	278	61
126	116	108.6	66	106	122	115.0	98	1712	874	1284	1480	1394	274	62
140	116	120.6	70	112	131	116.9	120	1832	940	1363	1620	1544	275	63
137	113	121.2	61	115	132	114.7	111	1568	848	1190	1350	1282	257	64
137	122	112.2	66	115	138	120.0	111	1740	914	1305	1503	1422	271	65
142	116	122.4	64	115	136	118.2	112	1668	872	1262	1439	1372	271	66
141	123	114.6	64	115	136	118.2	103	1616	846	1226	1393	1332	263	67
140	122	114.7	64	112	130	116.0	113	1678	862	1250	1449	1363	270	68
133	119	111.7	58	106	130	122.6	100	1562	812	1152	1351	1231	264	69
139	123	113.0	64	115	132	114.7	120	1668	880	1244	1440	1348	255	70
135	124	108.8	67	108	126	116.6	110	1692	914	1266	1459	1387	230	71
135	117	115.3	64	110	135	122.7	104	1533	828	1163	1367	1306	260	72
143	120	119.1	68	117	140	119.6	114	1662	912	1256	1444	1354	237	73
133	121	109.9	66	109	126	115.5	100	1738	896	1284	1507	1424	276	74
130	111	117.1	65	110	126	114.5	109	1705	921	1278	1476	1396	280	75
137	114	120.1	64	109	128	117.4	102	1671	860	1246	1448	1374	240	76
134	124	103.0	68	111	134	120.7	113	1701	830	1266	1477	1406	278	77
134	115	116.5	67	111	124	111.7	110	1635	854	1216	1415	1336	257	78
130	128	101.5	63	108	126	116.6	100	1750	896	1308	1510	1424	252	79
135	121	111.5	...	111	132	118.9	102	1750	876	1260	1512	1404	290	80
134	120	111.6	66	108	130	120.3	105	1682	828	1256	1446	1378	253	81
133	122	109.0	62	106	121	114.1	109	1702	886	1288	1474	1390	277	82
131	122	107.3	61	107	124	115.8	105	1651	876	1224	1431	1350	252	83
141	118	119.4	63	116	141	121.5	105	1744	836	1282	1517	1422	283	84
130	121	107.4	63	110	132	120.0	106	1682	840	1248	1467	1384	276	85
144	123	117.0	...	118	138	116.9	110	1678	860	1256	1438	1368	284	86
134	113	118.5	69	113	140	123.8	107	1692	838	1254	1466	1372	293	87

TABLE

Measurements of male members of the Pami Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
88	Baluchistan, Sibi.	Luni.	36	177	141	79.6	48	35	81.3	106	133	217	150
89	Do.	Do.	30	176	147	83.5	54	37	68.5	100	134	223	153
90	Do.	Do.	27	183	147	80.3	52	34	65.3	104	138	230	156
91	Do.	Do.	30	187	152	81.2	52	36	69.2	99	142	228	160
92	Do.	Safi.	30	189	144	76.1	48	33	79.1	106	128	222	154
93	Do.	Do.	38	192	148	77.0	55	37	67.2	103	143	228	161
94	Do.	Do.	28	179	148	82.6	56	34	60.7	95	123	216	152
95	Do.	Do.	30	178	147	82.5	55	35	63.6	90	138	217	154
96	Do.	Do.	22	176	141	80.1	45	37	82.2	107	135	218	151
97	Do.	Do.	32	187	150	80.2	46	41	89.1	101	129	217	155
98	Do.	Do.	30	176	148	84.0	49	41	83.6	110	133	220	152
99	Do.	Do.	32	187	141	75.4	44	38	86.3	100	133	214	154
100	Do.	Do.	23	190	145	76.3	51	36	70.5	110	140	221	158
				183.9	147.4	80.1	50.9	37.2	73.0	104.6	137.6	223.4	156.3

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
137	111	123.4	63	110	122	110.9	110	1701	864	1250	1484	1396	267	88
141	123	114.6	69	115	135	117.3	118	1762	892	1300	1539	1442	272	89
135	126	107.1	62	110	134	121.8	101	1772	816	1314	1542	1450	260	90
133	129	103.1	60	109	124	113.7	111	1687	844	1252	1439	1360	275	91
141	116	121.5	66	114	133	116.6	111	1754	856	1266	1532	1450	279	92
135	125	108.0	62	110	134	121.8	109	1738	852	1297	1510	1432	271	93
134	121	110.7	60	111	130	117.1	109	1750	864	1304	1536	1435	264	94
139	127	109.4	62	116	136	117.2	110	1684	862	1249	1467	1376	243	95
129	111	116.2	66	107	126	117.7	104	1690	882	1252	1472	1386	263	96
142	116	122.4	59	115	131	113.9	112	1671	848	1256	1454	1377	290	97
139	110	126.3	62	112	130	116.0	107	1670	808	1234	1450	1374	258	98
135	114	118.4	68	113	136	120.3	107	1578	822	1186	1354	1300	242	99
134	111	120.7	69	112	137	122.3	100	1610	834	1194	1389	1328	277	100
136.3	119.0	114.5	64.3	112.0	132.0	117.8	106.8	167.7	87.0	125.1	145.4	137.4	266.3	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE.—PANI.

TABLE
 Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-11		Pani.		1841	1489		536	378		1043	1413	2247	1584
11-20				1819	1464		521	376		1053	1402	2247	1562
21-30				1836	1477		502	373		1006	1394	2207	1571
31-40				1840	1462		507	369		1027	1361	2233	1553
41-50				1831	1475		501	364		1053	1379	2211	1562
51-60				1816	1464		506	374		1059	1366	2213	1548
61-70				1860	1487		506	375		1074	1362	2253	1571
71-80				1867	1489		509	367		1066	1357	2272	1571
81-90				1839	1471		501	373		1063	1377	2262	1561
91-100				1841	1464		501	373		1021	1349	2201	1551
TOTAL				18390	14742		5090	3722		10465	3760	22346	15634
Average				183.9	147.4	80.1	50.9	37.2	73.0	104.6	137.6	223.4	156.3

II.

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1373	1204		636	1138	1346		1065	16641	8707	12581	14394	13626	2614	1-10
1368	1194		635	1124	1319		1016	16602	8712	12338	14355	13643	2690	11-20
1359	1201		644	1113	1301		1069	16490	8541	12338	14283	13435	2621	21-30
1354	1206		509	1114	1312		1078	17001	8774	12683	14768	13971	2731	31-40
1363	1161		653	1119	1312		1047	16773	8783	12502	14562	13725	2635	41-50
1377	1171		591	1133	1357		1091	16709	8801	12464	14496	13680	2684	51-60
1374	1189		642	1124	1327		1095	16776	8746	12569	14523	13737	2673	61-70
1346	1195		592	1104	1297		1064	16387	8787	12538	14615	13311	2600	71-80
1360	1199		578	1113	1317		1076	17066	8656	12672	14804	13952	2722	81-90
1361	1180		634	1119	1317		1080	16812	8502	12490	14603	13318	2662	91-100
13635	11900		6114	11201	13205		10681	167757	87009	125175	145403	137448	26637	
1363	1190	114.5	64.3	112.0	132.0	117.8	106.8	167.7	87.0	125.1	145.4	137.4	266.3	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—PANI.



SERIATIONS.

Turko-Iranian Type.
type specimen : PANI.

CSL

PROPORTIONS OF HEAD.		PROPORTIONS OF NOSE.		RELATIVE PROMINENCE OF ROOT OF NOSE.		STATURE.	
(Cephalic—Index.)		(Nasal—Index.)		(Orbito-nasal—Index.)		C. M.	
Average	80.1	Average	73.0	Average	117.8	Average	167.7
Maximum	90	Maximum	90	Maximum	126	Maximum	185.2
Minimum	75	Minimum	55	Minimum	111	Minimum	156.0
Range	15	Range	35	Range	15	Range	29.2

INDICES.		Number of subjects.	Percentage on number of subjects.						
			5	10	15	20	25	30	35
HEAD.									
LONG HEADS (Dolicho-Cephalic).	Under 75	1	◆—1						
	75 and under 77.5	20	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆—20		
MEDIUM HEADS (Meso-Cephalic).	77.5 and under 80	26	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆—26	
	80 and under 82.5	29	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆—29
BROAD HEADS (Brachy-Cephalic).	82.5 and under 85	21	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆—21		
	85 and over	8	◆◆◆◆—8						
NOSE.									
FINER NOSES (Leptorhine).	Under 60	2	◆◆—2						
	60 and under 65	9	◆◆◆◆◆	◆◆◆◆◆	◆—9				
	65 and under 70	24	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆—24	

[illegible]



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—DEHWAR.

TABLE

Measurements of male members of the Dehwār Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Ser. al No.	Province or State and District of birth	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Baluchistan, Mastung.	...	30	183	142	77.5	50	37	74.0	112	140	222	155
2	Do.	...	26	192	146	76.0	45	36	80.0	129	148	241	162
3	Do.	...	33	170	145	85.2	46	33	71.7	98	136	205	150
4	Do.	...	30	178	150	84.2	50	34	68.0	98	137	217	155
5	Do.	...	35	179	142	79.3	50	33	66.0	105	126	222	149
6	Do.	...	32	178	151	84.8	42	34	80.9	104	133	212	154
7	Do.	...	40	174	150	86.2	46	36	78.2	105	129	218	154
8	Do.	...	45	179	144	80.4	53	36	67.9	95	135	220	153
9	Do.	...	23	182	150	82.4	51	37	72.5	111	144	220	159
10	Do.	...	30	175	153	87.4	44	36	81.8	97	128	205	152
11	Do.	...	30	177	147	83.0	48	37	77.0	111	141	213	155
12	Do.	...	35	187	156	88.4	49	35	71.4	93	135	212	159
13	Do.	...	30	180	149	82.7	50	35	70.0	99	137	220	155
14	Do.	...	42	175	148	84.5	45	40	88.3	102	138	214	154
15	Do.	...	33	175	150	85.7	46	30	65.2	110	138	221	154
16	Do.	...	30	185	149	80.5	48	36	75.0	110	124	235	153
17	Do.	...	30	167	143	85.6	49	35	71.4	113	127	228	146
18	Do.	...	25	176	151	85.7	53	34	64.1	95	138	220	155
19	Do.	...	30	170	146	85.6	53	32	60.3	87	129	203	148
20	Do.	...	20	178	144	80.8	46	38	82.6	99	136	216	153
21	Do.	...	28	183	149	81.4	48	38	79.1	100	134	214	155
22	Do.	...	40	175	141	80.5	49	35	71.4	80	118	199	145
23	Do.	...	45	183	146	79.7	54	36	66.6	105	138	214	156
24	Do.	...	45	179	151	84.3	50	32	64.0	114	134	232	155
25	Do.	...	35	173	152	85.3	45	36	80.0	107	143	216	158
26	Do.	...	35	185	149	80.5	55	33	60.0	95	138	211	157
27	Do.	...	30	174	149	85.6	51	34	66.6	90	134	207	152
28	Do.	...	53	178	156	87.6	52	37	71.1	103	139	227	158
29	Do.	...	32	179	155	86.5	53	36	67.9	98	143	220	159

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
130	110	118.1	64	105	130	123.8	98	1626	854	1222	1404	1335	258	1
133	112	118.7	66	113	132	116.8	106	1744	926	1292	1503	1434	265	2
135	107	126.1	64	100	118	118.0	102	1634	816	1188	1429	1332	251	3
132	119	110.9	66	106	128	120.7	105	1603	860	1206	1386	1318	281	4
133	117	118.6	68	105	123	121.9	105	1682	912	1272	1460	1399	272	5
130	108	120.3	69	97	108	111.3	100	1564	820	1174	1356	1296	239	6
130	113	115.0	64	103	114	110.6	101	1601	824	1200	1383	1318	250	7
127	125	101.6	66	102	120	117.6	100	1674	824	1246	1454	1370	275	8
135	109	123.8	62	110	128	116.3	108	1648	870	1230	1428	1350	268	9
134	108	124.0	74	107	121	113.0	104	1607	838	1202	1402	1310	264	10
135	112	120.5	70	109	130	119.2	103	1646	852	1222	1433	1344	267	11
139	119	116.8	62	115	133	115.6	100	1650	846	1230	1438	1368	254	12
131	121	108.2	63	110	132	120.0	104	1718	870	1284	1493	1424	288	13
130	112	116.0	...	106	127	119.8	96	1670	870	1246	1456	1376	261	14
126	111	113.5	70	105	120	114.2	102	1674	878	1260	1453	1360	265	15
126	125	100.8	69	104	126	121.1	103	1622	882	1224	1387	1309	261	16
135	115	117.3	63	109	124	113.7	109	1653	872	1226	1430	1382	260	17
134	125	107.2	66	110	136	123.6	109	1661	886	1234	1441	1343	255	18
128	116	110.3	64	104	126	121.1	96	1532	804	1158	1329	1262	263	19
133	117	113.6	61	109	128	117.4	101	1677	836	1226	1461	1374	274	20
129	114	113.1	63	108	129	119.4	101	1700	912	1282	1486	1398	255	21
126	119	105.8	60	101	126	124.7	106	1580	820	1202	1381	1293	270	22
136	108	125.9	...	109	128	117.4	105	1604	848	1174	1390	1302	281	23
132	118	111.8	65	106	122	115.0	103	1666	890	1226	1424	1362	266	24
130	109	119.2	69	105	126	120.0	100	1644	846	1222	1428	1352	301	25
133	116	114.6	69	110	136	123.6	99	1617	864	1232	1436	1370	270	26
127	117	108.5	64	105	130	123.8	102	1664	868	1255	1457	1372	262	27
131	124	105.6	62	108	129	119.4	100	1697	876	1240	1470	1404	253	28
131	122	107.3	65	109	120	119.2	109	1616	848	1206	1396	1335	278	29

Measurements of male members of the Dehwar Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-scapula).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Baluchistan Mastung.	...	27	177	147	83.0	48	34	70.3	97	139	207	154
31	Do.	...	28	179	151	84.3	47	38	80.8	103	132	219	154
32	Do.	...	30	177	147	83.0	46	38	82.6	98	138	203	154
33	Do.	...	32	169	152	89.9	48	33	68.7	97	131	208	151
34	Do.	...	25	177	150	84.7	49	38	77.5	100	136	218	154
35	Do.	...	28	179	141	78.7	44	35	79.5	108	128	215	149
36	Do.	...	30	179	138	77.0	42	35	83.3	103	131	20	149
37	Do.	...	33	169	150	88.7	50	36	72.0	106	128	223	149
38	Do.	...	33	186	151	81.1	45	39	86.0	115	144	230	160
39	Do.	...	30	173	141	81.5	47	39	82.9	97	128	197	147
40	Do.	...	24	173	149	86.1	45	37	82.2	112	142	216	155
41	Do.	...	40	176	135	76.7	46	34	73.9	104	140	212	150
42	Do.	...	45	179	143	79.8	43	37	86.6	97	130	203	151
43	Do.	...	30	168	141	83.9	46	35	76.0	94	129	203	146
44	Do.	...	28	188	149	79.2	46	36	78.2	101	136	212	153
45	Do.	...	30	179	146	81.5	48	36	75.0	99	130	203	152
46	Do.	...	30	183	144	78.6	46	35	76.0	116	126	223	151
47	Do.	...	35	173	139	80.3	48	36	75.0	91	131	205	148
48	Do.	...	35	176	151	85.7	46	37	80.4	99	130	213	152
49	Do.	...	46	179	148	82.6	59	37	62.7	103	140	229	156
50	Do.	...	50	170	147	86.4	55	33	60.0	86	134	205	150
51	Do.	...	35	181	147	81.2	47	34	72.3	106	135	216	154
52	Do.	...	45	186	143	79.5	50	34	68.0	87	130	213	155
53	Do.	...	22	178	149	83.7	46	37	80.4	104	138	210	155
54	Do.	...	30	181	151	83.4	45	40	88.8	105	145	216	159
55	Do.	...	45	178	132	74.1	55	33	60.0	95	127	219	146
56	Do.	...	45	170	149	87.6	48	37	77.0	100	141	214	153
57	Do.	...	35	176	142	80.6	50	40	80.0	95	137	210	152
58	Do.	...	22	190	141	74.2	56	34	60.7	85	128	200	153

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
130	110	118.1	68	112	130	116.0	100	1616	854	1220	1409	1332	261	30
137	116	118.1	66	113	135	119.4	111	1670	876	1238	1451	1382	280	31
137	105	130.4	65	103	126	122.3	97	1614	820	1201	1411	1328	244	32
136	111	122.5	65	113	132	116.8	105	1688	880	1254	1460	1387	275	33
130	118	110.1	63	111	129	116.2	100	1614	870	1200	1396	1324	255	34
135	107	126.1	67	104	128	123.0	100	1667	860	1249	1452	1384	261	35
129	104	124.0	65	102	120	117.6	94	1664	873	1242	1457	1364	268	36
131	117	111.9	60	110	130	118.1	100	1761	924	1316	1538	1384	255	37
132	115	114.7	64	108	126	116.6	101	1677	920	1180	1447	1390	304	38
123	100	123.0	63	102	128	115.6	97	1626	816	1192	1429	1336	149	39
130	104	125.0	64	107	128	119.6	108	1657	840	1216	1441	1354	254	40
131	108	121.2	70	104	122	117.3	103	1626	828	1218	1414	1347	257	41
131	103	123.5	68	106	126	118.8	106	1588	848	1184	1485	1318	266	42
126	109	115.5	62	102	116	113.7	90	1522	806	1150	1419	1242	241	43
128	111	115.3	66	108	126	116.6	102	1696	878	1254	1484	1383	259	44
133	104	127.8	62	107	130	121.4	104	1652	847	1228	1449	1381	264	45
134	112	119.6	...	113	136	120.3	106	1728	898	1278	1500	1424	281	46
127	114	111.4	68	107	120	112.1	92	1642	854	1218	1437	1342	251	47
150	114	131.5	62	107	129	120.5	112	1530	806	1160	1317	1260	261	48
129	126	102.3	...	104	122	117.3	99	1664	858	1250	1435	1354	273	49
124	119	104.2	...	103	122	118.4	90	1628	836	1200	1423	1344	255	50
124	110	121.8	62	110	130	118.1	102	1707	846	1219	1491	1402	267	51
133	126	105.5	67	105	124	118.0	102	1578	804	1192	1465	1297	264	52
135	106	127.3	63	113	128	113.2	104	1600	843	1190	1490	1316	242	53
135	111	121.6	68	97	126	129.8	100	1612	838	1201	1396	1328	255	54
124	124	100.0	...	104	118	113.4	100	1672	866	1224	1453	1382	260	55
129	114	113.1	71	104	126	121.1	97	1596	832	1174	1382	1320	244	56
131	115	113.9	70	103	120	116.5	105	1622	844	1192	1412	1334	268	57
127	115	110.4	70	106	123	120.7	101	1672	334	1228	1472	1386	250	58

Measurements of male members of the Dehwar tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Baluchistan, Mastung.	...	45	173	145	83.8	48	81	64.5	97	136	209	151
60	Do.	...	45	185	141	76.2	49	89	79.5	108	138	217	155
61	Do.	...	30	179	149	83.2	55	35	63.6	98	136	217	155
62	Do.	...	35	185	145	78.3	43	37	77.0	103	132	225	154
63	Do.	...	30	180	142	78.8	50	35	70.0	105	133	220	152
64	Do.	...	45	183	143	78.1	47	37	78.7	102	122	215	149
65	Do.	...	30	197	144	73.0	53	24	64.1	96	138	221	160
66	Do.	...	32	177	153	86.4	43	36	78.2	107	140	224	157
67	Do.	...	27	179	141	78.7	45	37	82.2	104	136	220	152
68	Do.	...	29	185	151	81.6	43	36	75.0	99	140	223	159
69	Do.	...	35	179	146	81.5	49	33	67.3	100	134	218	153
70	Do.	...	38	187	151	80.7	50	39	78.0	103	131	219	156
71	Do.	...	29	180	149	82.7	43	33	76.7	98	130	202	153
72	Do.	...	40	180	146	81.1	47	38	80.8	112	139	234	155
73	Do.	...	23	179	140	78.2	43	33	76.7	95	130	200	150
74	Do.	...	39	182	150	82.4	51	39	76.4	100	136	215	156
75	Do.	...	30	172	150	87.2	53	22	60.3	94	126	220	149
76	Do.	...	40	177	150	84.7	50	40	80.0	98	133	213	153
77	Do.	...	40	180	151	88.8	53	38	71.7	102	130	225	154
78	Do.	...	42	180	143	82.2	47	32	67.9	98	123	223	150
79	Do.	...	35	190	143	75.2	46	33	71.7	93	135	212	156
80	Do.	...	26	189	151	79.8	52	36	69.2	96	134	215	158
81	Do.	...	35	180	155	86.1	55	35	63.6	110	144	240	160
82	Do.	...	40	173	147	84.9	49	31	63.2	106	130	221	150
83	Do.	...	45	175	150	85.7	50	37	74.0	101	144	227	156
84	Do.	...	22	185	143	77.2	47	39	82.9	118	142	238	157
85	Do.	...	40	182	148	81.3	55	36	65.4	94	133	212	154
86	Do.	...	40	181	150	82.8	54	40	73.9	108	142	229	158
87	Do.	...	29	183	146	79.7	40	35	71.4	94	128	210	152

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Racial index.	Facial angle (Cavrier).	External orbital breadth.	Bi-orbito nasal are.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Biliac crest breadth.	Serial No.
127	112	113.3	72	103	115	111.6	96	1652	846	1200	1443	1374	...	59
139	109	127.5	65	113	126	111.5	115	1716	839	1254	1499	1416	288	60
138	119	115.9	66	105	124	118.0	113	1663	882	1148	1446	1368	270	61
126	122	103.2	65	106	124	116.9	99	1662	878	1240	1437	1368	262	62
132	115	114.7	68	104	110	115.3	104	1636	872	1220	1416	1354	254	63
123	113	113.2	...	105	128	121.9	100	1658	868	1238	1433	1360	271	64
135	118	114.4	69	113	140	123.8	115	1638	837	1166	1414	1344	280	65
126	117	107.6	61	103	124	120.3	95	1610	837	1164	1386	1332	269	66
131	116	112.9	66	108	128	118.5	105	1641	878	1242	1421	1362	258	67
131	124	105.6	69	114	138	121.0	100	1648	874	1212	1425	1336	239	68
139	118	117.7	65	111	134	120.7	102	1628	868	1224	1410	1324	248	69
130	116	111.9	61	106	121	114.1	101	1572	796	1180	1353	1292	257	70
131	104	115.9	70	108	122	112.9	100	1572	806	1174	1370	1302	249	71
136	122	111.4	64	109	132	121.1	100	1694	863	1252	1460	1371	288	72
129	105	122.8	67	102	120	117.6	102	1578	810	1162	1378	1302	233	73
134	115	116.5	64	110	139	117.2	106	1642	854	1224	1427	1352	273	74
130	126	103.1	63	118	130	110.1	100	1688	870	1254	1468	1374	282	75
130	115	113.0	64	106	134	126.4	105	1640	878	1273	1427	1342	252	76
135	123	109.7	67	111	132	118.9	110	1692	891	1270	1467	1386	275	77
126	125	100.8	...	101	122	120.7	96	1642	844	1230	1419	1342	266	78
129	114	113.1	70	108	136	125.9	105	1572	858	1186	1360	1286	255	79
137	119	115.1	66	112	138	123.2	109	1665	840	1251	1450	1360	263	80
133	130	104.6	66	116	136	117.2	107	1706	876	1260	1466	1390	265	81
130	115	113.0	65	107	138	119.6	97	1644	858	1234	1423	1352	270	82
131	126	103.9	67	109	136	124.7	107	1688	851	1256	1461	1393	268	83
133	120	110.8	64	114	136	119.2	105	1644	891	1241	1406	1354	253	84
135	118	114.4	66	111	134	120.7	104	1602	851	1172	1390	1296	262	85
129	121	106.6	69	109	139	118.3	103	1636	863	1210	1407	1359	262	86
133	116	114.6	61	112	136	121.4	100	1634	838	1206	1424	1360	264	87

Measurements of male members of the Dehwār Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
88	Baluchistan, Mastung.	...	30	183	149	81.4	50	34	68.0	98	133	210	157
89	Do.	...	30	188	146	77.6	46	43	93.4	98	137	209	157
90	Do.	...	30	180	159	88.3	50	36	72.0	98	140	215	160
91	Do.	...	35	174	138	79.3	50	35	70.0	99	136	211	150
92	Do.	...	45	180	149	82.7	51	37	72.5	108	138	224	156
93	Do.	...	43	178	155	87.0	45	36	80.0	115	133	224	157
94	Do.	...	30	181	150	82.8	49	40	81.6	109	140	227	157
95	Do.	...	30	185	144	77.8	47	34	72.3	108	138	224	156
96	Do.	...	45	190	151	79.4	48	39	81.2	98	143	213	161
97	Do.	...	25	179	152	84.9	47	35	74.4	105	145	226	159
98	Do.	...	32	170	140	82.3	47	35	74.4	95	133	203	149
99	Do.	...	30	182	145	79.6	47	34	72.3	90	131	201	153
100	Do.	...	30	193	141	73.0	51	40	78.4	102	128	220	154
101	Do.	...	28	189	141	74.6	48	38	79.1	96	143	220	153
102	Do.	...	35	179	146	81.5	53	37	69.8	86	127	200	151
103	Do.	...	33	185	140	75.6	48	37	77.0	102	143	213	156
104	Do.	...	40	182	150	82.4	46	37	80.4	96	127	217	153
105	Do.	...	30	168	146	86.9	45	34	75.5	85	128	185	147
106	Do.	...	28	178	147	82.5	49	35	71.4	97	132	221	152
107	Do.	...	35	194	146	75.2	53	35	66.0	112	131	231	157
108	Do.	...	30	177	149	84.1	51	32	62.7	97	136	200	154
109	Do.	...	35	180	153	85.0	47	39	82.9	104	140	220	158
110	Do.	...	35	182	140	76.9	48	35	72.9	95	120	200	147
111	Do.	...	40	194	147	75.7	57	38	66.6	107	140	227	160
112	Do.	...	32	183	154	84.1	50	34	68.0	94	125	212	154
113	Do.	...	30	179	136	75.9	46	37	80.4	105	133	210	149
114	Do.	...	28	178	146	82.0	47	40	85.1	88	138	200	154
115	Do.	...	30	181	152	83.9	45	36	80.0	110	145	233	159
116	Do.	...	35	187	152	81.2	52	36	69.2	108	143	233	161

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
130	112	116.0	65	106	124	116.9	98	1706	870	1266	1496	1402	258	88
131	111	118.0	70	109	136	124.7	95	1656	856	1236	1447	1369	265	89
130	117	111.1	67	105	122	116.1	102	1540	834	1140	1325	1242	265	90
128	112	114.2	58	108	130	120.3	100	1531	832	1176	1370	1298	253	91
130	116	111.9	60	106	126	118.8	100	1638	868	1234	1414	1331	256	92
129	109	118.3	...	108	134	124.0	102	1714	886	1258	1490	1438	274	93
133	118	112.7	62	111	124	111.7	90	1606	815	1181	1379	1314	256	94
135	116	116.3	67	109	128	117.4	96	1662	860	1226	1438	1362	276	95
141	120	117.5	67	109	132	121.1	98	1558	818	1154	1340	1281	257	96
130	121	107.4	63	106	126	118.8	105	1700	882	1264	1474	1398	265	97
130	108	120.3	61	105	122	116.1	102	1662	866	1240	1459	1352	247	98
135	111	121.6	61	105	124	118.0	101	1652	800	1156	1351	1284	256	99
123	118	104.2	62	106	124	116.9	98	1692	856	1234	1462	1386	277	100
130	124	104.8	64	110	126	114.5	100	1772	878	1293	1552	1461	290	101
132	114	115.7	65	109	126	115.5	105	1562	796	1166	1363	1280	255	102
131	141	92.9	67	107	128	119.6	101	1642	851	1212	1429	1354	279	103
134	121	110.7	59	106	126	118.8	107	1650	848	1246	1433	1352	250	104
129	140	92.1	68	103	121	117.4	95	1554	816	1174	1339	1298	265	105
125	124	100.8	64	105	126	120.0	100	1668	876	1241	1447	1356	274	106
136	119	114.2	61	115	134	116.5	112	1681	894	1270	1450	1368	286	107
131	103	127.1	64	105	132	125.7	96	1638	866	1248	1433	1336	261	108
131	116	112.9	70	111	130	117.1	105	1620	846	1208	1410	1332	269	109
130	105	123.8	67	108	126	116.6	92	1660	846	1208	1460	1394	259	110
131	120	109.1	67	109	134	122.9	103	1607	846	1204	1380	1306	273	111
133	118	112.7	67	109	130	119.2	100	1664	836	1242	1452	1372	274	112
125	105	119.0	62	101	120	118.8	97	1488	768	1110	1278	1242	245	113
133	112	118.7	61	110	124	112.7	112	1650	838	1236	1450	1350	250	114
139	123	113.0	68	114	128	112.2	110	1636	878	1248	1403	1341	237	115
133	125	106.4	60	114	133	116.6	98	1697	864	1260	1464	1394	235	116

Measurements of male members of the Dehwar tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella to occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal Index.	Height from vertex to root of the nose	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
117	Baluchistan, Mastung.	...	30	179	150	83.7	47	36	76.5	100	130	207	153
118	Do.	...	33	180	144	80.0	49	33	67.3	102	142	213	155
119	Do.	...	30	180	149	82.7	50	38	76.0	115	140	228	156
120	Do.	...	35	179	142	79.3	46	36	78.2	113	138	220	153
121	Do.	...	35	177	144	81.3	47	35	74.4	89	133	210	151
122	Do.	...	26	173	144	83.2	44	36	81.8	109	127	210	148
123	Do.	...	28	177	145	81.9	47	34	72.3	102	138	215	153
124	Do.	...	30	192	148	77.0	42	41	97.6	107	128	218	156
125	Do.	...	35	183	150	81.9	49	35	71.4	106	146	225	160
126	Do.	...	30	173	144	83.2	48	31	64.5	95	137	207	151
127	Do.	...	40	196	141	71.9	46	37	80.4	106	133	216	157
128	Do.	...	30	186	141	75.8	49	39	79.5	100	138	212	155
129	Do.	...	24	165	145	87.8	47	33	70.2	97	128	206	146
130	Do.	...	28	184	142	77.1	47	39	82.9	100	135	214	154
131	Do.	...	23	167	131	78.4	47	32	67.9	92	131	200	143
132	Do.	...	32	185	152	82.1	46	36	78.2	101	142	223	160
133	Do.	...	26	174	145	83.3	46	37	80.4	103	140	221	153
134	Do.	...	35	181	148	81.7	46	37	80.4	91	136	202	155
135	Do.	...	40	185	153	82.7	53	36	67.9	110	143	237	160
136	Do.	...	35	189	148	78.7	50	39	78.0	95	138	216	158
137	Do.	...	45	170	143	84.1	49	35	71.4	91	136	196	150
138	Do.	...	20	174	143	82.1	50	35	70.0	106	135	216	151
139	Do.	...	30	188	150	79.7	45	35	77.7	97	142	207	160
140	Do.	...	35	170	139	81.7	50	33	68.0	100	136	215	148
141	Do.	...	20	170	153	90.0	48	35	72.9	90	133	206	154
142	Do.	...	35	185	153	82.7	52	36	69.2	112	130	236	156
143	Do.	...	35	181	149	82.3	50	32	64.0	95	136	206	155
144	Do.	...	35	180	149	82.7	50	33	66.0	99	141	221	157
145	Do.	...	30	170	151	88.8	52	35	67.3	91	128	220	150

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bi-zygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier)	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
135	107	126.1	64	118	130	110.1	95	1614	824	1320	1407	1346	274	117
126	111	113.5	63	107	123	119.6	101	1640	812	1202	1427	1348	274	118
135	107	126.1	63	106	120	113.2	106	1652	863	1240	1430	1366	260	119
135	107	126.1	64	103	122	118.4	101	1694	940	1298	1474	1370	260	120
123	121	101.6	65	104	122	117.3	106	1678	862	1234	1468	1378	260	121
127	101	125.7	58	108	129	119.4	100	1714	870	1256	1504	1420	272	122
132	113	116.8	67	107	120	112.1	110	1624	844	1212	1409	1342	275	123
137	111	123.4	73	110	130	118.1	115	1722	902	1307	1504	1420	250	124
136	119	114.2	65	108	132	122.2	102	1660	842	1210	1435	1342	269	125
125	112	111.6	69	107	126	117.7	97	1511	812	1136	1304	1252	240	126
138	110	125.4	63	107	132	123.3	100	1714	896	1272	1498	1406	296	127
136	112	121.4	70	115	136	118.2	110	1640	852	1218	1428	1354	264	128
127	109	116.5	67	105	123	117.1	97	1560	788	1163	1354	1280	236	129
134	114	117.5	70	109	126	115.5	99	1617	834	1220	1403	1332	252	130
122	108	112.9	68	104	124	119.2	102	1575	838	1180	1375	1288	246	131
136	122	111.4	72	112	132	117.8	105	1653	888	1250	1430	1352	271	132
127	118	107.6	67	104	124	119.2	97	1702	874	1256	1481	1396	270	133
127	111	114.4	...	104	122	117.3	104	1646	854	1226	1444	1368	255	134
141	126	111.9	...	110	123	116.3	108	1712	846	1260	1475	1404	265	135
135	121	111.5	69	108	123	118.5	111	1720	914	1304	1504	1438	285	136
115	105	128.5	...	107	123	114.9	106	1614	790	1198	1418	1334	257	137
130	110	118.1	68	109	132	121.1	100	1646	812	1188	1430	1360	255	138
136	110	123.6	67	110	126	114.5	104	1632	818	1202	1425	1336	267	139
129	115	112.1	60	102	120	117.6	103	1660	830	1232	1445	1382	272	140
131	116	112.9	66	102	116	113.7	103	1620	842	1216	1414	1326	247	141
139	124	112.0	67	109	132	121.1	106	1802	896	1324	1596	1490	286	142
136	111	112.5	69	110	132	120.0	100	1674	876	1260	1458	1378	251	143
126	122	103.2	69	108	132	122.2	100	1631	864	1212	1410	1340	268	144
104	129	103.8	66	110	126	114.5	98	1642	844	1210	1422	1344	266	145

Measurements of male members of the Dehwār tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
146	Baluchistan, Mastung.	...	28	178	148	83.1	47	39	82.9	103	133	205	153
147	Do.	...	25	183	144	78.6	47	38	80.8	99	134	222	154
148	Do.	...	35	182	147	80.7	51	39	76.4	113	147	221	159
149	Do.	...	28	175	147	84.0	45	37	82.2	96	136	210	153
150	Do.	...	24	174	143	82.1	44	42	95.4	98	136	205	151
151	Do.	...	28	178	146	82.0	47	37	78.7	95	131	205	152
152	Do.	...	24	180	144	80.0	52	34	65.3	105	138	220	154
153	Do.	...	38	175	152	86.8	48	31	70.8	112	129	230	152
154	Do.	...	33	174	147	84.4	47	35	74.4	110	140	228	154
155	Do.	...	30	187	149	79.6	45	37	82.2	99	128	205	155
156	Do.	...	30	175	144	82.2	47	34	72.3	103	123	212	149
157	Do.	...	35	177	131	74.0	47	37	78.7	103	133	224	149
158	Do.	...	45	175	139	79.4	55	42	76.3	110	130	221	143
159	Do.	...	30	173	149	86.1	50	34	68.0	113	144	230	155
160	Do.	...	28	170	145	85.2	42	33	78.5	98	123	199	148
161	Do.	...	45	198	153	77.2	52	43	82.6	114	143	225	165
162	Do.	...	40	182	146	80.2	50	37	74.0	104	134	219	154
163	Do.	...	38	173	145	83.8	53	32	60.3	109	141	229	153
164	Do.	...	35	185	151	81.6	58	35	60.3	118	140	249	159
165	Do.	...	35	182	141	77.4	50	40	80.0	95	127	221	150
166	Do.	...	28	172	149	86.6	53	38	71.7	110	136	219	152
167	Do.	...	24	178	147	82.5	45	38	84.4	101	133	211	153
168	Do.	...	20	171	145	84.7	46	34	73.9	107	138	217	151
169	Do.	...	27	172	146	84.8	48	33	68.7	90	135	203	151
170	Do.	...	32	182	136	74.7	44	35	79.5	94	123	208	149
171	Do.	...	40	185	150	81.0	52	36	69.2	97	132	218	156
172	Do.	...	28	188	151	80.3	45	37	82.2	103	141	215	160
173	Do.	...	28	184	139	75.5	46	35	76.0	103	135	210	153
174	Do.	...	30	182	140	76.5	50	36	72.0	99	139	220	154

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
127	102	124.5	87	103	120	116.5	95	1636	836	1294	1431	1366	257	146
134	123	108.9	70	112	132	117.8	99	1642	864	1216	1420	1332	247	147
146	108	135.1	72	115	140	121.7	108	1665	848	1232	1444	1360	265	148
127	114	111.4	72	106	122	115.0	97	1596	830	1192	1366	1314	263	149
132	107	123.3	69	108	132	122.2	100	1602	825	1186	1397	1323	255	150
130	110	118.1	72	108	124	114.8	99	1542	791	1148	1337	1264	257	151
133	115	115.6	67	107	123	114.9	94	1605	800	1180	1385	1314	245	152
124	118	105.0	66	103	120	116.5	100	1658	828	1202	1428	1364	245	153
134	118	113.5	67	112	128	114.2	100	1663	869	1254	1440	1360	277	154
125	106	117.9	71	105	128	121.9	100	1553	846	1163	1353	1276	258	155
131	109	120.1	69	110	128	116.3	96	1622	828	1210	1410	1344	255	156
123	121	101.6	67	104	120	115.3	90	1554	850	1150	1330	1211	252	157
132	111	118.9	...	106	128	120.7	102	1672	848	1240	1451	1378	273	158
123	117	105.1	69	103	128	124.2	95	1700	859	1232	1670	1408	261	159
129	101	127.7	68	102	120	117.6	98	1556	834	1178	1357	1266	251	160
142	111	127.9	...	115	134	116.5	115	1776	902	1208	1551	1450	274	161
128	115	111.3	67	105	120	114.2	110	1663	853	1220	1449	1376	265	162
133	120	115.0	65	112	130	116.0	94	1738	908	1288	1509	1451	295	163
141	131	107.6	62	114	136	119.2	104	1783	920	1334	1535	1446	300	164
136	126	107.9	61	115	126	109.5	96	1649	865	1228	1428	1358	275	165
138	109	126.6	70	107	129	120.5	97	1808	919	1330	1588	1486	288	166
135	110	122.7	66	112	129	115.1	101	1674	850	1218	1463	1382	257	167
123	110	116.3	63	107	127	118.6	97	1600	822	1183	1383	1316	254	168
134	113	118.5	65	112	132	117.8	101	1560	830	1164	1357	1268	249	169
128	114	112.2	64	108	131	121.2	105	1578	846	1172	1370	1316	257	170
133	121	109.9	63	109	132	121.1	99	1653	856	1238	1440	1350	266	171
140	112	125.0	64	119	136	114.2	108	1713	878	1232	1493	1422	290	172
129	107	120.5	63	113	135	119.4	100	1591	842	1180	1381	1308	266	173
133	121	109.9	64	112	132	117.8	103	1690	844	1250	1470	1396	273	174

Measurements of male members of the Dehwār tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
175	Baluchistan Mastung.	...	33	181	147	81.2	50	36	72.3	101	142	226	157
176	Do.	...	35	182	148	81.3	52	42	80.7	111	143	217	158
177	Do.	...	33	179	150	83.7	48	34	70.8	115	144	228	158
178	Do.	...	35	182	141	77.4	44	41	93.1	98	132	208	152
179	Do.	...	35	185	144	77.8	49	33	77.5	111	144	227	158
180	Do.	...	30	183	142	77.5	46	24	73.9	101	133	216	153
181	Do.	...	22	173	149	86.1	44	38	86.3	98	136	205	153
182	Do.	...	30	177	149	84.1	44	37	84.0	93	135	210	154
183	Do.	...	20	183	146	79.7	44	36	81.8	116	137	221	155
184	Do.	...	32	184	152	82.6	46	31	67.3	106	146	210	161
185	Do.	...	35	182	149	81.8	45	33	73.3	90	137	210	156
186	Do.	...	30	180	150	83.3	49	36	73.4	99	140	217	157
187	Do.	...	30	175	159	91.8	45	36	80.0	112	137	226	157
188	Do.	...	45	183	138	75.4	53	38	71.7	96	137	207	153
189	Do.	...	45	175	146	83.4	51	31	60.7	96	130	209	150
190	Do.	...	35	175	144	82.2	50	36	72.0	88	122	210	147
191	Do.	...	45	180	151	83.8	51	40	78.4	100	134	219	155
192	Do.	...	33	173	143	82.6	54	39	72.2	95	129	209	148
193	Do.	...	35	177	143	80.7	52	35	67.3	95	127	206	149
194	Do.	...	25	171	152	88.8	46	45	97.8	93	133	205	152
195	Do.	...	23	176	151	85.7	53	34	64.1	98	140	216	156
196	Do.	...	33	182	145	79.6	46	36	78.2	109	137	210	155
197	Do.	...	30	191	146	76.4	47	35	74.4	102	127	217	155
198	Do.	...	28	179	149	83.2	42	37	88.0	103	143	213	157
199	Do.	...	35	170	145	85.2	46	35	76.0	88	134	203	150
200	Do.	...	24	178	146	82.0	42	39	92.8	111	137	218	154
201	Do. Mastung.	Abizai	35	180	151	83.8	50	35	70.0	...	...	...	...
202	Murad	Do.	35	175	146	83.4	60	36	60.0	...	...	...	...
203	Padan	Do.	22	180	142	78.8	54	33	70.3	...	...	...	...

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
131	125	104.8	64	108	124	114.8	101	1703	868	1258	1476	1401	280	175
140	106	132.0	62	116	134	115.5	110	1736	916	1301	1519	1422	275	176
232	113	116.8	61	106	130	122.6	97	1659	831	1226	1431	1372	285	177
132	110	120.0	72	112	130	116.0	109	1642	813	1206	1434	1356	257	178
133	116	114.6	69	109	126	115.5	105	1654	862	1232	1427	1362	276	179
123	115	106.9	64	98	118	120.4	99	1628	836	1223	1412	1340	246	180
127	107	118.6	67	107	122	114.0	105	1610	822	1176	1405	1316	257	181
130	112	116.0	67	109	124	113.7	98	1626	822	1191	1416	1314	258	182
125	105	119.0	67	107	118	110.2	96	1617	842	1212	1396	1326	269	183
128	104	123.0	69	108	125	115.7	92	1596	823	1202	1386	1326	261	184
129	120	107.5	60	106	125	117.9	99	1594	818	1198	1384	1302	272	185
136	118	115.2	67	110	122	110.9	94	1611	826	1193	1394	1318	254	186
118	114	99.1	65	106	116	109.4	93	1674	848	1238	1448	1376	273	187
127	111	114.4	...	104	120	115.3	95	1602	813	1182	1395	1330	254	188
125	113	110.6	61	103	122	118.4	106	1642	840	1232	1433	1344	270	189
129	122	105.7	...	107	124	115.8	104	1622	816	1210	1412	1328	264	190
131	119	110.0	...	106	124	116.9	107	1626	850	1244	1407	1340	258	191
127	114	111.4	60	107	124	115.8	100	1634	811	1198	1425	1346	261	192
137	111	123.4	64	109	130	119.2	111	1602	856	1211	1396	1398	255	193
133	109	122.0	63	111	130	117.1	100	1660	858	1223	1455	1372	263	194
127	113	107.6	66	109	132	121.1	104	1594	844	1189	1378	1292	258	195
126	101	124.7	63	104	120	115.3	109	1546	822	1159	1336	1254	244	196
136	115	118.2	64	109	128	117.4	110	1684	858	1242	1467	1333	273	197
125	110	113.6	66	105	124	118.0	96	1602	836	1190	1389	1324	255	198
125	115	108.6	66	103	123	119.4	95	1602	842	1192	1399	1318	252	199
126	107	117.7	66	105	126	120.0	100	1544	798	1148	1326	1264	256	200
130	...	...	...	103	12.6	122.3	9.4	...	...	...	...	...	...	201
134	...	...	...	10.4	12.0	115.4	9.5	...	...	...	...	...	...	202
130	...	...	...	11.0	12.0	109.0	9.4	...	...	...	...	...	...	203

Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
204	Talkhu, Mastung.	Tāj	18	18.2	14.2	78.0	5.6	3.6	64.2	...	...	...	...
205	Nur Mhd., "	Sheikh	25	18.0	15.0	83.3	5.6	3.3	58.9	...	...	...	...
206	Juma, "	Najar	35	18.0	13.6	75.5	5.4	3.5	64.8	...	...	...	...
207	Shādi, "	Hotezai	25	17.5	15.2	86.8	5.5	3.0	54.5	...	...	...	...
208	Nur Mhd., "	Do.	25	18.0	15.0	83.3	5.4	3.7	68.5	...	...	...	...
209	Abdul Rahim, Mastung.	Do.	25	18.0	13.0	72.2	5.7	3.6	63.1	...	...	...	...
210	Allah Dad, Mastung.	Sheikh	28	18.4	14.0	76.0	6.0	3.4	56.6	...	...	...	...
211	Ghulam Shah, Mastung.	Do.	30	17.5	13.8	78.8	5.4	3.0	55.5	...	...	...	...
212	Shorahi, Mastung.	Dadizai	20	17.9	14.6	81.5	5.6	3.6	64.2	...	...	...	...
213	Qadir Bakhsh	Manyozai	22	18.3	14.5	79.2	4.5	3.6	80.0	...	...	...	...
214	Miskan, Mastung.	Do.	35	17.3	14.0	80.9	4.8	3.4	70.3	...	...	...	...
215	Fakir Mhd., Mastung.	Abizai	24	18.2	13.8	75.3	4.7	3.0	63.3	...	...	...	...
216	Jahankhan, Mastung.	Dadizai	32	19.0	14.6	76.8	5.5	3.4	61.8	...	...	...	...
217	Abdulla, Mastung.	Hotizai	18	18.0	14.0	77.7	6.0	4.0	66.6	...	...	...	...
218	Pir Mhd., "	Najar	35	17.0	14.0	82.3	5.7	3.0	52.6	...	...	...	...
219	Ali Mhd., "	Mulhzai	28	18.0	13.6	75.5	5.8	3.8	65.5	...	...	...	...
220	Dad Mhd., "	Lodi	30	18.0	14.0	77.7	5.8	3.4	58.6	...	...	...	...
221	Rahim Bakhsh.	Abezai	25	18.0	15.0	83.3	5.0	3.5	70.0	...	...	...	...
222	Guldad, "	Dum	30	18.0	15.0	83.3	5.8	4.0	68.9	...	...	...	...
223	Safar Khan Bakhsh.	Gwarazai	35	18.0	13.5	75.0	5.3	3.4	64.1	...	...	...	...
224	Rasul Bakhsh, Mastung.	Khalifa	30	18.0	15.0	83.3	5.2	3.4	65.3	...	...	...	...
225	Abdul Qadir, Mastung.	Najar	17	18.3	15.0	81.9	6.0	3.0	50.0	...	...	...	...
226	Qader, Mastung.	Sarang	27	18.1	14.4	79.5	5.5	3.6	65.4	...	...	...	...
227	Abdul Ghani Mastung.	Sadiqzai	40	19.0	14.0	73.6	6.1	3.4	55.7	...	...	...	...
228	Ramazan, "	Najar	21	18.0	14.3	79.4	5.4	3.8	70.3	...	...	...	...
229	Azizulla, "	Sheikh	33	17.8	14.0	78.6	4.5	3.4	75.5	...	...	...	...
230	Dad Mhd., "	Sarparrah	35	18.5	14.9	80.5	6.2	4.0	64.5	...	...	...	...
231	Khuda Bakhsh.	Sheikh	27	17.0	14.0	82.3	5.6	3.0	53.5	...	...	...	...

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi iliac crest breadth.	Serial No.
12.5	...	...	...	9.8	12.0	122.4	9.2	...	...	...	...	...	...	204
13.0	...	...	...	9.9	11.2	118.1	9.5	...	...	...	...	...	...	205
13.3	...	...	...	9.7	12.0	123.7	9.9	...	...	...	...	...	...	206
12.5	...	...	...	9.4	12.0	127.6	10.0	...	...	...	...	...	...	207
13.8	...	...	...	10.3	11.0	106.7	11.0	...	...	...	...	...	...	208
12.0	...	...	...	10.0	11.2	112.0	9.4	...	...	...	...	...	...	209
13.0	...	...	...	9.8	11.6	118.3	8.6	...	...	...	...	...	...	210
12.5	...	...	...	9.6	11.6	120.8	9.8	...	...	...	...	...	...	211
13.2	...	...	...	10.0	12.4	124.0	11.0	...	...	...	...	...	...	212
13.0	...	...	...	10.0	12.0	120.0	10.8	...	...	...	...	...	...	213
12.5	...	...	...	9.3	10.2	109.6	9.6	...	...	...	...	...	...	214
12.8	...	...	...	10.0	12.4	124.0	9.0	...	...	...	...	...	...	215
19.2	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	216
13.1	...	...	...	10.0	12.0	120.0	9.0	...	...	...	...	...	...	217
12.3	...	...	...	9.4	11.6	123.4	9.2	...	...	...	...	...	...	218
12.0	...	...	...	10.0	11.4	114.0	10.0	...	...	...	...	...	...	219
13.0	...	...	...	9.7	12.0	123.7	10.0	...	...	...	...	...	...	220
13.0	...	...	...	10.2	12.0	117.6	11.4	...	...	...	...	...	...	221
13.0	...	...	...	10.2	12.8	125.4	10.8	...	...	...	...	...	...	222
12.5	...	...	...	9.9	11.2	113.1	10.8	...	...	...	...	...	...	223
13.3	...	...	...	10.0	12.0	120.0	11.0	...	...	...	...	...	...	224
13.0	...	...	...	10.1	12.0	118.8	10.0	...	...	...	...	...	...	225
13.3	...	...	...	10.0	12.2	122.0	10.0	...	...	...	...	...	...	226
13.2	...	...	...	10.0	12.0	120.0	10.2	...	...	...	...	...	...	227
13.0	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	228
12.9	...	...	...	9.6	11.4	118.7	9.6	...	...	...	...	...	...	229
13.0	...	...	...	9.8	12.0	122.4	10.0	...	...	...	...	...	...	230
13.1	...	...	...	9.3	11.2	120.4	10.0	...	...	...	...	...	...	231

Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
232	Murad Bakhsh Mastung.	Najár .	45	18.0	15.0	83.3	5.0	3.6	72.0	...	...	...	...
233	Bahadur Khan, Mastung.	Shahdad-zai.	55	17.5	13.6	77.7	5.4	3.8	70.3	...	...	...	...
234	Piru Khan, Mastung.	Dadizai.	28	18.2	14.3	78.5	5.0	4.0	80.0	...	...	...	...
235	Muhammed Yar, Mastung.	Sheikh .	23	17.5	14.0	80.0	4.7	3.4	72.3	...	...	...	...
236	Khaliqdad, Mastung.	Saulai .	40	16.8	14.0	83.3	6.8	3.4	50.0	...	...	...	...
237	Kadir Bakhsh, Mastung.	Sheikh .	22	18.0	13.8	76.6	5.2	3.2	61.5	...	...	...	...
238	Jabbar Khan, Mastung.	Do. .	17	18.0	14.0	77.7	4.8	3.5	72.9	...	...	...	...
239	Karim, Mastung.	Yusuffzai	28	17.9	13.0	72.6	5.1	3.5	68.6	...	...	...	...
240	Ali Khan, Mastung.	Qazi .	22	17.8	15.0	84.2	5.0	3.4	68.0	...	...	...	...
241	Baran, Mastung.	Karákar	25	19.0	15.0	78.9	5.7	3.4	59.6	...	...	...	...
242	Zaman Khan, Mastung.	Dadar .	35	17.5	14.2	81.1	5.6	3.4	60.7	...	...	...	...
243	Wali Muham-med, Mastung.	Sheikh .	20	18.3	14.5	79.2	6.0	3.2	53.3	...	...	...	...
244	Wali Khan, Mastung.	Do. .	35	18.2	14.0	76.9	5.2	3.2	61.5	...	...	...	...
245	Ali Bakhsh, Mastung.	Dadizai.	35	18.0	14.2	78.8	5.5	3.5	63.6	...	...	...	...
246	Muhammed Siddik.	Yusuffzai	35	18.4	13.3	72.2	5.6	3.6	64.2	...	...	...	...
247	Sarang, Mastung.	Sheikh .	28	18.0	13.8	76.6	6.0	3.1	51.6	...	...	...	...
248	Dil Muham-med, Mastung.	Khwaja.	22	17.5	15.0	85.7	6.5	3.1	47.6	...	...	...	...
249	Khuda Bakhsh, Mastung.	Shakh .	24	17.3	13.0	75.1	5.5	3.4	61.8	...	...	...	...
250	Dad Bakhsh, Mastung.	Dadizai	29	18.0	14.0	77.7	5.5	3.2	58.1	...	...	...	...
251	Ghulam Shah, Mastung.	Do. .	35	18.0	14.0	77.7	5.5	3.2	58.1	...	...	...	...
252	Yar Muham-med, Mastung.	Dadezai	24	17.0	14.0	82.3	5.0	3.5	70.0	...	...	...	...
253	Isa Khan, Mastung.	Sheikh .	28	13.3	15.	83.6	6.0	3.5	58.3	...	...	...	...
254	Bahadur Khan, Mastung.	Sarang .	27	16.5	14.6	88.4	5.8	3.1	53.4	...	...	...	...
255	Lal, Mastung	Baluch .	27	18.0	14.4	80.0	5.3	3.1	58.4	...	...	...	...
256	Kabul, Mastung.	Sheikh .	25	19.0	15.5	81.5	6.0	3.0	50.0	...	...	...	...
257	Kamal, Mastung.	Do. .	25	19.0	15.0	78.9	5.7	4.0	70.1	...	...	...	...

Tribe taken at Mastung on the 19th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasion-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
13.0	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	232
13.0	...	...	...	9.7	11.6	119.9	10.0	...	...	...	...	...	...	233
13.2	...	...	...	10.2	12.8	125.4	10.3	...	...	...	...	...	...	234
13.0	...	...	...	9.8	12.0	122.4	10.0	...	...	...	...	...	...	235
12.2	...	...	...	9.6	12.0	125.0	9.5	...	...	...	...	...	...	236
12.4	...	...	...	9.2	11.4	123.9	10.5	...	...	...	...	...	...	237
12.6	...	...	...	9.3	11.2	120.4	9.5	...	...	...	...	...	...	238
13.0	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	239
13.0	...	...	...	9.9	11.4	115.1	9.5	...	...	...	...	...	...	240
13.0	...	...	...	10.2	12.0	117.6	10.0	...	...	...	...	...	...	241
13.2	...	...	...	10.0	11.4	114.0	9.4	...	...	...	...	...	...	242
13.0	...	...	...	9.7	12.0	123.7	10.3	...	...	...	...	...	...	243
13.6	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	244
14.0	...	...	...	10.0	13.0	130.0	10.2	...	...	...	...	...	...	245
12.5	...	...	...	10.0	12.0	120.0	9.6	...	...	...	...	...	...	246
13.0	...	...	...	10.0	12.4	124.0	10.5	...	...	...	...	...	...	247
13.2	...	...	...	10.0	12.0	120.0	10.6	...	...	...	...	...	...	248
10.5	...	...	...	9.6	12.0	125.0	9.5	...	...	...	...	...	...	249
13.4	...	...	...	9.0	12.0	133.3	9.0	...	...	...	...	...	...	250
12.8	...	...	...	9.6	12.0	125.0	9.3	...	...	...	...	...	...	251
12.8	...	...	...	10.3	12.6	122.3	10.3	...	...	...	...	...	...	252
13.0	...	...	...	9.6	12.0	125.0	10.0	...	...	...	...	...	...	253
12.6	...	...	...	9.0	12.0	133.3	9.0	...	...	...	...	...	...	254
12.4	...	...	...	10.0	12.0	120.0	10.3	...	...	...	...	...	...	255
13.3	...	...	...	10.1	12.6	124.7	10.5	...	...	...	...	...	...	256
13.0	...	...	...	9.6	12.4	129.1	10.4	...	...	...	...	...	...	257

Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
258	Sanidad, Mastung.	Sheik .	40	18.6	14.0	75.2	6.2	3.1	50.0	...	...	...	...
259	Nazar, Mastung.	Abizai .	25	17.4	13.4	77.0	5.4	3.1	57.4	...	...	...	...
260	Jama . .	Dadezai .	35	17.6	13.0	78.8	5.6	3.4	60.7	...	...	...	...
261	Alu, Mastung	Shahdad-zai.	24	17.0	14.5	85.2	5.0	3.0	60.0	...	...	...	...
262	Alisher „	Sheikh .	30	18.0	14.0	77.7	5.4	3.3	61.1	...	...	...	...
263	Lashkari „	Do. .	40	18.6	15.0	80.6	5.6	3.5	62.5	...	...	...	...
264	Umed „	Dadarizai	27	17.0	14.5	85.2	5.5	3.0	54.5	...	...	...	...
265	Fatch Muhd.	Sheikh .	17	17.5	14.0	80.0	6.0	2.8	46.6	...	...	...	...
266	Baru, Mastung.	Khwa jakhel.	23	17.0	14.3	84.1	5.0	4.0	80.0	...	...	...	...
267	Muhamedo, Mastung.	Sheikh „	18	18.0	14.5	80.5	4.8	3.4	70.8	...	...	...	...
268	Khush Muhd, Mastung.	Najar .	33	18.1	14.0	77.3	4.7	3.3	70.2	...	...	...	...
269	Dadi Khuda, Mastung.	Sheikh .	40	19.0	13.0	68.4	6.0	3.2	53.3	...	...	...	...
270	Shambhai .	Dumb .	23	17.0	13.0	76.4	5.6	3.4	60.7	...	...	...	...
271	Allah Bakhsh Mastung.	Sheikh .	35	18.0	15.0	83.3	5.2	3.3	63.4	...	...	...	...
272	Muhamed Hussin.	Tarakar.	60	18.0	14.0	77.7	5.0	3.4	68.0	...	...	...	...
273	Gul Muhamed Mastung.	Do. .	65	17.9	13.6	75.9	5.4	3.6	66.6	...	...	...	...
274	Lashkar Khan Mastung.	Mangozai	35	18.0	14.2	78.8	5.7	4.0	70.1	...	...	...	...
275	Faulad „	Do. .	27	20.0	14.5	72.5	6.4	3.4	53.1	...	...	...	...
276	Nabi Bakhsh Mastung.	Dadarizai	23	17.8	14.0	75.6	5.6	3.5	62.5	...	...	...	...
277	Habibulla, Kalat.	Dodki .	39	18.1	15.0	82.8	6.2	3.4	54.8	...	...	...	...
278	Sultan, Kalat	Raistok .	23	17.5	14.3	81.7	5.3	3.4	64.1	...	...	...	...
279	Mubrulla, Kalat.	Moghalzai	42	18.3	13.3	72.6	5.9	3.4	57.6	...	...	...	...
280	Muhd. Rahim, Kalat.	Tolonti .	23	17.8	14.0	78.6	6.0	3.0	50.0	...	...	...	...
281	Abdul Rahim, Kalat.	Dodki .	35	18.0	15.1	83.8	6.2	3.0	48.3	...	...	...	...
282	Sohbu, Kalat	Tolonti .	60	18.0	14.0	77.7	5.5	3.2	58.1	...	...	...	...
283	Alimuhamed, Kalat.	Do. .	25	18.2	15.2	83.5	5.8	3.5	60.3	...	...	...	...
284	Behadur, Khwa, Kalat	Dodaki .	65	18.0	14.6	81.1	5.6	3.5	62.5	...	...	...	...
285	Wahidid, Kalat.	Tolonti .	60	17.6	14.5	82.3	6.0	4.0	66.6	...	...	...	...
286	Dastmuhamed, Kalat.	Abizai .	60	18.2	14.5	79.6	5.8	3.6	62.0	...	...	...	...

Tribe taken at Mastung on the 20th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial Index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal Index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
130	...	...	...	10.1	12.2	120.7	10.0	...	...	...	...	...	...	258
130	...	...	...	10.0	11.4	114.0	9.7	...	...	...	...	...	...	259
12.4	...	...	...	10.0	12.2	122.0	10.0	...	...	...	...	...	...	260
13.4	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	261
13.1	...	...	...	10.0	12.0	120.0	10.4	...	...	...	...	...	...	262
14.1	...	...	...	10.2	12.8	125.4	9.6	...	...	...	...	...	...	263
12.0	...	...	...	9.5	11.2	117.8	9.3	...	...	...	...	...	...	264
12.4	...	...	...	9.7	12.4	127.8	9.5	...	...	...	...	...	...	265
12.8	...	...	...	10.0	12.0	120.0	9.7	...	...	...	...	...	...	266
11.5	...	...	...	9.0	11.6	128.3	9.5	...	...	...	...	...	...	267
13.2	...	...	...	10.0	12.2	122.0	10.3	...	...	...	...	...	...	268
12.5	...	...	...	9.8	12.0	122.4	10.0	...	...	...	...	...	...	269
13.0	...	...	...	9.4	11.6	123.4	10.0	...	...	...	...	...	...	270
13.1	...	...	...	9.9	12.2	123.2	10.0	...	...	...	...	...	...	271
13.2	...	...	...	9.3	12.0	129.9	9.0	...	...	...	...	...	...	272
13.2	...	...	...	9.1	11.6	127.4	10.0	...	...	...	...	...	...	273
12.8	...	...	...	9.6	12.3	133.3	10.0	...	...	...	...	...	...	274
13.5	...	...	...	9.8	12.4	126.5	10.0	...	...	...	...	...	...	275
12.8	...	...	...	9.8	11.2	114.2	9.6	...	...	...	...	...	...	276
14.0	...	...	...	11.0	13.6	123.6	10.0	...	...	...	...	...	...	277
12.6	...	...	...	10.2	12.0	117.6	9.0	...	...	...	...	...	...	278
13.2	...	...	...	10.8	13.6	125.9	9.5	...	...	...	...	...	...	279
12.0	...	...	...	9.7	12.6	129.8	9.0	...	...	...	...	...	...	280
13.5	...	...	...	10.0	12.6	126.0	9.8	...	...	...	...	...	...	281
12.5	...	...	...	8.8	12.2	124.4	8.5	...	...	...	...	...	...	282
14.2	...	...	...	10.8	12.6	116.6	10.3	...	...	...	...	...	...	283
13.2	...	...	...	9.5	11.6	122.1	10.1	...	...	...	...	...	...	284
13.0	...	...	...	9.8	11.4	116.3	10.5	...	...	...	...	...	...	285
14.0	...	...	...	9.8	13.0	132.6	10.0	...	...	...	...	...	...	286

Measurements of male members of the Dehwār

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
287	Abdul Majid, Kalāt.	Dodaki .	65	18.2	13.5	74.1	5.6	3.4	60.7	...	...	...	...
288	Khalidat, Kalāt.	Do.	60	16.8	14.2	84.5	5.8	3.4	58.6	...	...	...	...
289	I'd Muhl., Kalāt.	Tolonti .	70	17.2	14.0	81.4	5.5	3.6	65.4	...	...	...	...
290	Dost Muhl., Kalāt.	Do.	60	18.0	15.0	83.3	7.0	3.8	54.2	...	...	...	...
291	Hussen Baksh, Kalāt.	Dodaki .	55	17.5	15.0	85.7	6.2	3.8	61.2	...	...	...	...
292	Abdul Ghani, Kalāt.	Baistok .	40	18.0	15.4	85.5	6.0	3.4	56.6	...	...	...	...
293	Pir Bakhsh, Kalāt.	Dodaki .	60	17.4	14.2	81.6	6.0	3.7	61.6	...	...	...	...
294	Din Muhl., Kalāt.	Do.	60	18.2	13.5	74.1	5.8	3.4	58.6	...	...	...	...
295	Ata Muhl., Kalāt.	Do.	70	17.8	13.6	76.4	5.6	3.6	64.2	...	...	...	...
296	Talkhu, Kalat	Moghalzi	50	18.1	16.0	88.4	6.6	3.3	50.0	...	...	...	...
297	Baza Muhl., Kalāt.	Do.	33	18.2	14.3	78.5	6.4	3.7	57.8	...	...	...	...
298	Khatu, Kalat	Abirai .	65	17.0	14.5	85.2	6.0	3.4	56.6	...	...	...	...
299	Is'akhan, Kalāt.	Dodaki .	35	18.2	14.4	79.1	5.7	3.4	59.6	...	...	...	...
300	Ata Muhl., Kalāt.	Moghalzai	30	18.2	14.6	80.2	6.4	3.6	56.2	...	...	...	...
			...	17.94	145.3	80.9	50.9	35.4	69.5	101.2	135.2	215.7	153.8

tribe taken at Kalat on the 25th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
12.3	...	...	...	9.6	11.4	118.7	10.2	...	...	...	...	...	...	287
12.5	...	...	...	9.1	11.2	123.0	9.6	...	...	...	...	...	...	288
12.5	...	...	...	10.0	11.4	114.0	9.4	...	...	...	...	...	...	289
13.5	...	...	...	10.6	12.6	118.8	9.8	...	...	...	...	...	...	290
13.5	...	...	...	10.0	12.0	120.0	11.0	...	...	...	...	...	...	291
13.0	...	...	...	9.6	12.0	125.0	10.4	...	...	...	...	...	...	292
13.0	...	...	...	9.8	11.2	114.2	9.0	...	...	...	...	...	...	293
13.3	...	...	...	10.0	12.8	128.0	10.4	...	...	...	...	...	...	294
13.5	...	...	...	10.8	12.4	118.5	10.0	...	...	...	...	...	...	295
13.3	...	...	...	10.1	12.8	126.7	10.0	...	...	...	...	...	...	296
13.0	...	...	...	10.0	12.0	120.0	9.5	...	...	...	...	...	...	297
13.6	...	...	...	9.0	11.6	123.8	9.8	...	...	...	...	...	...	298
13.0	...	...	...	10.0	13.0	130.0	9.0	...	...	...	...	...	...	299
12.4	...	...	...	10.1	11.4	112.8	8.8	...	...	...	...	...	...	300
130.7	114.7	113.9	65.6	104.6	124.6	119.1	100.6	164.2	85.0	122.1	142.9	135.0	263.8	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—DEHWÁR.

Abstract of measurements of male members of the Dehwār

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	...	...	1790	1473	...	477	352	...	1054	1366	2182	1543
11-20	...	...	...	770	1483	...	487	352	...	1009	1343	2182	1533
21-30	...	...	...	1791	1495	...	505	351	...	989	1360	2147	1549
31-40	...	...	...	1761	1470	...	463	368	...	1039	1338	2136	1522
41-50	...	...	...	1771	1443	...	463	356	...	990	1326	2113	1514
51-60	...	...	...	1793	1445	...	494	359	...	962	1355	2124	1533
61-70	...	...	...	1831	1465	...	491	359	...	1017	1342	2205	1547
71-80	...	...	...	1809	1478	...	485	354	...	991	1317	2159	1534
81-90	...	...	...	1810	1493	...	505	366	...	1025	1378	2211	1561
91-100	...	...	...	1812	1465	...	482	365	...	1029	1378	2173	1552
101-110	...	...	...	1814	1458	...	488	359	...	970	1327	2107	1533
111-120	...	...	...	1820	1472	...	489	364	...	1042	1374	2177	1554
121-130	...	...	...	1806	1444	...	466	360	...	1011	1343	2133	1515
131-140	...	...	...	1782	1452	...	482	355	...	986	1379	2133	1533
141-150	...	...	...	1778	1484	...	486	366	...	996	1359	2152	1542
151-160	...	...	...	1764	1446	...	480	357	...	1048	1334	2174	1516
161-170	...	...	...	1795	1459	...	499	365	...	1042	1355	2201	1537
171-180	...	...	...	1832	1452	...	482	369	...	1039	1385	2185	1559
181-190	...	...	...	1787	1482	...	471	352	...	999	1357	2125	1543

tribe taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbital-nasal index.	Bigenal breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1319	1128	...	663	1048	1227	...	1029	16387	8554	12232	14205	13462	2623	1-10
1317	1173	...	588	1081	1282	...	1023	16508	8596	12310	14326	13542	2648	11-20
1305	1157	...	585	1073	1286	...	1025	16434	8626	12259	14287	13520	2697	21-30
1320	1097	...	642	1073	1272	...	1013	16638	8679	12238	14502	13719	2645	31-40
1313	1123	...	458	1061	1249	...	1003	16276	8429	12140	14363	13395	2608	41-50
1314	1142	...	608	1058	1241	...	1022	16427	8362	12104	14503	13555	2367	51-60
1316	1178	...	590	1075	1281	...	1034	16356	8590	12134	14141	13440	2608	61-70
1317	1168	...	595	1085	1295	...	1033	16385	8513	12279	14226	13417	2636	71-80
1318	1186	...	660	1098	1317	...	1013	16456	8588	12215	14245	13522	2632	81-90
1314	1140	...	566	1073	1270	...	992	16355	8483	12123	14177	13474	2617	91-100
1309	1207	...	649	1079	1275	...	1013	16447	8517	12265	14350	13534	2688	101-110
1325	1135	...	639	1091	1269	...	1023	16342	8474	12270	14165	13438	2662	111-120
1315	1122	...	672	1080	1276	...	1036	16440	8502	12228	14307	13526	2614	121-130
1318	1146	...	471	1070	1259	...	1040	16560	8464	12296	14427	13658	2643	131-140
1332	1156	...	687	1083	1284	...	1006	16510	8525	12342	14388	13573	2605	141-150
1284	1126	...	616	1060	1247	...	974	16135	8353	11992	14161	13185	2574	151-160
1248	1159	...	583	1107	1294	...	1020	16834	8720	12345	14633	13849	2714	161-170
1326	1146	...	646	1102	1297	...	1031	16673	8551	12346	14488	13729	2714	171-180
1269	1126	...	523	1067	1218	...	982	16194	8275	12034	14069	13280	2632	181-190

Abstract of Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
191-200	...	...	...	1777	1471	...	479	375	...	997	1341	2116	1531
201-210	...	...	...	1796	1439	...	556	350	...	...	...	...	...
211-220	...	...	...	1799	1409	...	533	342	...	...	...	...	...
221-230	...	...	...	1817	1451	...	550	355	...	...	...	...	...
231-240	...	...	...	1767	1407	...	526	348	...	...	...	...	...
241-250	...	...	...	1802	1410	...	571	381	...	...	...	...	...
251-260	...	...	...	1794	1432	...	565	330	...	...	...	...	...
261-270	...	...	...	1772	1408	...	536	329	...	...	...	...	...
271-280	...	...	...	1814	1419	...	567	344	...	...	...	...	...
281-290	...	...	...	1782	1446	...	588	350	...	...	...	...	...
291-300	...	...	...	1786	1455	...	607	353	...	...	...	...	...
GRAND TOTAL		...	...	53820	43606	...	15293	10636	...	20255	27057	43140	30771
Average		...	...	1794	1453	80.9	50.9	35.4	69.5	101.2	135.2	215.7	153.8

II.

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1293	1119	...	578	1068	1261	...	1032	16094	8375	12001	13978	13291	2575	191-200
1295	...	...	...	1006	1176	...	959	...	...	...	...	...	...	201-210
1276	...	...	...	980	1176	...	984	...	...	...	...	...	...	211-220
1302	...	...	...	998	1196	...	1038	...	...	...	...	...	...	221-230
1285	...	...	...	968	1176	...	993	...	...	...	...	...	...	231-240
1294	...	...	...	985	1208	...	991	...	...	...	...	...	...	241-250
1283	...	...	...	983	1214	...	995	...	...	...	...	...	...	251-260
1280	...	...	...	976	1198	...	983	...	...	...	...	...	...	261-270
1304	...	...	...	992	1240	...	961	...	...	...	...	...	...	271-280
1312	...	...	...	990	1200	...	982	...	...	...	...	...	...	281-290
1316	...	...	...	994	1216	...	976	...	...	...	...	...	...	291-300
39219	22943	...	12019	31404	37400	...	30209	328451	17076	244203	285941	270109	52502	
1307	1147	1139	656	1046	1246	1191	1006	1642	850	1221	1429	1350	2638	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE--DEHWAR.

SERiations.

Turko-Indian Type.

Type Specimen : DEHWAR.

PROPORTIONS OF HEAD.			PROPORTIONS OF NOSE.			RELATIVE PROMINENCE OF ROOT OF NOSE.			STATURE.			
(Cephalic—Index.)			(Nasal—Index.)			(Orbito-nasal—Index.)			C.M.			
Average	. . .	80.9	Average	. . .	69.5	Average	. . .	119.1	Average	. . .	164.2	
Maximum	. . .	91	Maximum	. . .	98	Maximum	. . .	133	Maximum	. . .	180.8	
Minimum	. . .	68	Minimum	. . .	47	Minimum	. . .	10.7	Minimum	. . .	148.8	
Range	. . .	23	Range	. . .	51	Range	. . .	26	Range	. . .	22.0	
INDICES.			Number of subjects.			Percentage on number of subjects.						
HEAD.						5	10	15	20	25	30	35
VERY LONG HEADS (Hyper-dolicho-Cephalic).	LONG HEADS (Dolicho-Cephalic).	Under 70	1	1								
		70 and under 72.5	3	1								
		72.5 and under 75	14	5								
		75 and under 77.5	37									
		77.5 and under 80	58									
MEDIUM HEADS (Meso-Cephalic).	BROAD HEADS (Brachy-Cephalic).	80 and under 82.5	70									
		82.5 and under 85	71									
		85 and under 87.5	34									
		87.5 and under 90	10									
		90 and over										
NOSE.												
FINE NOSES (Leptorhine)		Under 50	17	1								
		50 and under 55	23	5								
		55 and under 60	51	7								
		60 and under 65	61									
		65 and under 70	44									

[illegible]



101 CSL

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MIR JATS.

Measurements of male members of the Mir Jats

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Pir Bukhsh, Bakhra.	Kundhani	37	18.2	14.5	79.6	5.5	3.5	63.6	...	...	...	...
2	Murad "	"	37	18.0	14.5	80.5	6.0	3.5	58.3	...	...	...	...
3	Alimuward "	"	37	17.8	14.7	82.5	6.0	3.3	55.0	...	...	...	...
4	Bijar "	"	46	19.2	14.7	76.5	5.5	4.1	74.5	...	...	...	...
5	Ahmad Mithri	"	55	18.6	14.6	78.4	6.0	4.0	66.6	...	...	...	...
6	Juma, Bakhra	Hajaria	33	18.5	14.3	77.3	6.0	3.8	63.3	...	...	...	...
7	Doda "	"	36	18.3	14.0	76.5	5.3	3.5	66.0	...	...	...	...
8	Yard "	"	23	19.0	14.0	73.6	5.5	3.0	54.5	...	...	...	...
9	Makoru "	"	34	18.0	15.5	86.1	5.0	3.7	74.0	...	...	...	...
10	Saranj Mithri	Ianjwani	57	18.3	14.6	79.7	5.5	3.6	65.4	...	...	...	...
11	Gul Beg "	"	37	18.8	14.8	78.7	5.5	3.6	65.4	...	...	...	...
12	Sanjar "	"	36	18.0	14.6	81.1	5.0	3.2	64.0	...	...	...	...
13	Fathi "	"	35	18.1	15.3	84.5	5.5	3.5	63.6	...	...	...	...
14	Saindad Mithri	"	37	17.8	14.0	78.8	5.3	4.0	75.4	...	...	...	...
15	Niazi "	"	33	17.8	14.1	79.2	5.1	3.1	60.7	...	...	...	...
16	Ditta "	"	37	17.6	15.3	86.9	5.4	3.1	57.4	...	...	...	...
17	Jhandu Gullu	"	34	18.0	15.3	85.0	6.0	3.5	58.3	...	...	...	...
18	Mehrdil, Bakhra.	Hujani	33	18.0	15.1	83.8	5.4	3.6	66.6	...	...	...	...
19	Rakhia, Gullu	"	55	17.6	14.7	83.5	5.2	3.5	67.3	...	...	...	...
20	Massu Nulteri.	Kendhani	47	18.0	14.6	81.1	6.4	4.1	64.0	...	...	...	...
21	Juma, Gullu	Hajana	57	18.3	14.2	77.6	6.0	3.4	56.6	...	...	...	...
22	Daui "	Barhani	37	17.6	14.0	79.5	5.4	3.1	57.4	...	...	...	...
23	Gudu, Tali	"	65	18.2	13.5	74.1	5.4	3.4	62.9	...	...	...	...
24	Ramu, Mithri	Kundhani	37	18.8	14.4	76.6	5.6	3.1	55.3	...	...	...	...
25	Dau "	"	38	18.0	15.8	87.7	6.5	3.6	55.3	...	...	...	...
26	Doshti "	"	70	17.0	15.6	91.7	6.3	3.3	52.3	...	...	...	...
27	Piru, Gullu	Ianjwani	18	17.7	13.7	77.4	4.8	3.6	75.0	...	...	...	...
28	Murad "	Hajana	65	18.6	13.5	72.5	6.0	9.6	60.0	...	...	...	...
29	Walya "	"	23	17.4	15.4	88.5	5.4	3.5	64.8	...	...	...	...

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-line crest breadth.	Serial No.
13.4	...	...	...	10.3	12.4	120.3	10.0	...	...	...	...	...	...	1
14.0	...	...	...	10.2	12.4	121.5	11.0	...	...	...	...	...	...	2
13.6	...	...	...	10.1	12.4	122.7	10.9	...	...	...	...	...	...	3
13.1	...	...	...	9.9	12.2	123.2	10.5	...	...	...	...	...	...	4
13.0	...	...	...	10.2	12.6	123.5	9.8	...	...	...	...	...	...	5
13.0	...	...	...	10.2	12.4	121.5	9.0	...	...	...	...	...	...	6
13.0	...	...	...	9.3	12.2	131.1	9.1	...	...	...	...	...	...	7
13.1	...	...	...	9.8	12.2	124.4	10.4	...	...	...	...	...	...	8
13.1	...	...	...	10.3	12.6	122.3	9.7	...	...	...	...	...	...	9
13.4	...	...	...	10.2	12.2	119.6	10.1	...	...	...	...	...	...	10
13.0	...	...	...	9.9	12.0	121.2	10.0	...	...	...	...	...	...	11
13.2	...	...	...	9.3	12.0	129.0	9.6	...	...	...	...	...	...	12
12.5	...	...	...	9.4	12.4	131.9	10.5	...	...	...	...	...	...	13
13.1	...	...	...	10.0	12.0	120.0	10.0	...	...	...	...	...	...	14
13.0	...	...	...	9.9	12.2	123.2	10.1	...	...	...	...	...	...	15
13.3	...	...	...	10.1	12.2	110.8	10.5	...	...	...	...	...	...	16
13.3	...	...	...	10.0	12.0	120.0	10.1	...	...	...	...	...	...	17
12.8	...	...	...	9.8	12.4	126.5	10.0	...	...	...	...	...	...	18
13.0	...	...	...	9.8	12.0	122.4	9.5	...	...	...	...	...	...	19
13.2	...	...	...	10.2	14.0	137.2	10.0	...	...	...	...	...	...	20
13.2	...	...	...	10.0	11.6	116.0	9.6	...	...	...	...	...	...	21
13.2	...	...	...	9.6	11.2	116.6	10.3	...	...	...	...	...	...	22
12.9	...	...	...	10.0	12.4	124.0	10.5	...	...	...	...	...	...	23
13.5	...	...	...	9.5	12.8	134.7	10.5	...	...	...	...	...	...	24
14.0	...	...	...	10.6	14.0	132.0	10.2	...	...	...	...	...	...	25
14.0	...	...	...	10.1	13.0	128.7	10.0	...	...	...	...	...	...	26
13.0	...	...	...	10.1	12.8	126.7	10.4	...	...	...	...	...	...	27
12.5	...	...	...	9.9	12.8	129.2	10.0	...	...	...	...	...	...	28
13.7	...	...	...	10.3	12.8	124.2	11.0	...	...	...	...	...	...	29

TABLE
 Measurements of male members of the Mir Jats

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Chandda, Gullá	Lanjwani	65	180	146	81.1	5.5	4.0	72.7	...	...	...	...
31	Nabi Box, Gullá	Hajáná	25	180	150	83.3	6.2	3.3	53.2	...	...	...	...
32	Kamal " "	"	25	180	146	81.1	5.0	4.4	68.0	...	...	...	...
33	Alla " "	"	37	176	147	83.5	6.0	3.7	61.6	...	...	...	...
34	Músa " "	"	38	180	150	83.3	5.3	3.4	64.1	...	...	...	...
35	Nindá " "	Lanjwani	37	175	146	83.4	4.8	3.0	62.5	...	...	...	...
36	Rahmdil " "	Hajáná	37	162	155	95.6	6.3	3.1	49.2	...	...	...	...
37	Pándhi " "	"	60	200	143	74.0	6.6	4.4	66.6	...	...	...	...
38	Hakim " "	Lanjwani	65	193	144	74.6	5.7	3.3	61.4	...	...	...	...
39	Langá " "	Hajáná	60	171	140	81.8	5.6	3.2	57.1	...	...	...	...
40	Rahman, Mithri.	Kandhani	33	180	155	86.1	6.2	3.5	56.4	...	...	...	...
41	Mohabbat, Mithri.	Jalwani	22	162	141	87.0	5.3	3.3	62.2	...	...	...	...
42	Ghana Kan-ghani.	"	64	180	150	83.3	7.0	3.7	52.8	...	...	...	...
43	Ahmad, Tall.	Barhan	40	180	154	85.5	6.0	3.5	58.3	...	...	...	...
44	Yaru, Hambi	Kandhani	47	180	145	80.5	5.1	3.7	72.5	...	...	...	...
45	Chaudu	Hajani	47	184	140	76.0	6.0	4.5	75.0	...	...	...	...
46	Balach	"	55	175	150	85.7	6.1	3.7	60.6	...	...	...	...
47	Mitha, Lishan	"	23	180	146	81.1	5.7	4.0	70.1	...	...	...	...
48	Rakhia Mochi	Kandhani.	33	175	143	81.7	8.6	3.4	39.5	...	...	...	...
Average				180.1	146.4	81.2	57.3	35.4	61.7	...	...	...	...



Tribe taken at Sibl on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
12.8	...	...	...	10.1	12.4	122.7	9.3	...	...	...	...	...	...	30
13.1	...	...	...	10.2	12.8	125.4	10.0	...	...	...	...	...	...	31
13.2	...	...	...	10.3	13.0	126.2	10.6	...	...	...	...	...	...	32
13.3	...	...	...	9.6	12.0	125.0	9.7	...	...	...	...	...	...	33
13.6	...	...	...	10.3	14.0	135.9	10.7	...	...	...	...	...	...	34
13.5	...	...	...	9.5	11.0	115.7	10.0	...	...	...	...	...	...	35
13.0	...	...	...	9.5	11.4	120.0	9.9	...	...	...	...	...	...	36
14.6	...	...	...	10.8	13.0	120.3	11.3	...	...	...	...	...	...	37
13.0	...	...	...	9.8	12.0	122.4	9.5	...	...	...	...	...	...	38
13.1	...	...	...	9.3	12.4	133.3	11.0	...	...	...	...	...	...	39
14.0	...	...	...	10.3	12.8	124.2	10.6	...	...	...	...	...	...	40
12.5	...	...	...	10.0	12.0	120.0	9.9	...	...	...	...	...	...	41
14.0	...	...	...	10.0	13.4	134.0	10.5	...	...	...	...	...	...	42
13.0	...	...	...	10.0	12.0	120.0	10.5	...	...	...	...	...	...	43
12.0	...	...	...	10.1	12.4	122.7	10.0	...	...	...	...	...	...	44
13.0	...	...	...	10.0	12.4	124.0	11.2	...	...	...	...	...	...	4
13.5	...	...	...	10.0	12.4	124.0	11.2	...	...	...	...	...	...	43
14.0	...	...	...	10.1	12.6	124.7	11.0	...	...	...	...	...	...	47
13.2	...	...	...	9.5	12.0	126.3	9.0	...	...	...	...	...	...	45
132.3	...	...	...	9.6	12.2	124.6	10.9	...	...	...	...	...	...	...



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MIR JATS.

Abstract of measurements of male members of the

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Mir Jats.	...	1839	1454	...	563	360	...	...	...	...	...
11-20	...		...	1797	1478	...	548	352	...	...	...	...	...
21-30	...		...	1796	1447	...	569	346	...	...	...	...	...
31-40	...		...	1797	1481	...	577	345	...	...	...	...	...
41-48	...		...	1416	1169	...	498	298	...	...	...	...	...
GRAND TOTAL		...	...	8645	7029	...	2755	1701	...	...	...	...	...
Average		...	...	180.1	146.4	81.2	57.3	35.4	61.7	...	...	...	...

11.

Mir Jats tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1327	...	...	...	1005	1236	...	1005	...	...	...	...	...	...	1-10
1304	...	...	...	984	1232	...	1003	...	...	...	...	...	...	11-20
1328	...	...	...	1002	1258	...	1018	...	...	...	...	...	...	21-30
1344	...	...	...	996	1244	...	1033	...	...	...	...	...	...	31-40
1052	...	...	...	797	992	...	333	...	...	...	...	...	...	41-48
6355	...	...	...	4784	5962	...	4892	...	...	...	...	...	...	
1323	...	...	...	996	1242	1246	1019	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—MIR JATS.

SERiations.

Turko-Iranian Type.

Type Specimen: MIR JATS.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE. (Orbito nasal—Index.)						
(Cephalic—Index.)				(Nasal Index.)										
Average	.	.	81.2	Average	.	.	.	61.7	Average	.	.	.	.	124.6
Maximum	.	.	96	Maximum	.	.	.	75	Maximum	.	.	.	.	137
Minimum	.	.	73	Minimum	.	.	.	40	Minimum	.	.	.	.	111
Range	.	.	23	Range	.	.	.	35	Range	.	.	.	.	26

INDICES.		Number of subjects.	Percentage on number of subjects.												
HEAD.			5	10	15	20	25	30	35	40	45				
LONG HEADS (Dolicho-Cephalic).	{ 72.5 and under 75	.	5	6	8	9	9	7	2	2					
	{ 75 and under 77.5	.	6	8	8	9	9	7	2	2					
MEDIUM HEADS (Meso-Cephalic).	{ 77.5 and under 80	.	8	8	8	9	9	7	2	2					
	{ 80 and under 82.5	.	9	9	9	9	9	7	2	2					
BROAD HEADS (Brachy-Cephalic).	82.5 and under 85	.	9	9	9	9	9	7	2	2					
	85 and under 87.5	.	9	9	9	9	9	7	2	2					
	87.5 and under 90	.	7	8	8	9	9	7	2	2					
	90 and over	.	2	4	4	4	4	4	4	4					

[illegible]



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—KALANDRANI.

Measurements of male members of the Kalandrāni

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Sardar Peroj Sha, Mir Tulāk.	Kalandrāni	50	18.8	14.6	77.6	6.2	3.5	56.4	...	...	...	...
2	Usman Sardar's brother.	"	30	18.5	14.0	75.6	6.0	3.6	60.0	...	...	...	...
3	Mir Mahamed	"	27	17.6	14.1	80.1	6.0	3.5	58.3	...	...	...	...
4	Mir Baloch Khan.	"	30	19.0	15.1	79.4	6.4	3.4	53.1	...	...	...	...
5	Mir Adisher.	"	32	18.2	15.0	82.4	6.4	3.5	54.6	...	...	...	...
6	Mir Muza Khan.	"	37	17.8	15.0	84.2	5.6	3.2	57.1	...	...	...	...
7	Mir Dost Mohamed.	"	25	17.6	15.0	85.2	6.0	4.0	66.6	...	...	...	...
8	Mir Bhandas .	"	35	18.0	15.0	83.3	5.8	3.2	55.1	...	...	...	...
9	Mir Vali Mahomed.	"	37	18.0	15.0	83.3	6.5	3.4	52.3	...	...	...	...
10	Mir Khair Mahomed.	"	28	19.2	15.0	78.1	5.2	4.0	76.9	...	...	...	...
11	Mir Azam Khan.	"	43	18.0	14.2	78.8	5.8	3.4	58.6	...	...	...	...
12	Mir Yakub Khan.	"	32	18.0	15.0	83.3	6.5	3.4	52.3	...	...	...	...
13	Mir Nirak Tulāk.	"	45	18.2	15.0	82.4	5.5	3.2	58.1	...	...	...	...
14	Mir Faiz Mohamed.	"	52	16.2	14.0	86.4	5.4	3.5	64.8	...	...	...	...
15	Mir Validār .	"	37	16.4	14.0	85.3	5.4	3.4	62.9	...	...	...	...
16	Mir Karim-box.	"	32	18.0	15.2	84.4	6.4	3.5	54.6	...	...	...	...
17	Mir Barfi .	"	37	17.0	15.0	88.2	5.0	3.8	76.0	...	...	...	...
18	Mir Miram .	"	30	19.0	15.0	78.9	5.0	4.0	80.0	...	...	...	...
19	Mir Shahi .	"	30	17.0	14.3	84.1	6.0	3.6	60.0	...	...	...	...
20	Mir Gazi Khan.	"	27	18.0	14.0	77.7	6.0	3.6	60.0	...	...	...	...
21	Mir Garar Khan.	"	45	16.0	13.8	86.2	6.4	3.4	62.9	...	...	...	...
Average .				178.3	146.3	82.0	58.8	35.2	59.8	...	...	...	...

I.
tribe taken at Kalad State on the 10th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
13'6	...	...	...	9'4	12'0	127'6	10'0	...	...	...	...	...	...	1
14'0	...	...	...	11'2	14'0	125'0	11'0	...	...	...	...	...	...	2
12'4	...	...	...	10'2	11'6	113'7	9'0	...	...	...	...	...	...	3
14'0	...	...	...	10'8	13'2	122'2	10'0	...	...	...	...	...	...	4
13'3	...	...	...	10'8	13'2	122'2	9'8	...	...	...	...	...	...	5
13'2	...	...	...	9'8	12'6	128'5	9'5	...	...	...	...	...	...	6
12'8	...	...	...	10'0	12'6	126'0	10'1	...	...	...	...	...	...	7
14'0	...	...	...	10'8	13'0	120'3	10'3	...	...	...	...	...	...	8
13'4	...	...	...	10'3	12'4	120'3	9'2	...	...	...	...	...	...	9
14'5	...	...	...	10'8	12'6	116'6	12'0	...	...	...	...	...	...	10
13'0	...	...	...	10'4	12'4	119'2	10'0	...	...	...	...	...	...	11
12'4	...	...	...	11'0	12'8	116'3	9'4	...	...	...	...	...	...	12
13'0	...	...	...	10'2	12'8	125'4	10'2	...	...	...	...	...	...	13
12'0	...	...	...	10'0	12'4	124'0	9'5	...	...	...	...	...	...	14
13'2	...	...	...	10'4	12'4	119'2	11'0	...	...	...	...	...	...	15
13'4	...	...	...	10'4	12'0	115'3	10'8	...	...	...	...	...	...	16
13'0	...	...	...	10'0	12'0	120'0	10'2	...	...	...	...	...	...	17
13'0	...	...	...	10'2	12'4	121'5	11'0	...	...	...	...	...	...	18
13'0	...	...	...	10'2	12'4	121'5	11'0	...	...	...	...	...	...	19
13'1	...	...	...	10'0	12'0	120'0	11'0	...	...	...	...	...	...	20
13'2	...	...	...	10'1	12'4	122'7	10'6	...	...	...	...	...	...	21
132'1	...	...	...	103'3	125'3	121'2	102'6	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—KALANDRĀNI.

TABLE

Abstract of measurements of male members of the Kalandrāni tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	Kalat	...	...	1827	1478	...	601	353	...	...	...	...	...
11-21		...	...	1918	1595	...	634	388	...	...	...	...	...
		Kalandrāni											
	GRAND TOTAL.			3745	3073	...	1235	741	...	...	...	...	...
	Average	...		178.3	146.3	82.0	58.8	35.2	59.8	...	...	...	...

II.

taken at Kalad State on the 10th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygo- matic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1352	...	...	...	1041	1272	...	1009	...	...	...	...	...	...	1-10
1423	...	...	...	1129	1360	...	1147	...	...	...	...	...	...	11-21
2775	...	...	...	2170	2632	...	2156	...	...	...	...	...	...	
132.1	...	...	...	103.3	125.3	121.2	102.6	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MED.

TABLE
Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Pasni . . .	Med.	...	185	148	80.0	52	40	76.9	...	...	...	...
2	Do. . . .		...	200	150	75.0	60	42	70.0	...	...	...	...
3	Do. . . .		...	182	150	82.4	54	41	75.9	...	...	...	...
4	Do. . . .		...	185	148	80.0	58	38	65.5	...	...	...	...
5	Do. . . .		...	182	145	79.6	50	42	84.0	...	...	...	...
6	Do. . . .		...	185	146	78.9	50	36	72.0	...	...	...	...
7	Do. . . .		...	188	146	77.6	66	35	53.0	...	...	...	...
8	Do. . . .		...	192	152	79.1	50	46	92.0	...	...	...	...
9	Do. . . .		...	180	156	86.6	50	36	72.0	...	...	...	...
10	Do. . . .		...	190	160	84.2	56	36	64.2	...	...	...	...
11	Do. . . .		...	180	144	80.0	46	36	78.2	...	...	...	...
12	Do. . . .		...	174	150	86.2	48	36	75.0	...	...	...	...
13	Do. . . .		...	174	144	82.7	44	34	77.2	...	...	...	...
14	Jirani . . .		...	190	156	82.1	58	40	68.9	...	...	...	...
15	Do. . . .		...	176	144	81.8	56	38	67.8	...	...	...	...
16	Do. . . .		...	185	148	80.0	55	32	58.1	...	...	...	...
17	Do. . . .		...	178	136	76.4	56	30	53.5	...	...	...	...
18	Do. . . .		...	190	145	76.3	52	44	84.6	...	...	...	...
19	Do. . . .		...	174	153	87.9	50	38	76.0	...	...	...	...
20	Do. . . .		...	176	150	85.2	50	38	76.0	...	...	...	...
21	Do. . . .		...	182	153	84.0	58	36	62.0	...	...	...	...
22	Do. . . .		...	184	152	82.6	56	40	71.4	...	...	...	...
23	Chabár . . .		...	175	150	85.7	56	36	64.2	...	...	...	...
24	Do. . . .		...	183	153	83.6	58	43	74.1	...	...	...	...
25	Do. . . .		...	190	154	81.0	54	38	70.3	...	...	...	...
26	Do. . . .		...	175	150	85.7	60	44	73.3	...	...	...	...
27	Do. . . .		...	170	142	73.5	64	36	56.2	...	...	...	...
28	Pasni . . .		...	184	146	79.3	50	36	72.0	...	...	...	...
29	Do. . . .		...	180	150	83.3	58	38	65.5	...	...	...	...

Tribe taken at Makran on the 19th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbital nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
...	...	...	...	...	...	...	...	...	...	...	...	...	...	6
...	...	...	...	...	...	...	...	...	...	...	...	...	...	7
...	...	...	...	...	...	...	...	...	...	...	...	...	...	8
...	...	...	...	...	...	...	...	...	...	...	...	...	...	9
...	...	...	...	...	...	...	...	...	...	...	...	...	...	10
...	...	...	...	...	...	...	...	...	...	...	...	...	...	11
...	...	...	...	...	...	...	...	...	...	...	...	...	...	12
...	...	...	...	...	...	...	...	...	...	...	...	...	...	13
135	...	...	...	...	...	...	105	...	7778	...	...	...	...	14
135	...	...	...	...	...	...	114	...	8444	...	...	...	...	15
140	...	...	...	...	...	...	112	...	8000	...	...	...	...	16
130	...	...	...	...	...	...	104	...	8000	...	...	...	...	17
135	...	...	...	...	...	...	112	...	8296	...	...	...	...	18
134	...	...	...	...	...	...	108	...	8060	...	...	...	...	19
128	...	...	...	...	...	...	106	...	8281	...	...	...	...	20
134	...	...	...	...	...	...	108	...	8060	...	...	...	...	21
144	...	...	...	...	...	...	110	...	7639	...	...	...	...	22
130	...	...	...	115	146	1269	105	...	8077	...	...	...	...	23
134	...	...	...	120	144	1200	110	...	8209	...	...	...	...	24
132	...	...	...	120	144	1200	110	...	8333	...	...	...	...	25
130	...	...	...	116	136	1172	104	...	8000	...	...	...	...	26
134	...	...	...	116	156	1344	103	...	8060	...	...	...	...	27
148	...	...	...	130	160	1230	124	...	8378	...	...	...	...	28
138	...	...	...	118	152	1288	108	...	7823	...	...	...	...	28

Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Pásni . . .	Med.	...	178	150	84.2	60	40	66.6	...	...	...	...
31	Do. . .		...	174	148	85.0	62	46	74.1	...	...	...	...
32	...		...	182	152	83.5	68	36	52.9	...	...	...	...
33	...		...	180	152	84.4	56	38	67.8	...	...	...	...
34	...		...	182	150	82.4	56	40	71.4	...	...	...	...
35	...		...	176	146	82.9	54	36	66.6	...	...	...	...
36	...		...	190	160	84.2	54	46	85.1	...	...	...	...
37	...		...	184	144	78.2	58	38	65.5	...	...	...	...
38	...		...	184	146	79.3	54	40	74.0	...	...	...	...
39	...		...	181	145	80.1	58	38	65.5	...	...	...	...
40	...		...	180	144	80.0	62	34	54.8	...	...	...	...
41	...		...	180	144	80.0	58	40	68.9	...	...	...	...
42	Órmára . . .		...	180	156	86.6	56	40	71.4	...	...	...	...
43	" . . .		...	180	154	85.5	56	40	71.4	...	...	...	...
44	" . . .		...	182	152	83.5	56	38	67.8	...	...	...	...
45	" . . .		...	190	150	78.9	54	38	70.3	...	...	...	...
46	" . . .		...	182	150	82.4	52	34	65.3	...	...	...	...
47	" . . .		...	180	160	88.8	62	42	67.7	...	...	...	...
48	" . . .		...	180	160	88.8	60	38	63.6	...	...	...	...
49	" . . .		...	174	144	82.7	58	36	62.0	...	...	...	...
50	" . . .		...	170	140	82.3	54	36	66.6	...	...	...	...
51	" . . .		...	176	150	85.2	54	36	66.6	...	...	...	...
52	" . . .		...	182	152	83.5	54	34	62.9	...	...	...	...
53	" . . .		...	174	160	91.9	54	42	77.7	...	...	...	...
54	" . . .		...	176	148	84.0	58	38	65.5	...	...	...	...
55	" . . .		...	184	146	79.3	58	42	72.4	...	...	...	...
56	" . . .		...	180	148	82.2	60	40	66.6	...	...	...	...
57	" . . .		...	182	146	80.2	58	38	65.5	...	...	...	...
58	" . . .		...	182	146	80.2	58	38	65.5	...	...	...	...

Tribe taken at Makran on the 19th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizzomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
138	...	...	...	122	100	131.0	112	...	8116	...	...	...	...	30
130	...	...	...	118	148	125.4	114	...	8769	...	...	...	...	31
140	...	...	...	120	16.4	136.6	116	...	8286	...	...	...	...	32
142	...	...	...	128	16.4	128.4	114	...	8028	...	...	...	...	33
132	...	...	...	116	14.6	125.8	104	...	7879	...	...	...	...	34
122	...	...	...	108	14.0	129.6	91	...	7459	...	...	...	...	35
144	...	...	...	118	16.4	138.9	110	...	7639	...	...	...	...	36
130	...	...	...	116	14.3	127.6	110	...	8462	...	...	...	...	37
130	...	...	...	124	15.6	125.8	110	...	8462	...	...	...	...	38
134	...	...	...	126	15.2	120.6	104	...	7767	...	...	...	...	39
130	...	...	...	122	15.6	127.8	110	...	8462	...	...	...	...	40
134	...	...	...	124	160	129.3	110	...	8209	...	...	...	...	41
130	...	...	...	118	160	185.5	110	...	8462	...	...	...	...	42
134	...	...	...	120	168	140.0	110	...	8209	...	...	...	...	43
132	...	...	...	118	156	132.2	116	...	8788	...	...	...	...	44
134	...	...	...	120	160	133.3	106	...	8637	...	...	...	...	45
128	...	...	...	118	156	132.2	106	...	8231	...	...	...	...	46
142	...	...	...	118	156	132.2	110	...	7746	...	...	...	...	47
134	...	...	...	118	156	132.2	110	...	8009	...	...	...	...	48
128	...	...	...	110	144	130.9	110	...	8594	...	...	...	...	49
120	...	...	...	110	140	127.2	98	...	9167	...	...	...	...	50
122	...	...	...	104	136	130.7	102	...	8361	...	...	...	...	51
134	...	...	...	122	148	121.3	104	...	7761	...	...	...	...	52
132	...	...	...	128	144	112.5	110	...	8333	...	...	...	...	53
132	...	...	...	118	160	135.5	108	...	8182	...	...	...	...	54
132	...	...	...	118	156	132.2	110	...	8333	...	...	...	...	55
128	...	...	...	110	140	127.2	108	...	8438	...	...	...	...	56
132	...	...	...	120	148	123.3	112	...	8485	...	...	...	...	57
136	...	...	...	118	148	125.4	108	...	7941	...	...	...	...	58

Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Ormárá	Med.	...	194	140	72.1	52	38	73.0	...	...	...	...
60	Do.		...	176	140	79.5	56	34	60.7	...	...	...	...
61	Do.		...	192	154	80.2	56	42	75.0	...	...	...	...
62	Do.		...	182	150	82.4	56	38	67.8	...	...	...	...
63	Do.		...	170	150	88.2	58	38	65.5	...	...	...	...
64	Do.		...	172	152	88.3	56		53.5	...	...	...	...
65	Do.		...	170	140	82.3	56	34	60.7	...	...	...	...
66	Do.		...	176	148	84.0	56	44	73.5	...	...	...	...
67	Do.		...	182	150	82.4	54	36	66.6	...	...	...	...
68	Do.		...	176	150	85.2	50	36	72.0	...	...	...	...
69	Do.		...	180	133	76.6	60	38	63.6	...	...	...	...
70	Do.		...	176	146	82.9	43	36	75.0	...	...	...	...
71	Do.		...	190	152	80.0	64	40	62.5	...	...	...	...
72	Do.		...	176	145	82.3	54	38	70.3	...	...	...	...
73	Do.		...	174	146	83.9	62	35	56.4	...	...	...	...
74	Do.		...	186	152	81.7	62	34	54.8	...	...	...	...
75	Do.		...	182	150	82.4	46	36	64.2	...	...	...	...
76	Do.		...	192	148	77.0	58	40	68.9	...	...	...	...
77	Do.		...	186	146	78.4	54	36	66.6	...	...	...	...
78	Do.		...	194	154	79.3	56	40	71.4	..	...	...	...
79	Do.	...	192	150	78.1	58	44	75.3	...	...	...	...	
Average				181.4	148.9	82.0	55.9	38.1	68.1	...	...	...	...

Tribe taken at Makran on the 21st May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
130	...	...	...	114	140	1228	114	...	8769	...	...	...	...	59
128	...	...	...	110	140	1272	110	...	8594	...	...	...	...	60
142	...	...	...	124	160	1290	114	...	8028	...	...	...	...	61
130	...	...	...	116	144	1241	108	...	8308	...	...	...	...	62
134	...	...	...	118	148	1254	106	...	7910	...	...	...	...	63
128	...	...	...	106	136	1283	106	...	8231	...	...	...	...	64
124	...	...	...	112	144	1285	100	...	8065	...	...	...	...	65
132	...	...	...	116	144	1241	106	...	8030	...	...	...	...	66
134	...	...	...	114	148	1298	108	...	8060	...	...	...	...	67
130	...	...	...	113	144	1274	106	...	8154	...	...	...	...	68
126	...	...	...	108	144	1333	103	...	8571	...	...	...	...	69
128	...	...	...	114	136	1192	108	...	8438	...	...	...	...	70
132	...	...	...	114	150	1316	113	...	8561	...	...	...	...	71
130	...	...	...	116	140	1206	102	...	7846	...	...	...	...	72
122	...	...	...	116	144	1241	110	...	9016	...	...	...	...	73
133	...	...	...	112	142	1267	110	...	8271	...	...	...	...	74
128	...	...	...	110	140	1272	100	...	7813	...	...	...	...	75
134	...	...	...	122	148	1213	103	...	8060	...	...	...	...	76
132	...	...	...	116	144	1241	108	...	8182	...	...	...	...	77
142	...	...	...	130	160	1230	116	...	8169	...	...	...	...	78
134	...	...	...	122	148	1213	110	...	8209	...	...	...	...	79
132.5	...	...	...	117.3	149.4	1273	108.5	...	821.6	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MED.

TABLE
Abstract of measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Med.	...	1869	1501	...	546	392	...	...	...	...	...
11-20	...		...	1797	1470	...	515	366	...	...	...	...	...
21-30	...		...	1801	1500	...	574	387	...	...	...	...	...
31-40	...		...	1813	1487	...	582	392	...	...	...	...	...
41-50	...		...	1798	1510	...	566	382	...	...	...	...	...
51-60	...		...	1806	1476	...	562	380	...	...	...	...	...
61-70	...		...	1776	1478	...	550	372	...	...	...	...	...
71-79	...		...	1672	1343	...	524	343	...	...	...	...	...
GRAND TOTAL	...	...	...	14332	11765	...	4419	3014	...	...	...	...	...
Average	...	...	...	181.4	148.9	82.0	55.9	38.1	68.1	...	...	...	...

II.

Tribe taken at Makran on the 21st May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1-10
937	...	...	...	...	...	...	761	...	56859	...	...	...	...	11-20
1362	...	...	...	957	1198	...	1099	...	80695	...	...	...	...	21-30
1334	...	...	...	1196	1538	...	1083	...	81213	...	...	...	...	31-40
1816	...	...	...	1174	1556	...	1086	...	84322	...	...	...	...	41-50
1306	...	...	...	1162	1460	...	1086	...	83197	...	...	...	...	51-60
1308	...	...	...	1141	1448	...	1070	...	81845	...	...	...	...	61-70
1187	...	...	...	1058	1316	...	977	...	74127	...	...	...	...	71-79
8750	...	...	...	6688	8516	...	7162	...	542258	...	...	...	...	
1325	...	...	...	1173	1494	1273	1085	...	8216	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—MED,

SERiations.

Turko-Iranian Type.

Type Specimen: MED.

PROPORTIONS OF HEAD. (Phalic Index.)			PROPORTIONS OF NOSE. (Nasal Index.)			RELATIVE PROMINENCE OF ROOT OF NOSE. (Orbito-Nasal Index.)		
Average	.	82.0	Average	.	68.1	Average	.	127.3
Maximum	.	92	Maximum	.	92	Maximum	.	140
Minimum	.	72	Minimum	.	53	Minimum	.	113
Range	.	20	Range	.	39	Range	.	27

INDICES.		Number of subjects.	Percentage on number of subjects.									
HEAD.			5	10	15	20	25	30	35			
LONG HEADS (Dolicho-cephalic).	{ 70 and under 72.5	1	◆—1									
	{ 72.5 and under 75	1	◆—1									
MEDIUM HEADS (Meso-cephalic)	{ 75 and under 77.5	5	◆◆◆◆◆—6									
	{ 77.5 and under 80	13	◆◆◆◆◆◆◆◆◆◆—16									
BROAD HEADS (Brachy-cephalic).	{ 80 and under 82.5	25	◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆—32									
	{ 82.5 and under 85	18	◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆—23									
	{ 85 and under 87.5	10	◆◆◆◆◆◆◆◆◆◆◆—13									
	{ 87.5 and over	6	◆◆◆◆◆◆—8									



CSL

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MENGAL.

TABLE

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Pr. vince or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Darga Khan Saruna	Miraji	27	18.0	15.4	85.5	5.4	3.6	66.6	...	...	...	...
2	Rohimdad Saruna	...	40	17.5	15.5	88.5	6.0	3.6	60.0	...	...	...	...
3	Imambax Saruna	...	16	16.1	15.0	93.1	5.5	3.4	61.8	...	...	...	...
4	Sinar Saruna	...	55	17.5	15.0	85.7	6.1	3.5	57.3	...	...	...	...
5	Ido Saruna	...	48	17.2	15.0	87.2	4.4	3.2	72.7	...	...	...	...
6	Bijja Saruna	Mirwani	32	17.0	15.2	89.4	6.3	3.4	53.9	...	...	...	...
7	Chhuta Saruna	Shapora	35	17.4	15.3	87.9	6	3.4	56.6	...	...	...	...
8	Attur Saruna	Miraji	32	17.8	16.0	89.3	6.0	3.5	58.3	...	...	...	...
9	Karimbox Saruna	...	32	18.5	16.0	86.4	5.6	4.0	71.4	...	...	...	...
10	Nobu Saruna	...	23	18.0	16.0	88.8	5.6	4.0	71.4	...	...	...	...
11	Akin Saruna	Mardoï	23	18.2	14.5	79.6	6.0	3.2	53.3	...	...	...	...
12	Jummi "	Miraji	23	18.1	15.0	82.8	5.8	3.4	58.6	...	...	...	...
13	Lashkari Saruna	Pahlvan	30	17.6	15.6	88.6	6.2	3.4	54.8	...	...	...	...
14	Hatel Khan Saruna	...	32	18.2	15.2	83.5	6.0	4.0	66.6	...	...	...	...
15	Bangal Saruna	Miraji	30	18.2	15.0	82.4	6.4	3.3	51.5	...	...	...	...
16	Jalal Saruna	Gadra	35	18.0	15.0	83.3	6.4	3.5	54.6	...	...	...	...
17	Gulom Saruna	Ganan drani	35	18.2	16.0	87.9	6.2	3.8	61.2	...	...	...	...
18	Haibat Saruna	...	35	17.0	15.1	88.8	6.4	3.2	50.0	...	...	...	...
19	Shade Saruna	...	30	18.2	14.8	81.3	6.3	3.5	55.5	...	...	...	...
20	Gulam Saruna	...	23	17.6	15.0	85.2	5.6	3.4	60.7	...	...	...	...
21	Rabbu Saruna	...	18	17.5	14.4	82.2	5.6	3.4	60.7	...	...	...	...
22	Dilshu Saruna	...	22	18.1	14.5	80.1	5.4	3.4	62.9	...	...	...	...

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Naso-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
13.5	...	...	...	11.0	14.2	129.1	12.0	...	...	...	...	...	...	1
13.6	...	...	...	11.0	14.0	127.2	11.0	...	...	...	...	...	...	2
12.4	...	...	...	10.6	12.0	113.2	10.5	...	...	...	...	...	...	3
13.5	...	...	...	10.6	12.0	113.2	10.6	...	...	...	...	...	...	4
12.5	...	...	...	12.1	13.0	107.4	10.2	...	...	...	...	...	...	5
13.0	...	...	...	11.0	13.6	123.6	9.5	...	...	...	...	...	...	6
13.0	...	...	...	10.0	12.8	128.0	11.0	...	...	...	...	...	...	7
13.6	...	...	...	11.0	13.2	120.0	11.2	...	...	...	...	...	...	8
14.0	...	...	...	11.2	14.0	125.0	12.0	...	...	...	...	...	...	9
13.6	...	...	...	11.0	13.0	118.1	11.5	...	...	...	...	...	...	10
13.0	...	...	...	11.2	14.4	128.5	11.0	...	...	...	...	...	...	11
14.2	...	...	...	11.1	13.0	117.1	10.2	...	...	...	...	...	...	12
13.4	...	...	...	11.1	13.2	118.9	10.8	...	...	...	...	...	...	13
13.0	...	...	...	11.1	13.6	122.5	10.4	...	...	...	...	...	...	14
13.0	...	...	...	11.2	14.4	128.5	10.0	...	...	...	...	...	...	15
13.0	...	...	...	10.6	12.8	118.5	10.2	...	...	...	...	...	...	16
14.1	...	...	...	11.2	13.2	117.8	11.1	...	...	...	...	...	...	17
14.0	...	...	...	11.1	12.8	115.3	12.0	...	...	...	...	...	...	18
13.8	...	...	...	11.2	14.0	125.0	10.0	...	...	...	...	...	...	19
13.5	...	...	...	11.2	14.4	128.5	11.0	...	...	...	...	...	...	20
12.5	...	...	...	11.6	13.0	112.0	9.0	...	...	...	...	...	...	21
13.5	...	...	...	11.8	12.2	103.4	11.1	...	...	...	...	...	...	22

TABLE
Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
23	Botha Saruna	...	20	19.0	15.0	78.9	5.4	4.0	74.0	...	...	...	...
24	Abdul Rahima	Dinardi	35	19.0	15.1	79.4	6.2	3.4	54.8	...	...	...	...
25	Baluoh Rahima	Miraj	18	19.0	14.6	76.8	6.0	3.2	53.3	...	...	...	...
26	Abdul Rahiman Saruna	...	30	17.6	15.0	85.2	6.0	3.3	55.0	...	...	...	...
27	Kamalu Vadd	Mirji	35	18.0	14.6	81.1	6.0	3.5	58.3	...	...	...	...
28	Atamohomed Saruna	Mirji	22	17.5	15.2	86.8	5.8	3.3	56.9	...	...	...	...
29	Bahu Saruna Mohamed	...	16	17.5	14.6	83.4	5.1	3.1	60.7	...	...	...	...
30	Pirmahomed Saruna	Seni Mohomad	30	18.0	14.5	80.5	6.1	3.3	54.1	...	...	...	...
31	Aru Saruna	Miraji	30	18.0	16.0	88.8	5.6	3.4	60.7	...	...	...	...
32	Mohmed Jamoli	Mardoi	32	17.4	14.0	80.4	5.6	3.2	57.1	...	...	...	...
33	Daru	Miraji	38	18.2	15.4	84.6	5.4	3.8	70.3	...	...	...	...
34	Darman Saruna	Miraji	25	18.4	15.3	83.1	5.5	3.5	63.6	...	...	...	...
35	Miran Saruna	...	30	18.0	14.6	81.1	5.6	3.0	58.5	...	...	...	...
36	Darya Khan Saruna	Dinarzi	22	18.0	14.5	80.5	5.0	3.4	68.0	...	...	...	...
37	Sumar Khan Saruna	...	17	18.5	14.2	76.7	6.0	3.4	56.6	...	...	...	...
38	Ramu Khan Saruna	Miraji	22	18.0	15.2	84.4	5.0	3.6	72.0	...	...	...	...
39	Bachu Khan	Miraji	34	17.5	15.2	86.8	5.2	3.4	65.3	...	...	...	...
40	Meheran Khan	Miraji	33	19.0	15.1	79.4	6.5	3.4	52.3	...	...	...	...

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.6	...	...	...	11.5	14.0	121.7	11.2	...	...	...	...	...	...	23
13.2	...	...	...	10.8	13.0	120.3	10.0	...	...	...	...	...	...	24
13.2	...	...	...	11.1	14.0	126.1	11.0	...	...	...	...	...	...	25
13.0	...	...	...	10.8	12.8	118.5	10.0	...	...	...	...	...	...	26
13.2	...	...	...	11.0	13.0	118.1	10.8	...	...	...	...	...	...	27
13.8	...	...	...	11.3	14.0	123.8	11.0	...	...	...	...	...	...	28
13.0	...	...	...	10.8	12.8	118.5	10.8	...	...	...	...	...	...	29
13.4	...	...	...	10.3	13.2	122.2	9.5	...	...	...	...	...	...	30
13.5	...	...	...	10.9	14.0	128.4	10.0	...	...	...	...	...	...	31
13.0	...	...	...	10.1	14.0	126.1	10.2	...	...	...	...	...	...	32
13.4	...	...	...	10.0	12.2	122.0	10.2	...	...	...	...	...	...	33
13.3	...	...	...	11.2	13.6	121.4	10.8	...	...	...	...	...	...	34
13.5	...	...	...	11.3	13.0	115.0	10.0	...	...	...	...	...	...	35
13.6	...	...	...	11.2	14.0	125.0	10.3	...	...	...	...	...	...	36
14.1	...	...	...	12.1	14.6	120.6	11.0	...	...	...	...	...	...	37
12.8	...	...	...	10.2	12.4	121.5	10.4	...	...	...	...	...	...	38
14.0	...	...	...	10.2	11.4	111.1	11.0	...	...	...	...	...	...	39
13.5	...	...	...	10.8	12.8	124.2	10.3	...	...	...	...	...	...	40

Measurements of male members of Mengal tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
41	Murakhan	Dirarzai	32	18.0	14.6	81.1	4.1	3.4	82.9	...	...	...	...
42	Dad Kharina (Not known)	Gurginari	52	18.0	15.2	84.4	5.8	3.6	62.0	...	...	...	...
43	Korimdad	...	44	18.0	16.2	90.0	6.2	3.6	58.0	...	...	...	...
44	Haidar	Gurginari	25	16.7	15.0	89.8	5.3	3.2	60.3	...	...	...	...
45	Kiyara Akapat	Gurginari	23	17.5	14.5	82.8	5.4	3.3	61.1	...	...	...	...
46	Dadshah Drakhal	Sumal Hadi	26	18.5	15.3	82.7	5.4	4.0	74.0	...	...	...	...
47	Nobibox Akapat	Gurginari	24	17.5	15.0	85.7	6.0	3.5	58.3	...	...	...	...
48	Dinar	...	55	17.8	15.2	85.3	5.8	4.3	74.1	...	...	...	...
49	Gulamb Husen Trakalor	Mengal	22	17.0	15.0	88.2	5.8	3.2	55.1	...	...	...	...
50	Mungdal	Mengal	55	15.1	14.4	79.5	6.2	4.0	64.5	...	...	...	...
51	Allu Kasmaji	Gurginari	32	17.5	14.0	80.0	6.3	4.0	63.4	...	...	...	...
52	Mahamir Kasmaji	Sehupan	32	18.5	14.5	78.3	6.3	3.6	57.1	...	...	...	...
53	Moru Kasmaji	Sehupan	27	17.8	14.5	81.4	5.6	3.4	60.7	...	...	...	...
54	Nuna Kasmaji Vaddoi	Sehupan Vaddovi	28	19.0	14.5	76.3	5.8	3.5	60.3	...	...	...	...
55	Bhura Kasmaji Sehupan	Sehupan	25	18.2	15.0	82.4	5.4	3.5	64.8	...	...	...	...
56	Bali Kasmaji	Mirhaji	32	17.2	15.0	87.2	5.5	4.0	72.7	...	...	...	...
57	Angana Kasmaji	Gurginari	31	18.0	14.5	80.5	6.0	3.4	56.6	...	...	...	...
58	Abbas Saruna	Mirhaji	33	18.2	14.0	76.9	6.4	3.2	50.0	...	...	...	...

taken at Saruna on the 29th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	...	...	...	10.4	12.2	117.4	10.0	...	...	...	...	...	...	41
13.5	...	...	...	10.4	13.0	125.0	11.2	...	...	...	...	...	...	42
13.0	...	...	...	10.4	14.0	134.6	10.0	...	...	...	...	...	...	43
13.0	...	...	...	10.4	14.0	134.6	10.5	...	...	...	...	...	...	44
12.5	...	...	...	10.2	12.8	125.4	9.8	...	...	...	...	...	...	45
14.0	...	...	...	11.0	14.0	127.2	10.0	...	...	...	...	...	...	46
12.0	...	...	...	10.0	13.0	130.0	9.8	...	...	...	...	...	...	47
13.0	...	...	...	10.4	12.4	119.2	10.6	...	...	...	...	...	...	48
12.4	...	...	...	10.7	12.8	119.6	10.0	...	...	...	...	...	...	49
13.0	...	...	...	10.7	14.0	130.8	10.0	...	...	...	...	...	...	50
12.5	...	...	...	10.2	12.2	119.6	10.2	...	...	...	...	...	...	51
14.2	...	...	...	10.6	13.2	124.5	11.1	...	...	...	...	...	...	52
14.0	...	...	...	10.6	11.6	109.4	10.6	...	...	...	...	...	...	53
13.0	...	...	...	10.8	10.8	100.0	10.0	...	...	...	...	...	...	54
13.2	...	...	...	10.8	13.2	122.2	10.0	...	...	...	...	...	...	55
14.0	...	...	...	11.0	14.0	127.2	11.0	...	...	...	...	...	...	56
13.0	...	...	...	9.5	12.0	126.3	10.0	...	...	...	...	...	...	57
13.4	...	...	...	11.0	13.6	123.6	9.8	...	...	...	...	...	...	58

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic index.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Jendda Lad	Lahadi .	25	19.0	14.2	74.7	5.3	3.1	58.4	...	...	...	...
60	Abdúlár	Ghulam Mâri .	23	18.0	14.3	79.4	6.0	3.3	55.0	...	...	...	...
61	Gul Mahomed	Mihad Jshan	50	18.0	15.3	85.0	6.8	3.5	51.4	...	...	...	...
62	Bacha Dori .	Mihadi .	40	18.0	15.3	85.0	6.1	3.5	57.3	...	...	...	...
63	Sherkha Dori .	Mihadi .	32	18.0	14.2	78.8	5.4	3.3	61.1	...	...	...	...
64	Karatan Dori	Mihadi .	23	18.2	14.0	76.9	5.5	3.2	58.1	...	...	...	...
65	Pocha Dori .	Gadru .	27	17.0	15.0	88.2	5.8	3.2	55.1	...	...	...	...
66	Achar Dori .	Gadru .	22	17.0	14.2	83.5	5.4	3.4	62.9	...	...	...	...
67	Miha Dori .	Jamali .	25	18.0	14.8	82.2	5.6	3.5	62.5	...	...	...	...
68	Ormen Dori .	Dhanupari	35	18.0	14.5	80.5	6.8	3.4	50.0	...	...	...	...
69	Khair Mahomed Tuk.	Kashkeh .	35	19.0	15.0	78.9	5.6	3.1	55.3	...	...	...	...
70	Heshu Khujdar.	Gajgi .	17	18.0	14.1	78.3	5.4	3.1	57.4	...	...	...	...
71	Binu Khujdar	Kamal .	27	19.0	15.0	78.9	5.6	3.1	55.3	...	...	...	...
72	Mavali Khijdar.	" .	27	18.5	14.6	78.9	5.6	3.2	57.1	...	...	...	...
73	Khair Mahamed.	" .	30	19.0	15.4	81.0	6.3	3.2	50.7	...	...	...	...
74	Sha Mahe-med.	" .	25	18.0	14.6	81.1	5.4	3.0	55.5	...	...	...	...
75	Ata Mahmed	Palavan .	30	17.6	14.5	82.3	6.4	3.4	53.1	...	...	...	...
76	Ali Mahamed	Kalatran .	30	17.4	14.4	82.7	5.6	3.4	60.7	...	...	...	...
77	Khudebox .	Gazki .	35	18.5	13.0	70.2	6.4	3.4	53.1	...	...	...	...
	Average .	...		179.5	148.7	82.8	57.8	34.4	59.5	...	...	...	...

tribe taken at Saruna on the 29th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	...	...	...	11.0	12.0	109.0	10.0	...	...	...	...	...	...	59
13.1	...	...	...	10.8	12.6	116.6	10.5	...	...	...	...	...	...	60
13.0	...	...	...	11.4	13.4	117.5	10.0	...	...	...	...	...	...	61
13.0	...	...	...	10.6	13.6	128.3	10.0	...	...	...	...	...	...	62
13.0	...	...	...	10.6	13.2	124.5	10.8	...	...	...	...	...	...	63
13.0	...	...	...	10.2	12.4	121.5	10.4	...	...	...	...	...	...	64
14.0	...	...	...	10.2	12.4	121.5	11.0	...	...	...	...	...	...	65
13.0	...	...	...	10.4	12.8	123.0	10.2	...	...	...	...	...	...	66
13.0	...	...	...	11.0	12.8	116.3	10.5	...	...	...	...	...	...	67
11.5	...	...	...	10.6	12.8	120.7	9.1	...	...	...	...	...	...	68
13.0	...	...	...	10.7	13.6	127.1	11.1	...	...	...	...	...	...	69
12.0	...	...	...	10.4	12.0	115.4	9.5	...	...	...	...	...	...	70
13.4	...	...	...	10.8	12.2	112.9	10.4	...	...	...	...	...	...	71
13.2	...	...	...	10.0	12.0	120.0	10.1	...	...	...	...	...	...	72
14.0	...	...	...	11.0	11.0	100.0	11.0	...	...	...	...	...	...	73
12.6	...	...	...	10.7	12.2	114.0	11.0	...	...	...	...	...	...	74
13.0	...	...	...	10.6	12.0	113.2	10.6	...	...	...	...	...	...	75
13.0	...	...	...	10.6	12.2	115.0	11.0	...	...	...	...	...	...	76
14.0	...	...	...	11.1	14.0	126.1	10.3	...	...	...	...	...	...	77
13.2.3	...	...	...	108.0	130.3	120.6	104.8	...	...	...	...	...	...	



ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MENGAL.

TABLE
 Abstract of measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Mengal.	...	1750	1544	...	569	356	...	...	...	...	...
11-20	...		...	1793	1512	...	613	347	...	...	...	...	...
21-30	...		...	1812	1475	...	576	339	...	...	...	...	...
31-40	...		...	1810	1495	...	554	341	...	...	...	...	...
41-50	...		...	1771	1504	...	560	361	...	...	...	...	...
51-60	...		...	1814	1445	...	586	350	...	...	...	...	...
61-70	...		...	1792	1464	...	584	332	...	...	...	...	...
71-77	...		...	1280	1015	...	413	227	...	...	...	...	...
GRAND TOTAL				...	13822	11454	...	4455	2653	...	...	...	...
Average				...	179.5	148.7	82.3	57.8	34.4	59.5	...	...	...

II.
tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1327	...	...	...	1095	1318	...	1095	...	...	...	...	...	...	1-10
1350	...	...	...	1110	1358	...	1067	...	...	...	...	...	...	11-20
1324	...	...	...	1115	1320	...	1044	...	...	...	...	...	...	21-30
1347	...	...	...	1085	1320	...	1047	...	...	...	...	...	...	31-40
1294	...	...	...	1046	1322	...	1019	...	...	...	...	...	...	41-50
1334	...	...	...	1063	1252	...	1032	...	...	...	...	...	...	51-60
1285	...	...	...	1061	1290	...	1026	...	...	...	...	...	...	61-70
932	...	...	...	748	856	...	744	...	...	...	...	...	...	71-77
10193	...	...	...	8323	10036	...	8074	...	...	...	...	...	...	
1323	...	...	...	1080	1303	1206	1048	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—CHHUTTA LOK.

TABLE I—LASBELA
Measurements of male members of the Chutta lok

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (Glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gul Bhod on the Hul.	Tacchattakur Lakha.	35	18.4	15.0	81.5	5.6	3.6	64.2	...	...	...	...
2	Alli Durreji sect.	Maretia .	35	10.8	10.0	95.2	6.4	4.0	62.5	...	...	...	...
3	Karu-Durreji	Do.	30	16.8	15.2	90.4	5.6	4.0	71.4	...	...	...	...
4	Jorak do. .	Do.	30	18.0	14.8	82.2	6.0	3.8	63.3	...	...	...	...
5	Mihan Sál .	Otmani .	25	18.0	15.5	86.1	5.5	3.6	65.4	...	...	...	...
6	Meirhu, Ladas	Ganja .	22	19.0	15.5	81.5	5.6	3.8	67.8	...	...	...	...
7	Sidha-Lidani	Shoda .	22	17.0	14.8	87.0	6.0	3.0	50.0	...	...	...	...
8	Darya Khān Talanga.	Marito .	27	18.0	15.2	84.4	6.2	3.2	51.6	...	...	...	...
9	Faizu-Virab .	Olmani .	33	17.5	14.6	83.4	5.6	3.2	57.1	...	...	...	...
10	Motias do. .	Furani .	30	18.0	15.5	86.1	7.0	3.6	51.4	...	...	...	...
11	Ido-Durreji .	Marcho .	22	16.5	14.6	88.4	5.4	3.3	61.1	...	...	...	...
12	Fakir Hinidan	Othamani .	23	17.0	14.6	85.8	6.4	3.5	54.6	...	...	...	...
13	Gul Sol .	Do.	32	18.2	15.0	82.4	5.4	3.2	59.2	...	...	...	...
14	Pir Bashk Hinidan.	Nurtani .	50	18.0	15.2	84.4	6.2	3.7	59.6	...	...	...	...
15	Variyo Suruna	Marcho .	65	17.4	14.8	85.0	6.0	4.0	66.6	...	...	...	...
16	Pover-Sol .	Shape .	32	17.4	15.5	89.0	5.6	3.8	67.8	...	...	...	...
17	Gando-Sol .	Turani .	27	16.2	15.0	92.5	6.2	3.4	54.8	...	...	...	...
18	Sumar-Soi .	Othmani .	25	16.2	14.5	89.5	6.8	3.5	51.4	...	...	...	...
19	Suri-Sol .	Do. .	35	18.0	15.0	83.3	6.4	3.4	53.1	...	...	...	...
20	Kadar-Sol .	Do. .	45	18.0	15.2	84.4	6.4	3.4	53.1	...	...	...	...
21	Adam, Durreji	Marcho .	25	18.0	16.2	90.0	6.2	3.6	53.0	...	...	...	...
22	Bihan do.	Othmoni .	25	18.0	15.9	88.3	5.0	3.5	70.0	...	...	...	...
23	Buhar do.	Mercho .	60	17.6	14.8	84.0	5.3	3.6	62.0	...	...	...	...
24	Zando-Hinidan	Bikak .	30	18.4	15.0	81.5	6.2	3.1	50.0	...	...	...	...
25	Dost Mahamed Durreji.	Mutani .	30	18.1	15.1	83.4	6.6	3.5	53.0	...	...	...	...
26	Photo-Durreji	Othmani .	35	18.0	14.8	82.2	5.6	3.4	60.7	...	...	...	...

caste taken at Hinidan on the 14th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.5	...	...	...	11.5	12.3	111.3	10.2	...	...	...	...	...	...	1
14.0	...	...	...	11.8	14.6	123.8	11.3	...	...	...	...	...	...	2
13.2	...	...	...	11.2	14.2	126.7	11.0	...	...	...	...	...	...	3
12.3	...	...	...	11.2	13.6	121.4	11.2	...	...	...	...	...	...	4
14.0	...	...	...	11.3	14.6	129.1	12.0	...	...	...	...	...	...	5
13.2	...	...	...	11.4	14.6	128.1	11.6	...	...	...	...	...	...	6
13.2	...	...	...	11.4	14.0	122.8	12.0	...	...	...	...	...	...	7
12.9	...	...	...	11.4	14.4	126.3	10.8	...	...	...	...	...	...	8
13.0	...	...	...	10.2	13.2	129.4	11.0	...	...	...	...	...	...	9
13.0	...	...	...	11.2	13.2	117.8	10.2	...	...	...	...	...	...	10
12.6	...	...	...	10.0	12.8	128.0	10.5	...	...	...	...	...	...	11
12.6	...	...	...	10.8	13.6	125.9	10.6	...	...	...	...	...	...	12
13.5	...	...	...	11.0	13.6	123.6	11.2	...	...	...	...	...	...	13
13.6	...	...	...	10.8	13.2	122.2	10.6	...	...	...	...	...	...	14
13.0	...	...	...	10.8	12.8	118.5	10.2	...	...	...	...	...	...	15
13.5	...	...	...	11.4	13.6	119.2	11.4	...	...	...	...	...	...	16
13.0	...	...	...	11.2	13.6	121.4	10.0	...	...	...	...	...	...	17
13.1	...	...	...	11.4	14.8	129.8	11.0	...	...	...	...	...	...	18
13.0	...	...	...	10.8	14.0	129.6	10.0	...	...	...	...	...	...	19
13.0	...	...	...	11.0	14.4	130.9	10.0	...	...	...	...	...	...	20
14.2	...	...	...	11.6	14.0	120.6	11.0	...	...	...	...	...	...	21
13.5	...	...	...	11.2	14.0	125.0	10.6	...	...	...	...	...	...	22
13.2	...	...	...	11.0	14.0	127.2	10.2	...	...	...	...	...	...	23
13.5	...	...	...	11.2	15.0	134.0	11.4	...	...	...	...	...	...	24
13.4	...	...	...	11.2	14.0	125.0	11.5	...	...	...	...	...	...	25
13.2	...	...	...	11.4	13.8	121.0	12.0	...	...	...	...	...	...	26

TABLE

Measurements of male members of the Chutta lok

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
27	Popat-Saruna	Durani	60	18.0	15.1	83.8	6.2	3.4	54.8	...	...	...	...
28	Nur Mohomed Durreji.	Marcho	32	17.6	15.0	85.2	5.6	3.1	55.3	...	...	...	...
29	Sanjan Durreji	Do.	30	17.6	14.6	82.9	5.6	3.6	64.2	...	...	...	...
30	Haji Umar Huidan.	Othmani	30	17.5	14.0	80.0	6.4	3.5	54.6	...	...	...	...
31	Faizn Durreji	Bikak	25	17.2	14.6	84.8	5.6	3.6	64.2	...	...	...	...
32	Allarakhe Durreji.	Do.	25	17.5	14.5	82.8	6.6	3.6	54.5	...	...	...	...
33	Ibrahim Hini-dan.	Othmani	60	17.5	14.6	83.4	6.4	3.7	57.3	...	...	...	...
Average				176.1	150.2	85.2	60.0	35.2	58.6	...	...	...	...

I.

tribe taken at Dureji on the 15th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
131	...	...	...	11.2	14.4	128.5	10.6	...	...	...	...	...	...	27
130	...	...	...	11.2	12.8	114.2	11.0	...	...	...	...	...	...	28
130	...	...	...	11.1	13.6	122.5	10.0	...	...	...	...	...	...	29
125	...	...	...	11.1	13.6	122.5	10.0	...	...	...	...	...	...	30
132	...	...	...	10.8	13.2	122.2	11.0	...	...	...	...	...	...	31
128	...	...	...	11.0	14.0	127.2	10.5	...	...	...	...	...	...	32
140	...	...	...	11.2	14.4	128.5	11.2	...	...	...	...	...	...	33
132.2	...	...	...	111.2	138.3	124.3	108.4	...	...	...	...	...	...	



ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—CHHUTTA LOK.

Abstract of measurements of male members of the Chutta

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10		Chutta lok.	...	1775	1521	...	595	353	...	...	...	...	...
11-20			...	1729	1494	...	608	352	...	...	...	...	...
21-33			...	2310	1942	...	778	452	...	...	...	...	...
			...	5814	4957	...	1981	1162	...	...	...	...	...
	GRAND TOTAL.		...	5814	4957	...	1981	1162	...	...	...	...	...
	Average		...	176.1	150.2	85.2	60.0	35.2	58.6	...	...	...	...

lok tribe taken at Hinidan on the 14th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygo- maxillary breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac chest breadth.	Serial No.
1328	...	...	...	1126	1392	...	1113	...	...	...	...	...	...	1-10
1309	...	...	...	1092	1364	...	1055	...	...	...	...	...	...	11-20
1726	...	...	...	1452	1808	...	1410	...	...	...	...	...	...	21-33
4363	...	...	...	3670	4564	...	3578	...	...	...	...	...	...	
132.2	...	...	...	111.2	138.3	124.3	108.4	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—SANGUR.

TABLE

Measurements of male members of the Sangur

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Ali Jorakzai Omera.	Sangur.	40	18.2	15.8	86.8	6.8	4.3	63.2	...	...	...	...
2	Diner Mahamadám.	Sajde	40	18.0	15.0	83.3	5.6	4.0	71.4	...	...	...	...
3	Hadang Vaurazai.	Sangur.	27	17.4	15.6	89.6	5.6	4.2	75.0	...	...	...	...
4	Arab Mayadum.	"	28	17.5	15.6	89.1	6.0	3.8	63.3	...	...	...	...
5	Qadd Muradzai.	"	23	18.2	14.6	80.2	5.7	3.6	63.1	...	...	...	...
6	Malang-Meyadum.	"	24	18.0	16.0	88.8	6.0	3.8	63.3	...	...	...	...
7	Gamará Muradzai.	"	29	18.2	15.1	82.9	5.0	3.8	76.0	...	...	...	...
8	Marghe Muradzai.	"	20	18.6	16.0	86.0	5.4	3.6	66.6	...	...	...	...
9	Khange Muradzai.	"	17	18.0	15.0	83.3	6.0	3.8	63.3	...	...	...	...
10	Baghdad Mallar.	"	30	17.0	16.0	94.1	6.2	4.0	64.5	...	...	...	...
11	Sadry Mayadaire.	"	20	17.4	14.8	85.0	5.6	3.6	64.2	...	...	...	...
12	Sahebdad Mayadaire.	"	30	17.2	15.2	88.3	6.0	4.2	70.0	...	...	...	...
13	Washir Mayadaire.	"	30	17.6	15.6	88.6	6.8	4.0	58.8	...	...	...	...
14	Mayar Mayadaire.	"	30	17.4	14.8	85.0	6.0	3.8	63.3	...	...	...	...
15	Mengal Mayadaire.	"	45	17.6	15.2	86.3	5.8	3.4	58.6	...	...	...	...
16	Mureys Mayadaire.	"	35	17.8	15.0	84.2	6.8	3.6	52.9	...	...	...	...
Average		...	...	177.5	153.3	86.3	59.5	38.4	64.5	...	...	...	...

I.

tribe taken at Omara on the 6th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
140	...	...	...	124	160	1290	110	...	...	...	...	...	...	1
124	...	...	...	114	140	1228	110	...	...	...	...	...	...	2
140	...	...	...	124	152	1225	108	...	...	...	...	...	...	3
134	...	...	...	112	144	1285	100	...	...	...	...	...	...	4
136	...	...	...	120	150	1250	110	...	...	...	...	...	...	5
128	...	...	...	113	140	1217	98	...	...	...	...	...	...	6
134	...	...	...	113	144	1274	106	...	...	...	...	...	...	7
138	...	...	...	116	148	1275	116	...	...	...	...	...	...	8
130	...	...	...	120	152	1266	102	...	...	...	...	...	...	9
134	...	...	...	113	128	1132	110	...	...	...	...	...	...	10
136	...	...	...	120	144	1200	110	...	...	...	...	...	...	11
136	...	...	...	116	148	1275	100	...	...	...	...	...	...	12
138	...	...	...	119	144	1210	103	...	...	...	...	...	...	13
132	...	...	...	114	142	1245	112	...	...	...	...	...	...	14
134	...	...	...	114	140	1228	110	...	...	...	...	...	...	15
134	...	...	...	114	144	1263	118	...	...	...	...	...	...	16
1348	...	...	...	1167	1450	1242	1073	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements

TYPE—SANGUR.

TABLE
 Abstract of measurements of male members of the Sangur

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or castes.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Sangur.	...	1791	1547	...	583	389	...	...	...	...	...
11-16	...		...	1050	906	...	330	226	...	...	...	...	...
	GRAND TOTAL.		...	2841	2453	...	913	615	...	...	...	...	...
	Average .		...	177.5	153.2	86.3	59.5	38.4	64.5	...	...	...	...

II.

tribe taken at Omara on the 6th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1348	...	...	...	1171	1458	...	1070	...	...	...	...	...	...	1-10
810	...	...	...	697	862	...	648	...	...	...	...	...	...	11-16
2158	...	...	...	1668	2320	...	1718	...	...	...	...	...	...	
1818	...	...	...	1167	1450	1242	1073	...	...	...	...	...	...	



ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—BANDIJA.

Measurements of male members of Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gul Mahomed Kila.	Bandija	41	16.8	15.4	91.6	5.4	3.5	64.8	...	...	...	...
2	Jamal Khan Kila.	"	40	17.2	15.0	87.2	6.2	3.5	56.4	...	...	...	...
3	Julhu Khan Kila.	"	30	17.2	15.5	90.1	6.0	3.5	58.3	...	...	...	...
4	Sahibuma Kila.	"	25	17.8	15.4	86.5	5.6	4.0	71.4	...	...	...	...
5	Tharu Kila .	"	25	17.6	14.8	84.0	5.8	4.0	68.9	...	...	...	...
6	Sumar Kila .	"	40	18.0	15.4	85.5	6.0	3.5	58.3	...	...	...	...
7	Julam Kila .	"	27	17.6	15.4	87.5	6.2	3.4	54.8	...	...	...	...
8	Alla Dina Kila	"	16	17.4	15.1	86.7	6.0	3.3	55.0	...	...	...	...
9	Wekhoo Kila	"	15	17.2	16.2	94.1	5.6	3.4	60.7	...	...	...	...
10	Sav Kila .	"	30	17.2	15.0	87.2	5.4	3.4	62.9	...	...	...	...
11	Bahmloo Kila	"	35	17.8	15.0	84.2	6.0	3.2	53.3	...	...	...	...
12	Khamesi Kila	"	40	18.4	16.2	88.0	5.6	4.0	71.4	...	...	...	...
13	Morad Kila .	"	40	16.8	14.6	86.9	6.5	3.4	52.3	...	...	...	...
14	Jatar Kila .	"	25	17.2	15.2	88.3	6.2	3.3	53.2	...	...	...	...
15	Aohar Kila .	"	22	17.0	15.2	89.4	6.0	3.4	56.6	...	...	...	...
16	Nann Kila .	"	30	18.0	15.0	83.3	5.6	3.4	60.7	...	...	...	...
17	Sangur Kila .	"	25	18.6	15.2	81.7	6.0	3.8	63.3	...	...	...	...
18	Yusup Kila .	"	30	17.5	14.8	84.5	6.2	3.5	56.4	...	...	...	...
19	Baloocha Kila	"	25	18.0	16.0	88.8	7.0	4.2	60.0	...	...	...	...
20	Chhata Kila .	"	50	19.0	15.4	81.0	6.4	3.6	56.2	...	...	...	...
21	Belal Dinga .	"	27	17.2	14.4	85.7	6.4	3.8	59.3	...	...	...	...
22	Muredav Dinga .	"	25	18.0	15.4	85.5	6.2	3.6	58.0	...	...	...	...
23	Lias Dinga .	"	32	17.2	15.4	89.5	6.0	3.4	56.6	...	...	...	...
24	Iodo " .	"	30	18.2	15.0	82.4	5.6	3.4	60.7	...	...	...	...
25	Piru " .	"	27	17.8	16.1	90.4	6.0	3.6	60.0	...	...	...	...
26	Sangore " .	"	28	17.2	15.6	90.7	5.8	3.3	56.9	...	...	...	...

tribe taken at Kila on the 12th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigenial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
135	...	...	...	114	132	115.7	103	...	...	...	...	...	...	1
136	...	...	...	116	146	125.8	104	...	...	...	...	...	...	2
136	...	...	...	118	130	110.1	106	...	...	...	...	...	...	3
136	...	...	...	122	146	119.6	113	...	...	...	...	...	...	4
140	...	...	...	125	152	121.6	110	...	...	...	...	...	...	5
133	...	...	...	116	144	124.1	100	...	...	...	...	...	...	6
128	...	...	...	108	140	129.6	100	...	...	...	...	...	...	7
136	...	...	...	116	144	124.1	98	...	...	...	...	...	...	8
134	...	...	...	116	136	117.2	106	...	...	...	...	...	...	9
134	...	...	...	115	144	125.2	100	...	...	...	...	...	...	10
130	...	...	...	115	140	121.7	100	...	...	...	...	...	...	11
142	...	...	...	120	144	120.0	110	...	...	...	...	...	...	12
124	...	...	...	112	156	139.2	96	...	...	...	...	...	...	13
130	...	...	...	114	140	122.8	90	...	...	...	...	...	...	14
133	...	...	...	118	148	125.4	110	...	...	...	...	...	...	15
128	...	...	...	118	144	122.0	100	...	...	...	...	...	...	16
132	...	...	...	120	148	123.3	102	...	...	...	...	...	...	17
123	...	...	...	120	152	126.6	104	...	...	...	...	...	...	18
132	...	...	...	118	148	125.4	102	...	...	...	...	...	...	19
134	...	...	...	116	144	124.1	110	...	...	...	...	...	...	20
132	...	...	...	110	140	127.2	110	...	...	...	...	...	...	21
138	...	...	...	120	150	125.0	122	...	...	...	...	...	...	22
136	...	...	...	116	144	124.1	108	...	...	...	...	...	...	23
140	...	...	...	113	140	123.8	106	...	...	...	...	...	...	24
136	...	...	...	111	124	111.7	103	...	...	...	...	...	...	25
136	...	...	...	116	144	124.1	110	...	...	...	...	...	...	26

TABLE
 Measurements of male members of the Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
27	Salu Dinga .	Bandija .	22	16.8	14.8	88.1	6.0	8	46	...	...	...	...
28	Miyalu „ .	„	35	18.2	15.0	82.4	6.0	3.8	63.3	...	...	...	...
29	Varru „ .	„	40	17.8	14.6	82.0	5.5	3.6	65.4	...	...	...	...
30	Chootoo „ .	„	25	17.0	15.5	91.1	6.0	3.4	56.6	...	...	...	...
31	Mahmed „ .	„	50	16.5	14.6	88.4	5.4	3.3	61.1	...	...	...	...
32	Dukhis „ .	„	30	17.1	15.0	87.7	5.6	3.4	60.7	...	...	...	...
33	Haji „ .	„	20	16.8	15.2	90.4	6.0	3.4	58.6	...	...	...	...
34	Sundoo „ .	„	15	17.0	15.2	89.4	6.4	3.0	46.8	...	...	...	...
35	Usman „ .	„	15	16.2	14.4	88.8	5.6	3.6	64.2	...	...	...	...
		Average .	...	174.6	152.0	87.0	59.4	35.0	58.9	...	...	...	...

I.

tribe taken at Dinja on the 13th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
130	...	...	...	11.2	136	121.4	10.1	...	...	...	...	...	...	27
134	...	...	...	11.2	140	125.0	11.0	...	...	...	...	...	...	28
136	...	...	...	11.6	140	120.6	11.0	...	...	...	...	...	...	29
130	...	...	...	11.0	136	123.6	10.0	...	...	...	...	...	...	30
134	...	...	...	10.8	136	125.9	10.0	...	...	...	...	...	...	31
130	...	...	...	10.6	130	122.6	10.2	...	...	...	...	...	...	32
140	...	...	...	11.8	140	118.6	12.0	...	...	...	...	...	...	33
128	...	...	...	11.4	136	119.2	10.1	...	...	...	...	...	...	34
132	...	...	...	11.0	130	118.1	10.0	...	...	...	...	...	...	35
133.5	...	...	...	115.1	141.2	122.6	104.8	...	...	...	...	...	...	



CSL

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE--BANDIJA.

Abstract of measurements of male members of the Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Bandija.	...	1740	1532	...	582	355	...	...	...	...	...
11-20	...		...	1783	1526	...	615	358	...	...	...	...	...
21-30	...		...	1754	1518	...	595	347	...	...	...	...	...
31-35	...		...	836	744	...	290	167	...	...	...	...	...
GRAND TOTAL		...	...	6113	5320	...	2032	1227	...	...	...	...	...
Average		...	...	1746	1520	87.0	59.4	35.0	58.9	...	...	...	...

tribe taken at Kila on the 12th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1348	...	...	...	1166	1414	...	1040	...	...	...	...	...	...	1-10
1313	...	...	...	1171	1464	...	1024	...	...	...	...	...	...	11-20
1348	...	...	...	1136	1394	...	1032	...	...	...	...	...	...	21-30
664	...	...	...	556	672	...	523	...	...	...	...	...	...	31-35
4673	...	...	...	4029	4944	...	3669	...	...	...	...	...	...	
133.5	...	...	...	115.1	141.2	122.6	104.8	...	...	...	...	...	...	



CSL

SUMMARY OF MEASUREMENTS.

SUMMARY OF

Turko-Iranian

(In order of

Number of subject.	NAME OF TRIBE OR CASTE.	Language or Dialect.	Locality.	DIMENSIONS OF HEAD.						PROPORTIONS OF HEAD.		
				LENGTH (GLABEL-LO-OCCIPITAL).			BREADTH (EXTREME).			CEPHALIC INDEX.		
				Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.
58	Lori . . .	Brāhui and Gypsy (Mokaki) .	Quetta and Saruna.	177.6	192	158	139.5	152	130	78.5	90	71
59	Wanechi (Pathan)	Pashto .	Bābihān Thal Chotiali.	178.1	195	161	141.2	155	126	79.2	89	70
100	Jat . . .	Jadgāli .	Sibi . . .	177.8	198	160	141.9	155	130	79.8	92	70
100	Pani (Pathan)	Pashto .	Sibi . . .	183.9	198	168	147.4	158	139	80.1	90	75
300	Dehwāri .	Dehwāri .	Mastung .	179.4	200	165	145.3	160	130	80.9	91	68
48	Mir Jats . .	Jatki . . .	Sibi . . .	180.1	200	162	146.4	158	135	81.2	96	73
21	Kalandrani .	...	...	178.3	192	160	146.3	152	138	82.0	88	76
79	Med . . .	Makrāni Balochi .	Pāsni, Gwadur Chābār and Ōrnara.	181.4	200	170	148.9	160	136	82.0	92	72
77	Mengal (Brāhui)	Brāhui .	Surma .	179.5	190	161	148.7	162	130	82.8	93	70
33	Chhutta Lok .	Jadgāli Levy .	Hinidān Tracts.	176.1	190	162	150.2	162	140	85.2	95	80
16	Sangur . . .	...	...	177.5	186	170	153.3	160	146	86.3	94	80
36	Bandijā . .	Jadgāli .	Kila Levy Tracts.	174.6	190	162	152.0	162	144	87.0	94	81

Type.

Cephalic Index.)

DIMENSIONS OF NOSE.						PROPORTIONS OF NOSE.			STATURE.			RELATIVE PROMINENCE OF ROOT OF NOSE.				
HEIGHT.			BREADTH.			NASAL INDEX.						External bi-orbital breadth (Average).	Bi-orbitonasal are (Average).	ORBITO-NASAL INDEX.		
Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.			Average.	Maximum.	Minimum.
56.4	66	44	35.1	44	26	62.2	85	48	...	...	...	98.7	119.5	121.0	133	105
56.9	66	48	33.7	45	28	59.2	87	47	...	...	...	99.2	121.8	122.7	133	114
56.1	64	44	35.4	46	25	63.1	84	42	...	...	...	98.0	122.5	125.0	143	104
50.9	58	43	37.2	43	32	73.0	90	55	167.7	185.2	156.0	112.0	132.0	117.8	126	111
50.9	70	42	35.4	45	28	69.5	93	47	164.2	180.3	148.8	104.6	124.6	119.1	133	107
57.3	86	48	35.4	45	30	61.7	75	40	...	...	...	99.6	124.2	124.6	137	111
58.8	65	50	35.2	40	32	59.8	80	52	...	...	...	103.3	125.3	121.2	129	114
55.9	68	44	38.1	46	30	68.1	92	53	...	...	...	117.3	149.4	127.3	140	113
57.8	68	41	34.4	43	30	59.5	83	50	...	...	...	108.0	130.3	120.6	135	103
60.0	70	50	35.2	40	30	58.6	71	50	...	...	...	111.2	138.3	124.3	134	111
59.5	68	50	38.4	43	34	64.5	76	53	...	...	...	116.7	145.0	124.2	129	113
59.4	70	54	35.0	42	28	58.9	71	47	..	...	...	115.1	141.2	122.6	139	110

1103



CSL

CALCUTTA:
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
8 HASTINGS STREET.

h

10-12-2012

H. O. Sen